Journal of Wood Science

CORRECTION

Open Access

Correction: Evaluation of out-of-plane bending performance of cross-laminated timber (CLT) with various layups made from Japanese cedar (*Cryptomeria japonica*)

Hirofumi Ido[1*], Ryutaro Sudo[2], Kohta Miyamoto[1] and Atsushi Miyatake[1]

Correction: Journal of Wood Science (2025) 71:53
https://doi.org/10.1186/s10086-025-02228-7

In this article [1], Figs. 5 and 6 appeared incorrectly and have now been corrected in the original publication. For completeness and transparency, the old incorrect and correct versions are displayed below. The original article has been corrected.

The original article can be found online at https://doi.org/10.1186/s10086-025-02228-7.

*Correspondence:
Hirofumi Ido
ido_hirofumi650@ffpri.go.jp
[1] Forestry and Forest Products Research Institute, 1 Matsunosato, Tsukuba, Ibaraki 305-8687, Japan
[2] Graduate School of Environmental, Life, Natural Science and Technology, Okayama University, Okayama 700-8530, Japan

© The Author(s) 2025. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

Incorrect figures:




Fig. 5 Ratio of modulus of elasticity to shear modulus (E/G). Error bars represent standard deviations




Fig. 6 Mean values of the shear modulus (G). Error bars represent standard deviations. For symbol definitions, see Table 2

Correct figures (Figs. 5 and 6):




Fig. 5 Mean values of the shear modulus (G). Error bars represent standard deviations. For symbol definitions, see Table 2




Fig. 6 Ratio of modulus of elasticity to shear modulus (E/G). Error bars represent standard deviations

Published online: 16 October 2025

Reference

1. Ido H, Sudo R, Miyamoto K et al (2025) Evaluation of out-of-plane bending performance of cross-laminated timber (CLT) with various layups made from Japanese cedar (*Cryptomeria japonica*). J Wood Sci 71:53

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.