

A Review on the Potential of a Multi–Essential Oil Roll-On Formulation for Menstrual Cramp Relief: Peppermint, Turmeric, Ginger, Cardamom, and Camphor

Kalyani Bankar, Sachin Bhalekar, Sayali Panmand, Shreya Kuddulwar, Madhavi Aher, Ganesh Lamkhade, Prachi Padwal

Samarth Institute of Pharmacy, Belhe, Pune, Maharashtra.

ABSTRACT

Primary dysmenorrhea affects a majority of menstruating individuals and imposes substantial personal and societal burdens through pain, reduced productivity, and impaired quality of life. While non-steroidal anti-inflammatory drugs (NSAIDs) remain first-line therapy, side effects and user preferences sustain interest in complementary options. Topical aromatherapy and essential oil formulations—particularly in convenient roll-on formats—offer multimodal analgesic, anti-inflammatory, antispasmodic, and psychorelaxant effects with favorable tolerability. This review synthesizes evidence for five essential oil actives—peppermint (*Mentha × piperita*), turmeric (*Curcuma longa*) oil, ginger (*Zingiber officinale*) oil, cardamom (*Elettaria cardamomum*) oil, and camphor—as candidates for a synergistic topical roll-on to relieve menstrual cramps. We integrate mechanistic rationales (TRP-channel modulation, COX/LOX inhibition, smooth muscle relaxation, circulatory enhancement), translational data from related indications, formulation guidance (carrier systems, dermal limits, delivery), and safety/regulatory considerations. Although robust randomized trials of this exact five-oil combination for dysmenorrhea are lacking, convergent evidence from peppermint in abdominal pain syndromes, turmeric's dermatologic topical benefits, and ginger's gynecologic effects supports clinical plausibility, while delineating clear research gaps for dose-ranging, standardization, and outcome validation [1][2][3][4]. Collectively, a standardized roll-on formulation appears promising for self-care and as an adjunct to conventional therapy, meriting rigorous clinical evaluation.

Keywords: Roll-on , Turmeric oil, peppermint oil, cardomom oil, camphor, menstrual cramp

INTRODUCTION

Primary dysmenorrhea is driven by elevated uterine prostaglandins (notably PGF_{2α} and PGE₂), leading to hypercontractility, uterine ischemia, and pain, often co-occurring with nausea, fatigue, and mood symptoms. While NSAIDs reduce prostaglandin synthesis, adverse effects and variable response stimulate demand for safe, fast-acting non-oral options. Topical essential oils can deliver:- Local neurosensory modulation (via thermosensitive TRP channels),- Antiinflammatory action (COX/LOX downregulation),- Antispasmodic effects on smooth muscle,- Enhanced microcirculation and counterirritation,- Aromatherapeutic calming. A roll-on format enables targeted abdominal/lumbar application, standardized dosing, and portability,

while minimizing systemic exposure. The blend of peppermint, turmeric, ginger, cardamom, and camphor is theoretically complementary and well-suited to counter uterine spasm and pain.

• Mechanistic Overview of Selected Essential Oils

1. Peppermint (*Mentha × piperita*) Oil- Peppermint oil is rich in menthol (TRPM8 agonist) and menthone, conferring cooling counterirritation, antispasmodic effects, and analgesia via nociceptor desensitization. Broad pharmacological profiling confirms anti-inflammatory and antimicrobial properties; clinical research in abdominal pain (IBS) shows improvement in secondary endpoints such as pain intensity and symptom severity, supporting analgesic potential with

Relevant conflicts of interest/financial disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

acceptable safety in well-designed randomized studies[1][5]. Although dysmenorrhea differs from IBS, both involve visceral pain pathways; thus peppermint's antispasmodic and analgesic mechanisms provide a plausible translatable benefit[1][5].



2. Turmeric (*Curcuma longa*) Oil -Turmeric essential oil (distinct from isolated curcumin) contains ar-, α -, and β -turmerone and sesquiterpenes with anti-inflammatory and antioxidant actions. Topically, turmeric and curcumin-based preparations show benefits in several dermatologic conditions, suggesting skin tolerability and percutaneous utility[2]. Systemic curcuminoids are broadly regarded as safe, though topical essential oil compositions can vary; nevertheless, safety profiles for turmeric constituents are favorable across modalities[2][6]. In menstruation-related pain, COX/LOX pathway attenuation could lower prostaglandin-driven hypercontractility, offering a mechanistic rationale for topical use[2][6].



3. Ginger (*Zingiber officinale*) Oil - Ginger's gingerols, shogaols, and zingiberene inhibit COX-2 and modulate TRPV1, yielding anti-inflammatory and thermogenic effects. Clinical trials demonstrate

benefits of ginger in gynecologic contexts: oral ginger reduces heavy menstrual bleeding compared to placebo and is generally well tolerated, indicating anti-inflammatory and hemodynamic relevance for menstrual symptoms[4]. Although these data are oral and target bleeding rather than pain alone, the shared prostaglandin-mediated biology supports a role in dysmenorrhea. Transdermal application may add localized warming and vasodilatory benefits that complement peppermint's cooling.



4. Cardamom (*Elettaria cardamomum*) Oil Cardamom- oil contains 1,8-cineole, α -terpinyl acetate, and linalyl acetate—terpenes associated with smooth muscle relaxation and mild analgesia in related botanicals. While direct, high-quality clinical trials on cardamom for dysmenorrhea are scarce, 1,8-cineole-rich oils have shown antinociceptive and anti-inflammatory actions in preclinical models. Given its agreeable aroma, cardamom may also contribute anxiolysis and perceived comfort, which are relevant to the biopsychosocial context of menstrual pain.



5. Camphor -Camphor, a terpenoid from *Cinnamomum camphora*, is a well-established topical counterirritant that modulates TRPV1/TRPA1 channels, producing warming/cooling sensations with concentration-dependent effects. Camphor increases local blood flow, facilitates penetration of co-formulated actives, and is commonly paired with

menthol in over-the-counter muscle rubs. Safety depends on adherence to dermal concentration limits; ingestion is hazardous. Used judiciously, camphor enhances multimodal sensory masking and circulatory support.



• Potential Synergistic Interactions-

Analgesic neuromodulator: Menthol (TRPM8) plus camphor (TRPV1/TRPA1) and gingerols (TRPV1) create multimodal sensory contrast and nociceptor desensitization, amplifying analgesia through counter irritation and gate-control mechanisms[1][4]. - Anti-inflammatory pathways: Turmeric constituents and ginger suppress COX/LOX prostaglandin synthesis, targeting a core driver of dysmenorrhea; peppermint and cardamom contribute antioxidant support[2][4][6]. - Antispasmodic effects: Peppermint, cardamom (cineole), and ginger reduce smooth muscle hyperactivity through calcium flux modulation and local thermal effects. - Aromatherapeutic and mood benefits: The combined fragrance profile (minty, spicy-warm, balsamic) supports relaxation and reduced anxiety, which can modulate pain perception. Such complementarity justifies a blended approach where single pathways might not suffice.

• Formulation Considerations-

1. Base, Concentration, and Target Profile A dermally safe roll-on typically contains 3–8% total essential oils in a skin-friendly carrier (e.g., fractionated coconut, jojoba, or medium-chain triglycerides). For abdominal/lumbar application 2–4 times daily during menses: Suggested prototype (total EO load $\approx$ 5–6%): - Peppermint oil: 1.0–1.5% (cooling analgesia, antispasmodic)[1][5] - Turmeric essential oil: 1.0–1.5% (anti-inflammatory, antioxidant)[2][6]

- Ginger essential oil: 1.0–1.5% (warming, COX-2 modulation)[4] - Cardamom essential oil: 0.5–1.0% (smooth muscle relaxation, aroma) - Camphor: 0.3–0.8% (counterirritant, penetration support) Carrier and excipients to 100%: - Primary carrier: 85–92% (MCT or jojoba). - Optional skin conditioners: squalane (1–3%), vitamin E (0.1–0.3%). - Antioxidants to stabilize terpenes (e.g., tocopherol). - Consider inclusion of film-formers or light gelling esters for reduced rub-off. Patch test each oil and the final blend; titrate concentrations to minimize irritation while maintaining efficacy.

2. Package: Opaque glass or high-barrier plastic roll-on (10–30 mL) with stainless/glass roller ball to reduce terpene permeation and preserve volatiles. - Stability: Protect from light/heat; include antioxidants. Assess peroxide values and organoleptic changes over time. - Optional advanced systems: Nanoemulsions (oil-in-water microdroplets) can improve dermal delivery and uniformity; however, for a simple roll-on, anhydrous carrier systems with optimized viscosity are practical and stable. - Fragrance harmonization: Balance menthol-camphor cool/warm notes with the sweet-spicy profile of cardamom and ginger.

• Safety and Regulatory- Adhere to current IFRA dermal limits and national cosmetic regulations for menthol/camphor and skin-sensitizing components. - Contraindications: Broken/irritated skin, known sensitivity to Lamiaceae/Zingiberaceae/Cinnamomum constituents, pregnancy caution with high-cineole oils; avoid ingestion

• Special populations: Use with caution in individuals with sensitive skin or dermatologic conditions; counsel on patch testing.

• Quality: Use standardized, authenticated essential oils with GC–MS profiles; document batch-to-batch variability.

• Safety support: Turmeric/curcumin demonstrate favorable safety in humans; topical applications have shown benefit in skin conditions, supporting dermal tolerability when properly diluted[2][6].



Peppermint oil shows acceptable safety in GI trials with mild, increased adverse events versus placebo (e.g., reflux-like symptoms), reinforcing the importance of conservative dermal dosing and user guidance[1].

- **Evidence from Related Clinical and Experimental Studies**

1. Peppermint oil in GI pain: A rigorous double-blind trial in IBS found no significant benefit on primary abdominal pain response by FDA/EMA definitions but did show significant improvements in secondary outcomes—abdominal pain, discomfort, severity—versus placebo, indicating a true, if modest, analgesic signal[1]. Pharmacology and ethnomedicine support antispasmodic and anti-inflammatory potential[5].
2. Turmeric/curcumin in dermatology: A systematic review of human studies reported significant improvements in several skin conditions for both oral and topical preparations, consistent with anti-inflammatory and antioxidant effects relevant to dermal application in a roll-on[2]. Safety reviews characterize turmeric/curcumin as nonmutagenic and generally recognized as safe, bolstering confidence in topical use at low doses[6].
3. Curcumin in PMS/dysmenorrhea: A triple-blind RCT showed significant pain reduction from baseline in both curcumin and placebo groups, with no between-group superiority, suggesting strong placebo/contextual effects and the need to optimize dose, duration, and possibly combination therapy for menstrual pain endpoints[3].
4. Ginger in gynecology: In a randomized, placebo-controlled trial, ginger significantly reduced heavy menstrual bleeding, with few adverse effects, aligning with COX pathway modulation and potential benefit for dysmenorrhea symptom clusters[4]. Collectively, these data support biological plausibility and adjacent-condition efficacy for the proposed actives, despite the absence of a definitive trial testing this specific five-oil roll-on in dysmenorrhea.

- **Proposed Mechanism of Action in Menstrual Cramps Upon- topical application to the lower abdomen and/or lumbar region with gentle massage:**

1. Sensory counterirritation and neuromodulation: Menthol (TRPM8) and camphor (TRPV1/TRPA1) generate alternating cool/warm sensations, dampening nociceptive signaling via gate-control and TRP desensitization[1].
2. Prostaglandin pathway attenuation: Turmeric and ginger reduce COX/LOX activity, lowering prostaglandin-mediated uterine hypercontractility[2][4][6].
3. Local circulation enhancement: Warming actives (ginger, camphor) increase superficial microcirculation, potentially decreasing ischemic pain.
4. Antispasmodic effects: Peppermint and cineole-containing oils facilitate smooth muscle relaxation, reducing cramp intensity and frequency [1][5].
5. Psychorelaxation: The combined aroma may reduce anxiety and stress-related amplification of pain perception, complementing physiological effects

- **Limitations and Research Gaps-**

Direct evidence gap: No randomized, controlled trials evaluate this exact five-oil roll-on for dysmenorrhea. Extrapolation is based on related indications and mechanisms[1][2][3][4][6]. - Heterogeneity in oil composition: Natural variability requires standardization via chemotyping and specification of key markers (menthol, turmerones, gingerols/shogaols, 1,8-cineole, camphor). - Dose-response and safety: Optimal dermal concentrations, frequency, and surface area require study, alongside skin sensitization risk and long-term use outcomes. - Placebo/context effects: High placebo response in menstrual symptom trials necessitates robust blinding, tactile control (e.g., neutral-scent roll-ons), and appropriate endpoints (e.g., $\geq 30\%$ pain reduction). - Transdermal pharmacokinetics: Characterization of local tissue exposure, onset/offset kinetics, and interactions among actives will refine formulation. Priority trials should be randomized,



double-blind, vehicle-controlled, with standardized oils, validated pain scales, rescue NSAID use tracking, and safety monitoring.

Practical Use and User Guidance- Application: Roll onto the lower abdomen and/or lower back in circular motions for 15–30 seconds, up to 3–4 times daily during the most painful days

Patch test: Apply a small amount to the inner forearm for 24 hours before first use.

Avoid: Broken skin, mucous membranes, heat packs directly over application site within 30 minutes (to prevent excessive vasodilation), and concurrent topical irritants.

Discontinue and evaluate: If persistent irritation, rash, dizziness, or headache occurs. - **Adjunct care:** Hydration, light movement/heat therapy, and NSAIDs as needed per medical advice.

CONCLUSION

Topical roll-on formulation combining peppermint, turmeric, ginger, cardamom, and camphor is a biologically plausible, user-centric approach to menstrual cramp relief. It integrates complementary mechanisms—TRP-channel neuromodulation, COX/LOX inhibition, smooth muscle relaxation, circulatory support, and aromatherapeutic calming—within a convenient, low-systemic-exposure format. Evidence from adjacent clinical domains supports the analgesic and anti-inflammatory potential of peppermint, turmeric/curcumin, and ginger, though high-quality trials directly assessing this specific blend for dysmenorrhea are still needed [1][2][3][4][6]. With appropriate standardization, dermal safety limits, and clinical validation, this multi-essential oil roll-on could become a practical, accessible adjunct or alternative for individuals seeking non-oral relief from menstrual cramps.

ACKNOWLEDGEMENT

We sincerely acknowledge the continuous guidance, motivation, and constructive feedback provided by our mentor, Prof.Mr. Sachin Mahadu Bhalekar. Their expertise and patience have been instrumental in shaping this review paper. We also extend our

gratitude to Samarth institute of pharmacy, belhe, pune, Maharashtra for providing the necessary academic environment and resources that supported this work.

REFERENCES

1. WEERTS, Z. Z., et al. Efficacy and Safety of Peppermint Oil in a Randomized Double-blind Trial of Patients With Irritable Bowel Syndrome. *Gastroenterology*, 2019.
2. VAUGHN, A. R.; BRANUM, A.; SIVAMANI, R. Effects of Turmeric (*Curcuma longa*) on Skin Health: A Systematic Review of the Clinical Evidence. *Phytotherapy Research*, 2016, 30: 1243-1264.
3. BAHRAMI, A., et al. Effects of curcumin on menstrual pattern, premenstrual syndrome, and dysmenorrhea: A triple-blind, placebo-controlled clinical trial. *Phytotherapy Research*, 2021, 35: 6954-6962.
4. KASHEFI, F., et al. Effect of Ginger (*Zingiber officinale*) on Heavy Menstrual Bleeding: A Placebo-Controlled, Randomized Clinical Trial. *Phytotherapy Research*, 2015, 29: 114-119.
5. MAHENDRAN, G.; RAHMAN, L. Ethnomedicinal, phytochemical and pharmacological updates on Peppermint (*Mentha × piperita* L.)—A review. *Phytotherapy Research*, 2020, 34: 2088-2139.
6. SOLEIMANI, Vahid; SAHEBKAR, A.; HOSSEINZADEH, H. Turmeric (*Curcuma longa*) and its major constituent (curcumin) as nontoxic and safe substances: Review. *Phytotherapy Research*, 2018, 32: 985-995.
7. Alok Krishna AK, Rakesh Tiwari RT, Sushil Kumar SK. Aromatherapy-an alternative health care through essential oils
8. Sala A, Recio MD, Giner RM, Máñez S, Tournier H, Schinella G, Rios JL.. Anti-inflammatory and antioxidant properties of *Helichrysum italicum*. *Journal of Pharmacy and Pharmacology*. 2002 Mar;54(3):365-71.
9. Han SH, Hur MH, Buckle J, Choi J, Lee MS. Effect of aromatherapy on symptoms of dysmenorrhea in college students: A randomized placebo-controlled clinical trial. *Journal of Alternative & Complementary Medicine*. 2006 Jul 1;12(6):535-41.



10. Daley J. Natural Analgesia. *Journal of Complementary Medicine: CM, The*. 2007 July; 6(4).
11. Bakkali F, Averbeck S, Averbeck D, Idaomar M. Biological effects of essential oils-a review. *Food and chemical toxicology*. 2008 Feb 1;46(2):446-75.
12. Alankar S. A review on peppermint oil. *Asian Journal of Pharmaceutical and Clinical Research*. 2009 Apr;2(2):27-33.
13. Siddiqui MZ. *Boswellia serrata*, a potential antiinflammatory agent: an overview. *Indian journal of pharmaceutical sciences*. 2011 May;73(3):255.
14. Mirabi P, Alamolhoda SH, Esmacilzadeh S, Mojab F. Effect of medicinal herbs on primary dysmenorrhoea-a systematic review. *Iranian journal of pharmaceutical research: IJPR*. 2014;13(3):757.
15. Evangelista MT, Abad-Casintahan F, Lopez-Villafuerte L. The effect of topical virgin coconut oil on SCORAD index, transepidermal water loss, and skin capacitance in mild to moderate pediatric atopic dermatitis: a randomized, double-blind, clinical trial. *International journal of dermatology*. 2014 Jan;53(1):100-8.
16. Sarmento-Neto JF, Do Nascimento LG, Felipe CF, De Sousa DP. Analgesic potential of essential oils, *Molecules*. 2015 Dec 23;21(1):20.
17. Lakhan SE, Sheafer H, Tepper D. The effectiveness of aromatherapy in reducing pain: systematic review and meta-analysis. *Pain research and treatment*. A 2016:2016(1):8158693.
18. Dauqan EM, Abdullah A. Medicinal and functional values of thyme (*Thymus vulgaris* L.) herb. *Journal of Applied Biology & Biotechnology*. 2017 Mar 20;5(2):17-22.

HOW TO CITE: Kalyani Bankar, Sachin Bhalekar, Sayali Panmand, Shreya Kuddulwar, Madhavi Aher, Ganesh Lamkhade, Prachi Padwal, A Review on the Potential of a Multi-Essential Oil Roll-On Formulation for Menstrual Cramp Relief: Peppermint, Turmeric, Ginger, Cardamom, and Camphor, *J. Pharm. Sci.*, 2025, 1 (12), 213-218. <https://doi.org/10.5281/zenodo.17814663>

