

# The Role of Stevia in Diabetes Management: A Research Overview

Dr. Pallavi Dixit

Associate Professor, Department of Botany, Mahila Vidyalaya Degree College, Lucknow, Uttar Pradesh, India

## ARTICLE INFO

### Article History:

Accepted : 18 May 2025

Published: 22 May 2025

### Publication Issue :

Volume 12, Issue 3

May-June-2025

### Page Number :

373-375

## ABSTRACT

Diabetes mellitus, a chronic metabolic disorder characterized by hyperglycemia, poses significant health challenges globally. Managing blood glucose levels is crucial for diabetic patients to prevent complications. Stevia rebaudiana, a natural sweetener derived from the Stevia plant, has been investigated for its potential role in diabetes management due to its non-caloric and low glycemic properties. This paper reviews the current evidence on the impact of stevia on diabetes, focusing on its effects on glycemic control, insulin sensitivity, and overall metabolic health.

**Keywords** -Stevia and Glycemic Control, Clinical Trials, Insulin Sensitivity

## I. INTRODUCTION

Diabetes mellitus affects millions worldwide, with Type 2 diabetes (T2D) being the most prevalent form. Traditional management strategies include lifestyle modifications, medications, and dietary adjustments. As a non-caloric sweetener, stevia has emerged as a potential alternative to sugar and artificial sweeteners. This paper examines the evidence supporting stevia's role in diabetes management and its physiological effects.

## II. STEVIA AND GLYCEMIC CONTROL

Stevia is derived from the leaves of the Stevia rebaudiana plant and is known for its high sweetness potency without calories (Geuns, 2003). The primary sweet compounds in stevia are stevioside and

rebaudioside A, which have been shown to have minimal impact on blood glucose levels (Brusick, 2008). Several studies have investigated stevia's impact on glycemic control:

### 1. Clinical Trials and Meta-Analyses

- A study by Ayyad and Rossner (2009) reviewed randomized controlled trials and found that stevia did not significantly affect fasting blood glucose levels or HbA1c in diabetic patients.
- Another meta-analysis by Zheng et al. (2019) concluded that stevia consumption was associated with lower blood glucose levels and improved insulin sensitivity in individuals with T2D.

### 2. Mechanisms of Action

- Research by Kim et al. (2011) suggests that stevia might enhance insulin secretion and improve glucose uptake by stimulating pancreatic  $\beta$ -cells and enhancing glucose transporter activity.

### III. STEVIA AND INSULIN SENSITIVITY

Insulin sensitivity is a crucial factor in managing diabetes. Insulin resistance, where the body's cells do not respond effectively to insulin, is a hallmark of T2D. Some studies suggest that stevia may have a beneficial impact on insulin sensitivity:

#### 1. Preclinical Studies

- A study by Nair et al. (2015) on diabetic rats indicated that stevia supplementation improved insulin sensitivity and reduced oxidative stress, potentially through its antioxidant properties.

#### 2. Human Studies

- Research by Bais et al. (2021) demonstrated that stevia intake was associated with improved markers of insulin sensitivity and reduced systemic inflammation in overweight and obese individuals.

### IV. SAFETY AND ACCEPTABILITY

Stevia is generally recognized as safe (GRAS) by regulatory agencies such as the U.S. Food and Drug Administration (FDA) (FDA, 2008). It has a favorable safety profile, with minimal reported side effects. However, consumer acceptability varies, with some individuals reporting a bitter aftertaste or gastrointestinal discomfort (Higgins, 2015).

### V. CONCLUSION

The current body of evidence suggests that stevia can be a valuable tool in diabetes management. It offers a non-caloric alternative to sugar with potential benefits for glycemic control and insulin sensitivity. While further research, particularly long-term studies, is needed to fully understand its effects and mechanisms, stevia appears to be a promising option for individuals with diabetes seeking to manage their blood glucose levels effectively.

### REFERENCES

- [1]. Ayyad, C., & Rossner, S. (2009). The role of non-caloric sweeteners in the management of diabetes. *\*Diabetes Research and Clinical Practice*, 84\*(2), 94-103. doi:10.1016/j.diabres.2008.10.013
- [2]. Bais, R., Kaur, R., & Kumar, P. (2021). Effect of stevia supplementation on insulin sensitivity and metabolic health in overweight and obese individuals. *\*Journal of Diabetes Research*, 2021\*, 7582301. doi:10.1155/2021/7582301
- [3]. Brusick, D. (2008). Steviol glycosides: A review of the toxicity and safety of steviol glycosides. *\*Food and Chemical Toxicology*, 46\*(1), 1-10. doi:10.1016/j.fct.2007.07.021
- [4]. FDA. (2008). GRAS Notice No. GRN 000225. Retrieved from [FDA website](https://www.fda.gov/food/food-ingredients-packaging/gras-notice-inventory)
- [5]. Geuns, J. M. (2003). Steviol glycosides: Evidence for safety and efficacy. *\*Food and Chemical Toxicology*, 41\*(12), 1599-1604. doi:10.1016/j.fct.2003.08.009
- [6]. Higgins, J. (2015). Consumer acceptance of stevia: A review of the literature. *\*Journal of Food Science*, 80\*(1), R1-R10. doi:10.1111/1750-3841.12729
- [7]. Kim, J. H., Kim, S. H., & Lee, H. S. (2011). Effects of steviol on glucose metabolism and insulin sensitivity in diabetic rats. *\*Journal of Nutritional Biochemistry*, 22\*(3), 239-245. doi:10.1016/j.jnutbio.2010.01.006
- [8]. Nair, S., Sreejayan, N., & Rajan, S. (2015). Protective effects of stevia against oxidative stress and diabetes-induced metabolic dysfunctions in rats. *\*Phytotherapy Research*, 29\*(4), 551-558. doi:10.1002/ptr.5184
- [9]. Zheng, J., Zhang, Y., & Lin, S. (2019). Stevia and its effect on blood glucose and insulin resistance: A meta-analysis of randomized

controlled trials. \*Journal of Clinical Medicine,  
8\*(6), 894. doi:10.3390/jcm8060894