Versioned Archive and Review of Biotic Interactions and Taxon Names Found within qgroom/refuteINAT hash://md5/c253a8ec594df0ede6ecdaec9d3370bf

by Nomer, Elton and Preston, three naive review bots
review@globalbioticinteractions.org
https://globalbioticinteractions.org/contribute

2026-06-08

Abstract

Life on Earth is sustained by complex interactions between organisms and their environment. These biotic interactions can be captured in datasets and published digitally. We present a review and archiving process for such an openly accessible digital interactions dataset of known origin and discuss its outcome. The dataset under review, named qgroom/refuteINAT, has fingerprint hash://md5/c253a8ec594df0ede6ecdaec9d3370bf, is 166KiB in size and contains 543 interactions with 2 unique types of associations (e.g., hasHost) between 130 primary taxa (e.g., Phytoecia caerulescens) and 83 associated taxa (e.g., Echium vulgare). This report includes detailed summaries of interaction data, a taxonomic review from multiple catalogs, and an archived version of the dataset from which the reviews are derived.

Contents

Introduction **2**
Data Review and Archive 2

Methods **2**

Results **4**
Files 4
Archived Dataset 4
Biotic Interactions 4
Interaction Networks 7
Geospatial Distribution 7

Taxonomic Alignment 9
Additional Reviews 12
GloBI Review Badge 13
GloBI Index Badge 13

Discussion **13**

Acknowledgements **14**

Author contributions **14**

Appendix A. Review Files **14**

References **24**

Introduction

Data Review and Archive

Data review and archiving can be a time-consuming process, especially when done manually. This review report aims to help facilitate both activities. It automates the archiving of datasets, including Darwin Core archives, and is a citable backup of a version of the dataset. Additionally, an automatic review of species interaction claims made in the dataset is generated and registered with Global Biotic Interactions (J. H. Poelen, Simons, and Mungall 2014).

This review includes summary statistics about, and observations about, the dataset under review :

> Quentin Groom. 2022. Refuting biotic interactions that have been mistakenly made in iNaturalist. https://github.com/qgroom/refuteINAT/archive/33b17e92c118ca8882fa
> 2026-06-06T17:08:08.190Z hash://md5/c253a8ec594df0ede6ecdaec9d3370bf

Methods

The review is performed through programmatic scripts that leverage tools like Preston (Elliott et al. 2025), Elton (Kuhn, Poelen, and Leinweber 2025), Nomer (Salim and Poelen 2025), globinizer (J. Poelen, Seltmann, and Mietchen 2024) combined with third-party tools like grep, mlr, tail and head.

Table 1: Tools used in this review process

tool name	version
preston	0.11.1
elton	0.16.11
nomer	0.6.5

tool name	version
globinizer	0.4.0
mlr	6.0.0
jq	1.6
yq	4.25.3
pandoc	3.1.6.1
duckdb	1.3.1
mapserver	7.6.4

The review process can be described in the form of the script below [1].

```
# get versioned copy of the dataset (size approx.  166KiB) under review
elton pull qgroom/refuteINAT

# generate review notes
elton review qgroom/refuteINAT \
 > review.tsv

# export indexed interaction records
elton interactions qgroom/refuteINAT \
 > interactions.tsv

# export names and align them with the Catalogue of Life using Nomer
elton names qgroom/refuteINAT \
 | nomer append col \
 > name-alignment.tsv
```

or visually, in a process diagram.




Figure 1: Review Process Overview

You can find a copy of the full review script at check-data.sh. See also GitHub and Codeberg.

[1]Note that you have to first get the data (e.g., via elton pull qgroom/refuteINAT) before being able to generate reviews (e.g., elton review qgroom/refuteINAT), extract interaction claims (e.g., elton interactions qgroom/refuteINAT), or list taxonomic names (e.g., elton names qgroom/refuteINAT)

Results

In the following sections, the results of the review are summarized [2]. Then, links to the detailed review reports are provided.

Files

An extensive list of files produced as part of the review process can be found in Appendix A. Review Files.

Archived Dataset

Note that *data.zip* file in this archive contains the complete, unmodified archived dataset under review.

Biotic Interactions




Figure 2: Biotic Interaction Data Model

In this review, biotic interactions (or biotic associations) are modeled as a primary (aka subject, source) organism interacting with an associate (aka object, target) organism. The dataset under review classified the primary/associate organisms with specific taxa. The primary and associate organisms The kind of interaction is documented as an interaction type.

The dataset under review, named qgroom/refuteINAT, has fingerprint hash://md5/c253a8ec594df0ede6ecdaec9d3370bf, is 166KiB in size and contains 543 interactions with 2 unique types of associations (e.g., hasHost) between 130 primary taxa (e.g., Phytoecia caerulescens) and 83 associated taxa (e.g., Echium vulgare).

An exhaustive list of indexed interaction claims can be found in gzipped csv, tsv, geopackage and parquet archives. To facilitate discovery, a preview of claims available in the gzipped html page at indexed-interactions.html.gz are shown below.

The exhaustive list was used to create the following data summaries below.

[2]Disclaimer: The results in this review should be considered friendly, yet naive, notes from an unsophisticated robot. Please keep that in mind when considering the review results.

Table 2: Sample of Indexed Interaction Claims

sourceTaxonName	interactionTypeName	targetTaxonName	referenceCitation
Exochomus quadripustulatus	eats	Pinus sylvestris	https://www.inaturalist.org/observations/320143
Scymnus suturalis	eats	Pinus sylvestris	https://www.inaturalist.org/observations/320143
Forficula auricularia	eats	Pinus sylvestris	https://www.inaturalist.org/observations/320143
Myrrha octodecimguttata	eats	Pinus sylvestris	https://www.inaturalist.org/observations/320143

Table 3: Most Frequently Mentioned Interaction Types (up to 20 most frequent)

interactionTypeName	count
hasHost	275
eats	268

Table 4: Most Frequently Mentioned Primary Taxa (up to 20 most frequent)

sourceTaxonName	count
Phytoecia caerulescens	46
Exochomus quadripustulatus	36
Harmonia axyridis	32
Harmonia quadripunctata	24
Coccinella septempunctata	20
Calvia quatuordecimguttata	19
Adalia decempunctata	17
Agapanthia cardui	17
Valgus hemipterus	15
Rutpela maculata	13
Grammoptera ruficornis	13
Saperda populnea	13
Propylaea quatuordecimpunctata	12
Stenurella melanura	11
Vibidia duodecimguttata	9
Myrrha octodecimguttata	8
Forficula auricularia	7
Paracorymbia fulva	7

sourceTaxonName	count
Calamobius filum	7

Table 5: Most Frequently Mentioned Associate Taxa (up to 20 most frequent)

targetTaxonName	count
Echium vulgare	45
Pinus sylvestris	43
Leucanthemum vulgare	41
Populus tremula	38
Quercus robur	29
Crataegus monogyna	25
Anthriscus sylvestris	21
Cytisus scoparius	19
Phragmites australis	16
Betula pendula	16
Juniperus communis	16
Pinus nigra	15
Picea abies	14
Corylus avellana	14
Rosa	12
Quercus	11
Carpinus betulus	10
Salix	10
Achillea millefolium	9

Table 6: Most Frequent Interactions between Primary and Associate Taxa (up to 20 most frequent)

sourceTaxonName	interactionTypeName	targetTaxonName	count
Phytoecia caerulescens	eats	Echium vulgare	34
Agapanthia cardui	eats	Leucanthemum vulgare	13
Phytoecia caerulescens	hasHost	Echium vulgare	10
Exochomus quadripustulatus	hasHost	Juniperus communis	9
Saperda populnea	hasHost	Populus tremula	8
Exochomus quadripustulatus	eats	Pinus sylvestris	7
Harmonia quadripunctata	hasHost	Pinus sylvestris	6
Saperda populnea	eats	Populus tremula	5
Exochomus quadripustulatus	hasHost	Quercus robur	5
Stenurella melanura	eats	Leucanthemum vulgare	4

sourceTaxonName	interactionTypeName	targetTaxonName	count
Harmonia quadripunctata	eats	Pinus nigra	4
Rhyzobius	eats	Picea abies	4
Stenopterus rufus	eats	Achillea millefolium	4
Harmonia axyridis	eats	Betula pendula	4
Phytoecia cylindrica	eats	Anthriscus sylvestris	4
Calvia quatuordecimguttata	hasHost	Crataegus monogyna	4
Calamobius filum	hasHost	Arrhenatherum elatius	4
Anisosticta novemdecimpunctata	hasHost	Phragmites australis	4
Coccinella septempunctata	hasHost	Juniperus communis	4

Interaction Networks

The figures below provide a graph view on the dataset under review. The first shows a summary network on the kingdom level, and the second shows how interactions on the family level. It is important to note that both network graphs were first aligned taxonomically using the Catalogue of Life. Please refer to the original (or verbatim) taxonomic names for a more original view on the interaction data.




Figure 3: Interactions on taxonomic kingdom rank as interpreted by the Catalogue of Life download svg

You can download the indexed dataset under review at indexed-interactions.csv.gz. A tab-separated file can be found at indexed-interactions.tsv.gz

Geospatial Distribution

If geospatial information was extracted from the dataset under review, the map below will show their distribution. These maps were generated using MapServer (McKenna et al. 2025) tools configured via map configuration indexed-interactions.map :

```
MAP
  SIZE 1600 800
  EXTENT -180 -90 180 90
  PROJECTION
    "init=epsg:4326"
  END
  LAYER # MODIS WMS map from NASA
    NAME         "modis_nasa"
```




Figure 4: Interactions on the taxonomic family rank as interpreted by the Catalogue of Life. download svg

```
    TYPE         RASTER
    OFFSITE      0 0 0
    STATUS       ON
    CONNECTIONTYPE WMS
    CONNECTION "https://gibs.earthdata.nasa.gov/wms/epsg4326/best/wms.cgi?"

    METADATA
      "wms_srs" "EPSG:4326"
      "wms_name" "OSM_Land_Water_Map"
      "wms_server_version" "1.1.1"
      "wms_format" "image/jpeg"
    END
    CLASS
      STYLE
        COLOR        232 232 232
        OUTLINECOLOR 32 32 32
      END
    END
  END
  LAYER
    NAME "indexed-interactions"
    TYPE POLYGON
```

```
    STATUS ON
    CONNECTIONTYPE OGR
    CONNECTION "indexed-interactions-h3.gpkg"
    DATA "indexed-interactions-h3"
    CLASS
      STYLE
        COLORRANGE 253.0 231.0 37.0 32.0 164.0 134.0
        DATARANGE NULL NULL
        RANGEITEM "log_number_of_records"
        OUTLINECOLOR 0 0 0
      END
    END
  END
END
```

Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Figure 5: Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Associated data can be found in the geopackage files at indexed-interactions .gpkg for point data and indexed-interactions-h3.gpkg for data clustered in geospatial h3 hexagonals.

Learn more about the structure of this download at GloBI website, by opening a GitHub issue, or by sending an email.

Another way to discover the dataset under review is by searching for it on the GloBI website.

Taxonomic Alignment

As part of the review, all names are aligned against various name catalogs (e.g., col, ncbi, discoverlife, gbif, itis, wfo, mdd, tpt, pbdb, and worms). These alignments can help review name usage or aid in selecting of a suitable taxonomic name resource.

Table 7: Sample of Name Alignments

providedName	relationName	resolvedCatalogName	resolvedName
Acer campestre	HAS_ACCEPTED_NAME	col	Acer campestre
Acer	HAS_ACCEPTED_NAME	col	Acer
Achillea millefolium	HAS_ACCEPTED_NAME	col	Achillea millefolium

providedName	relationName	resolvedCatalogName	resolvedName
Adalia bipunctata	HAS_ACCEPTED_NAME	col	Adalia bipunctata

Table 8: Distribution of Taxonomic Ranks of Aligned Names by Catalog. Names that were not aligned with a catalog are counted as NAs. So, the total number of unaligned names for a catalog will be listed in their NA row.

resolvedCatalogName	resolvedRank	count
col	family	1
col	genus	24
col	species	181
col	subgenus	1
col	subspecies	13
discoverlife	NA	198
discoverlife	species	9
gbif	NA	1
gbif	family	1
gbif	genus	24
gbif	species	180
gbif	subspecies	10
gbif	variety	2
itis	NA	76
itis	family	1
itis	genus	23
itis	species	107
mdd	NA	207
ncbi	NA	2
ncbi	family	1
ncbi	genus	22
ncbi	species	180
ncbi	subgenus	2
pbdb	NA	178
pbdb	family	1
pbdb	genus	15
pbdb	species	13
tpt	NA	207
wfo	NA	125
wfo	family	1
wfo	genus	18
wfo	species	63
wfo	subspecies	2

resolvedCatalogName	resolvedRank	count
worms	NA	155
worms	family	1
worms	genus	15
worms	species	36
worms	subspecies	1

Table 9: Name relationship types per catalog. Name relationship type "NONE" means that a name was not recognized by the associated catalog. "SAME_AS" indicates either a "HAS_ACCEPTED_NAME" or "SYNONYM_OF" name relationship type. We recognize that "SYNONYM_OF" encompasses many types of nomenclatural synonymies (ICZN 1999) (e.g., junior synonym, senior synonyms).

resolvedCatalogName	relationName	count
col	HAS_ACCEPTED_NAME	208
col	SYNONYM_OF	104
discoverlife	NONE	198
discoverlife	HAS_ACCEPTED_NAME	8
discoverlife	SYNONYM_OF	1
discoverlife	HOMONYM_OF	1
gbif	HAS_ACCEPTED_NAME	253
gbif	SYNONYM_OF	330
gbif	NONE	1
itis	HAS_ACCEPTED_NAME	129
itis	NONE	76
itis	SYNONYM_OF	2
mdd	NONE	207
ncbi	SAME_AS	197
ncbi	NONE	2
ncbi	SYNONYM_OF	8
pbdb	NONE	178
pbdb	HAS_ACCEPTED_NAME	28
pbdb	SYNONYM_OF	1
tpt	NONE	207
wfo	HAS_ACCEPTED_NAME	83
wfo	NONE	125
wfo	SYNONYM_OF	11
wfo	HAS_UNCHECKED_NAME	7
worms	NONE	155
worms	HAS_ACCEPTED_NAME	57
worms	SYNONYM_OF	6

Table 10: List of Available Name Alignment Reports

catalog name	alignment results
col	associated names alignments report in gzipped html, csv, and tsv)
ncbi	associated names alignments report in gzipped html, csv, and tsv)
discoverlife	associated names alignments report in gzipped html, csv, and tsv)
gbif	associated names alignments report in gzipped html, csv, and tsv)
itis	associated names alignments report in gzipped html, csv, and tsv)
wfo	associated names alignments report in gzipped html, csv, and tsv)
mdd	associated names alignments report in gzipped html, csv, and tsv)
tpt	associated names alignments report in gzipped html, csv, and tsv)
pbdb	associated names alignments report in gzipped html, csv, and tsv)
worms	associated names alignments report in gzipped html, csv, and tsv)

Additional Reviews

Elton, Nomer, and other tools may have difficulties interpreting existing species interaction datasets. Or, they may misbehave, or otherwise show unexpected behavior. As part of the review process, detailed review notes are kept that document possibly misbehaving, or confused, review bots. An sample of review notes associated with this review can be found below.

Table 11: First few lines in the review notes.

reviewDate	reviewCommentType	reviewComment
2026-06-07T23:11:39Z	summary	https://github.com/qgroom/refuteINAT/archive/33b17
2026-06-07T23:11:39Z	summary	543 interaction(s)
2026-06-07T23:11:39Z	summary	0 note(s)
2026-06-07T23:11:39Z	summary	543 info(s)

In addition, you can find the most frequently occurring notes in the table below.

: Most frequently occurring review notes, if any.

For additional information on review notes, please have a look at the first 500 Review Notes in html format or the download full gzipped csv or tsv archives.

GloBI Review Badge

As part of the review, a review badge is generated. This review badge can be included in webpages to indicate the review status of the dataset under review.



Figure 6: Picture of a GloBI Review Badge [3]

Note that if the badge is green, no review notes were generated. If the badge is yellow, the review bots may need some help with interpreting the species interaction data.

GloBI Index Badge

If the dataset under review has been registered with GloBI, and has been succesfully indexed by GloBI, the GloBI Index Status Badge will turn green. This means that the dataset under review was indexed by GloBI and is available through GloBI services and derived data products.



Figure 7: Picture of a GloBI Index Badge [4]

If you'd like to keep track of reviews or index status of the dataset under review, please visit GloBI's dataset index [5] for badge examples.

Discussion

This review and archive provides a means of creating citable versions of datasets that change frequently. This may be useful for dataset managers, including natural history collection data managers, as a backup archive of a shared Darwin Core archive. It also serves as a means of creating a trackable citation for the dataset in an automated way, while also including some information about the contents of the dataset.

This review aims to provide a perspective on the dataset to aid in understanding of species interaction claims discovered. However, it is important to note that

[3] Up-to-date status of the GloBI Review Badge can be retrieved from the GloBI Review Depot

[4] Up-to-date status of the GloBI Index Badge can be retrieved from GloBI's API

[5] At time of writing (2026-06-08) the version of the GloBI dataset index was available at https://globalbioticinteractions.org/datasets

this review does *not* assess the quality of the dataset. Instead, it serves as an indication of the open-ness[6] and FAIRness (Wilkinson et al. 2016; Trekels et al. 2023) of the dataset: to perform this review, the data was likely openly available, **F**indable, **A**ccessible, **I**nteroperable and **R**eusable. The current Open-FAIR assessment is qualitative, and a more quantitative approach can be implemented with specified measurement units.

This report also showcases the reuse of machine-actionable (meta)data, something highly recommended by the FAIR Data Principles (Wilkinson et al. 2016). Making (meta)data machine-actionable enables more precise procesing by computers, enabling even naive review bots like Nomer and Elton to interpret the data effectively. This capability is crucial for not just automating the generation of reports, but also for facilitating seamless data exchanges, promoting interoperability.

Acknowledgements

We thank the many humans that created us and those who created and maintained the data, software and other intellectual resources that were used for producing this review. In addition, we are grateful for the natural resources providing the basis for these human and bot activities. Also, thanks to https://github.com/zygoballus for helping improve the layout of the review tables.

Author contributions

Nomer was responsible for name alignments. Elton carried out dataset extraction, and generated the review notes. Preston tracked, versioned, and packaged, the dataset under review.

Appendix A. Review Files

The following files are produced in this review:

filename	description
biblio.bib	list of bibliographic reference of this review
check-dataset.sh	data review workflow/process as expressed in a bash script
data.zip	a versioned archive of the data under review

[6] According to http://opendefinition.org/: "Open data is data that can be freely used, reused and redistributed by anyone - subject only, at most, to the requirement to attribute and sharealike."

filename	description
HEAD	the digital signature of the data under review
index.docx	review in MS Word format
index.html	review in HTML format
index.md	review in Pandoc markdown format
index.pdf	review in PDF format
indexed-citations.csv.gz	list of distinct reference citations for reviewed species interaction claims in gzipped comma-separated values file format
indexed-citations.html.gz	list of distinct reference citations for reviewed species interactions claims in gzipped html file format
indexed-citations.tsv.gz	list of distinct reference citations for reviewed species interaction claims in gzipped tab-separated values format
indexed-interactions-col-family-col-family.svg	network diagram showing the taxon family to taxon family interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024)
indexed-interactions-col-kingdom-col-kingdom.svg	network diagram showing the taxon kingdom to taxon kingom interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024)
indexed-interactions.csv.gz	species interaction claims indexed from the dataset under review in gzipped comma-separated values format
indexed-interactions.html.gz	species interaction claims indexed from the dataset under review in gzipped html format
indexed-interactions.tsv.gz	species interaction claims indexed from the dataset under review in gzipped tab-separated values format
indexed-interactions.parquet	species interaction claims indexed from the dataset under review in Apache Parquet format
indexed-interactions.png	species interaction claims indexed from the dataset under review plotted on a map

filename	description
indexed-interactions.map	mapserver configuration to plot species interaction claims indexed from the dataset under review on a map
indexed-interactions.gpkg	species interaction claims indexed from the dataset under review in GeoPackage format
indexed-interactions-h3.gpkg	geospatially clustered h3 species interaction claims indexed from the dataset under review in GeoPackage format
indexed-interactions-sample.csv	list of species interaction claims indexed from the dataset under review in gzipped comma-separated values format
indexed-interactions-sample.html	first 500 species interaction claims indexed from the dataset under review in html format
indexed-interactions-sample.tsv	first 500 species interaction claims indexed from the dataset under review in tab-separated values format
indexed-names.csv.gz	taxonomic names indexed from the dataset under review in gzipped comma-separated values format
indexed-names.html.gz	taxonomic names found in the dataset under review in gzipped html format
indexed-names.tsv.gz	taxonomic names found in the dataset under review in gzipped tab-separated values format
indexed-names.parquet	taxonomic names found in the dataset under review in Apache Parquet format
indexed-names-resolved-col.csv.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-col.html.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-col.tsv.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-col.parquet	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-discoverlife.csv.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-discoverlife.html.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-discoverlife.tsv.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format

filename	description
indexed-names-resolved-discoverlife.parquet	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-gbif.csv.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-gbif.html.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-gbif.tsv.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-gbif.parquet	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-itis.csv.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-itis.html.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-itis.tsv.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-itis.parquet	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-mdd.csv.gz	taxonomic names found in the dataset under review aligned with the Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-mdd.html.gz	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-mdd.tsv.gz	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format

filename	description
indexed-names-resolved-mdd.parquet	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-ncbi.csv.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-ncbi.html.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-ncbi.tsv.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-ncbi.parquet	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-pbdb.csv.gz	taxonomic names found in the dataset under review aligned with the Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-pbdb.html.gz	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-pbdb.tsv.gz	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-pbdb.parquet	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-tpt.csv.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-tpt.html.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-tpt.tsv.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format

filename	description
indexed-names-resolved-tpt.parquet	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-wfo.csv.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-wfo.html.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-wfo.tsv.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-wfo.parquet	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-worms.csv.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-worms.html.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-worms.tsv.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-worms.parquet	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-sample.csv	first 500 taxonomic names found in the dataset under review in comma-separated values format
indexed-names-sample.html	first 500 taxonomic names found in the dataset under review in html format
indexed-names-sample.tsv	first 500 taxonomic names found in the dataset under review in tab-separated values format
interaction.svg	diagram summarizing the data model used to index species interaction claims
nanopub-sample.trig	first 500 species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014)
nanopub.trig.gz	species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014)
process.svg	diagram summarizing the data review processing workflow
prov.nq	origin of the dataset under review as expressed in rdf/nquads

filename	description
review.csv.gz	review notes associated with the dataset under review in gzipped comma-separated values format
review.html.gz	review notes associated with the dataset under review in gzipped html format
review.tsv.gz	review notes associated with the dataset under review in gzipped tab-separated values format
review-sample.csv	first 500 review notes associated with the dataset under review in comma-separated values format
review-sample.html	first 500 review notes associated with the dataset under review in html format
review-sample.tsv	first 500 review notes associated with the dataset under review in tab-separated values format
review.svg	a review badge generated as part of the dataset review process
zenodo.json	metadata of this review expressed in Zenodo record metadata

References

Elliott, Michael, Jorrit Poelen, Icaro Alzuru, Emilio Berti, and partha04patel. 2025. "Bio-Guoda/Preston: 0.10.5." Zenodo. https://doi.org/10.5281/zenodo.14662206.

ICZN. 1999. "International Code of Zoological Nomenclature." The International Trust for Zoological Nomenclature, London, UK. https://www.iczn.org/the-code/the-code-online/.

Kuhn, Tobias, and Michel Dumontier. 2014. "Trusty URIs: Verifiable, Immutable, and Permanent Digital Artifacts for Linked Data." In *The Semantic Web: Trends and Challenges*, edited by Valentina Presutti, Claudia d'Amato, Fabien Gandon, Mathieu d'Aquin, Steffen Staab, and Anna Tordai, 395–410. Cham: Springer International Publishing.

Kuhn, Tobias, Jorrit Poelen, and Katrin Leinweber. 2025. "Globalbioticinteractions/Elton: 0.15.1." Zenodo. https://doi.org/10.5281/zenodo.14927734.

McKenna, Jeff, Steve Lime, Thomas Bonfort, Jérome Boué, Howard Butler, Seth Girvin, Tom Kralidis, et al. 2025. "MapServer." Zenodo. https://doi.org/10.5281/zenodo.17807263.

Poelen, Jorrit H. (ed.). 2024. "Nomer Corpus of Taxonomic Resources Hash://Sha256/ B60c0d25a16ae77b24305782017b1a270b79b5d1746f832650

F2027ba536e276 Hash://Md5/17f1363a277ee0e4ecaf1b91c665e47e." Zenodo. https://doi.org/10.5281/zenodo.12695629.

Poelen, Jorrit H., James D. Simons, and Chris J. Mungall. 2014. "Global Biotic Interactions: An Open Infrastructure to Share and Analyze Species-Interaction Datasets." *Ecological Informatics* 24 (November): 148–59. https://doi.org/10.1016/j.ecoinf.2014.08.005.

Poelen, Jorrit, Katja Seltmann, and Daniel Mietchen. 2024. "Globalbioticinteractions/Globinizer: 0.4.0." Zenodo. https://doi.org/10.5281/zenodo.10647565.

Salim, José Augusto, and Jorrit Poelen. 2025. "Globalbioticinteractions/Nomer: 0.5.15." Zenodo. https://doi.org/10.5281/zenodo.14893840.

Trekels, Maarten, Debora Pignatari Drucker, José Augusto Salim, Jeff Ollerton, Jorrit Poelen, Filipi Miranda Soares, Max Rünzel, Muo Kasina, Quentin Groom, and Mariano Devoto. 2023. "WorldFAIR Project (D10.1) Agriculture-related pollinator data standards use cases report." Zenodo. https://doi.org/10.5281/zenodo.8176978.

Wilkinson, Mark D., Michel Dumontier, IJsbrand Jan Aalbersberg, Gabrielle Appleton, Myles Axton, Arie Baak, Niklas Blomberg, et al. 2016. "The FAIR Guiding Principles for Scientific Data Management and Stewardship." *Scientific Data* 3 (1). https://doi.org/10.1038/sdata.2016.18.