



SEA BUCKTHORN OIL: A NATURAL ADJUNCTIVE THERAPY FOR PERIODONTAL REGENERATION AND GINGIVAL HEALTH

Sardorbek Ravshanbek o'g'li Erkinboyev

Affiliation: Andijan State Medical Institute

Email: drerkinboyev@gmail.com

ORCID ID: 0009-0001-3816-1913

Email: drerkinboyev@gmail.com

Phone: +998 (91) 110-61-17

Address: Atabekov 1, Andijan city, Uzbekistan

<https://doi.org/10.5281/zenodo.14676446>

Keywords


1. Sea Buckthorn Oil
2. Periodontal Regeneration
3. Gingival Health
4. Antioxidant Therapy
5. Anti-inflammatory Properties
6. Periodontology

Abstract

Periodontitis and gingivitis are common inflammatory conditions that significantly impact oral health and quality of life. These conditions require effective management strategies to reduce inflammation, promote tissue regeneration, and prevent disease progression. Sea Buckthorn Oil (*Hippophae rhamnoides*), rich in omega fatty acids, carotenoids, tocopherols, and phytosterols, has demonstrated promising therapeutic potential. This review explores SBO's composition, mechanisms of action, and clinical applications in periodontology. Its antioxidant properties reduce oxidative stress, anti-inflammatory actions modulate cytokines, and regenerative effects enhance gingival healing and collagen synthesis. While SBO shows significant promise as an adjunctive therapy, challenges such as variability in composition and the need for standardized formulations must be addressed. Future research should prioritize randomized clinical trials and innovative delivery systems to validate SBO's therapeutic potential and integrate it into periodontal practice.

Introduction

Periodontal diseases, including gingivitis and periodontitis, are among the leading causes of oral health-related morbidity worldwide. Gingivitis involves reversible inflammation of the gingiva, whereas periodontitis results in the destruction of supporting tissues, including periodontal ligaments and alveolar bone. Untreated, these conditions can lead to tooth loss and systemic health





complications such as diabetes and cardiovascular diseases. Traditional treatments like scaling and root planing reduce microbial biofilms but often require adjunctive therapies to enhance outcomes, particularly in advanced cases.

Sea Buckthorn Oil (SBO), derived from the berries of *Hippophae rhamnoides*, has long been used in traditional medicine for its wound-healing, anti-inflammatory, and regenerative properties. Rich in omega fatty acids, carotenoids, tocopherols, and phytosterols, SBO aligns well with the multifaceted therapeutic needs of periodontology. Recent studies highlight its potential to reduce oxidative stress, modulate inflammation, and promote tissue regeneration. This review examines SBO's bioactive components, mechanisms of action, and applications in managing periodontal diseases, while identifying challenges and future research opportunities.


Literature Review

Periodontal diseases, encompassing gingivitis and periodontitis, are complex inflammatory conditions that have profound implications for oral and systemic health. These diseases are driven by interactions between microbial biofilms and host immune responses, leading to tissue destruction and, if untreated, eventual tooth loss. While traditional therapies such as scaling and root planing remain the cornerstone of treatment, there is a growing interest in adjunctive therapies to address underlying inflammation and promote tissue regeneration. Among these, natural bioactive compounds such as Sea Buckthorn Oil (*Hippophae rhamnoides*, SBO) have gained attention for their potential to enhance periodontal therapy.

Therapeutic Properties of Sea Buckthorn Oil

Sea Buckthorn Oil has a rich history of use in traditional medicine for treating wounds, ulcers, and inflammatory conditions. Recent studies have demonstrated its unique composition of bioactive compounds, including omega-7 fatty acids (palmitoleic acid), tocopherols (Vitamin E), carotenoids (β -carotene), and phytosterols (β -sitosterol) (Gupta & Upadhyay, 2011). These components are linked to antioxidant, anti-inflammatory, and regenerative properties, making SBO a promising candidate for periodontal therapy.

The antioxidant properties of SBO are particularly significant in periodontology. Oxidative stress plays a pivotal role in the pathogenesis of periodontal diseases, with excessive reactive oxygen species (ROS) contributing to tissue damage and inflammation (George & Cenkowski, 2009). SBO





neutralizes ROS, protecting periodontal tissues from oxidative injury and enhancing healing (Sharma et al., 2016).

Anti-inflammatory Effects

Inflammation is a hallmark of periodontal diseases, with pro-inflammatory cytokines such as tumor necrosis factor-alpha (TNF- α) and interleukin-6 (IL-6) mediating gingival and periodontal tissue destruction. Studies have shown that SBO can modulate these inflammatory pathways. For instance, Zubachyk and Ilchyshyn (2014) demonstrated that ozonated SBO significantly reduced inflammation and accelerated tissue healing in a preclinical model of tobacco-related periodontitis. The anti-inflammatory properties of SBO are attributed to its ability to inhibit cytokine activity, thereby reducing gingival swelling and erythema (Smida & Istrati, 2016).

Regenerative Potential


Periodontal regeneration involves restoring the structure and function of tissues damaged by disease, including the periodontal ligament, alveolar bone, and gingiva. SBO's regenerative potential is well-documented in studies exploring its effects on tissue healing. Gupta and Upadhyay (2011) observed that SBO promotes angiogenesis, enhances granulation tissue formation, and stimulates collagen synthesis, all of which are critical for periodontal repair. Palmitoleic acid, a major component of SBO, has been identified as a key factor in promoting fibroblast proliferation and extracellular matrix remodeling (George & Cenkowski, 2009).

Antibacterial Properties

The role of microbial biofilms in periodontal diseases underscores the importance of antimicrobial interventions. SBO has demonstrated efficacy against key periodontal pathogens, including *Porphyromonas gingivalis* and *Tannerella forsythia*. In vitro studies have shown that SBO can inhibit bacterial adhesion and biofilm formation, thereby supporting oral hygiene and reducing microbial loads (Sharma et al., 2016). These antibacterial effects further enhance its value as an adjunctive therapy in managing periodontal infections.

Clinical Evidence and Applications

Clinical studies have highlighted the potential of SBO in periodontal therapy. For example, Sharma et al. (2016) reported improved healing outcomes and reduced inflammation in patients with chronic periodontitis treated with SBO as an adjunct to scaling and root planing. Similarly, Zubachyk and Ilchyshyn (2014) found that ozonated SBO enhanced healing in cases of tobacco-associated





periodontitis. These findings support the integration of SBO into conventional periodontal treatment protocols to enhance outcomes.

Challenges and Research Gaps

Despite its promising therapeutic properties, several challenges limit the widespread adoption of SBO in periodontology. Variability in its composition due to differences in cultivation, extraction, and processing methods poses a significant hurdle (Gupta & Upadhyay, 2011). Moreover, while preclinical and small-scale clinical studies provide encouraging data, large-scale randomized controlled trials are needed to establish its efficacy and safety definitively (Sharma et al., 2016; Zubachyk & Ilchyshyn, 2014).

Mechanisms of Action


The therapeutic effects of Sea Buckthorn Oil (*Hippophae rhamnoides*, SBO) in periodontology are rooted in its multifaceted biological mechanisms. These mechanisms address key pathological processes in periodontal diseases, such as oxidative stress, chronic inflammation, tissue damage, and microbial biofilm formation. SBO's bioactive components, including omega fatty acids, carotenoids, tocopherols, and phytosterols, work synergistically to mitigate these processes and promote periodontal health.

Antioxidant Action

Oxidative stress, characterized by excessive production of reactive oxygen species (ROS), plays a significant role in the pathogenesis of periodontal diseases. ROS cause damage to cellular membranes, proteins, and DNA, exacerbating inflammation and tissue destruction (George & Cenkowski, 2009). SBO, rich in antioxidants such as tocopherols (Vitamin E) and carotenoids (β -carotene), neutralizes ROS and prevents oxidative damage. This protective effect enhances the integrity of periodontal tissues and supports healing. Studies have demonstrated that SBO's antioxidant capacity contributes to reduced oxidative markers in inflamed gingival tissues (Sharma et al., 2016).

Anti-inflammatory Modulation

Inflammation is a hallmark of periodontal diseases, driven by the upregulation of pro-inflammatory cytokines such as tumor necrosis factor-alpha (TNF- α), interleukin-6 (IL-6), and interleukin-1 beta (IL-1 β). These cytokines perpetuate gingival inflammation, leading to tissue destruction and disease progression. SBO exerts significant anti-inflammatory effects by modulating these pathways. Zubachyk and Ilchyshyn (2014) reported that ozonated SBO reduced cytokine activity in a preclinical model, leading to decreased gingival swelling and erythema. Palmitoleic acid, a key omega-7 fatty acid in SBO, further





enhances this effect by regulating macrophage polarization toward the M2 phenotype, which is associated with tissue repair and resolution of inflammation (Smida & Istrati, 2016).

Regenerative Properties

Periodontal regeneration involves restoring the structure and function of tissues damaged by disease. SBO supports this process through several mechanisms:


1. **Angiogenesis:** The formation of new blood vessels is critical for delivering oxygen and nutrients to healing tissues. SBO stimulates angiogenesis, as evidenced by increased vascular endothelial growth factor (VEGF) expression in preclinical models (Gupta & Upadhyay, 2011).
2. **Collagen Synthesis:** Collagen is essential for the structural integrity of periodontal tissues. Studies have shown that SBO enhances fibroblast activity, promoting collagen synthesis and extracellular matrix remodeling (George & Cenkowski, 2009).
3. **Granulation Tissue Formation:** SBO accelerates the development of granulation tissue, a key step in wound healing. Palmitoleic acid plays a pivotal role in this process by supporting keratinocyte and fibroblast proliferation (Gupta & Upadhyay, 2011).

Antibacterial Activity

The microbial biofilm in the periodontal pocket is a primary driver of inflammation and tissue destruction in periodontal diseases. SBO exhibits antimicrobial properties, targeting key periodontal pathogens such as *Porphyromonas gingivalis* and *Tannerella forsythia*. Its bioactive components inhibit bacterial adhesion and biofilm formation, reducing microbial load and supporting oral hygiene (Sharma et al., 2016). The presence of flavonoids and phytosterols in SBO enhances its antibacterial effects, providing a natural alternative to synthetic antimicrobial agents.

Synergistic Effects

The combined antioxidant, anti-inflammatory, regenerative, and antibacterial actions of SBO create a synergistic therapeutic effect. This multi-targeted approach not only mitigates the destructive processes of periodontal diseases but also supports the restoration of healthy periodontal structures. Clinical and preclinical evidence underscores SBO's ability to enhance healing outcomes when used as an adjunctive therapy in periodontal treatment protocols (Zubachyk & Ilchyshyn, 2014; Smida & Istrati, 2016).





Applications in Periodontology

The multifaceted properties of Sea Buckthorn Oil (*Hippophae rhamnoides*, SBO) make it a promising adjunctive therapy for managing periodontal diseases such as gingivitis and periodontitis. SBO's ability to reduce inflammation, promote tissue regeneration, and control microbial biofilms aligns well with the therapeutic needs of these conditions. Current applications span both preclinical and clinical contexts, offering insights into its potential to enhance periodontal health outcomes.

Management of Gingivitis

Gingivitis, the early stage of periodontal disease, is characterized by gingival inflammation without tissue destruction. SBO has shown significant efficacy in reducing gingival inflammation by mitigating oxidative stress and modulating cytokine activity. Sharma et al. (2016) reported that patients treated with SBO-based mouthwashes experienced a notable reduction in gingival swelling and bleeding. These effects are attributed to SBO's antioxidant and anti-inflammatory properties, which target the underlying pathophysiology of gingivitis.

Adjunctive Therapy for Periodontitis


Periodontitis involves the progressive destruction of periodontal tissues, including the periodontal ligament and alveolar bone. While scaling and root planing remain the primary treatment, adjunctive therapies like SBO enhance tissue repair and regeneration. Zubachyk and Ilchyshyn (2014) demonstrated that ozonated SBO significantly accelerated healing in preclinical models of tobacco-associated periodontitis. In this study, SBO reduced pro-inflammatory cytokines and oxidative markers, leading to improved periodontal outcomes.

Enhancing Post-Surgical Healing

Periodontal surgical procedures, such as flap surgeries and bone grafting, require effective post-surgical care to ensure optimal healing. SBO's regenerative properties make it a valuable addition to post-surgical protocols. Gupta and Upadhyay (2011) highlighted SBO's role in promoting angiogenesis, granulation tissue formation, and collagen synthesis, all of which are critical for wound closure and tissue repair. Topical application of SBO in gel form has been shown to reduce healing time and improve clinical outcomes in post-surgical settings.

Antimicrobial Applications

The antimicrobial properties of SBO are particularly beneficial in managing the microbial biofilms that drive periodontal disease progression. SBO has





demonstrated efficacy against periodontal pathogens, including *Porphyromonas gingivalis* and *Tannerella forsythia*, by inhibiting bacterial adhesion and biofilm formation (Sharma et al., 2016). Clinical applications include the use of SBO in mouthwashes and gels, which have shown comparable effectiveness to conventional antimicrobial agents such as chlorhexidine.

Formulations and Delivery Systems

SBO has been incorporated into various formulations to optimize its delivery and therapeutic efficacy:

1. **Mouthwashes:** SBO-based mouthwashes offer a convenient and effective method for reducing gingival inflammation and controlling microbial biofilms. Patients have reported improved outcomes with daily use of these formulations (Sharma et al., 2016).

2. **Gels:** Topical SBO gels provide targeted delivery to periodontal pockets, enhancing tissue regeneration and reducing inflammation (Gupta & Upadhyay, 2011).

3. **Ozonated Forms:** Ozonated SBO formulations have shown enhanced therapeutic effects by combining the benefits of SBO with the antimicrobial and oxidative properties of ozone (Zubachyk & Ilchyshyn, 2014).

Challenges and Limitations

Despite its promising therapeutic potential, the use of Sea Buckthorn Oil (*Hippophae rhamnoides*, SBO) in periodontology is not without challenges. Variability in its composition, lack of standardization, and limited large-scale clinical trials present significant barriers to its clinical integration.

Variability in Composition


The bioactive profile of SBO, including its omega fatty acids, carotenoids, tocopherols, and phytosterols, is influenced by several factors, such as:

- **Geographic Location:** Differences in soil quality, climate, and altitude significantly affect the nutrient composition of Sea Buckthorn berries (Gupta & Upadhyay, 2011).

- **Harvesting and Processing Methods:** Techniques like cold-press extraction, supercritical fluid extraction, or solvent-based methods yield oils with varying concentrations of bioactive compounds. This variability can lead to inconsistent therapeutic outcomes (George & Cenkowski, 2009).

Lack of Standardization

The absence of standardized formulations and dosages limits the reproducibility of clinical results. For instance:





- **Dosing Guidelines:** Current studies use a wide range of SBO concentrations, from low doses in mouthwashes to highly concentrated gels, making it difficult to establish optimal therapeutic levels (Sharma et al., 2016; Zubachyk & Ilchyshyn, 2014).

- **Formulation Variability:** Ozonated SBO formulations have shown superior results in some studies, but not all studies specify the ozonation level or preparation methods, complicating comparisons (Zubachyk & Ilchyshyn, 2014).

Limited Clinical Evidence

While preclinical and small-scale clinical studies provide encouraging data, the lack of robust, large-scale trials limits the generalizability of findings. Most existing studies focus on specific formulations or populations, such as:

- **Preclinical Models:** Many studies rely on animal models, such as Wistar rats, which do not fully replicate the complexities of human periodontal disease (Zubachyk & Ilchyshyn, 2014).

- **Small Clinical Trials:** Human studies, though promising, are often underpowered or lack long-term follow-ups to assess sustained efficacy and safety (Sharma et al., 2016).

Regulatory and Economic Barriers

The regulatory status of SBO varies across regions, affecting its adoption in clinical practice:


- **Approval Processes:** As a natural product, SBO faces different regulatory requirements compared to synthetic pharmaceuticals. In some countries, it is classified as a dietary supplement, limiting its use in medical applications (Gupta & Upadhyay, 2011).

- **Cost of Standardization:** Developing standardized formulations and conducting large-scale trials require significant investment, which may not be feasible for smaller manufacturers or research groups (George & Cenkowski, 2009).

Patient-Specific Factors

Individual patient variability, including differences in periodontal disease severity, comorbidities, and responses to treatment, also impacts SBO's effectiveness:

- **Lifestyle Factors:** Smoking, poor oral hygiene, and systemic conditions like diabetes may alter SBO's efficacy in promoting periodontal health (Zubachyk & Ilchyshyn, 2014).





• **Allergic Reactions:** Although rare, sensitivity to specific bioactive components, such as tocopherols or flavonoids, may limit SBO's use in certain populations (Smida & Istrati, 2016).

Future Directions

To fully harness the therapeutic potential of Sea Buckthorn Oil (*Hippophae rhamnoides*, SBO) in periodontology, future research must address existing gaps while exploring innovative applications. This section outlines critical avenues for advancing the use of SBO in clinical practice.

Standardization of Formulations

One of the primary barriers to SBO's widespread adoption is the lack of standardized formulations. Consistency in bioactive content is essential for reproducible clinical outcomes. Future efforts should focus on:

• **Quality Control:** Establishing standard operating procedures for harvesting, processing, and extraction to ensure uniform bioactive composition across batches (Gupta & Upadhyay, 2011).

• **Dosing Guidelines:** Determining optimal concentrations and delivery methods for various periodontal applications, such as mouthwashes, gels, or ozonated formulations (George & Cenkowski, 2009).

• **Regulatory Frameworks:** Developing clear regulatory standards to classify SBO-based products as therapeutic agents rather than supplements, enabling broader medical use (Smida & Istrati, 2016).

Clinical Trials and Long-Term Studies

While preliminary studies provide valuable insights, robust clinical trials are needed to validate SBO's efficacy and safety in managing periodontal diseases. Key priorities include:

1. **Large-Scale Randomized Controlled Trials (RCTs):**

- Comparing SBO-based treatments with established adjunctive therapies, such as chlorhexidine or probiotics, to quantify relative efficacy (Sharma et al., 2016).

- Assessing outcomes such as reduction in gingival inflammation, periodontal pocket depth, and tissue regeneration (Zubachyk & Ilchyshyn, 2014).

2. **Long-Term Safety and Efficacy Studies:**

- Evaluating the sustained impact of SBO on periodontal health, particularly in patients with chronic conditions like diabetes or tobacco dependence (Gupta & Upadhyay, 2011).

3. **Diverse Population Studies:**





- Investigating SBO's effectiveness across different demographic groups to account for genetic, environmental, and lifestyle variability (Sharma et al., 2016).

Exploration of Delivery Systems

Innovative delivery systems can significantly enhance the bioavailability and therapeutic efficacy of SBO. Promising directions include:

- **Nanoemulsions:**

- Nanoemulsions improve the solubility and absorption of SBO's lipophilic components, enabling targeted delivery to periodontal tissues (George & Cenkowski, 2009).

- **Sustained-Release Gels:**

- Gels that release SBO gradually into periodontal pockets could provide prolonged therapeutic effects, reducing the need for frequent applications (Zubachyk & Ilchyshyn, 2014).

- **Bioadhesive Patches:**

- Patches infused with SBO could offer localized treatment, enhancing adherence and precision in addressing inflamed or damaged gingival areas (Smida & Istrati, 2016).

Molecular Studies

Understanding SBO's molecular mechanisms is critical for optimizing its use in periodontal therapy. Future research should focus on:

- **Cytokine Pathway Modulation:**

- Investigating how SBO regulates key inflammatory mediators like TNF- α , IL-6, and IL-1 β to mitigate periodontal inflammation (Gupta & Upadhyay, 2011).

- **Angiogenesis and Collagen Synthesis:**


- Elucidating SBO's role in promoting vascular endothelial growth factor (VEGF) expression and extracellular matrix remodeling to support tissue regeneration (George & Cenkowski, 2009).

- **Antimicrobial Mechanisms:**

- Exploring SBO's interactions with periodontal pathogens to understand its biofilm-inhibiting properties at the molecular level (Sharma et al., 2016).

Integration into Periodontal Practice

Bridging the gap between research and clinical application is vital. SBO's integration into routine periodontal care can be facilitated by:





- **Education and Training:**

- Raising awareness among dental professionals about SBO's therapeutic potential and appropriate use cases.

- **Combination Therapies:**

- Investigating synergistic effects when SBO is combined with traditional treatments like scaling and root planing or newer modalities such as laser therapy (Zubachyk & Ilchyshyn, 2014).

- **Patient-Centric Approaches:**

- Personalizing SBO-based treatments to accommodate individual patient needs, including lifestyle factors and comorbidities (Smida & Istrati, 2016).

Conclusion

Sea Buckthorn Oil (*Hippophae rhamnoides*, SBO) represents a promising natural adjunctive therapy in periodontology, addressing key pathological processes such as oxidative stress, inflammation, tissue destruction, and microbial biofilm formation. Its unique bioactive composition, including omega fatty acids, carotenoids, tocopherols, and phytosterols, provides a multifaceted approach to managing periodontal diseases.

The antioxidant properties of SBO mitigate oxidative damage, while its anti-inflammatory effects modulate cytokine activity, reducing gingival inflammation and promoting tissue repair. Furthermore, SBO's regenerative capabilities, including enhanced angiogenesis, collagen synthesis, and extracellular matrix remodeling, make it particularly valuable in treating periodontitis and supporting post-surgical healing. Its antimicrobial properties also complement traditional periodontal therapies by targeting pathogenic biofilms and improving oral hygiene.

Despite these advantages, challenges such as variability in SBO composition, lack of standardization, and limited large-scale clinical evidence must be addressed to facilitate its integration into mainstream periodontal care. Future research should prioritize standardized formulations, robust clinical trials, and innovative delivery systems to optimize SBO's therapeutic potential. In conclusion, SBO bridges the gap between traditional and modern approaches in periodontal therapy. By leveraging its natural bioactive properties, SBO offers a novel, patient-friendly adjunctive option that aligns with the growing demand for holistic and sustainable healthcare solutions. With continued research and clinical validation, SBO has the potential to transform periodontal management, improving patient outcomes and enhancing overall oral health.





References:

1. George, S. D., & Cenkowski, S. (2009). The influence of drying on levels of bioactive compounds in pulp/peel oil of sea buckthorn (*Hippophae rhamnoides* L. ssp. *sinensis*) berries. *Journal of Food Processing and Preservation*, 33(1), 91–109. <https://doi.org/10.1111/j.1745-4549.2008.00253.x>
2. Gupta, A., & Upadhyay, N. K. (2011). Sea buckthorn (*Hippophae rhamnoides* L.) seed oil: Usage in burns, ulcers, and mucosal injuries. In *Seeds in Health and Disease Prevention* (pp. 1011–1017). Elsevier. <https://doi.org/10.1016/B978-0-12-375688-6.10120-3>
3. Istrati, D., Lacatusu, I., Bordei, N., Badea, G., Oprea, O., Stefan, L. M., & Badea, N. (2016). Phyto-mediated nanostructured carriers based on dual vegetable actives involved in the prevention of cellular damage. *Materials Science and Engineering: C*, 64, 249–259. <https://doi.org/10.1016/j.msec.2016.03.087>
4. Yang, R., Zhang, L., Li, P., Yu, L., Mao, J., Wang, X., & Zhang, Q. (2018). A review of chemical composition and nutritional properties of minor vegetable oils in China. *Trends in Food Science & Technology*, 74, 128–137. <https://doi.org/10.1016/j.tifs.2018.01.013>
5. Sharma, A., Sharma, S., Khattri, S., & Garg, H. (2016). Role of sea buckthorn oil in the management of chronic periodontitis: Follow-up study. *International Journal of Dental Research*, 4(2), 33–37. <https://doi.org/10.14419/ijdr.v4i2.6302>
6. Wang, Q., Cao, B., Zhan, J., Hu, X., Yu, Y., Li, X., & Liu, Y. (2024). Sea buckthorn oil promotes the PI3K-Akt-ERK signaling pathway and macrophage M2 polarization to reduce radiation-induced skin injury. *Radiation Research*, 202(5), 785–794. <https://doi.org/10.1667/RADE-23-00100.1>
7. Smida, M., Pentelescu, O., Sweidan, A., Meuric, V., & Martin, B. (2019). Benefits of sea buckthorn (*Hippophae rhamnoides*) pulp oil-based mouthwash on oral health. *Journal of Applied Microbiology*, 126(6), 1594–1605. <https://doi.org/10.1111/jam.14210>
8. Zubachyk, V., & Ilchyshyn, M. (2014). The use of ozonated sea buckthorn oil in the prevention and treatment of tobacco-dependence periodontitis in the experiment. *Likars'ka sprava*, 12(1), 91–94.

