



A COMPREHENSIVE DRUG REVIEW ON GUDUCHYADI YOGA: AN AYURVEDIC FORMULATION FOR THE MANAGEMENT OF ADOLESCENT OBESITY (STHAULYA)

***Dr. Apurva Kulkarni**

D-1102 Delta Tower 2 Plot No 2 Sector 8, Ulwe Navi Mumbai, Maharashtra, India.

Article Received on
15 August 2025,

Revised on 04 Sept. 2025,
Accepted on 24 Sept. 2025

<https://doi.org/10.5281/zenodo.17275911>



***Corresponding Author**

Dr. Apurva Kulkarni

D-1102 Delta Tower 2 Plot
No 2 Sector 8, Ulwe Navi
Mumbai, Maharashtra,
India.

ABSTRACT

Obesity, termed *Sthaulya* in Ayurveda, has escalated into a global health crisis, acting as a precursor to numerous metabolic disorders. Traditional Ayurvedic medicine offers a holistic approach to weight management, emphasizing the correction of metabolic imbalances through herbal formulations. One such classical formulation, mentioned in the revered text *Yogaratanakara*, is Guduchyadi Yoga. This polyherbal compound comprises five potent medicinal herbs: Guduchi (*Tinospora cordifolia*), Musta (*Cyperus rotundus*), and Triphala (a combination of Amalaki - *Emblica officinalis*, Haritaki - *Terminalia chebula*, and Bibhitaki - *Terminalia bellirica*). This article provides a detailed drug review of Guduchyadi Yoga, meticulously examining each constituent's Ayurvedic properties, phytochemical composition, and therapeutic potential in combating obesity. By

integrating classical Ayurvedic wisdom with evidence from modern scientific research, this review elucidates the multi-pronged mechanism through which Guduchyadi Yoga may offer a safe and effective strategy for weight management. The review highlights the formulation's role in enhancing metabolism, regulating lipid profiles, improving insulin sensitivity, and detoxifying the body, presenting it as a promising candidate for further clinical validation in the fight against obesity.

KEYWORDS: Guduchyadi Yoga, Sthaulya, Obesity, Triphala, *Tinospora cordifolia*, *Cyperus rotundus*, Ayurvedic medicine.

INTRODUCTION

Obesity represents one of the most formidable public health challenges of the 21st century. Defined by the World Health Organization (WHO) as an abnormal or excessive accumulation of fat that may impair health, its prevalence has nearly tripled since 1980. In Ayurveda, this condition is comprehensively described under the term *Sthaulya Roga* or *Medoroga*. Acharya Charaka, a pioneer of Ayurvedic medicine, categorized *Atisthaulya* (obesity) as one of the eight undesirable physical states (*Ashta Nindita Purusha*) and identified it as a *Santarpanajanya Vyadhi* (a disease caused by over-nutrition and a gratifying lifestyle). The Ayurvedic pathogenesis points towards a vitiation of *Kapha Dosha*, malfunctioning of *Agni* (digestive and metabolic fire), and an abnormal increase in *Meda Dhatu* (adipose tissue).^[6]

Modern management of obesity involves lifestyle modifications, pharmacological interventions, and surgical procedures, which are often associated with limitations and adverse effects. This has renewed interest in traditional systems of medicine, like Ayurveda, which offer holistic, safe, and sustainable solutions. Ayurvedic pharmacology is rich with herbal formulations designed to correct the root cause of metabolic disturbances.

A significant formulation mentioned in the classical text *Yogaratanakara* for the treatment of *Medoroga* is Guduchyadi Yoga. The scripture states:

गुडूची भद्रमुस्तानाम प्रयोगास्तरैफला तथा ।

तक्रारिष्ट प्रयोगांच्य प्रयोगः माक्षिकास्य च ॥

(यो.र. उ. मेदोरोग निदानम्)

This verse advocates the use of Guduchi, Bhadramusta (Musta), and Triphala for managing obesity. This combination, known as Guduchyadi Yoga, brings together five powerful herbs, each with a profound history of therapeutic use. This review aims to dissect the individual and synergistic actions of these five ingredients, exploring their established roles in managing obesity through the dual lenses of classical Ayurvedic principles and modern scientific validation.

NEED FOR THE STUDY

With the rising prevalence of Adolescent obesity and the limitations of conventional treatments, there is an urgent need to explore and scientifically validate safe, effective, and accessible herbal remedies like Guduchyadi Yoga.

Drug Review of Individual Ingredients

The therapeutic efficacy of Guduchyadi Yoga stems from the unique properties of its five constituents. A detailed review of each drug is presented below.

Drug Name	Latin Name	Family	Part Used	Rasa (Taste)	Vipaka (Post-digestive effect)	Veerya (Potency)	Guna (Qualities)
Guduchi	<i>Tinospora cordifolia</i>	Menispermaceae	Stem	Tikta (Bitter), Katu (Pungent), Kashaya (Astringent)	Madhura (Sweet)	Ushna (Hot)	Ruksha (Dry), Laghu (Light), Mridu (Soft)
Musta	<i>Cyperus rotundus</i>	Cyperaceae	Roots	Tikta (Bitter), Katu (Pungent), Kashaya (Astringent)	Katu (Pungent)	Sheeta (Cold)	Laghu (Light), Ruksha (Dry)
Amalaki	<i>Embolica officinalis</i>	Euphorbiaceae	Fruit	Amlapradhan, Lavan Varjit (Sour dominant, devoid of salt)	Madhura (Sweet)	Sheeta (Cold)	Laghu (Light), Ruksha (Dry), Sara (Mobile)
Haritaki	<i>Terminalia chebula</i>	Combretaceae	Fruit	Pancharasa, Lavan Varjit (All 5 tastes except salt)	Madhura (Sweet)	Ushna (Hot)	Laghu (Light), Ruksha (Dry)
Bibhitaki	<i>Terminalia bellirica</i>	Combretaceae	Fruit	Kashaya (Astringent)	Madhura (Sweet)	Ushna (Hot)	Ruksha (Dry), Laghu (Light)

1. Guduchi (*Tinospora cordifolia*)

- **Ayurvedic Perspective:** Guduchi, revered as "Amrita" (the divine nectar), is lauded in classical texts like *Charaka Samhita* as a *Rasayana* (rejuvenator) and *Vayasthapana* (longevity promoter).^[1,2] Its name translates to 'one which protects the body from diseases'.^[1] Its *Tikta* (bitter) and *Kashaya* (astringent) tastes, combined with *Ushna* *Veerya* (hot potency), make it an excellent pacifier of *Kapha* and *Vata* doshas.

The *Laghu* (light) and *Ruksha* (dry) qualities are directly antagonistic to the heavy and unctuous nature of vitiated *Meda Dhatu* (adipose tissue).^[2] Guduchi's primary action in obesity is *Agnideepana* (enhancing metabolic fire) and *Amapachana* (digestion of metabolic toxins). This addresses *Dhatwagni Mandya*, the impaired tissue-level metabolism that leads to abnormal fat accumulation.^[2] It is indicated for *Prameha* (diabetic conditions) and *Sthaulya* (obesity) across various Ayurvedic texts.^[2]



- **Phytochemical Constitution & Modern Research:** Guduchi is a powerhouse of bioactive compounds including alkaloids (tinosporin, berberine, palmatine, jatrorrhizine), terpenoids, diterpenoid lactones, glycosides, steroids, and polysaccharides.^[3] These constituents endow it with potent anti-diabetic, hypolipidemic, antioxidant, and immunomodulatory properties.^[3,4] The table's note on its "insulin mediated actions" is strongly supported by modern research. Studies demonstrate that *Tinospora cordifolia* extracts can significantly lower blood glucose and modulate lipid profiles in hyperglycemic and hyperlipidemic models.^[17] The alkaloid berberine, in particular, is known to activate AMP-activated protein kinase (AMPK), a master regulator of cellular energy homeostasis, thereby promoting glucose uptake and fatty acid oxidation while inhibiting lipid synthesis. Research also confirms its ability to improve insulin sensitivity, reduce oxidative stress, and protect vital organs like the liver and kidneys from metabolic damage, making it a cornerstone herb for managing obesity and its comorbidities.^[4]

2. Musta (*Cyperus rotundus*)

- **Ayurvedic Perspective:** Musta, also known as Nagarmotha, is explicitly praised in Ayurvedic pharmacopoeias as one of the best herbs for *Amapachana* (digestion of toxins) and *Grahi* (absorbent), making it invaluable for digestive disorders.^[5,6] For obesity, its most important properties are *Lekhana* (scraping) and *Medohara* (fat-reducing). The table rightly highlights its "sthoullyahar property". Its potent combination of *Tikta-Katu-Kashaya* rasas is ideal for drying excess *Kleda* (bodily fluids) and scraping accumulated *Meda*.^[7,8] Despite its *Sheeta Veerya* (cold potency), its *Katu Vipaka* (pungent post-digestive effect) and *Laghu-Ruksha* qualities stimulate *Agni* (*Deepana*) and are profoundly effective at pacifying the *Kapha* dosha, which is the primary driver of obesity.^[8]
- **Phytochemical Constitution & Modern Research:** Musta's rhizomes are rich in essential oils, which contain sesquiterpene hydrocarbons like cyperene, cyperenone, and rotundone, along with flavonoids, tannins, and ascorbic acid.^[5,6] Scientific investigations have substantiated its traditional use in obesity. A randomized clinical trial demonstrated that a standardized extract of *Cyperus rotundus* led to significant reductions in body weight, BMI, and waist circumference, alongside improvements in serum lipid profiles (LDL, triglycerides) and appetite regulation in overweight individuals. Other studies have shown that its extract can inhibit adipogenesis (the creation of new fat cells) by down-regulating key transcription factors like PPAR γ .^[9] Furthermore, it exhibits pancreatic lipase inhibitory activity, which reduces the digestion and absorption of dietary fats, providing a direct mechanism for its anti-obesity effects.^[5]

3. Amalaki (*Emblica officinalis*)

- **Ayurvedic Perspective:** Amalaki (Amla or Indian Gooseberry) is hailed as the best among *Rasayana* (rejuvenating) herbs and a foremost *Tridosha* balancing agent. It is a key ingredient in many vital formulations, including Triphala. Although its dominant taste is *Amla* (sour), it is unique in that it contains five of the six tastes (*Pancharasa*), excluding only salt. Its *Sheeta Veerya* (cold potency) pacifies *Pitta* and the inflammation linked to metabolic syndrome, while its *Laghu* (light) and *Ruksha* (dry) qualities combat *Kapha* and *Meda*.^[10] Its *Sara* (mobile) property promotes gentle elimination of wastes (*Mala*) and toxins (*Ama*), cleansing the gastrointestinal tract and detoxifying the body.^[11]

- **Phytochemical Constitution & Modern Research:** Amalaki is one of the richest natural sources of Vitamin C (ascorbic acid), stabilized by a high concentration of hydrolyzable tannins like emblicanin A & B, punigluconin, and pedunculagin.^[12] It also contains flavonoids, ellagic acid, and gallic acid.^[13] This potent antioxidant cocktail underlies its profound health benefits. Meta-analyses of clinical trials have confirmed that Amalaki consumption significantly improves lipid profiles by lowering LDL-C (bad cholesterol), VLDL-C, and triglycerides, while increasing beneficial HDL-C.^[14] Studies show it is effective against metabolic syndrome by improving blood glucose levels, blood pressure, and dyslipidemia.^[10-12] Its anti-obesity mechanisms include inhibiting adipogenesis, modulating lipid metabolism-related gene expression (e.g., PPAR- γ , SREBP-1c), and reducing the absorption of dietary cholesterol.^[10-13]

4. Haritaki (*Terminalia chebula*)

- **Ayurvedic Perspective:** Known as the "King of Medicines," Haritaki is praised in the *Bhavaprakasha Nighantu* with the verse, "*Haritaki pancharasa'lavana tuvara param...*", highlighting its five tastes (lacking salt) and astringent dominance.^[7] Its *Ushna Veerya* (hot potency), combined with *Laghu* (light) and *Ruksha* (dry) qualities, makes it exceptionally effective in pacifying *Vata* and *Kapha* doshas.^[15,16] Acharya Charaka specifically listed Haritaki as *Pathya* (wholesome/beneficial) for *Sthaulya* (obesity).^[6] Its actions of *Deepana* (appetizing), *Pachana* (digestive), and especially *Anulomana* (regulating downward movement of *Vata* and bowels) are critical for correcting the entire metabolic axis, from digestion to elimination, preventing the formation and accumulation of *Ama* and excess *Meda*.^[7-20]
- **Phytochemical Constitution & Modern Research:** Haritaki is a rich source of tannins, including chebulagic acid, chebulinic acid, and corilagin, as well as gallic acid, ellagic acid, and phytosterols.^[15-17] These compounds are responsible for its broad-spectrum therapeutic actions. Numerous animal and clinical studies have validated its significant hypolipidemic and anti-obesity effects.^[15,16] Administration of Haritaki extract in diet-induced hyperlipidemic models resulted in significant reductions in total cholesterol, triglycerides, and LDL cholesterol.^[18] Its anti-obesity action is attributed to improving digestion, boosting metabolism (*Jatharagni*), and exhibiting a *Lekhana* (scraping) effect on accumulated fats.^[15,16] The bioactive components like chebulinic acid and gallic acid

also exert anti-inflammatory and antioxidant effects, which are beneficial in managing the chronic low-grade inflammation associated with obesity and metabolic syndrome.^[17]

5. Bibhitaki (*Terminalia bellirica*)

- **Ayurvedic Perspective:** Bibhitaki, whose name means "fearless of disease," is the third component of Triphala and is renowned for its potent action on the *Kapha Dosha*.^[19] It has a specific affinity for the *Rasa* (plasma), *Mamsa* (muscle), and *Meda* (fat) tissues, making it a targeted herb for obesity.^[3] Its primary taste is *Kashaya* (astringent), and it possesses *Ushna Veerya*. This combination of *Laghu* (light) and *Ruksha* (dry) qualities gives it a powerful *Bhedana* (breaking down) and *Lekhana* (scraping) action, which helps to disintegrate and remove stubborn accumulations of fat and toxins from the body's channels (*Srotas*). It is particularly known for resolving excess mucous and fluid (*Kleda*) from the system, a key step in treating *Kapha*-dominant disorders.^[20,21]
- **Phytochemical Constitution & Modern Research:** Bibhitaki's fruit is rich in gallotannic acid, ellagic acid, gallic acid, lignans, and various glycosides like bellericanin.^[20] These phytochemicals contribute to its therapeutic efficacy in metabolic disorders. Scientific studies have demonstrated that *T. bellirica* has significant anti-obesity and hypolipidemic properties. An ethanolic extract of the fruit was shown to reduce body weight, improve lipid profiles, and exhibit an anti-obesity effect comparable to the standard drug sibutramine in obese rats.^[21] Another study revealed its ability to prevent obesity, insulin resistance, and hyperlipidemia in diabetic mice. A key mechanism for this is its strong inhibitory effect on pancreatic lipase, an enzyme responsible for breaking down dietary fats for absorption. By inhibiting this enzyme, Bibhitaki reduces the amount of fat absorbed from the intestine, thus contributing directly to weight management.^[21]

DISCUSSION

Guduchyadi Yoga is a masterful formulation where the individual properties of the five herbs work in synergy to create a powerful, multi-targeted approach to managing adolescent obesity. The combined action of the formulation can be understood through both Ayurvedic and modern pharmacological principles.

Synergistic Ayurvedic Action

1. **Kapha-Medohara (Pacifying Kapha and Reducing Fat):** All five ingredients possess *Laghu* (light) and *Ruksha* (dry) properties, which are antithetical to the heavy,

unctuous nature of *Kapha* and *Meda*. The *Katu*, *Tikta*, *Kashaya* (pungent, bitter, astringent) tastes are predominant in the formulation, which are known to dry and scrape excess fat and fluid accumulations (*Kleda-Meda Shoshana*).

2. **Agni Deepana & Amapachana (Metabolic Correction):** The formulation robustly stimulates *Jatharagni* (digestive fire) and *Dhatwagni* (tissue-level metabolic fire). Guduchi, Musta, and Haritaki are particularly potent in this regard. This corrects the underlying metabolic sluggishness (*Agnimandya*) and digests *Ama* (metabolic toxins), which is considered the root cause of many diseases, including *Sthaulya*.
3. **Srotoshodhana & Malanulomana (Detoxification and Elimination):** Triphala (Amalaki, Haritaki, Bibhitaki) is renowned for its ability to cleanse the body's channels (*Srotoshodhana*) and regulate elimination (*Anulomana*). This ensures that metabolic wastes and excess fat are efficiently removed from the body, preventing their re-accumulation. Haritaki's laxative action aids in this process.

CORRELATION WITH MODERN PHARMACOLOGY

A clinical study on Guduchyadi Yoga confirmed its efficacy, showing a significant reduction in weight and abdominal circumference. The effect was even more pronounced when combined with *Udvaartana* (dry powder massage). The study also noted significant improvements in the lipid profile, particularly serum cholesterol and triglycerides, attributing this to the formulation's action on *Medodhatwagni* (fat metabolism).

The combined pharmacological effects of the phytochemicals in Guduchyadi Yoga explain these clinical outcomes:

- **Hypolipidemic Action:** The formulation reduces cholesterol and triglycerides through various mechanisms, including decreased fat absorption (lipase inhibition by Bibhitaki and Musta), reduced lipid biosynthesis (by Guduchi alkaloids), and improved lipid metabolism (by Triphala).
- **Anti-Adipogenic & Weight Reduction:** The herbs collectively work to prevent the formation and accumulation of fat cells, as seen with Musta and Amalaki, and promote healthy weight loss.^[9]
- **Improved Insulin Sensitivity:** Guduchi and Amalaki play a crucial role in managing insulin resistance, a key feature of metabolic syndrome and obesity.^[10-22]

- **Antioxidant and Anti-inflammatory Effects:** Amalaki and other constituents provide potent antioxidant effects, combating the oxidative stress and low-grade chronic inflammation associated with obesity.^[10,15]

CONCLUSION

Guduchyadi Yoga, a classical Ayurvedic formulation, stands out as a scientifically plausible and historically validated therapeutic strategy for the management of adolescent obesity (*Sthaulya*). Its five ingredients—Guduchi, Musta, Amalaki, Haritaki, and Bibhitaki—work in concert to address the multifaceted pathophysiology of obesity in adolescent. The formulation acts by enhancing digestion and metabolism, scraping and eliminating excess adipose tissue, detoxifying the body, regulating lipid levels, and improving insulin sensitivity. By harmonizing ancient Ayurvedic wisdom with contemporary scientific evidence, this review establishes Guduchyadi Yoga as a rational and holistic treatment modality. It represents a safe, effective, and comprehensive approach that not only aids in weight reduction but also helps in mitigating the associated metabolic risks. Further large-scale, randomized clinical trials are warranted to fully establish its role in modern clinical practice as a valuable tool against the global obesity epidemic.

REFERENCES (Vancouver Style)

1. Al-Dhabi NA, Arasu MV, Duraipandiyan V, et al. *Emblica officinalis* in Preventing Metabolic Syndrome: A First Review Addressing the Benefits and the Mechanism of Action. Bentham Science. 2020. Available from: <https://www.eurekaselect.com/article/110906>
2. Joglekar V, Rawal S, Teli A, et al. Potential of Guduchi-Tinospora cordifolia (Willd.) Miers. (.) in the management of lifestyle disorders: a comprehensive review. ResearchGate. 2022 Jun. Available from: https://www.researchgate.net/publication/362097728_Potential_of_Guduchi-Tinospora_cordifolia_Willd_Miers_in_the_management_of_lifestyle_disorders_a_comprehensive_review
3. Planet Ayurveda. Bibhitaki, Baheda (*Terminalia bellirica*) - Benefits, Uses and Dosage. 2019 Apr 25. Available from: <https://www.planetayurveda.com/library/bibhitaki-terminalia-bellirica/>
4. Kumar A, Kumari S. Over view evaluation of Therapeutic uses of *Cyperus rotundus* (Musta). ResearchGate. 2023 Apr. Available

- from: https://www.researchgate.net/publication/370960578_Over_view_evaluation_of_Therapeutic_uses_of_Cyperus_rotundus_Musta
5. Kumar A, Kumari S. Overview evaluation of Therapeutic actions of *Cyperus rotundus* Linn. (Musta). JETIR. 2023; 10(4): Available from: <https://www.jetir.org/papers/JETIR2304938.pdf>
 6. Patel S, Jain T, Bansal C, Marwaha N. Critical review on Haritaki w.s.r. to Sthaulya (obesity). J Ayu Int Med Sci., 2022; 7(1): 187-190. Available from: <https://jaims.in/jaims/article/view/1684>
 7. Patel S, Jain T, Bansal C, Marwaha N. Critical review on Haritaki wsr to Sthaulya (Obesity). Journal of Ayurveda and Integrated Medical Sciences, 2022 Feb 14; Available from: <https://www.jaims.in/jaims/index.php/jaims/article/view/1684>
 8. Garg N, Jain A. Review Article - A comprehensive review on *Terminalia belerica*. Asian Journal of Science and Technology, 2017; 8(5): 4884-4887. Available from: <https://www.journalajst.com/sites/default/files/issues-pdf/3081.pdf>
 9. Ramteke AD, Patil S, Wagh-Tembhurne M. clinical evaluation of anti-oxidant activity of musta (*Cyperus rotundus* Linn.) with special reference to Obesity (Sthaulya). International Journal of Ayurveda and Pharma Research. 2014; Available from: <https://ijapr.in/index.php/ijapr/article/view/285>
 10. Patra S, Sahu S, Singh AKM. A review of medicinal properties on Musta (*Cyperus rotundus* Linn.). Journal of Drug Delivery and Therapeutics, 2019; 9(5): 170-174. Available from: <https://jddtonline.info/index.php/jddt/article/view/3642>
 11. Shukla S, Dwivedi S, Singh P. An exploration of physiological, medicinal and safety aspects of Guduchi (*Tinospora cordifolia*): A complete Ayurvedic and modern review. World Journal of Advanced Research and Reviews., 2023; 18(3): 1063-1073.
 12. Joil D, Tavhare S. Anti- adipogenic actions of *Cyperus rotundus* L. in 3T3L-1 Cells. J Res Ayur Sidd, 2024; 3(1): 31-36. Available from: <https://jras.dypvp.edu.in/index.php/jras/article/view/143>
 13. Sharma G, Sharma A. Guduchi (*Tinospora cordifolia*): A comprehensive ayurvedic review of its physiological, therapeutic, and safety dimensions. JETIR, 2024; 11(6): Available from: <https://www.jetir.org/papers/JETIR2406596.pdf>
 14. Sharda Ayurveda. Health Benefits, Uses and Risks of Bibhitaki, 2023 May 10; Available from: <https://www.drshardaayurveda.com/health-benefits-uses-and-risks-of-bibhitaki/>

15. Deb A, Dutta A. A review on ethnobotany, phytochemistry and pharmacology on *Terminalia belerica* (Bibhitaki). *Journal of Drug Delivery and Therapeutics*. 2021; 1(1-s): 143-149. Available from: <https://jddtonline.info/index.php/jddt/article/view/4523>
16. Valte VS, Attarde LD. A Brief Review on Guduchi (*Tinospora cordifolia*). *IJPSR*, 2022; 13(5): 1818-1832. Available from: <https://ijpsr.com/bft-article/a-brief-review-on-guduchi-tinospora-cordifolia/>
17. Devi P. Role of *Tinospora cordifolia* in metabolic health disorders: An updated review. *Himalayan Journal of Health Sciences*, 2021; 6(1): 50-52. Available from: <https://www.himalayanpublication.com/Himalayan-Journal-of-Health-Sciences/6/1/9>
18. Variya BC, Bakrania AK, Patel SS. *Emblica officinalis* (Amla): A review for its phytochemistry, pharmacology and traditional uses. *J Ayurveda Integr Med.*, 2016; 7(4): 177-194.
19. Exploring the Medicinal Properties and Uses of Vibhitaka (*Terminalia Bellirica*). *Ayuoved*. 2023 Dec 20. Available from: <https://www.ayuoved.com/blogs/ayurveda/exploring-the-medicinal-properties-and-uses-of-vibhitaka-terminalia-bellirica>
20. Pawar SA, Tekale GS. Effect of Gomutra Haritaki as a fat metabolizer in Sthaulya with special reference to obesity- A single case report. *World Journal of Pharmaceutical Research*, 2021; 10(9): 1687-1694. Available from: https://wjpr.net/abstract_show/14769
21. Bag A, Bhattacharyya SK, Chattopadhyay RR. The development of *Terminalia chebula* Retz. (Combretaceae) in clinical research. *Asian Pac J Trop Biomed.*, 2013; 3(3): 244-52.
22. Patel PS, Donga S, Kumar S. An observational pilot study on the effect of Gomutra Haritaki, diet control and exercise in the management of Sthaulya (obesity). *Ayu.*, 2014; 35(3): 269-74.
23. Gacche RN, Dhole NA. A Drug Review Of Amalaki (*Emblica Officinalis*): A Traditional Indian Drug With Contemporary Applications. *Journal of Pharmaceutical Negative Results*, 2022; 13(4): 948-955.
24. Asbaghi O, Fouladvand F, Ashtary-Larky D, et al. The impact of *Emblica Officinalis* (Amla) on lipid profile, glucose, and C-reactive protein: A systematic review and meta-analysis of randomized controlled trials. *Complement Ther Med.*, 2021; 62: 102773.
25. Cameron M, Chhunchha B, Wesselius A, et al. Clinical effects of *Emblica officinalis* fruit consumption on cardiovascular disease risk factors: a systematic review and meta-analysis. *J Med Food*, 2023; 26(6): 403-413.