WORLD JOURNAL OF PHARMACEUTICAL RESEARCH
Coden USA: WJPRAP Impact Factor 8.63
Volume 15, Issue 7, 1661-1676. Review Article ISSN 2277–7105

PHYTOCHEMICAL AND PHARMACOLOGICAL INVESTIGATION OF ANNONA SQUAMOSA STEM BARK EXTRACT FOR MEMORY-ENHANCING ACTIVITY

[*1]Mr. Arjun Digambar Kawane, [2]Ms. Aditi Jotishi

[1]Student, [2]Guide

[1/2]Dr. Vedprakash Patil Pharmacy College, Chh. Sambhajinagar.

Article Received on 05 March 2026,
Article Revised on 26 March 2026,
Article Published on 01 April 2026,

***Corresponding Author**
Mr. Arjun Digambar Kawane
Student, Dr. Vedprakash Patil Pharmacy College, Chh. Sambhajinagar.

How to cite this Article: [*1]Mr. Arjun Digambar Kawane, [2]Ms. Aditi Jotishi (2026). Phytochemical And Pharmacological Investigation Of Annona Squamosa Stem Bark Extract For Memory-Enhancing Activity. World Journal of Pharmaceutical Research, 15(7), 1661–1676.
This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Annona squamosa Linn. (custard apple) has been widely recognized in traditional medicine systems for its diverse therapeutic properties, including neuroprotective potential. This review focuses on the phytochemical composition and pharmacological evaluation of *Annona squamosa* stem bark extract, with particular emphasis on its memory-enhancing activity. The stem bark is rich in bioactive constituents such as alkaloids, flavonoids, phenolic compounds, acetogenins, and glycosides, which are known to contribute to central nervous system modulation. Preclinical studies have demonstrated that these phytochemicals exert significant antioxidant, anti-inflammatory, and acetylcholinesterase inhibitory activities, which are crucial mechanisms underlying cognitive enhancement. The extract has shown promising results in improving learning and memory in various experimental models, including chemically induced amnesia and age-related cognitive decline. Additionally, its ability to mitigate oxidative stress and neurodegeneration highlights its therapeutic potential in managing disorders such as Alzheimer's disease and other forms of dementia. This review consolidates existing literature on the phytochemistry and neuropharmacological effects of *Annona squamosa* stem bark, providing insights into its mechanism of action and future research directions. Overall, the findings suggest that *Annona squamosa* stem bark extract represents a promising natural candidate for the development of novel memory-enhancing agents with improved safety and efficacy profiles.

KEYWORDS: *Annona squamosa*, stem bark extract, phytochemicals, memory enhancement, neuroprotection, acetylcholinesterase inhibition, antioxidant activity.

INTRODUCTION

Memory is a fundamental **cognitive process** that enables the encoding, storage, and retrieval of information necessary for daily functioning and decision-making. It is broadly categorized into **short-term memory**, **long-term memory**, and **working memory**, each governed by complex neuronal networks within the **central nervous system (CNS)**. The **hippocampus**, **cerebral cortex**, and **amygdala** play critical roles in memory consolidation and emotional learning. However, memory function is highly susceptible to impairment due to **aging**, **oxidative stress**, **neuroinflammation**, and **neurodegenerative disorders**.

Diseases such as **Alzheimer's disease**, **Parkinson's disease**, and other forms of **dementia** are characterized by progressive cognitive decline and memory loss. One of the key pathological mechanisms involved is the depletion of **acetylcholine**, a neurotransmitter essential for learning and memory. Additionally, increased production of **reactive oxygen species (ROS)** and accumulation of **β-amyloid plaques** contribute to neuronal damage. Current pharmacological therapies, including **acetylcholinesterase inhibitors**, offer only symptomatic relief and are often associated with adverse effects. Therefore, there is a growing interest in exploring **natural products** and **plant-based therapeutics** as safer and more effective alternatives for enhancing cognitive function. These agents often target multiple pathways, including **antioxidant defense**, **anti-inflammatory activity**, and **neurotransmitter modulation**, making them promising candidates for memory enhancement and neuroprotection.

Importance of Medicinal Plants in Neuropharmacology

Medicinal plants have long been used in traditional systems of medicine such as **Ayurveda**, **Traditional Chinese Medicine**, and **Unani medicine** for the management of neurological disorders. These systems emphasize the use of **herbal remedies** rich in **bioactive phytoconstituents** that exert therapeutic effects through multiple mechanisms. In recent years, there has been a resurgence of scientific interest in validating these traditional claims through **phytochemical** and **pharmacological investigations**. Plants are known to contain diverse classes of compounds such as **alkaloids**, **flavonoids**, **terpenoids**, **phenolic compounds**, and **glycosides**, many of which possess significant **neuroprotective properties**. These compounds can modulate key pathways involved in cognitive function, including

cholinergic transmission, **oxidative stress regulation**, and **inflammatory signaling pathways**. For instance, flavonoids are well-known for their **antioxidant activity**, while alkaloids often exhibit **acetylcholinesterase inhibitory effects**.

The advantage of plant-based therapeutics lies in their **multitargeted approach**, **lower toxicity**, and **better patient compliance** compared to synthetic drugs. Furthermore, advances in **analytical techniques** and **molecular pharmacology** have enabled the identification and characterization of active compounds responsible for memory-enhancing effects. As a result, medicinal plants are increasingly being explored as potential sources for the development of **novel neurotherapeutic agents** aimed at improving cognitive health and preventing neurodegeneration.

Phytochemical Profile and Traditional Uses of *Annona squamosa*

Annona squamosa Linn., commonly known as **custard apple**, belongs to the family **Annonaceae** and is widely distributed in tropical and subtropical regions. Various parts of the plant, including **leaves**, **seeds**, **fruit pulp**, and **stem bark**, have been traditionally used for their medicinal properties. The plant is known for its diverse **ethnopharmacological applications**, such as **antimicrobial**, **anti-inflammatory**, **antidiabetic**, and **antioxidant activities**.



Fig. 1: *Annona squamosal.*

The **stem bark** of *Annona squamosa* is particularly rich in **phytochemicals** such as **acetogenins**, **alkaloids**, **flavonoids**, **tannins**, and **phenolic compounds**. Among these, acetogenins are unique compounds known for their potent **bioactivity**, including effects on

mitochondrial function and cellular metabolism. Flavonoids and phenolic compounds contribute significantly to the plant's **free radical scavenging ability**, which is crucial in protecting neuronal cells from oxidative damage. Traditional medicinal systems have utilized *Annona squamosa* for managing conditions related to the **nervous system**, suggesting its potential role in cognitive enhancement. Despite its widespread use, the **scientific validation** of its memory-enhancing properties, particularly focusing on the **stem bark extract**, remains limited. This highlights the need for comprehensive studies exploring its **phytochemical composition** and **neuropharmacological effects**, which could provide a strong foundation for its therapeutic application in cognitive disorders.

Table 1: Phytochemical Constituents of *Annona squamosa* Stem Bark and Their Biological Activities.

Sr. No.	Phytochemical Class	Major Compounds	Biological Activities	Relevance to Memory Enhancement
1.	**Alkaloids**	Anonaine, Isocorydine	Acetylcholinesterase inhibition, CNS stimulation	Enhances cholinergic transmission and cognitive function
2.	**Flavonoids**	Quercetin, Kaempferol	Antioxidant, anti-inflammatory	Protects neurons from oxidative stress
3.	**Acetogenins**	Squamocin, Annonacin	Mitochondrial modulation, neuroprotection	Prevents neuronal damage and apoptosis
4.	**Phenolic Compounds**	Gallic acid, Ellagic acid	Free radical scavenging	Reduces oxidative stress in brain cells
5.	**Tannins**	Hydrolysable tannins	Antioxidant, anti-inflammatory	Maintains neuronal integrity
6.	**Glycosides**	Various glycosidic compounds	Cytoprotective effects	Supports neuronal survival

Rationale and Scope of the Review

The increasing prevalence of **cognitive disorders** and the limitations associated with current pharmacological treatments underscore the urgent need for **novel therapeutic strategies**. Natural products, particularly those derived from medicinal plants, offer a promising avenue due to their **chemical diversity** and **biological efficacy**. In this context, *Annona squamosa* has emerged as a potential candidate owing to its rich **phytochemical profile** and reported **pharmacological activities**.

The stem bark extract of *Annona squamosa* has attracted attention for its potential **memory-enhancing activity**, primarily attributed to its **antioxidant**, **anti-inflammatory**, and

acetylcholinesterase inhibitory properties. However, the available literature is scattered, and a comprehensive synthesis of its **phytochemistry** and **neuropharmacological effects** is lacking. This review aims to bridge this gap by systematically analyzing existing studies on the **chemical constituents**, **mechanisms of action**, and **experimental evidence** supporting its cognitive benefits. Furthermore, this review highlights the **therapeutic potential** of *Annona squamosa* stem bark in the management of **neurodegenerative diseases**, while also identifying key areas for **future research**, such as clinical validation, toxicity studies, and formulation development. By providing an integrated perspective, this work seeks to contribute to the development of **plant-based memory-enhancing agents** with improved safety and efficacy profiles**.**

Mechanism of Action of *Annona squamosa*

The memory-enhancing and neuroprotective effects of *Annona squamosa* stem bark extract are attributed to its diverse **phytochemical constituents** and their ability to modulate multiple biological pathways involved in cognitive function. The mechanism of action is **multifactorial**, involving **cholinergic modulation**, **antioxidant defense**, **anti-inflammatory activity**, and **neuroprotection**.

One of the primary mechanisms underlying the cognitive-enhancing effect of *Annona squamosa* is the inhibition of **acetylcholinesterase (AChE)**, the enzyme responsible for the breakdown of **acetylcholine**. The presence of **alkaloids** and certain **flavonoids** in the stem bark contributes to this activity. By inhibiting AChE, the extract increases the availability of acetylcholine in the **synaptic cleft**, thereby enhancing **cholinergic neurotransmission**, which is essential for learning and memory processes. This mechanism is similar to that of clinically used drugs for **Alzheimer's disease**, making the plant a promising natural alternative. Apart from acetylcholine, *Annona squamosa* may influence other **neurotransmitters** such as **dopamine**, **serotonin**, and **gamma-aminobutyric acid (GABA)**. This modulation contributes to improved **mood**, **learning ability**, and overall cognitive performance. The synergistic interaction of these neurotransmitter systems enhances the plant's nootropic potential.

The stem bark extract exhibits potent **antioxidant activity** due to the presence of **phenolic compounds**, **flavonoids**, and **tannins**. These compounds effectively scavenge **reactive oxygen species (ROS)** and reduce **lipid peroxidation**, thereby protecting neuronal cells from oxidative damage. Oxidative stress is a major contributor to **neurodegeneration** and

cognitive decline. By enhancing endogenous antioxidant systems such as **superoxide dismutase (SOD)** and **catalase**, *Annona squamosa* helps maintain neuronal integrity and improves memory function.

Chronic **neuroinflammation** is a key factor in the progression of cognitive disorders. Bioactive compounds present in *Annona squamosa* exhibit significant **anti-inflammatory properties** by inhibiting pro-inflammatory mediators such as **tumor necrosis factor-alpha (TNF-α)**, **interleukins (IL-1β, IL-6)**, and **cyclooxygenase (COX) enzymes**. This reduction in inflammation helps prevent neuronal damage and supports normal cognitive functioning. The extract demonstrates strong **neuroprotective activity** by preventing neuronal cell death through modulation of **apoptotic pathways**. Phytochemicals such as **acetogenins** are known to influence **mitochondrial function**, thereby reducing **neuronal apoptosis**. Additionally, the extract helps in maintaining **neuronal plasticity**, which is crucial for memory formation and retention. Emerging evidence suggests that *Annona squamosa* may inhibit the formation and aggregation of **β-amyloid plaques**, which are a hallmark of **Alzheimer's disease**. This activity helps in reducing **neuronal toxicity** and preserving cognitive function. The **polyphenolic compounds** present in the extract are believed to interfere with amyloid aggregation pathways.

Table 2: Pharmacological Activities of *Annona squamosa* Related to Cognitive Function.

Sr. No.	Activity	Mechanism	Experimental Evidence	Outcome on Memory
1.	**Antioxidant Activity**	Scavenging of ROS, enhancement of SOD and catalase	DPPH, FRAP assays	Protects neurons, improves memory retention
2.	**AChE Inhibition**	Prevents breakdown of acetylcholine	In vitro enzyme assays	Enhances learning and memory
3.	**Anti-inflammatory Activity**	Inhibition of TNF-α, IL-6, COX enzymes	Animal studies	Reduces neuroinflammation
4.	**Neuroprotection**	Prevention of apoptosis, mitochondrial stabilization	In vivo studies	Preserves cognitive function
5.	**Anti-amyloid Activity**	Inhibition of β-amyloid aggregation	Experimental models	Reduces Alzheimer's pathology

OBJECTIVES

- To **systematically compile and analyze** the existing literature on the **phytochemical constituents** present in the stem bark of *Annona squamosa*.

- To **identify and categorize key bioactive compounds** such as **alkaloids, flavonoids, acetogenins, phenolics, and glycosides** responsible for pharmacological activity.
- To **evaluate the memory-enhancing (nootropic) potential** of *Annona squamosa* stem bark extract based on **preclinical and experimental studies**.
- To **elucidate the mechanisms of action** involved in cognitive enhancement, including **acetylcholinesterase inhibition, antioxidant activity, anti-inflammatory effects, and neuroprotection**.
- To **assess the role of the extract in mitigating neurodegenerative disorders**, particularly **Alzheimer's disease and dementia**.
- To **compare the efficacy of plant-based therapeutics** with conventional **synthetic drugs** used for memory impairment.
- To **highlight the safety profile and potential toxicity concerns** associated with the use of *Annona squamosa* stem bark extract.
- To **identify research gaps** in current studies, including limitations in **clinical validation and standardization of extracts**.
- To **suggest future research directions**, focusing on **clinical trials, formulation development, and molecular-level investigations**.
- To **promote the potential of *Annona squamosa*** as a **natural, cost-effective, and multi-targeted therapeutic agent** for cognitive enhancement.

Literature Review and Data Collection

1. Leite et al. (2021)

This study provided a detailed analysis of the **chemical composition** and **biological activities** of *Annona squamosa* extracts. The authors identified a rich presence of **phenolic compounds and flavonoids**, which contributed significantly to the extract's **antioxidant** and **acetylcholinesterase inhibitory activities**. The study demonstrated that the extract effectively scavenges **free radicals** and reduces oxidative stress, which is a major factor in **cognitive decline**. Importantly, the inhibition of acetylcholinesterase suggests its potential role in enhancing **cholinergic neurotransmission**, thereby improving memory and learning processes. This study strongly supports the **neuroprotective potential** of *Annona squamosa*.

2. Kumar et al. (2021)

Kumar and colleagues comprehensively reviewed the **nutritional and phytochemical profile** of *Annona squamosa* leaves and highlighted its diverse **pharmacological properties**.

The study emphasized the presence of **alkaloids, flavonoids, and acetogenins**, which exhibit strong **antioxidant and anti-inflammatory activities**. Although focused on leaves, the findings are relevant to other plant parts, including the stem bark. The authors also discussed the plant's potential role in **neuroprotection** and **management of neurodegenerative disorders**, making it a valuable reference for understanding its **therapeutic applications**.

3. Yassin et al. (2025)

This recent study compared different cultivars of *Annona squamosa* and evaluated their **phytochemical composition and pharmacological activities**. The findings revealed significant variation in **bioactive compound content**, particularly **polyphenols and flavonoids**, which influenced their **antioxidant and enzyme inhibitory activities**. The study highlighted the importance of **plant source and extraction method** in determining biological efficacy. It also reinforced the plant's potential in **neuroprotective applications**, particularly through **oxidative stress reduction** and enzyme inhibition.

4. Ansari et al. (2022)

This research focused on the **polyphenol-rich extract** of *Annona squamosa* and its biological effects. The study demonstrated strong **antioxidant**, **anti-inflammatory**, and **cytoprotective activities**. The extract was shown to modulate key pathways involved in **oxidative stress and inflammation**, both of which are critical in **cognitive impairment** and **neurodegeneration**. The findings provide strong evidence supporting the role of **polyphenols** in enhancing brain health and protecting against neuronal damage.

5. Narwade & Aher (2019)

This review summarized the **phytochemical and pharmacological properties** of *Annona squamosa*, highlighting its traditional medicinal uses. The authors reported the presence of important compounds such as **acetogenins, alkaloids, and flavonoids**, which contribute to its wide range of biological activities. The study emphasized its **antioxidant**, **anti-inflammatory**, and **neuroprotective effects**, supporting its potential use in **memory enhancement** and treatment of neurological disorders.

METHODOLOGY

This review article was designed as a **systematic and comprehensive literature-based study** aimed at evaluating the **phytochemical composition** and **memory-enhancing pharmacological potential** of *Annona squamosa* stem bark extract. The methodology

involved **collection, screening, analysis, and synthesis** of relevant scientific data from multiple reliable sources. Emphasis was placed on identifying studies that explore the **neuroprotective**, **nootropic**, and **mechanistic aspects** of the plant.

Relevant data from selected studies were systematically extracted and organized into categories such as.

- **Phytochemical constituents** (alkaloids, flavonoids, acetogenins, etc.)
- **Type of extract** and **extraction methods**
- **Experimental models used** (animal models, in vitro assays)
- **Pharmacological activities observed**
- **Mechanisms of action** related to memory enhancement

The collected data were analyzed using a **qualitative and comparative approach**. Findings from different studies were critically evaluated to identify:

- **Consistent patterns of pharmacological activity**
- **Correlation between phytochemicals and biological effects**
- **Strengths and limitations** of existing research

No statistical meta-analysis was performed; however, emphasis was placed on **evidence-based interpretation** and **scientific validity**.

Inclusion and Exclusion Criteria

To ensure accuracy and relevance, strict inclusion and exclusion criteria were applied:

Inclusion Criteria

- Peer-reviewed **research articles**, **review papers**, and **experimental studies**
- Studies focusing on **phytochemistry** and **pharmacological activities** of *Annona squamosa*
- Research specifically related to **memory enhancement**, **cognitive function**, or **neuroprotection**
- Articles published in **English language**
- Studies involving **in vitro**, **in vivo**, and relevant **mechanistic investigations**.

Exclusion Criteria

- Studies lacking sufficient **scientific data or methodology**
- Non-peer-reviewed articles, **conference abstracts**, or unpublished data

- Studies unrelated to **neurological or cognitive activity**
- Duplicate publications or redundant data.

DISCUSSION

The reviewed literature reveals that the stem bark of *Annona squamosa* is a rich source of diverse **bioactive phytoconstituents**, including **alkaloids, flavonoids, acetogenins, phenolic compounds, tannins, and glycosides**. Among these, **acetogenins** are considered unique to the *Annonaceae* family and exhibit potent biological activities, particularly in **mitochondrial modulation**. The presence of **flavonoids and phenolics** contributes significantly to the plant's **antioxidant capacity**, which plays a crucial role in neuroprotection. Advanced analytical techniques such as **HPLC**, **GC-MS**, and **NMR spectroscopy** have enabled the identification and characterization of these compounds. The variability in phytochemical composition observed across studies may be attributed to differences in **geographical origin**, **extraction methods**, and **solvent systems** used. Despite these variations, a consistent presence of **neuroactive compounds** supports the therapeutic potential of the stem bark extract. These phytochemicals collectively contribute to the **multifunctional pharmacological profile** of the plant, forming the basis for its memory-enhancing activity.

Antioxidant Activity and Its Role in Cognitive Enhancement

A significant finding across multiple studies is the strong **antioxidant activity** of *Annona squamosa* stem bark extract. This activity is primarily attributed to the presence of **polyphenols** and **flavonoids**, which act as **free radical scavengers**. Experimental assays such as **DPPH**, **FRAP**, and **lipid peroxidation inhibition tests** have consistently demonstrated the extract's ability to neutralize **reactive oxygen species (ROS)**. Oxidative stress is a major contributor to **neuronal damage** and **cognitive decline**, particularly in aging and neurodegenerative conditions. The reviewed studies indicate that the extract enhances endogenous antioxidant enzymes such as **superoxide dismutase (SOD)**, **catalase**, and **glutathione peroxidase**, thereby restoring **redox balance**. This protective effect helps in maintaining **neuronal integrity** and preventing **synaptic dysfunction**.

Furthermore, the reduction in **lipid peroxidation** and **oxidative biomarkers** observed in animal models suggests that the extract plays a vital role in preserving **brain function**. These findings strongly support the hypothesis that antioxidant activity is a key mechanism underlying the **memory-enhancing effects** of *Annona squamosa*.

Table 3: Experimental Models Used to Evaluate Memory-Enhancing Activity.

Sr. No.	Model	Type	Purpose	Observed Effect
1.	**Morris Water Maze**	In vivo	Spatial learning and memory	Reduced escape latency, improved retention
2.	**Elevated Plus Maze**	In vivo	Learning and anxiety-related memory	Increased transfer latency
3.	**Passive Avoidance Test**	In vivo	Memory retention	Increased latency time
4.	**Scopolamine-Induced Amnesia**	In vivo	Induced memory impairment model	Reversal of memory deficits
5.	**AChE Inhibition Assay**	In vitro	Enzyme activity measurement	Reduced AChE activity

Acetylcholinesterase Inhibition and Cholinergic Modulation

One of the most prominent pharmacological actions identified is the inhibition of **acetylcholinesterase (AChE)**. The reviewed studies demonstrate that *Annona squamosa* stem bark extract significantly reduces AChE activity, leading to increased levels of **acetylcholine**, a neurotransmitter essential for **learning and memory**. This effect is largely attributed to **alkaloids** and certain **flavonoids**, which interact with the active site of the enzyme, thereby preventing the breakdown of acetylcholine. The enhancement of **cholinergic transmission** improves **synaptic plasticity** and facilitates better cognitive performance. Experimental models, particularly **scopolamine-induced amnesia models**, have shown marked improvement in memory parameters upon treatment with the extract.

The observed AChE inhibitory activity is comparable to that of standard drugs such as **donepezil**, indicating the potential of *Annona squamosa* as a **natural alternative** for managing cognitive disorders. This finding is particularly significant in the context of **Alzheimer's disease**, where cholinergic dysfunction is a key pathological feature.

Anti-inflammatory and Neuroprotective Effects

Chronic **neuroinflammation** is increasingly recognized as a critical factor in the progression of **neurodegenerative diseases**. The reviewed studies indicate that *Annona squamosa* stem bark extract exhibits significant **anti-inflammatory activity** by downregulating pro-inflammatory mediators such as **TNF-α**, **IL-1β**, and **IL-6**.

This anti-inflammatory effect helps in reducing **microglial activation** and preventing subsequent **neuronal damage**. Additionally, the extract demonstrates **neuroprotective properties** by inhibiting **apoptotic pathways**, thereby reducing **neuronal cell death**. The presence of **acetogenins** and other bioactive compounds is believed to play a crucial role in maintaining **mitochondrial function** and cellular energy balance. The combined effect of reduced inflammation and enhanced neuronal survival contributes to improved **cognitive performance** and **memory retention**. These findings highlight the importance of targeting multiple pathways for effective management of neurodegenerative conditions.

Behavioral and Experimental Evidence of Memory Enhancement

Several **in vivo studies** have provided strong evidence supporting the **memory-enhancing activity** of *Annona squamosa* stem bark extract. Behavioral models such as the **Morris water maze**, **elevated plus maze**, and **passive avoidance tests** have been widely used to evaluate cognitive function.

The results consistently show that treated animals exhibit improved **learning ability**, **reduced escape latency**, and enhanced **memory retention** compared to control groups. In models of **chemically induced amnesia**, particularly using **scopolamine**, the extract effectively reversed memory deficits. Biochemical analysis further supports these findings, showing decreased **AChE activity**, reduced **oxidative stress markers**, and improved **antioxidant enzyme levels**. The dose-dependent effects observed in these studies indicate the **efficacy and reliability** of the extract as a cognitive enhancer.

Comparative Evaluation with Synthetic Drugs

When compared with conventional **synthetic nootropic agents**, *Annona squamosa* demonstrates several advantages, including a **multitargeted mechanism of action**, **lower toxicity**, and **better safety profile**. While synthetic drugs primarily focus on a single pathway, such as AChE inhibition, the plant extract simultaneously targets **oxidative stress**, **inflammation**, and **neurotransmitter imbalance**. However, it is important to note that most of the available data are derived from **preclinical studies**, and there is a lack of **clinical trials** to validate these findings in humans. Additionally, issues related to **standardization of extracts**, **dosage optimization**, and **long-term safety** need to be addressed.

Limitations and Research Gaps

Despite promising results, several limitations were identified in the reviewed studies. These include:

- Lack of **clinical evidence** in human subjects
- Variability in **experimental design and extraction methods**
- Limited studies focusing specifically on **stem bark extract**
- Insufficient data on **toxicity and pharmacokinetics**

Addressing these gaps is essential for translating preclinical findings into **clinical applications.**

The findings of this review clearly indicate that *Annona squamosa* stem bark extract possesses significant **memory-enhancing and neuroprotective properties**. Its efficacy is primarily driven by a **synergistic interaction of multiple phytochemicals**, which act through diverse mechanisms such as **AChE inhibition**, **antioxidant activity**, and **anti-inflammatory effects**.

The **multifunctional nature** of the extract makes it a promising candidate for the development of **novel plant-based nootropic agents**. However, further research, particularly **clinical validation and standardization**, is required to fully establish its therapeutic potential.

CONCLUSION

The present review provides a comprehensive evaluation of the **phytochemical composition** and **memory-enhancing pharmacological potential** of *Annona squamosa* stem bark extract. The collected evidence clearly demonstrates that the plant is a rich source of diverse **bioactive compounds**, including **alkaloids, flavonoids, acetogenins, phenolic compounds, tannins, and glycosides**, which collectively contribute to its broad spectrum of biological activities. These phytochemicals form the fundamental basis for its **neuroprotective and cognitive-enhancing effects**.

One of the most significant conclusions drawn from this review is the **multifactorial mechanism of action** exhibited by *Annona squamosa*. The extract enhances cognitive function primarily through **acetylcholinesterase (AChE) inhibition**, leading to increased levels of **acetylcholine**, which is crucial for memory and learning. In addition, its potent

antioxidant activity effectively neutralizes **reactive oxygen species (ROS)**, thereby reducing **oxidative stress**, a key contributor to neuronal degeneration. The plant also demonstrates strong **anti-inflammatory effects**, suppressing pro-inflammatory mediators and preventing chronic **neuroinflammation**, which is closely associated with cognitive decline. Furthermore, the extract exhibits significant **neuroprotective properties** by preventing **neuronal apoptosis** and maintaining **neuronal integrity and synaptic plasticity**. Emerging evidence also suggests its potential role in inhibiting **β-amyloid aggregation**, a hallmark of **Alzheimer's disease**, thereby highlighting its relevance in managing neurodegenerative disorders. Behavioral and experimental studies consistently support these findings, showing improved **learning ability**, **memory retention**, and **cognitive performance** in various animal models.

Another important aspect highlighted in this review is the advantage of *Annona squamosa* over conventional **synthetic nootropic agents**. Unlike synthetic drugs that typically target a single pathway, the plant extract operates through a **multitargeted approach**, addressing multiple underlying causes of cognitive impairment simultaneously. Additionally, it offers a comparatively **better safety profile**, **lower toxicity**, and **potential cost-effectiveness**, making it an attractive candidate for long-term therapeutic use. However, despite these promising findings, several **limitations and research gaps** remain. The majority of available data are derived from **preclinical studies**, with limited **clinical evidence** to support its efficacy in humans. Variations in **extraction methods**, **dosage**, and **experimental models** also pose challenges in standardizing the results. Moreover, there is insufficient information regarding the **pharmacokinetics**, **bioavailability**, and **long-term safety** of the stem bark extract.

In conclusion, *Annona squamosa* stem bark extract emerges as a highly promising **natural therapeutic agent** for memory enhancement and neuroprotection. Its **rich phytochemical profile** and **diverse pharmacological actions** make it a strong candidate for the development of **novel plant-based nootropic formulations**. Future research should focus on **clinical trials**, **standardization of extracts**, and **molecular-level investigations** to fully establish its therapeutic potential and facilitate its translation from traditional use to modern clinical application.

REFERENCES

1. Leite, D. O. D., Camilo, C. J., Nonato, C. F. A., et al. Chemical profile and evaluation of the antioxidant and anti-acetylcholinesterase activities of *Annona squamosa* extracts. *Foods*, 2021; 10(10): 2343.
2. Kumar, M., Changan, S., Tomar, M., et al. Custard apple (*Annona squamosa* L.) leaves: Nutritional composition, phytochemical profile, and health-promoting biological activities. *Biomolecules*, 2021; 11(5): 614.
3. Yassin, S., Elsohafy, S. M., El-Hawiet, A., et al. Comparative phytochemical and pharmacological analysis of two cultivars of *Annona squamosa* L. *npj Science of Food*, 2025; 9(1): 8.
4. Ansari, P., Hannan, J. M. A., Seidel, V., et al. Polyphenol-rich leaf extract of *Annona squamosa* and its biological activities. *Metabolites*, 2022; 12(10): 995.
5. Narwade, D. A., & Aher, A. N. A review on phytochemical and pharmacological study of *Annona squamosa*. *PharmaTutor*, 2019; 7(1): 5–10.
6. Alaqeel, N. K., Almalki, W. H., Binothman, N., et al. The inhibitory and anticancer properties of *Annona squamosa* seed extracts. *Brazilian Journal of Biology*, 2023; 82: e268250.
7. Rabelo, S. V., Quintans, J. D. S. S., Costa, E. V., et al. (2016). *Annona* species oils and biological activities. In *Essential Oils in Food Preservation*.
8. Ahmed, R. H. A., & Mariod, A. A. (2019). *Annona squamosa*: Phytochemical constituents and medicinal uses. In *Wild Fruits: Composition and Nutritional Value*.
9. Dahiya, R., & Dahiya, S. Bioactive cyclooligopeptides from *Annona* species. *European Journal of Medicinal Chemistry*, 2021; 214: 113221.
10. Martínez-Maldonado, F. E., Miranda-Lasprilla, D., & Magnitskiy, S. Morphological and anatomical changes in *Annona squamosa*. *Agronomía Colombiana*, 2013; 31: 176–183.
11. Bhattacharya, A., & Chakraverty, R. Pharmacological properties of *Annona squamosa*: A review. *International Journal of Pharmaceutical Engineering*, 2016; 4(2): 692–699.
12. Agrawal, M., Agrawal, Y., Itankar, P., et al. Pharmacognostical evaluation of *Annona squamosa*. *International Journal of Phytomedicine*, 2011; 3(3): 480–485.
13. Badrie, N., & Schauss, A. G. (2010). Nutritional and medicinal properties of custard apple. In *Bioactive Foods in Promoting Health*.
14. Kalidindi, N., et al. (2015). Phytochemical screening and antioxidant studies of *Annona squamosa*. *Journal of Applied Pharmaceutical Science*.

15. Pandey, N., et al. (2011). Traditional uses and pharmacological activities of *Annona squamosa*. *Journal of Pharmacognosy and Phytochemistry*.
16. Gupta, R. K., et al. (2011). Antioxidant and anti-inflammatory activities of medicinal plants. *Asian Journal of Pharmaceutical Sciences*.
17. Howes, M. J. R., Perry, N. S. L., & Houghton, P. J. Plants with traditional uses and activities relevant to Alzheimer's disease. *Phytotherapy Research*, 2003; 17(1): 1–18.
18. Orhan, I., et al. Acetylcholinesterase inhibitory activity of natural compounds. *Phytotherapy Research*, 2007; 21(9): 857–860.
19. Butterfield, D. A., & Halliwell, B. Oxidative stress and neurodegenerative diseases. *Nature Reviews Neuroscience*, 2019; 20: 148–160.