



SALVIA OFFICINALIS AS A PHARMACOLOGICAL POWERHOUSE: A COMPREHENSIVE REVIEW OF PHYTOCHEMICAL CONSTITUENTS, MOLECULAR MECHANISMS, AND EMERGING THERAPEUTIC APPLICATIONS

Devanssh Mehta*

Founder, TRM Writer's LLP and Market Mavericks Digital Opc. Pvt. Ltd. Modipuram
Meerut Uttar Pradesh India, Pincode:-250110.

Article Received on 15 March 2026,
Article Revised on 05 April 2026,
Article Published on 10 April 2026

<https://doi.org/10.5281/zenodo.19496045>

*Corresponding Author

Devanssh Mehta

Founder, TRM Writer's LLP and
Market Mavericks Digital Opc. Pvt.
Ltd. Modipuram Meerut Uttar Pradesh
India, Pincode:-250110.



How To Cite This Article: Devanssh Mehta* (2026). Salvia Officinalis as a Pharmacological Powerhouse: a Comprehensive Review of Phytochemical Constituents, Molecular Mechanisms, and Emerging Therapeutic Applications. World Journal of Pharmacy and Pharmaceutical Sciences, 15(4), 1499–1504.
This work is licensed under Creative Commons Attribution 4.0 International license.

ABSTRACT

Salvia officinalis L., commonly known as sage, is a medicinally significant plant belonging to the Lamiaceae family, widely recognized for its extensive pharmacological and phytochemical properties. The resurgence of interest in plant-based therapeutics has positioned *S. officinalis* as a critical candidate in modern pharmacological research. This review comprehensively evaluates the phytochemical composition, pharmacological activities, molecular mechanisms, and recent advancements in clinical and experimental research related to *S. officinalis*. The plant is rich in bioactive constituents, including phenolic acids (rosmarinic acid), flavonoids, terpenoids, and essential oils such as α -thujone and camphor, which collectively contribute to its diverse biological effects. Recent studies highlight its potent antioxidant, anti-inflammatory, antimicrobial, anticancer, neuroprotective, antidiabetic, and cardioprotective properties. Mechanistically,

these effects are mediated through modulation of oxidative stress pathways, inhibition of inflammatory mediators, regulation of glucose metabolism, and neurochemical interactions such as acetylcholinesterase inhibition. Furthermore, emerging research demonstrates its potential role in managing neurodegenerative disorders like Alzheimer's disease, metabolic syndromes, and microbial resistance. Despite its promising pharmacological profile,

challenges related to standardization, dosage optimization, and toxicity due to compounds like thujone require careful consideration. This review synthesizes current scientific evidence and identifies future research directions to enhance the therapeutic application of *S. officinalis*. The integration of traditional knowledge with modern pharmacology underscores its potential as a natural therapeutic agent in contemporary medicine.

KEYWORDS: *Salvia officinalis*; Phytochemistry; Neuroprotection; Antioxidant activity; Herbal pharmacology.

1. INTRODUCTION

The global shift toward phytotherapy has redefined the role of medicinal plants in modern healthcare systems. Among these, *Salvia officinalis* has emerged as a cornerstone species due to its extensive historical usage and scientifically validated pharmacological properties. Belonging to the Lamiaceae family, it has been traditionally used for treating inflammation, digestive disorders, and cognitive impairments.

Recent advancements in pharmacognosy and phytochemistry have revealed that *S. officinalis* contains a diverse array of bioactive secondary metabolites, positioning it as a multi-target therapeutic agent. These metabolites exhibit synergistic interactions that contribute to its wide spectrum of pharmacological effects.

2. Botanical Description and Taxonomy

Kingdom: Plantae

Family: Lamiaceae

Genus: *Salvia*

Species: *Salvia officinalis*

The plant is a perennial, evergreen subshrub characterized by grayish leaves and aromatic essential oils. Environmental conditions such as altitude, climate, and soil composition significantly influence its phytochemical profile.

3. Phytochemical Composition

3.1 Major Phytoconstituents

The phytochemical richness of *S. officinalis* includes

1. Phenolic Compounds

Rosmarinic acid

Caffeic acid

Salvianolic acids

These compounds are primarily responsible for antioxidant activity.

2. Flavonoids

Luteolin

Apigenin

Quercetin

Flavonoids contribute to anti-inflammatory and anticancer activities.

3. Terpenoids and Essential Oils

A-thujone

B-thujone

Camphor

1, 8-cineole

These volatile compounds are key contributors to antimicrobial and neuroactive properties.

4. Other Constituents

Alkaloids

Glycosides

Saponins

Steroids

A wide spectrum of phytochemicals including terpenes, flavonoids, and glycosides has been identified across different plant parts.

3.2 Phytochemical Diversity and Variability

Over 100 secondary metabolites have been identified in *S. officinalis*, demonstrating its chemical complexity and pharmacological potential. Variations in phytochemical composition depend on extraction methods and environmental factors.

4. Pharmacological Activities

4.1 Antioxidant Activity

S. officinalis exhibits strong antioxidant activity due to phenolic compounds that neutralize free radicals and prevent oxidative stress-related damage. These effects are crucial in preventing chronic diseases such as cancer and cardiovascular disorders.

4.2 Anti-inflammatory Activity

The plant inhibits pro-inflammatory mediators such as TNF- α and COX enzymes. Flavonoids and terpenoids suppress inflammatory pathways, making it effective in conditions like arthritis.

4.3 Antimicrobial Activity

Essential oils of *S. officinalis* demonstrate broad-spectrum antimicrobial effects against bacteria, fungi, and viruses. Compounds like camphor and cineole disrupt microbial cell membranes.

4.4 Neuroprotective and Cognitive Effects

One of the most significant pharmacological properties is its role in enhancing memory and cognition. It acts through

Acetylcholinesterase inhibition

Reduction of β -amyloid aggregation

Clinical studies suggest its potential in managing Alzheimer's disease .

4.3 Anticancer Activity

Phenolic diterpenes such as carnosic acid exhibit anticancer properties by inducing apoptosis and inhibiting tumor growth.

4.4 Antidiabetic Activity

S. officinalis improves insulin sensitivity and reduces blood glucose levels, making it beneficial in diabetes management.

4.5 Cardioprotective Activity

It reduces LDL oxidation and improves lipid profiles, thereby preventing cardiovascular diseases.

4.6 Antinociceptive and Analgesic Effects

The plant exhibits pain-relieving properties through modulation of central and peripheral pathways.

5. Mechanism of Action

The pharmacological effects of *S. officinalis* are mediated through multiple pathways:

Antioxidant pathway: Scavenging free radicals

Enzyme inhibition: Acetylcholinesterase, α -glucosidase

Anti-inflammatory signaling: NF- κ B inhibition

Cell cycle regulation: Induction of apoptosis in cancer cells

These mechanisms highlight its multi-target therapeutic potential.

6. Clinical and Experimental Studies (Latest Updates)

Recent studies (2023–2024) emphasize

Role in functional foods and nutraceuticals

Application in food preservation due to antimicrobial activity

Potential in metabolic syndrome and obesity management

Additionally, clinical trials indicate improved cognitive function and lipid regulation.

7. Toxicological Considerations

Despite its benefits, *S. officinalis* contains thujone, which can be neurotoxic at high doses.

Therefore:

Controlled dosage is essential

Standardization of extracts is required

8. Industrial and Pharmaceutical Applications

Herbal medicines

Nutraceuticals

Cosmetics

Food preservatives

Its multifunctional role makes it a valuable plant in multiple industries.

9. Limitations and Research Gaps

Lack of standardized formulations

Limited large-scale clinical trials

Variability in phytochemical composition

10. Future Perspectives

Future research should focus on

Nano-formulations of active compounds

Clinical validation

Drug development targeting neurodegenerative diseases

11. CONCLUSION

Salvia officinalis represents a convergence of traditional wisdom and modern pharmacology. Its diverse phytochemical composition and multi-target pharmacological actions position it as a promising candidate for future drug development. However, scientific rigor, clinical validation, and safety profiling are essential to fully harness its therapeutic potential.

REFERENCES

1. Anjali, D., Garg, D., Pragi, P., Kumar, V., Dimple, D., & Monika, M. (2024). A review of therapeutic properties and uses of *Salvia officinalis*. *Journal of Pharma Insights and Research*.
2. Alsanosi, S. M. (2024). Sage (*Salvia officinalis*): An overview and herbal monograph. *Pharmacognosy Research*.
3. Patel, D., Aanchal, A., & Tahseen, M. A. (2024). Phytochemical and pharmacological aspects of *Salvia officinalis*. *International Journal of Novel Research and Development*.
4. Shahidi, F., & Ambigaipalan, P. (2024). Sage (*Salvia officinalis*): A botanical marvel with versatile pharmacological properties. *South African Journal of Botany*.
5. Tildesley, N. T., et al. (2017). Pharmacological properties of *Salvia officinalis*. *Journal of Traditional and Complementary Medicine*.
6. Zhao, Y., et al. (2024). Beneficial effects of *Salvia officinalis* extracts in human health. *Food Chemistry*.