


QK
1
W442
BOT

WATSONIA

THE JOURNAL OF
THE BOTANICAL SOCIETY
OF THE BRITISH ISLES

VOLUME 22



EDITED BY

M. BRIGGS, J. R. EDMONDSON,

D. L. KELLY, D. A. PEARMAN, C. D. PRESTON,

B. S. RUSHTON, M. N. SANFORD, D. A. SIMPSON

1998-99

PRINTED FOR THE SOCIETY BY
THE BOOK COMPANY, IPSWICH, SUFFOLK

PUBLISHED AND SOLD BY THE BOTANICAL SOCIETY OF THE BRITISH ISLES,
C/O DEPARTMENT OF BOTANY, THE NATURAL HISTORY MUSEUM, LONDON SW7 5BD

DATES OF PUBLICATION

Part 1, pp. 1–142, February 1998
Part 2, pp. 143–208, August 1998
Part 3, pp. 209–300, February 1999
Part 4, pp. 301–449, August 1999

Errata

p. 189 line 21 up.	For: palustris read: palustre
p. 253 after last line.	Insert: occur. Despite these problems, changes in the records over time indicate the general trends.
p. 281 after last line	Insert: 5mm; nodes and leaf bases green; inflorescence racemose..... punctata
p. 287 header	For: p–p read: 287–291
p. 293 header	For: p–p read: 293–295
p. 297 header	For: p–p read: 297–300

INDEX

WATSONIA VOLUME 22 (1998–99)

Prepared by C. R. Boon

- Adiantum capillus-veneris* 142, 300
 × *Agropogon littoralis* 113; *robinsonii* (Druce) Melderis & D. C. McClint. 113–114
Agrostemma githago 255
Agrostis 113, 441; *capillaris* 113, 366; *curtisii* 366, 437; *semiverticillata* 113; *stolonifera* 113, 114, 334, 336, 399, 421, 428; *stolonifera* × *Polypogon monspeliensis* 113; *stolonifera* × *Polypogon viridis* 113; *vinealis* 42, 45
Aira caryophyllea 257; *praecox* 45, 257
 Akeroyd, J. (ed.) – *The wild plants of Sherkin, Cape Clear and adjacent islands of West Cork* (Bk Rev.) 195
 Akeroyd, J. R. – Rev. of *The making of the Cretan landscape* (by O. Rackham & J. Moody) 120–121
 Akeroyd, J. R. – Rev. of *The new Oxford book of food plants* (by J. G. Vaughan & C. A. Geissler) 202
 Aksoy, A., Hale, W. H. G. & Dixon, J. M. – Towards a simplified taxonomy of *Capsella bursa-pastoris* (L.) Medik. (Brassicaceae) 243–250
Alchemilla 441
Alisma gramineum subsp. *wahlenbergii* 122; *lanceolatum* 437; *plantago-aquatica* 170, 301
 Allen, D. E. – Five new species of *Rubus* L. (Rosaceae) with transmarine ranges 83–96
 Allen, D. E. – *Rubus campaniensis* Winkel ex Beek (Rosaceae) in Britain 429–430
 Allen, D. E. – Typification of some Barton & Riddelsdell names in *Rubus* L. (Rosaceae) 181
 Allen, D. E. – Rev. of *A dictionary of plant-lore* (by R. Vickery) 124–125
 Allen, D. E. – Rev. of *Between seasons and science* (by P. Faasse) 287–288
Allium 271; *ampeloprasum* 299; *vineale* 421
Alopecurus borealis 109, 110; *bulbosus* 299; *geniculatus* 399
Amelanchier 440
 America, North. *Flora of North America north of Mexico. Volume 3: Magnoliophyta: Magnoliidae and Hamamelidae* (Bk Rev.) 195–196
Ammophila arenaria 42, 44, 115, 421
Anagallis arvensis 115; *minima* 141, 433
Androcymbium rechingeri 121
Andromeda polifolia 211, 221, 222
Anisantha madritensis 142
 Annual General Meeting (1997) (Rpt) 139–141, (Fld Mtg Rpt) 141–142, (1998) (Rpt) 297–298, (Fld Mtg Rpt) 298–300
Antennaria dioica 115
Anthriscus caucalis 142
Anthyllis vulneraria 182
Apium inundatum 30, 31, 336; *nodiflorum* 119, 337; *repens* 119
Arbutus unedo 121
Arctium 123
Arenaria serpyllifolia 44, 441
Armeria maritima 142, 191, 192
Artemisia vulgaris 113
Arum italicum subsp. *neglectum* 142; *maculatum* 299
Asparagus officinalis subsp. *prostratus* 142
Asplenium adiantum-nigrum 439, subsp. *corrunense* 439, subsp. *silesiacum* 439; × *badense* 117; *ceterach* 117; *fontanum* 117; *ramosum* 117; *trichomanes-ramosum* 117; *viride* 117, 123
Astragalus 448
Azolla 439
 Bailey, J. P., with C. D. Preston & P. M. Hollingsworth – A reassessment of the hybrid *Potamogeton* × *gessnacsensis* G. Fisch. (*P. natans* × *P. polygonifolius*, Potamogetonaceae) in Britain 61–68
Baldellia ranunculoides 30, 301, 302, 310, 334
Barbarea stricta 22, 26
 Barratt, D. R., Walker, K. J., Pywell, R. F., Mountford, J. O. & Sparks, T. H. – Variation in the responses of infraspecific variants of wet grassland species to manipulated water levels 317–328
 Barter, G. & Woodman, J. – Field excursions held in conjunction with the A.G.M. 1998 (Fld Mtg Rpt) 298–300
 Bataille, A. – Obit. of Nicholas Polunin C.B.E., M.S., D. Phil., D.Sc., F.L.S., F.R.G.S. (1909–1997) 203–205

- Bateman, R. M. – Rev. of *Notes on the British and Irish Orchids* (by D. M. Turner Ettlinger) 201–202
- Bellis perennis* 115, 182
- Berberis* 196
- Betula nana* 219; *pendula* 261, 366
- Bidens cernua* 399; *tripartita* 399
- Blackstock, T. H. & Roberts, R. H. – *Trifolium occidentale* D. E. Coombe (Fabaceae) in Anglesey (v.c. 52) 182–184
- Book Reviews 117–125, 195–202, 287–291, 433–441
- Borago officinalis* 142
- Botrychium lunaria* 141
- Bowen, H. J. M. – Rev. of *The atlas flora of Somerset* (by P. R. Green, I. P. Green & G. A. Crouch) 436–437
- Brachypodium pinnatum* 409
- Brachythecium* 44
- Brassica oleracea* 27
- Briza minor* 26, 27
- Bromus hordeaceus* 182; *lepidus* 26
- Bull, A. L. – Four new species of *Rubus* L. (Rosaceae) from eastern England 97–104
- Bullock, J. M., Connor, J., Carrington, S. & Edwards, R. J. – Chromosome numbers and flower sizes of *Ulex minor* Roth. and *Ulex gallii* Planch. in Dorset 143–152
- Bullock, J. M., with F. Kirchner – Taxonomic separation of *Ulex minor* Roth. and *U. gallii* Planch.: morphometrics and chromosome counts 365–376
- Bupleurum fruticosum* 45
- Bursa bursa-pastoris* 249; *heegeri* 249
- Butomus umbellatus* 30, 122
- Byfield A. J. & Pearman, D. A. – *Dorset's disappearing heathland flora* (Bk Rev.) 433
- Cabomba caroliniana* 119
- Cakile* 423; *maritima* 422
- Calamagrostis* 446; *canescens* 43
- Calla palustris* 119
- Callitriche* 26, 170, 284, 285 (illus.), 441; *brutia* 22, 26, 283, 285 (illus.); *fassettii* 284; *hamulata* 64, 283, (illus.) 285, 335; *hermaphroditica* 30, 283, 284, 334; *obtusangula* 30, 283, 285 (illus.); *platycarpa* 283, 285 (illus.); *pulchra* 284; *stagnalis* 283, 285 (illus.); *truncata* 284, 285 (illus.), Guss. subsp. *occidentalis* (Rouy) Braun-Blanquet (Callitrichaceae). A terrestrial form of, 283–286
- Calluna vulgaris* 45, 211, 219, 227, 228, 300, 347, 366
- Caltha palustris* 335
- Calypogeia arguta* 14
- Calystegia soldanella* 22, 142
- Campanula gieseckiana* 127; *rotundifolia* 44, 45, 115
- Cannabis sativa* 443
- Capsella* 243; *agrestis* 243; *bursa-pastoris* (L.) Medik. (Brassicaceae). Towards a simplified taxonomy of, 243–250, 246 (illus.), 247 (map); *heegeri* 249; *praecox* 243; *ruderalis* 243; *sabulosa* 243; *virgata* 243
- Cardamine pratensis* 109, 110, 218
- Carduus tenuiflorus* 299
- Carex* 228, 271, 431, 441; *acuta* 30; *acutiformis* 30, 432; *aquatilis* 80; *arenaria* 42–45, 182, 421; *atrofusca* 109, 110; *binervis* 219; *diandra* 122, var. *major* 122; *dioica* 218, 227; *disticha* 141; *elata* 30; *flacca* 115, 218; *flava* 122; *hostiana* 218, 228; *lasiocarpa* 30, 187, 218; *limosa* 187, 218, 219; *magellanica* 219; *maritima* 109; *montana* 300, 437; *nigra* 187, 225, 347; *otrubae* Podp. (Cyperaceae) using transverse leaf sections. Separation of *Carex vulpina* L. and, 431–432, 431 (illus.); *paleacea* 80; *panicea* 218, 219, 228, 347; *paniculata* 43; *pulicaris* 141, 218, 219, 300; *recta* 80; *riparia* 30, 432; *rostrata* 187, 190, 218, 219, 334; *rupestris* 109, 110; *saxatilis* 109, 110, 187, 225; *stans* 110; *vesicaria* 30; *viridula* 122, subsp. *brachyrrhyncha* 218; *vulpina* L. and *C. otrubae* Podp. (Cyperaceae) using transverse leaf sections. Separation of, 431–432, 431 (illus.)
- Carey, P. D. – Changes in the distribution and abundance of *Himantoglossum hircinum* (L.) Sprengel (Orchidaceae) over the last 100 years 353–364
- Carrington, S., with J. M. Bullock, J. Connor & R. J. Edwards – Chromosome numbers and flower sizes of *Ulex minor* Roth. and *Ulex gallii* Planch. in Dorset 143–152
- Catapodium marinum* 44, 182
- Centaurea nigra* 318–322, 324, 325, 327, subsp. *nemorialis* 325, subsp. *nigra* 325; *pumilio* 121
- Centaureum erythraea* 115; *pulchellum* 435; *scilloides* 290
- Cerastium arcticum* 109; *diffusum* 182; *fontanum* 441; *semidecandrum* 141
- Ceratophyllum demersum* 30, 437

- Chamaemelum nobile* 141
Chamerion 197; *angustifolium* 113
Chara 435; *aspera* 334, 336, 338; *contraria* 334, 336; *curta* 336, 338; *globularis* var. *virgata* 64; *hispida* 334, 336; *virgata* 334, 336; *vulgaris* 283, 334, 336
Chater, A. O. – Obit. of William Moreton Condry (1918–1998) 293
Chater, A. O. – Rev. of *The Plant-Book: a portable dictionary of the vascular plants*. 2nd ed. (by D. J. Mabberley) 197–198
Chenopodium 271
Chionodoxa luciliae 122, 123
Cicendia filiformis 433
Circaea alpina 435; × *intermedia* 80, 231, 435
Cirsium arvense 113; *dissectum* 300; *dissectum* × *palustre* 141; *tuberosum* 290
Cladium mariscus 30
Cladonia 42
Clarke, S. J., with P. Lusby & J. Wright – *Scottish wild plants* (Bk Rev.) 438–439
Cochlearia danica 182, 191–193, 299; *officinalis* L. (Brassicaceae) and other halophytes on the Aberdeen-Montrose main road in north-east Scotland. Colonisation by, 190–193, 191 (map)
Coeloglossum viride 112
Coincya 422; *monensis* (L.) W. Greuter & Burdet subsp. *monensis*. The potential for seed dispersal by sea water in *Coincya wrightii* (O. E. Schulz) Stace and, 422–423; *wrightii* (O. E. Schulz) Stace and *C. monensis* (L.) W. Greuter & Burdet subsp. *monensis*. The potential for seed dispersal by sea water in, 422–423
Cole, R. L. – *Natives and aliens – the wild flowers and trees of the Langdon Hills* (Bk Rev.) 434
Colston, A., Gerrard, C & Parslow, R. – *Cambridgeshire's Red data book including Huntingdonshire, Old Cambridgeshire & The Soke of Peterborough* (Bk Rev.) 289–290
Condry, W. – *Wildflower safari: the life of Mary Richards* (Bk Rev.) 434
Condry, William Moreton, (1918–1998) (Obit.) 293
Connor, J., with J. M. Bullock, S. Carrington & R. J. Edwards – Chromosome numbers and flower sizes of *Ulex minor* Roth. and *Ulex gallii* Planch. in Dorset 143–152
Cook, C. D. K. – Rev. of *Aquatic plants in Britain and Ireland* (by C. D. Preston & J. M. Croft) 119–120
Cook, P. J. – *Elytrigia repens* (L.) Desv. ex Nevski subsp. *arenosa* (Spencer) Á. Löve (Poaceae) in south-east Yorkshire (v.c. 61) 421
Corner, R. W. M. – Northern limits attained by native British plants in North Peary Land, Greenland 109–110
Cornus suecica 219
Coronopus squamatus 45
Corynephorus canescens (L.) P. Beauv. (Poaceae) in Britain and the Channel Islands with particular reference to its conservation. The distribution and status of, 41–47
Cotoneaster 124, 271, 272
Cotula coronopifolia 119
Cousinia 448
Crambe maritima 141, 422
Crassula helmsii 401; *tillaea* 141, 433
Cratoneuron commutatum subsp. *falcatum* 115
Crepis capillaris 45
Crithmum maritimum 142
Croft, J. M., with C. D. Preston – *Aquatic plants in Britain and Ireland* (Bk Rev.) 119–120
Crotalaria 132
Crouch, G. A., with P. R. Green & I. P. Green – *The atlas flora of Somerset* (Bk Rev.) 436–437
Cruciata laevipes 437
Ctenidium molluscum 115
Cynodon dactylon 290
Cyperus fuscus L. (Cyperaceae), Brown Galingale. Conservation of Britain's biodiversity., 397–403, 122, 398 (map)
Cypripedium 131
Cystopteris alpina 117; *fragilis* 109, 110
Dactylorhiza 122; *fuchsii* 113, 201; *incarnata* 218; *lapponica* 122; *maculata* subsp. *ericetorum* 218; *majalis* subsp. *cambrensis* 202, subsp. *ebudensis* 202, subsp. *lapponica* 202, subsp. *traunsteineri* var. *bowmannii* 202; *praetermissa* 141; *traunsteineri* 122, 437; × *venusta* 113
Dahl, E. – *The phytogeography of northern Europe (British Isles, Fennoscandia and adjacent areas)* (Bk Rev.) 290–291
Dandy, J. E. & Taylor, G. – *Studies of British Potamogetons*. – XIX. × *Potamogeton sudermanicus* in Britain 165–166

- Daniels, R. E., McDonnell, E. J. & Raybould, A. F. – The current status of *Rumex rupestris* Le Gall (Polygonaceae) in England and Wales, and threats to its survival and genetic diversity 33–39
- Dearnley, T. C. & Duckett, J. G. – Juniper in the Lake District National Park. A review of condition and regeneration 261–267
- Deschampsia* 441; *cespitosa* 45, 223, 240, subsp. *alpina* 228; *flexuosa* 43, 122, 219, var. *montana* 122; *setacea* 141
- Dianthus gratianopolitanus* 437
- Dicentra eximia* 196; *formosa* 196
- Dicranum scoparium* 221
- Diploschistes muscorum* 115
- Ditrichum flexicaule* 115
- Dixon, J. M., with A. Aksoy & W. H. G. Hale – Towards a simplified taxonomy of *Capsella bursa-pastoris* (L.) Medik. (Brassicaceae) 243–250
- Doogue, D., Nash, D., Parnell, J., Reynolds, S., Wyse Jackson, P. (eds.) – *Flora of County Dublin* (Bk Rev.) 435
- Drepanocladus revolvens* 115
- Drosera* 227; *anglica* 123; *longifolia* 211, 222, 228; *rotundifolia* 211, 218, 219, 221, 222, 228
- Dryas octopetala* 294
- Dryopteris affinis* 439; × *complexa* 439; *dilatata* 447; *expansa* 447
- Duckett, J. G., with T. C. Dearnley – Juniper in the Lake District National Park. A review of condition and regeneration 261–267
- Dudman, A. A. & Richards, A. J. – *Dandelions of Great Britain and Ireland*. B.S.B.I. Handbook No. 9 (Bk Rev.) 436
- Ebenus cretica* 120
- Edgington, M. J. – *Erica ciliaris* L. (Ericaceae) discovered in the Blackdown Hills, on the Somerset-Devon border (v.c. 3) 426–428
- Edwards, R. J., with J. M. Bullock, J. Connor & S. Carrington – Chromosome numbers and flower sizes of *Ulex minor* Roth. and *Ulex gallii* Planch. in Dorset 143–152
- Elatine hexandra* 30
- Eleocharis acicularis* 30; *palustris* 334, 336, 338; *quinqueflora* 141, 218
- Eleogiton fluitans* 30, 170
- Ellis, G. – Annual General Meeting (1997) (Rpt) 139–141, (1998) (Rpt) 297–298
- Elodea canadensis* 169, 170, 334, 337; *nuttallii* 170
- Elytrigia atherica* 421; *repens* (L.) Desv. ex Nevski subsp. *arenosa* (Spennner) Å. Löve (Poaceae) in south-east Yorkshire (v.c. 61) 421, 46, subsp. *repens* var. *aristata* 421
- Empetrum nigrum* 228
- Entodon concinnus* 115
- Epilobium*, 49, 50, 56, 59, 197, 417, 441; hybrid from Scotland, *E. pedunculare* A. Cunn. × *E. montanum* L. A new, 417–419; × **brunnatum** Kitchener & McKean, **hybr. nov.** 51, 52, 53 (illus.), 55, 57, 58 (illus.), 59; *brunnescens* (Cockayne) Raven & Engelhorn (Onagraceae) and their occurrence in the British Isles. Hybrids of, 49–60, 197, 417; *brunnescens* × *ciliatum* 50, 51; *brunnescens* × *lanceolatum* 51, 52; *brunnescens* × *montanum* 50–52, 55; *brunnescens* × *obscurum* 50, 51, 54; *brunnescens* × *palustre* 51, 55; × **chateri** Kitchener & McKean, **hybr. nov.** 55, 56 (illus.), 57, 59; *ciliatum* 49–52, 55, 57, 59, 417; *ciliatum* × *montanum* 51; *ciliatum* × *parviflorum* 51; × **confusilobum** Kitchener & McKean, **hybr. nov.** 52, 57; × **cornubiense** Kitchener & McKean, **hybr. nov.** 52, 57; *erectum* 49; *hirsutum* 51; × **kitcheneri** McKean, **hybr. nov.** 417, 418 (illus.); *lanceolatum* 49, 51, 52, 57; *linnaeoides* 417; *montanum* 49–51, 57, 59, 113, 417, 419; *nerteroides* 50; × **obscurens** Kitchener & McKean, **hybr. nov.** 54, 54 (illus.), 55, 57, 58 (illus.); *obscurum* 49–51, 57–59, 419, 435; *palustre* 49–51, 57, 59; *parviflorum* 49, 51; *pedunculare* 49, 417, 419; *pedunculare* A. Cunn. × *E. montanum* L.. A new *Epilobium* hybrid from Scotland, 417–419
- Epipactis* 198; *helleborine* subsp. *neerlandica* 202; *purpurata* 26; *youngiana* 202
- Epipogium aphyllum* 201
- Equisetum* 439, 441; *arvense* 109, 110, 113, 187, var. *alpestre* 188; *fluviatile* 334, 336; *hyemale* 22; *palustre* 188, 218; *ramosissimum* 439; *sylvaticum* 439; *variegatum* 109, 110
- Erica arborea* 121; *ciliaris* L. (Ericaceae) discovered in the Blackdown Hills, on the Somerset-Devon border (v.c. 3) 426–428; *cinerea* 45, 366; *tetralix* 211, 218, 219, 227, 228, 300, 366, 427; × *watsonii* 427
- Eriophorum angustifolium* 211, 218, 225, 227, 427; *latifolium* 213, 218, 228; *vaginatum* 211, 213, 218, 228, 437
- Erodium cicutarium* 44, 182, 421; *maritimum* 46, 299; *moschatum* 27

- Erophila* (Brassicaceae) taxa *sensu* Filfilan & Elkington in Britain and Ireland. Use of herbarium material for mapping the distribution of, 377–385, 378 (map); *glabrescens* 378, 380, 381 (map), 383–385; *majuscula* 378, 379 (map), 380, 381, 383, 384; *verna* 378, 380 (map), 383 (map), 384 (map), 385, subsp. *spatulata* 385, var. *praecox* 381, (map) 382, 385; *virescens* 381
- Eryngium maritimum* 22, 142
- Euphorbia portlandica* 142
- Euphrasia* 115, 124, 198, 271
- Faasse, P. – *Between seasons and science* (Bk Rev.) 287–288
- Ferguson, D. A. (ed.), with L. A. Lauener – *The introduction of Chinese plants into Europe* (Bk Rev.) 118–119
- Festuca ovina* 115, 300, subsp. *hirtula* 45; *rubra* 182, 421; *vivipara* 218, 219, 228
- Filago* 251, 257; *apiculata* 251; *arvensis* 257; *gallica* 251, 255–257; *lutescens* Jordan (Asteraceae), Red-tipped Cudweed. Conservation of Britain's biodiversity:, 251–260, 252 (map), 253 (map), subsp. *atlantica* 252, 253 (map), subsp. *lutescens* 252; *minima* 251, 257; *pyramidata* 251, 252, 255–257; *vulgaris* 251–253, 256, 257
- Flora of North America Editorial Committee (eds.) – *Flora of North America north of Mexico. Volume 3: Magnoliophyta: Magnoliidae and Hamamelidae* (Bk Rev.) 195–196
- Fontinalis antipyretica* 170, 334
- Fragaria moschata* 123
- Frankenia laevis* 300
- Friday, L. (ed.) – *Wicken Fen. The making of a wetland nature reserve* (Bk Rev.) 288–289
- Fritillaria meleagris* 199
- Fumaria* 440
- Galeopsis* 440
- Galium verum* 45, 115, 182, 300, 421
- Geissler, C. A., with J. G. Vaughan – *The new Oxford book of food plants* (Bk Rev.) 202
- Genista anglica* 141, 300; *tinctoria* 141
- Gentiana pneumonanthe* 141
- Gentianella* 111, 114, 428, 429; *amarella* 111, 112, 114, 428; *anglica* 142; *campestris* 111, 112, 115; *uliginosa* (Willd.) Boerner, Dune Gentian, on Colonsay (v.c. 102) in 1996. Population sizes of, 111–113, (Willd.) Boerner (Gentianaceae) found in Colonsay (v.c. 102), new to Scotland 114–116, (Willd.) Boerner (Gentianaceae) rediscovered in north Devon 428–429
- Geranium* 271; × *oxonianum* 281; *purpureum* 142; *rotundifolium* 142; *tuberosum* 121
- Gerrard, C., with A. Colston & R. Parslow – *Cambridgeshire's Red data book including Huntingdonshire, Old Cambridgeshire & The Soke of Peterborough* (Bk Rev.) 289–290
- Geum rivale* 141
- Gilia* 440
- Gladiolus communis* 142
- Glaucium flavum* 22, 141
- Glaux maritima* 44
- Glyceria fluitans* 170, 399; *maxima* 276
- Gnaphalium uliginosum* 399
- Goodyera repens* 348
- Gornall R. J. – Rev. of *The natural history of pollination* (by M. Proctor, P. Yeo & A. Lack) 439–440
- Gornall, R. J., with C. D. Preston & P. M. Hollingsworth – *Potamogeton pectinatus* L. × *P. vaginatus* Turcz. (*P.* × *bottnicus* Hagstr.), a newly identified hybrid in the British Isles 69–82
- Gornall, R. J., with C. D. Preston & P. M. Hollingsworth – The distribution and habitat of *Potamogeton* × *suecicus* K. Richt. (*P. filiformis* Pers. × *P. pectinatus* L.) in the British Isles 329–342
- Green, I. P., with P. R. Green & G. A. Crouch – *The atlas flora of Somerset* (Bk Rev.) 436–437
- Green, P. R., Green, I. P. & Crouch, G. A. – *The atlas flora of Somerset* (Bk Rev.) 436–437
- Greenland. Northern limits attained by native British plants in North Peary Land, 109–110
- Groenlandia* 26; *densa* 24
- Gulliver, R. L. – Population sizes of *Gentianella uliginosa* (Willd.) Boerner, Dune Gentian, on Colonsay (v.c. 102) in 1996 111–113
- Hackney, P. – Obit of Doreen Sylvia Lambert O.B.E. (1915–1996) 127–128
- Hale, W. H. G., with A. Aksoy & J. M. Dixon – Towards a simplified taxonomy of *Capsella bursa-pastoris* (L.) Medik. (Brassicaceae) 243–250
- Halliday, G. – *A Flora of Cumbria* (Bk Rev.) 196–197
- Halliday, G. – Rev. of *Dandelions of Great Britain and Ireland*. B.S.B.I. Handbook No. 9 (by A. A. Dudman & A. J. Richards) 436
- Hammarbya paludosa* 219

- Hawkes, J. – Obit. of John Heslop-Harrison (1920–1998) 443–445
- Hedera* 441
- Helianthemum apenninum* 437; *canum* 123; *nummularium* 300; *oelandicum* 123
- Heracleum mantegazzianum* 413
- Herniaria glabra* 290
- Heslop-Harrison, John, (1920–1998) (Obit.) 443–445
- Hieracium* 122, 124, 197, 198, 437, 440
- Himantoglossum hircinum* (L.) Sprengel (Orchidaceae) over the last 100 years. Changes in the distribution and abundance of, 353–364, 358 (map), 359 (map)
- Hippophaë rhamnoides* 421
- Hippuris vulgaris* 30, 334, 336
- Holcus lanatus* 113, 428
- Hollingsworth, P. M. – Rev. of *Plant breeding systems*. 2nd ed. (by A. J. Richards) 198
- Hollingsworth, P. M. & Swan, G. A. – Genetic differentiation and hybridisation among subspecies of Deergrass (*Trichophorum cespitosum* (L.) Hartman) in Northumberland 235–242
- Hollingsworth, P. M., with C. D. Preston & J. P. Bailey – A reassessment of the hybrid *Potamogeton* × *gessnacenensis* G. Fisch. (*P. natans* × *P. polygonifolius*, Potamogetonaceae) in Britain 61–68
- Hollingsworth, P. M., with C. D. Preston & R. J. Gornall – *Potamogeton pectinatus* L. × *P. vaginatus* Turcz. (*P.* × *bottnicus* Hagstr.), a newly identified hybrid in the British Isles 69–82
- Hollingsworth, P. M., with C. D. Preston & R. J. Gornall – The distribution and habitat of *Potamogeton* × *suecicus* K. Richt. (*P. filiformis* Pers. × *P. pectinatus* L.) in the British Isles 329–342
- Holyoak, D. T. – *Gentianella uliginosa* (Willd.) Börner (Gentianaceae) rediscovered in north Devon 428–429
- Homogyne alpina* 294
- Hornungia petraea* 45
- Hottonia palustris* 400, 437
- Huperzia selago* 117, 123; *suberecta* 117
- Hutchings, M. J., with B. R. Wheeler – The history and distribution of *Phyteuma spicatum* L. (Campanulaceae) in Britain 387–395
- Hutchinson, G. & Thomas, B. A. – *Welsh ferns, clubmosses, quillworts and horsetails*. 7th ed. (Bk Rev.) 117
- Hydrocharis* 435; *morsus-ranae* 437
- Hydrocotyle ranunculoides* 119; *vulgaris* 170, 428
- Hymenophyllum* 441; *tunbrigense* 2
- Hyoscyamus aureus* 120
- Hypericum elodes* 119
- Hypnum cupressiforme* var. *lacunosum* 115
- Hypochaeris glabra* 257; *radicata* 44, 45, 182
- Innes, M., with D. Welch – Southward recolonisation by *Mertensia maritima* (L.) Gray on the coast of north-eastern Scotland 424–426
- Inula crithmoides* 142
- Isoetes* 301; *echinospora* 30, 447; *lacustris* 30, 64, 447
- Isopterygium elegans* 14
- Jasione montana* 44
- Jermey, A. C. – Obit. of Olga Margaret Stewart (1920–1998) 445–447
- Jermey, A. C. – Rev. of *The ferns of Britain and Ireland*. 2nd ed. (by C. N. Page) 439
- Jermey, A. C., with T. C. G. Rich – *Plant crib* 1998 (Bk Rev.) 440–441
- Jermey, A. C., with F. J. Rumsey & E. Sheffield – The independent gametophytic stage of *Trichomanes speciosum* Willd. (Hymenophyllaceae), the Killarney Fern and its distribution in the British Isles 1–19
- John, R. F., with Q. O. N. Kay & R. A. Jones – Biology, genetic variation and conservation of *Luronium natans* (L.) Raf. in Britain and Ireland 301–315
- Jones, D. – *The botanists and guides of Snowdonia* (Bk Rev.) 117–118
- Jones, R. A., with Q. O. N. Kay & R. F. John – Biology, genetic variation and conservation of *Luronium natans* (L.) Raf. in Britain and Ireland 301–315
- Jubula hutchinsiae* 14
- Juncus* 122, 271; *acutiflorus* 433; *albescens* 110; *articulatus* 283; *biglumis* 109; *bufonius* 26, 382, 399; *bulbosus* 64, 170, 188, 189; *castaneus* 109, 110; *effusus* 43; *foliosus* 26; *maritimus* var. *atlanticus* 122, var. *compactus* 123, var. *congestus* 123, var. *longipedicellatus* 123; *obtusifolius* 168; *ranarius* 22, 26; *squarrosus* 43, 211; *subnodulosus* 300; *triglumis* 109, 110
- Juniperus communis*. Juniper in the Lake District National Park. A review of condition and regeneration 261–267, 262 (map), 348, subsp. *communis* 261, subsp. *nana* 261

- Jury, S. L. – Rev. of *The Flora of Oxfordshire* (by J. Killick, R. Perry & S. J. Woodell) 437–438
- Kay, Q. O. N., John, R. F. & Jones, R. A. – Biology, genetic variation and conservation of *Luronium natans* (L.) Raf. in Britain and Ireland 301–315
- Keylock, J. G. – Obit. of Captain R. G. B. Roe O.B.E., R.N. 205
- Killick, J., Perry, R. & Woodell, S. J. – *The Flora of Oxfordshire* (Bk Rev.) 437–438
- Kirchner, F. & Bullock, J. M. – Taxonomic separation of *Ulex minor* Roth. and *U. gallii* Planch.: morphometrics and chromosome counts 365–376
- Kitchener, G. D. & McKean, D. R. – Hybrids of *Epilobium brunnescens* (Cockayne) Raven & Engelhorn (Onagraceae) and their occurrence in the British Isles 49–60
- Kobresia simpliciuscula* 109, 110
- Koeleria vallesiana* 437
- Koenigia islandica* 109
- Lack, A., with M. Proctor & P. Yeo – *The natural history of pollination* (Bk Rev.) 439–440
- Lack, H. W. – Obit. of Karl-Heinz Rechinger Phil. Doc. (Vindob.) FMLS (1906–1998) 447–449
- Lagarosiphon major* 119
- Lagurus ovatus* 45
- Lambert, Doreen Sylvia, O.B.E. (1915–1996) (Obit.) 127–128
- Lambrick, C. R., with T. C. G. Rich & C. McNab – Conservation of Britain's biodiversity: *Salvia pratensis* L. (Lamiaceae), Meadow Clary 405–411
- Lansdown, R. V. – A terrestrial form of *Callitriche truncata* Guss. subsp. *occidentalis* (Rouy) Braun-Blanquet (Callitrichaceae) 283–286
- Larix decidua* 348
- Lathyrus aphaca* 141, 142; *japonicus* 425; *palustris* 289, 437
- Lauener, L. A., with D. A. Ferguson (ed.) – *The introduction of Chinese plants into Europe* (Bk Rev.) 118–119
- Leach, S. J. – Rev. of *Dorset's disappearing heathland flora* (by A. J. Byfield & D. A. Pearman) 433
- Leersia oryzoides* 205
- Lemna minor* 76, 170, 334, 336; *minuta* 170; *triselca* 30, 170, 334
- Leontodon saxatilis* 428
- Leucojum vernum* 437
- Lewis, J., with T. C. G. Rich – Use of herbarium material for mapping the distribution of *Erophila* (Brassicaceae) taxa *sensu* Filfilan & Elington in Britain and Ireland 377–385
- Leymus arenarius* 425
- Limonium* 441; *dodartiforme* 142; *recurvum* 142
- Linnaea borealis* 344, 348
- Linum bienne* 142; *catharticum* 115
- Liparis loeselii* 289
- Listera cordata* 344, 437
- Lithospermum purpureocaeruleum* 299
- Littorella uniflora* 34, 64, 66, 189, 301, 336
- Lloydia serotina* 118
- Lobelia dortmanna* 30, 64, 189
- Lotus* 319, 321, 324, 326, 327; *corniculatus* 45, 115, 182, 318, 321, 323–326, 428; *glaber* 326; *pedunculatus* 321, 323, 324, 326
- Luronium* 197; *natans* (L.) Raf. in Britain and Ireland. Biology, genetic variation and conservation of, 301–315, 30, 307 (map), 311 (map)
- Lusby, P., Wright, J. & Clarke, S. J. – *Scottish wild plants* (Bk Rev.) 438–439
- Lusby, P. S., with J. A. Wright – The past and present status of *Moneses uniflora* (L.) Gray (Pyrolaceae) in Scotland 343–352
- Luzula* 122; *campestris* 45; *multiflora* 113, 123, 124, 219, 382, subsp. *frigida* 123, subsp. *hibernica* 123
- Lycopodiella inundata* 433
- Lycopodium annotinum* 344
- Lycopus europaeus* 119
- Lysimachia* 279, 281 (key); *ciliata* 279–281; *punctata* L. and *L. verticillaris* Sprengel (Primulaceae) naturalised in the British Isles 279–281; *terrestris* 279; *verticillaris* Sprengel (Primulaceae) naturalised in the British Isles. *Lysimachia punctata* L. and, 279–281; *verticillata* 279; *vulgaris* 279–281
- Mabberley, D. J. – *The Plant-Book: a portable dictionary of the vascular plants*. 2nd ed. (Bk Rev.) 197–198
- Macpherson, P. & Stace, C. A. – × *Agropogon robinsonii* (Druce) Melderis & D. C. McClint. 113–114
- Mahonia* 196
- Marren, P. – Rev. of *Wicken Fen. The making of a wetland nature reserve* (ed. by L. Friday) 288–289

- Marren, P., with M. Rothschild – *Rothschild's reserves: time and fragile nature* (Bk Rev.) 198–200
- McAllister, H. A. – *Lysimachia punctata* L. and *L. verticillaris* Sprengel (Primulaceae) naturalised in the British Isles 279–281
- McAllister, H. A. – *Urtica galeopsifolia* Wierzb. ex Opiz (Urticaceae) confirmed for Britain by its chromosome number 275–278
- McCosh, D. J. – Rev. of *A Flora of Cumbria* (by G. Halliday) 196–197
- McDonnell, E. J., with R. E. Daniels & A. F. Raybould – The current status of *Rumex rupestris* Le Gall (Polygonaceae) in England and Wales, and threats to its survival and genetic diversity 33–39
- McKean, D. R. – A new *Epilobium* hybrid from Scotland, *E. pedunculare* A. Cunn. × *E. montanum* L. 417–419
- McKean, D. R., with G. D. Kitchener – Hybrids of *Epilobium brunnescens* (Cockayne) Raven & Engelhorn (Onagraceae) and their occurrence in the British Isles 49–60
- McNab, C., with T. C. G. Rich & C. R. Lambrick – Conservation of Britain's biodiversity: *Salvia pratensis* L. (Lamiaceae), Meadow Clary 405–411
- Medicago arabica* 299; *lupulina* 181; *polymorpha* 142, 299
- Melampyrum* 441
- Mentha aquatica* 170, 335, 399
- Menyanthes trifoliata* 64, 188, 218, 219, 231
- Mercurialis perennis* 435
- Mertensia maritima* (L.) Gray on the coast of north-eastern Scotland. Southward recolonisation by, 424–426, 425 (map)
- Milne-Redhead, Edgar W. B. H., M.B.E., I.S.O., T.D. (1906–1996) (Obit.) 128–137
- Minuartia rubella* 109; *sedoides* 439
- Moenchia erecta* 257
- Molinia* 433; *caerulea* 211, 217, 219, 229, 300, 366, 427
- Moneses grandiflora* 349; *uniflora* (L.) Gray (Pyrolaceae) in Scotland. The past and present status of, 343–352, 344 (map), 438
- Monotropa hypopitys* 22
- Moody, J., with O. Rackham – *The making of the Cretan landscape* (Bk Rev.) 120–121
- Mountford, J. O., with D. R. Barratt, K. J. Walker, R. F. Pywell & T. H. Sparks – Variation in the responses of infraspecific variants of wet grassland species to manipulated water levels 317–328
- Murrell, G., with P. D. Sell – *Flora of Great Britain and Ireland. Volume 5. Butomaceae–Orchidaceae* (Bk Rev.) 122–123
- Muscari azureum* 123
- Myosotis discolor* 257; *scorpioides* 119
- Myrica cerifera* 196; *gale* 227, 228, 300; *pensylvanica* 196
- Myriophyllum* 441; *alterniflorum* 64, 67, 188, 189, 335, 337; *aquaticum* 401; *spicatum* 30, 77, 283, 334, 336
- Narcissus tazetta* 142
- Nardurus lachenalii* 257
- Nardus stricta* 437
- Narthecium ossifragum* 211, 219, 221, 222, 227, 427
- Nash, D., with D. Doogue, J. Parnell, S. Reynolds & P. Wyse Jackson (eds.) – *Flora of County Dublin* (Bk Rev.) 435
- Needham, M., with J. Parnell – Morphometric variation in Irish *Sorbus* L. (Rosaceae) 153–161
- Nitella flexilis* 189; *opaca* 189
- Notes 109–116, 181–193, 283–286, 421–432
- Nuphar* × *spenneriana* 80, 231
- Obituaries 127–138, 203–207, 293–295, 443–449
- Odontites* 124
- Oenanthe aquatica* 400; *fistulosa* 30; *lachenalii* 283; *pimpinelloides* 141
- Oenothera* 441
- Ononis repens* 182, 421
- Ophioglossum vulgatum* 141
- Ophrys* 105; *apifera* Hudson (Orchidaceae). A new variety of, 105–107, var. *aurita* 105, 106, var. **belgarum** D. M. T. Ettlinger **var. nov.** 107, f. *bicolor* 106, var. *bicolor* 105, 106, f. *botteronii* 106, f. *chlorthan* 105, var. *chlorthan* 106, f. *flavescens* 106, var. *flavescens* 105, var. *friburgensis* 106, subsp. *jurana* f. *botteronii* 105, subsp. *jurana* var. *friburgensis* 105, subsp. *jurana* f. *saraepontana* 105, var. *pseudotrollii* 107, f. *trollii* 106, var. *trollii* 105–107; *insectifera* 122
- Orchis mascula* subsp. *ebudium* 202
- Oreopteris limbosperma* 437
- Organum dictamnus* 120
- Ornithogalum angustifolium* 299
- Ornithopus perpusillus* 44, 257
- Orobanche hederæ* 142

- Oswald, P. H. – Rev. of *The botanists and guides of Snowdonia* (by D. Jones) 117–118
- Oxyria digyna* 109, 110
- Oxytropis halleri* 294, 438
- Paeonia mascula* 299
- Page, C. N. – *The ferns of Britain and Ireland*. 2nd ed. (Bk Rev.) 439
- Papaver bracteatum* 196; *dubium* subsp. *lecoqii* 142; *orientale* 196; *pseudorientale* 196
- Parapholis incurva* 142
- Parnell, J. & Needham, M. – Morphometric variation in Irish *Sorbus* L. (Rosaceae) 153–161
- Parnell, J., with D. Doogue, D. Nash, S. Reynolds & P. Wyse Jackson (eds.) – *Flora of County Dublin* (Bk Rev.) 435
- Parslow, R., with A. Colston & C. Gerrard – *Cambridgeshire's Red data book including Huntingdonshire, Old Cambridgeshire & The Soke of Peterborough* (Bk Rev.) 289–290
- Pastinaca* 435
- Paullinia cupana* 197
- Pearman, D. – Field excursions held in conjunction with the A.G.M. 1997 (Fld Mtg Rpt) 141–142
- Pearman, D. A. – Rev. of *Wildflower safari: the life of Mary Richards* (by W. Condry) 434
- Pearman, D. A., Preston, C. D., Roy, D. B. & Stewart, A. – The use of B.S.B.I. Monitoring Scheme data to predict nationally scarce species in Britain 21–28
- Pearman, D. A., with A. J. Byfield – *Dorset's disappearing heathland flora* (Bk Rev.) 433
- Pearman, D. A., with C. D. Preston – Aquatic plants at high altitudes in the Breadalbane Mountains (v.c. 88), Scotland 187–190
- Pearman, D. A., with C. D. Preston – J. E. Dandy & G. Taylor's unpublished study of *Potamogeton* × *sudermanicus* Hagstr. in Britain, with an account of the current distribution of the hybrid 163–172
- Pedicularis palustris* 218; *sylvatica* 141
- Peltigera* 44
- Perring, F. H. – Rev. of *Cambridgeshire's Red data book including Huntingdonshire, Old Cambridgeshire & The Soke of Peterborough* (by A. Colston, C. Gerrard & R. Parslow) 289–290
- Perring, F. H. – Rev. of *Red data book for Cornwall and the Isles of Scilly* (ed. by A. Spalding) 289–290
- Perry, R., with J. Killick & S. J. Woodell – *The Flora of Oxfordshire* (Bk Rev.) 437–438
- Persicaria amphibia* 67, 170, 334, 336, 338; *campanulata* 281; *hydropiper* 399; *maculosa* 399; *minor* 400; *vivipara* 109, 110
- Petramarula pinnata* 120
- Petroselinum segetum* 141
- Phillyrea angustifolia* 283
- Phleum arenarium* 44, 142; *phleoides* 290
- Phoenix theophrasti* 120
- Phragmites australis* 170, 218, 334
- Phyllodoce caerulea* 438
- Phyteuma* 387; *orbiculare* 387; *scheuchzeri* 387; *spicatum* L. (Campanulaceae) in Britain. The history and distribution of, 387–395, 390 (map), subsp. *coeruleum* 387, 388, subsp. *spicatum* 387
- Picea abies* 178
- Pigott, C. D. – Rev. of *The phytogeography of northern Europe (British Isles, Fennoscandia and adjacent areas)* (by E. Dahl) 290–291
- Pilosella officinarum* 45, 115
- Pilularia globulifera* 29–31; 447
- Pinguicula grandiflora* 205; *lusitanica* 294; *vulgaris* 115, 218, 228, 300
- Pinus sylvestris* 344, 366
- Plantago coronopus* 115, 182, 299, 421; *lanceolata* 115, 182; *maritima* 115, 191
- Poa alpina* 228; *bulbosa* 45, 299, var. *vivipara* 299; *glauca* 109; *palustris* 26; *pratensis* 182
- Polunin, Nicholas, C.B.E., M.S., D. Phil., D.Sc., F.L.S., F.R.G.S. (1909–1997) (Obit.) 203–205
- Polycarpon tetraphyllum* 142
- Polygala serpyllifolia* 218, 219; *vulgaris* 115
- Polygonum campanulatum* 281
- Polypodium* 124; *cambricum* 142
- Polypogon* 113; *monspeiliensis* 113; *viridis* 113, 114
- Polytrichum piliferum* 42
- Populus* 174; sect. *Aigeiros* 174; sect. *Tacamahaca* 174; *alba* 176; *betulifolia* 175; × *canadensis* 173; *deltoides* 174, 176; *deltoides* × *nigra* 173; × *euramericana* 173; *europaea* 174; *henryana* 175; *hudsonica* 175; *lloydii* 175; *mulleriana* 175; *nigra* L.). Genetic conservation of Black Poplar (, 173–179, 174 (illus.), 175 (map), subsp. *betulifolia* 175, 176, var. *betulifolia* 175, 176, var. *dodeana* 174, var. *europaea* 174, var. *hudsonica* 175, 'Italica'

- 176, var. *pubescens* 175, var. *typica* 174, 175, var. *viridis* 175; *pubescens* 175; *tremula* 176; *trichocarpa* 174; *vaillantiana* 175; *vistulensis* 175
- Porley, R. D. – Separation of *Carex vulpina* L. and *C. otrubae* Podp. (Cyperaceae) using transverse leaf sections 431–432
- Potamogeton* 26, 61, 63, 69, 80, 124, 163–165, 168, 171, 185, 187, 271, 301, 329, 331, 332, 340, 435, 440; subgen. *Coleogeton* 69–71, 71 (key), 77, 185, 330; *acutifolius* 24, 163–168, 169 (map), 170, 171; *acutifolius* × *berchtoldii* 166; *acutifolius* × *friesii* 166; *acutifolius* × *pusillus* 165, 166; *alpinus* 24, 30, 64, 188; *berchtoldii* 24, 64, 163, 165, 167, 169 (map), 170; × *billupsii* 335, 339; *bottnicus* 78; × *bottnicus* Hagstr.), a newly identified hybrid in the British Isles. *Potamogeton pectinatus* L. × *P. vaginatus* Turcz. (, 69–82, 331, 332, 336; *coloratus* 24, 63, 170; *compressus* 24, 165, 167, 168; *crispus* 24, 30, 77, 334; *epihydus* 24, 63; × *fennicus* 78; *filiformis* 24, 67, 69–72, 75–77, 79, 188, 190, 330–332, 334, 336–340; *filiformis* Pers. × *P. pectinatus* L.) in the British Isles. The distribution and habitat of *Potamogeton* × *suecicus* K. Richt. (, 329–342, 78; *filiformis* × *vaginatus* 78, 79; *flabellatus* Bab. (Potamogetonaceae). Lectotypification of, 184–186, 71, 79; × *fluitans* 63, 165; *friesii* 24, 334; × *gessnacensis* G. Fisch. (*P. natans* × *P. polygonifolius*, Potamogetonaceae) in Britain. A reassessment of the hybrid, 61–68, 62 (illus.), 63 (illus.), 66 (illus.); *gramineus* 24, 30, 63, 334; *gramineus* × *lucens* 189; × *griffithii* 64; × *grovesii* 166; × *lanceolatus* 170, 337; *lucens* 24, 30, 63, 77; × *meinshausenii* 78, 79, 81; *natans* 24, 61, 63, 64, 65 (key), 67, 170, 189, 332, 334, 336, 338; *natans* × *P. polygonifolius*, Potamogetonaceae) in Britain. A reassessment of the hybrid *Potamogeton* × *gessnacensis* G. Fisch. (, 61–68; × *nitens* 24, 165, 334, 336, 339; *nodosus* 24, 63; *obtusifolius* 24, 30; *pectinatus* 24, 69–79, 170, 185, 186, 330–332, 334, 336–340; *pectinatus* L. × *P. vaginatus* Turcz. (*P.* × *bottnicus* Hagstr.), a newly identified hybrid in the British Isles 69–82; *perfoliatus* 24, 30, 67, 76, 77, 188, 334; *polygonifolius* 24, 61, 63–65, 67, 188, 219; *praelongus* 24, 64, 188–190; × *pseudofriesii* 166; *pusillus* 24, 30, 66, 165, 166, 283, 334, 336; *pusillus* × *trichoides* 166; *rutilus* 24, 335, 339; × *salicifolius* 24, 77; × *schreberi* 63, 171; × *sparganiifolius* 63, 64, 165, 339; × *sudermanicus* Hagstr. in Britain, with an account of the current distribution of the hybrid. J. E. Dandy & G. Taylor's unpublished study of, 163–172, in Britain. Studies of British Potamogetons. – XIX., 165–166, 169 (map); *suecicus* 340; × *suecicus* K. Richt. (*P. filiformis* Pers. × *P. pectinatus* L.) in the British Isles. The distribution and habitat of, 329–342, 69–72, 75, 76, 78–80, 164, 185, 330 (map); *trichoides* 24; *vaginatus* 70–73, 75, 76, 78–81, 331; × *zizii* 24, 189, 335; *zosteraceus* 185, 186
- Potentilla anserina* 421; *erecta* 218, 219; *neumanniana* 437; *palustris* 218; *reptans* 421
- Preston, C. D. – Lectotypification of *Potamogeton flabellatus* Bab. (Potamogetonaceae) 184–186
- Preston, C. D. & Croft, J. M. – *Aquatic plants in Britain and Ireland* (Bk Rev.) 119–120
- Preston, C. D. & Pearman, D. A. – *Aquatic plants at high altitudes in the Breadalbane Mountains* (v.c. 88), Scotland 187–190
- Preston, C. D. & Pearman, D. A. – J. E. Dandy & G. Taylor's unpublished study of *Potamogeton* × *sudermanicus* Hagstr. in Britain, with an account of the current distribution of the hybrid 163–172
- Preston, C. D., Bailey, J. P. & Hollingsworth, P. M. – A reassessment of the hybrid *Potamogeton* × *gessnacensis* G. Fisch. (*P. natans* × *P. polygonifolius*, Potamogetonaceae) in Britain 61–68
- Preston, C. D., Hollingsworth, P. M. & Gornall, R. J. – *Potamogeton pectinatus* L. × *P. vaginatus* Turcz. (*P.* × *bottnicus* Hagstr.), a newly identified hybrid in the British Isles 69–82
- Preston, C. D., Hollingsworth, P. M. & Gornall, R. J. – The distribution and habitat of *Potamogeton* × *suecicus* K. Richt. (*P. filiformis* Pers. × *P. pectinatus* L.) in the British Isles 329–342
- Preston, C. D., with D. A. Pearman, D. B. Roy & A. Stewart – The use of B.S.B.I. Monitoring Scheme data to predict nationally scarce species in Britain 21–28
- Proctor, M., Yeo, P. & Lack, A. – *The natural history of pollination* (Bk Rev.) 439–440
- Prunella vulgaris* 115
- Pseudoscleropodium purum* 115
- Pteridium* 117; *aquilinum* 43, 44
- Ptilium crista-castrensis* 348
- Puccinellia* 122; *rupestris* 413

- Pulmonaria longifolia* 141
Pulsatilla vulgaris 199
 Pywell, R. F., with D. R. Barratt, K. J. Walker, J. O. Mountford & T. H. Sparks – Variation in the responses of infraspecific variants of wet grassland species to manipulated water levels 317–328
Quercus brachyphylla 120; *frainetto* 120; *petraea* 174, 437; *pubescens* 120; *robur* 174; *suber* 178
 Rackham, O. & Moody, J. – *The making of the Cretan landscape* (Bk Rev.) 120–121
Radiola linoides 141, 433
Ranunculus 76, 77, 81, 196, 271, 336; subgen. *Batrachium* 304, 441; *arvensis* 27; × *bachii* 336; *baudotii* 66, 334; *bulbosus* 182; *circinatus* 30; *flammula* 170, 196, 218; *fluitans* × *peltatus* 77; *hederaceus* 283; × *kelchoensis* 76, 77; × *levenensis* 80; *lingua* 30; *omiophyllus* 64, 124; *ophioglossifolius* 131; *parviflorus* 141, 142, 299, 300; *penicillatus* subsp. *pseudofluitans* 76, 77, 336; *reptans* 196; *sceleratus* 283, 399; *trichophyllus* 30, 335, 336
Raphanus maritimus 422; *raphanistrum* subsp. *maritimus* 300
 Ratcliffe, D. A. – Obit. of John Grant Roger (1909–1997) 137–138
 Raybould, A. F., with R. E. Daniels & E. J. McDonnell – The current status of *Rumex rupestris* Le Gall (Polygonaceae) in England and Wales, and threats to its survival and genetic diversity 33–39
 Rechinger, Karl-Heinz, Phil. Doc. (Vindob.) FMLS (1906–1998) (Obit.) 447–449
 Reports 139–142, 297–300
 Reynolds, S. C. P. – Rev. of *The wild plants of Sherkin, Cape Clear and adjacent islands of West Cork* (ed. by J. Akeroyd) 195
 Reynolds, S., with D. Doogue, D. Nash, J. Parnell & P. Wyse Jackson (eds.) – *Flora of County Dublin* (Bk Rev.) 435
Rhinanthus 320, 325; *angustifolius* 325; *minor* 318–320, 325, var. *minor* 325, subsp. *stenophyllus* 318, var. *stenophyllus* 325
Rhynchospora alba 211, 222, 227, 228; *fusca* 141
Rhytidadelphus triquetrus 115
 Rich, T. C. G. – Conservation of Britain's biodiversity: *Cyperus fuscus* L. (Cyperaceae), Brown Galingale 397–403
 Rich, T. C. G. – Conservation of Britain's biodiversity: *Filago lutescens* Jordan (Asteraceae), Red-tipped Cudweed 251–260
 Rich, T. C. G. – The potential for seed dispersal by sea water in *Coincya wrightii* (O. E. Schulz) Stace and *C. monensis* (L.) W. Greuter & Burdet subsp. *monensis* 422–423
 Rich, T. C. G. – Rev. of *Flora of Great Britain and Ireland. Volume 5. Butomaceae–Orchidaceae* (by P. D. Sell & G. Murrell) 122–123
 Rich, T. C. G. & Lewis, J. – Use of herbarium material for mapping the distribution of *Erophila* (Brassicaceae) taxa *sensu* Filfilan & Elkington in Britain and Ireland 377–385
 Rich, T. C. G. & Jermy, A. C. – *Plant crib* 1998 (Bk Rev.) 440–441
 Rich, T. C. G., Lambrick, C. R. & McNab, C. – Conservation of Britain's biodiversity: *Salvia pratensis* L. (Lamiaceae), Meadow Clary 405–411
 Richards, A. J. – *Plant breeding systems*. 2nd ed. (Bk Rev.) 198
 Richards, A. J., with A. A. Dudman – *Dandelions of Great Britain and Ireland*. B.S.B.I. Handbook No. 9 (Bk Rev.) 436
Richardsiella 434
 Roberts, R. H., with T. H. Blackstock – *Trifolium occidentale* D. E. Coombe (Fabaceae) in Anglesey (v.c. 52) 182–184
 Robson, N. K. B. – Rev. of *The introduction of Chinese plants into Europe* (by L. A. Lauener, ed. by D. A. Ferguson) 118–119
 Roe, Captain R. G. B., O.B.E., R.N. (1911–1997) (Obit.) 205
 Roger, John Grant, (1909–1997) (Obit.) 137–138
Rorippa nasturtium-aquaticum 399; *palustris* 399; × *sterilis* 335
Rosa 271, 435; *pimpinellifolia* 45, 46
 Rose, F. – *Gentianella uliginosa* (Willd.) Boerner (Gentianaceae) found in Colonsay (v.c. 102), new to Scotland 114–116
 Rothero, G. P. – Rev. of *Scottish wild plants* (by P. Lusby, J. Wright & S. J. Ckarke) 438–439
 Rothschild, M. & Marren, P. – *Rothschild's reserves: time and fragile nature* (Bk Rev.) 198–200
 Roy, D. B., with D. A. Pearman, C. D. Preston & A. Stewart – The use of B.S.B.I. Monitoring Scheme data to predict nationally scarce species in Britain 21–28

Rubia peregrina 437

Rubus L. (Rosaceae) from eastern England. Four new species of, 97–104, L. (Rosaceae) with transmarine ranges. Five new species of, 83–96, L. (Rosaceae). Typification of some Barton & Riddelsdell names in, 181, 124, 197, 198, 270, 429, 435, 437, 440; sect. *Corylifolii* 102; ser. *Anisacanthi* 87, 101; ser. *Hystrix* 94; ser. *Micantes* 100; ser. *Radula* 87, 91, 430; ser. *Rhamnifolii* 89; ser. *Sylvatici* 84, 97; ser. *Vestiti* 94; *adornatifolmis* 429, 430; *althaeifolius* 97; **anglobelgicus** D. E. Allen & H. Vannerom, **sp. nov.** 85, 87, 88 (map), 95; *babingtonianus* 97; *bakerianus* 181; 'Bedford Giant' 104; *campaniensis* Winkel ex Beek (Rosaceae) in Britain 429–430; *cariensis* 89; *carpinifolius* 85; *celticus* 87; *chamaemorus* 119; **cromerensis** A. L. Bull, **sp. nov.** 101, 101 (map), 102; **davisii** D. E. Allen, **sp. nov.** 87, 89, 90 (map), 95; *diestemius* 87; *drymophilus* 429; *dumetorum* var. *raduliformis* 104; *ferox* 97; *fruticosus* 119, 181, 270; *furnarius* 181; *fuscoater* 94; *fuscus* 87; **gariannensis** A. L. Bull, **sp. nov.** 97, 99 (map); *geniculatus* 87; *granulatus* 429; *hastiformis* 93; *hesperius* 84; **hindii** A. L. Bull, **sp. nov.** 102, 97, 103 (map), 104; *idaeus* 119; *incurvatus* 89, var. *rotundifolius* 89; *insularis* 89; *iricus* 94; *koehleri* 87; *lejeuni* var. *bracteatus* 87; *lettii* 85; *maassii* 99; *muelleri* 94; *nemoralis* 89; *newbridgensis* 181; *pallidus* 94, var. *leptopetalus* 430; *pistoris* 181; *platyacanthus* 85; *prolongatus* 94; *rhombofolius* 89; *rotundifolius* 89, 430; *scabripes* 94; *schlechtendalii* 98; *sciocharis* 85; **sempernitens** D. E. Allen & L. J. Margetts, **sp. nov.** 89, 91, 92 (map), 95; *silurum* 85; *spinulifer* 87; *spinuliferus* 87; *sprengelii* 429; *strictispinus* 94; *tuberculatus* 97, 103, 104; *ulmifolius* 99; **venetorum** D. E. Allen, **sp. nov.** 92, 94, 95 (map); *villicaulis* 89, var. *insularis* 89; **villosior** A. L. Bull, **sp. nov.** 100, 97, 99 (map); **waddellii** D. E. Allen, **sp. nov.** 83, 86 (map), 95

Rumex 38, 271, 413, 414, 448; subgen. *Lapathum* 448; *acetosella* 44, subsp. *acetosella* 45; × **akeroydii** Rumsey, **hybr. nov.** 414, – a new Dock hybrid 413–416, 415 (illus.); *conglomeratus* 36, 413; *conglomeratus* × *maritimus* 414; *conglomeratus* × *palustris* 413; *crispus* 34, 36, subsp. *littoreus* 34, 36; *crispus* × *maritimus* 414; *cristatus* 413, 414, 416 (map); *cristatus* × *palustris* 414; × *fallacinus* 414; × *knafii* 414; × *lousleyii*

414; *maritimus* 413; *obovatus* 413; *obtusifolius* × *cristatus* 414; *palustris* 400, 413, 414, 416 (map); *palustris* × *patientia* 414; *patientia* 414, subsp. *patientia* 413; × *peisonis* 414; *pseudoalpinus* 281; *rupestris* Le Gall (Polygonaceae) in England and Wales, and threats to its survival and genetic diversity. The current status of, 33–39, 35 (map); × *wirtgenii* 413

Rumsey, F. J. – *Rumex* × *akeroydii* – a new Dock hybrid 413–416

Rumsey, F. J. – Rev. of Welsh ferns, clubmosses, quillworts and horsetails. 7th ed. (by G. Hutchinson & B. A. Thomas) 117

Rumsey, F. J., Jermy, A. C. & Sheffield, E. – The independent gametophytic stage of *Trichomanes speciosum* Willd. (Hymenophyllaceae), the Killarney Fern and its distribution in the British Isles 1–19

Ruppia cirrhosa 24; *maritima* 24

Sagina nivalis 109

Sagittaria latifolia 119; *sagittifolia* 119

Salicornia 26, 283; *dolichostachya* 26; *europaea* 26; *fragilis* 22, 26

Salix 271, 435, 448; *caprea* 113; *cinerea* subsp. *oleifolia* 113; *myrsinifolia* 197; *phylicifolia* 197; × *reichardtii* 113; *repens* 218, 219, 300, 428

Salvia pratensis L. (Lamiaceae), Meadow Clary, Conservation of Britain's biodiversity:, 405–411, 407 (map); *verbenaca* 142, 406

Samolus valerandi 119

Sanguisorba minor 182; *officinalis* 141

Saxifraga 271; *cernua* 109; *cespitosa* 109, 118; *hirsuta* 80; *hypnoides* 437; *nivalis* 109, 118; *oppositifolia* 109, 110, 438; × *polita* 80

Scandix pecten-veneris 27, 255

Scheuchzeria palustris 228

Schoenoplectus lacustris 30; *tabernaemontani* 30

Schoenus ferrugineus 228; *nigricans* 115, 228

Scilla peruviana 142; *verna* 182, 438

Scirpus 209; *cespitosus* 209, 210, 230, var. *callosus* 209, 230, subsp. *cespitosus* 209, 230, var. *delicatulus* 209, subsp. *germanicus* 209, 230, β *nemorosus* 210; *germanicus* 230

Scleranthus annuus 257; *polycarpus* 257

Scorzonera humilis 300

Sedum acre 44

Selaginella selaginoides 115, 218, 439

- Sell, P. D. & Murrell, G. – *Flora of Great Britain and Ireland. Volume 5. Butomaceae–Orchidaceae* (Bk Rev.) 122–123
- Senecio jacobaea* 113, 182, 257; *paludosus* 289; *vulgaris* 182
- Serapias lingua* 123; *parviflora* 123
- Serratula tinctoria* 141
- Sheffield, E., with F. J. Rumsey & A. C. Jermy – The independent gametophytic stage of *Trichomanes speciosum* Willd. (Hymenophyllaceae), the Killarney Fern and its distribution in the British Isles 1–19
- Shteir, A. B. – Cultivating women, cultivating science: Flora's daughters and botany in England, 1760–1860 (Bk Rev.) 200–201
- Sibthorpia europaea* 437
- Silene acaulis* 22, 109, 110; *conica* 46; *otites* 45; *uniflora* 44
- Sium latifolium* 119
- Slack, Alfred A. P., (1913–1998) (Obit.) 294–295
- Sorbus* L. (Rosaceae). Morphometric variation in Irish, 153–161, 178, 270, 441; *anglica* 153–155; *aria* 153, 154, 156–161; *aucuparia* 153; *devoniensis* 153–156, 160; *domestica* 299, 300; *hibernica* 153, 154, 156–161; *intermedia* 153; *rupicola* 153–155
- Spalding, A. (ed.) – *Red data book for Cornwall and the Isles of Scilly* (Bk Rev.) 289–290
- Sparganium* 301; *angustifolium* 30, 64, 189; *emersum* 170, 335; *erectum* 334, 336, 435, subsp. *microcarpum* 435; *natans* 30, 189
- Sparks, T. H., with D. R. Barratt, K. J. Walker, R. F. Pywell & J. O. Mountford – Variation in the responses of infraspecific variants of wet grassland species to manipulated water levels 317–328
- Spartina anglica* 22
- Spergularia marina* 191
- Sphagnum* 187, 210, 211, 216, 218, 219, 221, 226–228, 427; *balticum* 219; *compactum* 219; *majus* 219; *molle* 219; *riparium* 219; *strictum* 219; *tenellum* 218, 219
- Spirodela polyrhiza* 170
- Squamarina cartilaginea* 115
- Stace, C. – *New Flora of the British Isles*. 2nd ed. (Bk Rev.) 123–124
- Stace, C. A. – Rev. of *Flora of North America north of Mexico. Volume 3: Magnoliophyta: Magnoliidae and Hamamelidae* (ed. by Flora of North America Editorial Committee) 195–196
- Stace, C. A. – Rev. of *Plant crib 1998* (by T. C. G. Rich & A. C. Jermy) 440–441
- Stace, C. A., with P. Macpherson – × *Agropogon robinsonii* (Druce) Melderis & D. C. McClint. 113–114
- Stachys officinalis* 300
- Stellaria pallida* 299
- Stewart, A., with D. A. Pearman, C. D. Preston & D. B. Rob – The use of B.S.B.I. Monitoring Scheme data to predict nationally scarce species in Britain 21–28
- Stewart, Olga Margaret, (1920–1998) (Obit.) 445–447
- Stirling, A. McG. – Obit. of Alfred A. P. Slack (1913–1998) 294–295
- Suaeda vera* 142
- Subularia aquatica* 30, 64
- Succisa pratensis* 141, 427
- Swan, G. A. – Identification, distribution and a new nothosubspecies of *Trichophorum cespitosum* (L.) Hartman (Cyperaceae) in the British Isles and N. W. Europe 209–233
- Swan, G. A., with P. M. Hollingsworth – Genetic differentiation and hybridisation among subspecies of Deergrass (*Trichophorum cespitosum* (L.) Hartman) in Northumberland 235–242
- Synnott, D. – Rev. of *Flora of County Dublin* (ed. by D. Doogue, D. Nash, J. Parnell, S. Reynolds & P. Wyse Jackson) 435
- Tabbush, P. – Genetic conservation of Black Poplar (*Populus nigra* L.) 173–179
- Tamarix gallica* 283
- Taraxacum* 124, 127, 128, 197, 198, 270, 435–437, 440; *faeroensis* 218; *officinale* 270, 317; *palustre* 127, 289
- Tarpey, T. – Rev. of *Natives and aliens – the wild flowers and trees of the Langdon Hills* (by R. L. Cole) 434
- Taylor, G., with J. E. Dandy – Studies of British Potamogetons. – XIX. × *Potamogeton sudermanicus* in Britain 165–166
- Teesdalia nudicaulis* 46, 257
- Tetraphis pellucida* 14
- Tetradontium brownianum* 14
- Teucrium scordium* 119; *scorodonia* 45
- Thelypteris palustris* 300
- Thesium humifusum* 142
- Thlaspi caerulescens* 437; *perfoliatum* 254
- Thomas, B. A., with G. Hutchinson – *Welsh ferns, clubmosses, quillworts and horsetails*. 7th ed. (Bk Rev.) 117

- Thymus polytrichus* 44, 115, 300; *serpyllum* 45
Tolypella glomerata 283
Tortula 44
Trichomanes 2, 6; sect. *Lacosteopsis* 6; sect. *Vandenboschia* 6; *boschianum* 2; *intricatum* 2; *petersii* 2; *radicans* 117; *speciosum* Willd. (Hymenophyllaceae), the Killarney Fern and its distribution in the British Isles, The independent gametophytic stage of, 1–19, 4 (map), 5 (illus.), 7 (illus.), 8 (map), 117
Trichophorum 209, 219, 220, 228, 236, 240, 441; *alpinum* 213; *austriacum* 209, 230; *cespitosum* (L.) Hartman (Cyperaceae) in the British Isles and N. W. Europe. Identification, distribution and a new nothosubspecies of, 209–233, 230 (key), (L.) Hartman in Northumberland. Genetic differentiation and hybridisation among subspecies of Deergass (, 235–242, subsp. *austriacum* 230, subsp. *cespitosum* 209–213, 214 (illus.), 215–220, 223 (map), 224, 227–231, 235–241, subsp. *cespitosum* × subsp. *germanicum* 230, 235, nothosubsp. **foersteri** G. A. Swan, **nothosubsp. nov.** 230, 221, 222, 224 (map), 225 (map), 229, 235–241, subsp. *germanicum* 209–213, 214 (illus.), 215–220, 223, 225 (map), 226 (map), 227–231, 235–241, subsp. *hercynicum* 229; *germanicum* 209, 210, 230
Trichostomum crispulum 115
Trifolium 271; *fragiferum* 435; *hybridum* 113; *micranthum* 141; *occidentale* D. E. Coombe (Fabaceae) in Anglesey (v.c. 52) 182–184, 183 (map); *ornithopodioides* 141, 299, 300; *repens* 182–184; *scabrum* 141, 142, 299, 300; *squamosum* 142; *striatum* 141, 257, 299; *subterraneum* 141
Triglochin palustre 189, 218
Trist, P. J. O. – The distribution and status of *Corynephorus canescens* (L.) P. Beauv. (Poaceae) in Britain and the Channel Islands with particular reference to its conservation 41–47
Tuberaria guttata 257
Turner Ettlinger, D. M. – A new variety of *Ophrys apifera* Hudson (Orchidaceae) 105–107
Turner Ettlinger, D. M. – Notes on the British and Irish Orchids (Bk Rev.) 201–202
Tussilago farfara 113
Typha angustifolia 30
Ulex 145, 149–151, 365–368, 374, 375; sect. *Neowilkommia* 375; *cantabricus* 144, 149–151; *europaeus* 151, 256, 366, 375, subsp. *europaeus* 366, subsp. *lactobractaeus* 366; *europaeus* × *gallii* 375; *gallii* Planch. in Dorset. Chromosome numbers and flower sizes of *Ulex minor* Roth. and, 143–152, 144 (map), 148 (illus.), 300, Planch.: morphometrics and chromosome counts. Taxonomic separation of *Ulex minor* Roth. and, 365–376; *gallii* × *europaeus* 144, 151; *gallii* × *minor* 144, 145, 147, 151, 366, 374; *minor* Roth. and *Ulex gallii* Planch. in Dorset. Chromosome numbers and flower sizes of, 143–152, 144 (map), 148 (illus.), Roth. and *U. gallii* Planch.: morphometrics and chromosome counts, Taxonomic separation of, 365–376, subsp. *breoganii* 144, 150, 151, subsp. *gallii* 144, subsp. *minor* 144; *minor* × *europaeus* 144
Ulmus 198
Urtica 275, 277 (key); *dioica* 275–277; *galeopsifolia* Wierzb. ex Opiz (Urticaceae) confirmed for Britain by its chromosome number 275–278; *galeopsifolia* × *dioica* 277
Utricularia 26; *australis* 22, 26; *intermedia* 26, 189, 228, 382; *minor* 227; *ochroleuca* 22, 26; *vulgaris* 26, 64, 437
Vaccinium myrtillus 347; *oxycoccus* 211, 218, 219, 221, 222; *uliginosum* 22; *vitis-idaea* 347
Valeriana dioica 300
Valerianella eriocarpa 142
Vaughan, J. G. & Geissler, C. A. – *The new Oxford book of food plants* (Bk Rev.) 202
Verbascum arcturos 121
Verdcourt, B. – Obit. of Edgar W. B. H. Milne-Redhead M.B.E., I.S.O., T.D. (1906–1996) 128–137
Veronica 271; *anagallis-aquatica* 30, 335; *hederifolia* 124
Vicia parviflora 141
Vickery, R. – A dictionary of plant-lore (Bk Rev.) 124–125
Victoria 200
Viola kitaibeliana 45; *lactea* 300; *palustris* 218; *persicifolia* 289; *riviniana* 300
Vulpia bromoides 44, 257; *fasciculata* 142; *myuros* 257

- Wahlenbergia hederacea* 437
- Walker, K. J., with D. R. Barratt, R. F. Pywell, J. O. Mountford & T. H. Sparks – Variation in the responses of infraspecific variants of wet grassland species to manipulated water levels 317–328
- Walters, S. M. – Rev. of *Cultivating women, cultivating science: Flora's daughters and botany in England, 1760–1860* (by A. B. Shteir) 200–201
- Webb, David Allardice, (1912–1994): Bibliography of published writings – additions (Obit.) 206–207
- Welch, D. & Innes, M. – Southward recolonisation by *Mertensia maritima* (L.) Gray on the coast of north-eastern Scotland 424–426
- Welch, D. & Welch, M. J. – Colonisation by *Cochlearia officinalis* L. (Brassicaceae) and other halophytes on the Aberdeen-Montrose main road in north-east Scotland 190–193
- Welch, M. J., with D. Welch – Colonisation by *Cochlearia officinalis* L. (Brassicaceae) and other halophytes on the Aberdeen-Montrose main road in north-east Scotland 190–193
- Wells, T. C. E. – Rev. of *Rothschild's reserves: time and fragile nature* (by M. Rothschild & P. Marren) 198–200
- Wheeler, B. R. & Hutchings, M. J. – The history and distribution of *Phyteuma spicatum* L. (Campanulaceae) in Britain 387–395
- Wilkinson, D. M. – Correlations between higher-taxon richness and species richness in the British Isles flora 269–273
- Wilkinson, D. M. – Relationship between species richness and rarity in Welsh aquatic floras 29–32
- Wolffia arrhiza* 437
- Woodell, S. J., with J. Killick & R. Perry – *The Flora of Oxfordshire* (Bk Rev.) 437–438
- Woodman, J., with G. Barter – Field excursions held in conjunction with the A.G.M. 1998 (Fld Mtg Rpt) 298–300
- Woods, R. G. – Rev. of *New Flora of the British Isles*. 2nd ed. (by C. A. Stace) 123–124
- Woodsia* 118
- Wright, J. A. & Lusby, P. S. – The past and present status of *Moneses uniflora* (L.) Gray (Pyrolaceae) in Scotland 343–352
- Wright, J., with P. Lusby & S. J. Clarke – *Scottish wild plants* (Bk Rev.) 438–439
- Wyse Jackson, M. B. & Wyse Jackson, P. N. – David Allardice Webb (1912–1994): Bibliography of published writings – additions 206–207
- Wyse Jackson, P., with D. Doogue, D. Nash, J. Parnell & S. Reynolds (eds.) – *Flora of Dublin* (Bk Rev.) 435
- Wyse Jackson, P. N., with M. B. Wyse Jackson – David Allardice Webb (1912–1994): Bibliography of published writings – additions 206–207
- Yeo, P., with M. Proctor & A. Lack – *The natural history of pollination* (Bk Rev.) 439–440
- Zannichellia palustris* 334, 336; *pedunculata* 283
- Zelkova cretica* 120
- Zostera angustifolia* 122; *marina* 122

CONTENTS

	PAGES
RUMSEY, F. J., JERMY, A. C. & SHEFFIELD, E. The independent gametophytic stage of <i>Trichomanes speciosum</i> Willd. (Hymenophyllaceae), the Killarney Fern and its distribution in the British Isles	1-19
PEARMAN, D. A., PRESTON, C. D., ROY, D. B. & STEWART, A. The use of B.S.B.I. Monitoring Scheme data to predict nationally scarce species in Britain	21-28
WILKINSON, D. M. Relationship between species richness and rarity in Welsh aquatic floras	29-32
DANIELS, R. E., McDONNELL, E. J. & RAYBOULD, A. F. The current status of <i>Rumex rupestris</i> Le Gall (Polygonaceae) in England and Wales, and threats to its survival and genetic diversity	33-39
TRIST, P. J. O. The distribution and status of <i>Corynephorus canescens</i> (L.) P. Beauv. (Poaceae) in Britain and the Channel Islands with particular reference to its conservation	41-47
KITCHENER, G. D. & MCKEAN, D. R. Hybrids of <i>Epilobium brunnescens</i> (Cockayne) Raven & Engelhorn (Onagraceae) and their occurrence in the British Isles	49-60
PRESTON, C. D., BAILEY, J. P. & HOLLINGSWORTH, P. M. A reassessment of the hybrid <i>Potamogeton</i> × <i>gessnacensis</i> G. Fisch. (<i>P. natans</i> × <i>P. polygonifolius</i> , Potamogetonaceae) in Britain	61-68
PRESTON, C. D., HOLLINGSWORTH, P. M. & GORNALL, R. J. <i>Potamogeton pectinatus</i> L. × <i>P. vaginatus</i> Turcz. (<i>P.</i> × <i>bottnicus</i> Hagstr.), a newly identified hybrid in the British Isles	69-82
ALLEN, D. E. Five new species of <i>Rubus</i> L. (Rosaceae) with transmarine ranges	83-96
BULL, A. L. Four new species of <i>Rubus</i> L. (Rosaceae) from eastern England ...	97-104
TURNER ETTLINGER, D. M. A new variety of <i>Ophrys apifera</i> Hudson (Orchidaceae)	105-107
NOTES	
Corner, R. W. M. Northern limits attained by native British plants in North Peary, Greenland	109-110
Gulliver, R. L. Population sizes of <i>Gentianella uliginosa</i> (Willd.) Boerner, Dune Gentian, on Colonsay (v.c. 102) in 1996	111-113
Macpherson, P. & Stace, C. A. × <i>Agropogon robinsonii</i> (Druce) Melderis & D. C. McClint.	113-114
Rose, F. <i>Gentianella uliginosa</i> (Willd.) Boerner (Gentianaceae) found in Colonsay (v.c. 102), new to Scotland	114-116
BOOK REVIEWS	117-125
OBITUARIES	127-138
REPORT	139-142
BULLOCK, J. M., CONNOR, J., CARRINGTON, S. & EDWARDS, R. J. Chromosome numbers and flower sizes of <i>Ulex minor</i> Roth. and <i>Ulex gallii</i> Planch. in Dorset	143-152
PARNELL, J. & NEEDHAM, M. Morphometric variation in Irish <i>Sorbus</i> L. (Rosaceae)	153-161

INDEX TO WATSONIA VOLUME 22

PRESTON, C. D. & PEARMAN, D. A. J. E. Dandy & G. Taylor's unpublished study of <i>Potamogeton</i> × <i>sudermanicus</i> Hagstr. In Britain, with an account of the current distribution of the hybrid	163–172
TABBUSH, P. Genetic conservation of Black Poplar (<i>Populus nigra</i>)	173–179

NOTES

Allen, D. E. Typification of some Barton & Riddelsdell names in <i>Rubus</i> L. (Rosaceae)	181
Blackstock, T. H. & Roberts, R. H. <i>Trifolium occidentale</i> D. E. Coombe (Fabaceae) in Anglesey (v.c. 52)	182–184
Preston, C. D. Lectotypification of <i>Potamogeton flabellatus</i> Bab. (Potamogetonaceae)	184–186
Preston, C. D. & Pearman, D. Aquatic plants at high altitudes in the Breadalbane Mountains (v.c. 88), Scotland	187–190
Welch, D. & Welch, M. J. Colonisation by <i>Cochlearia officinalis</i> L. (Brassicaceae) and other halophytes on the Aberdeen-Montrose main road in north-east Scotland	190–193
BOOK REVIEWS	195–202
OBITUARIES	203–207

SWAN, G. A. Identification, distribution and a new nothosubspecies of <i>Trichophorum cespitosum</i> (L.) Hartman (Cyperaceae) in the British Isles and N. W. Europe	209–233
HOLLINGSWORTH, P. M. & SWAN, G. A. Genetic differentiation and hybridisation among subspecies of Deergrass (<i>Trichophorum cespitosum</i> (L.) Hartman) in Northumberland	235–242
AKSOY, A., HALE, W. H. G. & DIXON, J. M. Towards a simplified taxonomy of <i>Capsella bursa-pastoris</i> (L.) Medik. (Brassicaceae)	243–250
RICH, T. C. G. Conservation of Britain's biodiversity: <i>Filago lutescens</i> Jordan (Asteraceae), Red-tipped cudweed	251–260
DEARNLEY, T. C. & DUCKETT, J. G. Juniper in the Lake District National Park. A review of condition and regeneration	261–267
WILKINSON, D. M. Correlations between higher-taxon richness and species richness in the British Isles flora	269–273
MCALLISTER, H. A. <i>Urtica galeopsifolia</i> Wierzb. ex Opiz (Urticaceae) confirmed for Britain by its chromosome number	275–278
MCALLISTER, H. A. <i>Lysimachia punctata</i> L. and <i>L. verticillaris</i> Sprengel (Primulaceae) naturalised in the British Isles	279–281

NOTES

Lansdown, R. V. A terrestrial form of <i>Callitriche truncata</i> Guss. subsp. <i>occidentalis</i> (Rouy) Braun-Blanquet (Callitrichaceae)	283–286
BOOK REVIEWS	287–291
OBITUARIES	293–295
REPORT	297–300
KAY, Q. O. N., JOHN, R. F. & JONES, R. A. Biology, genetic variation and conservation of <i>Luronium natans</i> (L.) Raf. in Britain and Ireland	301–315

INDEX TO WATSONIA VOLUME 22

BARRATT, D. R., WALKER, K. J., PYWELL, R. F., MOUNTFORD, J. O. & SPARKS, T. H. Variation in the responses of infraspecific variants of wet grassland species to manipulated water levels	317–328
PRESTON, C. D., HOLLINGSWORTH, P. M. & GORNALL, R. J. The distribution and habitat of <i>Potamogeton</i> × <i>suecicus</i> K. Richt. (<i>P. filiformis</i> Pers. × <i>P. pectinatus</i> L.) in the British Isles	329–342
WRIGHT, J. A. & LUSBY, P. S. The past and present status of <i>Moneses uniflora</i> (L.) Gray (Pyrolaceae) in Scotland	343–352
RICH, T. C. G. & LEWIS, J. Use of herbarium material for mapping the distribution of <i>Erophila</i> (Brassicaceae) taxa <i>sensu</i> Filfilan & Elkington in Britain and Ireland	377–385
WHEELER, B. A. R. & HUTCHINGS, M. J. The history and distribution of <i>Phyteuma spicatum</i> L. (Campanulaceae) in Britain	387–395
RICH, T. C. G. Conservation of Britain's biodiversity: <i>Cyperus fuscus</i> L. (Cyperaceae), Brown Galingale	397–403
RICH, T. C. G., LAMBRICK, C. R. & McNAB, C. Conservation of Britain's biodiversity: <i>Salvia pratensis</i> L. (Lamiaceae), Meadow Clary	405–411
RUMSEY, F. J. <i>Rumex</i> × <i>akeroydii</i> – a new Dock hybrid	413–416
McKEAN, D. R. A new <i>Epilobium</i> hybrid from Scotland, <i>E. pedunculare</i> A. Cunn. × <i>E. montanum</i> L.	417–419
NOTES	
Cook, P. J. <i>Elytrigia repens</i> (L.) Desv. ex Nevski subsp. <i>arenosa</i> (Spenner) Á. Löve (Poaceae) in south-east Yorkshire (v.c. 61)	421
Rich, T. C. G. The potential for seed dispersal by sea water in <i>Coincya wrightii</i> (O. E. Schulz) Stace and <i>C. monensis</i> (L.) W. Greuter & Burdet subsp. <i>monensis</i>	422–423
Welch, D. & Innes, M. Southward recolonisation by <i>Mertensia maritima</i> (L.) Gray on the coast of north-eastern Scotland	424–426
Edgington, M. J. <i>Erica ciliaris</i> L. (Ericaceae) discovered in the Blackdown Hills, on the Somerset-Devon border (v.c. 3)	426–428
Holyoak, D. T. <i>Gentianella uliginosa</i> (Willd.) Börner (Gentianaceae) rediscovered in north Devon	428–429
Allen, D. E. <i>Rubus campaniensis</i> Winkel ex Beek (Rosaceae) in Britain	429–430
Porley, R. D. Separation of <i>Carex vulpina</i> L. and <i>C. otrubae</i> Podp. (Cyperaceae) using transverse leaf sections	431–432
BOOK REVIEWS	433–441
OBITUARIES	443–449



3 9088 01759 1025