GENERAL INDEX

TO

VOLUME XXVI

GENERAL INDEX TO VOLUME XXVI

Abies bornmuelleriana Mattf., 165, 167.
cilicica, Carr., 167.
equi-trojani Mattf., 165, 167.
kotschyana Fenzl., 167.
nordmanniana Spach, 165.
subsp. *bornmuelleriana* Coode & Cullen, 167.
subsp. *equi-trojani* Coode & Cullen, 167.
subsp. *nordmanniana*, 167.
pectinata DC. var. *equi-trojani* Aschers. & Sint. ex Boiss., 167.
Acanthaceae, Cosmianthemum, a Bornean Genus, 365.
A New Genus from Sarawak, 327.
Acanthonema, Hook. f., 388.
Achimenes P. Br., 396.
Aconitopsis Kem.-Nath., 172.
Aconitum of Nepal, New Species and Records, 1.
Aconitum amplexicaule Lauener, 7.
balangrense Lauener, 3.
bisma Rap., 1.
calthifolium H. F. Comber, 1.
dhwojii, 6, 8.
ferox Sér., 9.
subsp. *ferox* var. *leucanthum* Brühl, 331.
heterophylloides, 331.
var. *leucanthum* Lauener, 331.
heterophyllum Royle, 9.
hicksii Lauener, 3, 4.
hookeri Stapf, 9.
laciniatum, 8.
leucanthum Stapf, 331.
longipedicellatum Lauener, 4, 6.
naviculare Stapf, 1.
nepalense, 6, 8.
novoluridum Muns., 1, 9.
orochryseum Stapf, 9.
poluninii Lauener, 7.
pulchellum Hand.-Mazz., 9.
racemulosum Franch., 1.
rotundifolium Kar. & Mir., 10.
spicatum Stapf, 10.
staintonii Lauener, 4, 5.
tamuranum Lauener, 3.
violaceum Stapf, 10.
wallichianum Lauener, 10.
williamsii Lauener, 6.
Adanson, The neglect of Michel (review), 26.
Adanson and modern taxonomy (review), 427.
Aecidium thymi Fuckel, 359.
Aeschynanthus Jack, 391.
Aethionema, 182.
bourgaei Boiss., 184.
elongatum Boiss., 183.
eunomoides Bornm., 183.
glaucescens Bornm., 183.
grandiflorum Boiss. & Hohen., 182.
heterocarpum J. Gay, 182.
lepidioides Huber-Morath, 182.
lipskyi Busch., 183.
membranaceum DC., 182.
oppositifolium Hedge, 184.
polygaloides DC., 182.
pulchellum, 182.
rotundifolium Boiss., 184.
rubescens Boiss., 184.
salmasium Boiss., 184.
schelkovnikowii Bordz., 183.
schistosum Boiss. & My., 182.
sintenisii Hausskn. & Bornm., 182.
szowitsii Boiss., 183.
thesiifolium Boiss. & Heldr., 182.
trinervium Boiss., 184.
woronowii Schisch., 183.
Afghanistan: Studies in the Flora—III, 405.
Agalmyla Blume, 389, 391.
Agarics, Notes on British, II, 43.
Agaricaceae, 314.
Agaricus, 290.
subgenus *Galera* sect. *Pluteotropi* Fr., 296.
subgenus *Pluteolus* Fr., 295, 296.
Agaricus aurantius, 65.
caligatus, 62.
caussetta Barla, 62.
copiroides Peck non Corda, 297.
cyclopeus Lasch, 63.
(*Pleurotus*) *fluxilis* Fr., 50.
focalis Fries, 62.
fragilis Linn., 296.
(*Tricholma*) *onychinus* Fr., 65.
plautus Weinm., 56.
(*Pleurotus*) *pinsitus* Fries, 287.
plicatella Peck, 297.
putillus Fr. ex Fr., 44.
reticulatus Pers., 296.
robustus Fries, 60.
(*Mycena*) *uranius* Fr., 55.
vitellinus Pers., 296.

Agathotes alata D. Don, 270, 271, 274.
chirayta, 270, 272, 274.
nervosa D. Don, 271, 274.
Agrocybe
subgenus *Agrocybe*, 298.
subgenus *Aporus*, 299.
sect. *Agrocybe*, 298.
sect. *Aporus*, 299.
sect. *Evelatae*, 299.
sect. *Microsporae*, 299.
sect. *Pediadeae*, 298.
sect. *Velatae*, 299.
aegerita Singer, 292, 299.
cylindracea R. Maire, 292, 299, 309.
dura, 292, 309.
erebia Kühner, 299, 301, 308, 309.
Fayod, 298.
firma Singer, 299, 303.
pediades Fayod, 292, 298.
praecox, 292, 307.
semiorbicularis, 298, 307.
tuberosa Singer, 299.
vervacti, 304.
vestita, 308.
xerophytica, 304.
xuchilensis, 304.
Alliaria auriculata Kom., 337.
Allium, 79.
Alloplectus Mart., 394.
Alnicola, 305, 313.
Alyssum vesicaria L., 181.
Amanita, 316.
echinocephala Quélet, 316.
Amphirhapis albescens DC., 105.
peduncularis DC., 94.
Anchonium elichrysilfolium, 193.
subsp. *canenscens* Coode & Cullen, 194.
subsp. *cilicicum* Coode & Cullen, 193.
subsp. *glandulosum* Coode & Cullen, 193.
subsp. *persicum* Coode & Cullen, 193.
subsp. *villosum* Coode & Cullen, 194.
tournefortii Boiss., 193.
Ancylostemon Craib, 389.
Anellaria, 305.
Anemone fasciculata L., 175.
narcissiflora L., 175.
subsp. *willdenovii* Davis, 175.
var. *willdenovii* Boiss., 175.
umbellata Willd., 175.
Anna Pellegr., 389.
Anodiscus Benth., 395.
Apterygium, 184.
Arabis albida Stev., 188.
var. *brevifolia* Boiss., 189.
alpina L., 188.
aubrietioides Boiss., 188.
boissieuana Nakai var. *glauca* Koidz., 333.
Arabis—Continued.
brevifolia DC., 189.
caucasica Willd., 188.
subsp. *brevifolia* Cullen, 189.
subsp. *caucasica*, 188.
cebennensis DC. var. *coreana* Lévl., 337.
chanetii Lévl., 339.
charbonnelii Lévl., 340.
deflexa Boiss., 188.
fauriei Lévl., 333.
flaviflora Bunge, 188.
ionocalyx Boiss., 188.
stelleri DC. var. *japonica*, 333.
Arenaria trichophora Franch., 344.
var. *angustifolia*, 345.
Armillaria caussetta Barla, 62, 63.
focalis Karst. sensu J. Lange non Cooke, 62.
robusta Kummer, 62.
rufa, 62.
Aspidella Gilbert, 316.
Aster Linn., 78, 82, 84.
sect. *Alpigeni* Nees, 83.
sect. *Aster*, 83.
sect. *Orthomeris* A. Gray, 83.
subsect. *Bipinnatisecti*, 83.
subsect. *Brachychaeti*, 83.
subsect. *Heterochaeta* Benth. & Hook. f., 83.
subsect. *Homochaeta* Onno., 83.
ageratoides Turcz., 99, 102.
aitchisonii Boiss., 89.
albescens Hand.-Mazz., 105, pl. 10.
var. *glandulosus* Hand.-Mazz., 109.
var. *niveus* Hand.-Mazz., 109.
alpinus, 78, 120.
altaicus Willd., 148, 149.
amellus Linn., 82.
angustifolius Lindl., 149.
asperrimus Wall., 101.
asperulus Hook. f., 94.
asteroides O. Ktze, 134.
subsp. *asteroides*, 136.
subsp. *costei* Grierson, 136.
aureus D. Don, 147.
barbellatus Grierson, 119, pl. 11.
bellidioides Buch.-Ham. ex D. Don, 147.
bietii Franch., 120.
bipinnatisectus Ludlow MS., 144, pl. 14.
boweri Auct. non Hemsl., 153.
f. *annuus*, 155.
brachytrichus Franch., 143, 146.
cabulicus Lindl., 105, 110.
costei Lévl., 135, 136.
crenatifolius Hand.-Mazz., 152, 153.
delavayi Franch., 137.
diplostephioides C. B. Cl., 137.
subsp. *falconeri* Onno, 140.
subsp. *typicus*, 137.
subsp. *yunnanensis* var. *delavayi* Onno, 137.
subsp. *yunnanensis* var. *yunnanensis*

Astor—Continued.
Onno, 142.
var. *falconeri* C. B. Cl., 140, 141.
elegans Hook. f. & Thom. ex C. B. Cl., 118.
falconeri Hutchinson, 140.
subsp. *falconeri*, 141.
subsp. *nepalensis* Grierson, 141.
fallax, 132.
farreri, 139.
ferrugineus Edgew., 105.
flaccidus Bunge, 129.
subsp. *flaccidus*, 130.
subsp. *fructu-glandulosus* Onno, 130.
subsp. *glandulosus* Onno, 132.
subsp. *tsarungensis* Grierson, 133.
var. *fructu-glandulosus* Ostenf., 130, 132.
var. *glandulosus* Keissler, 132.
f. *atropurpurens* Onno, 131.
f. *griseo-barbatus* Grierson, 131.
flexuosus Ktze., 97.
forrestii Stapf, 145.
x frikartii, 98.
fulgidulus Grierson, 110, pl. 9, 10.
fuscescens Bur. & Franch., 91.
fuscescens var. *fuscescens*, 92.
var. *oblongifolius* Grierson, 93, pl. 8.
var. *scaberoides* Chang, 93.
ganlun Kitamura, 145.
glandulosus Hand.-Mazz., 132.
glarearum W. W. Sm. & Farrer, 81, 134.
gouldii C. E. C. Fischer, 153.
handelii Onno, 147.
harrowianus Diels, 110.
hedinii Ostenf., 136.
helenae Merr., 113.
heliolepis Grierson, 124, pl. 13.
heterochaeta C. B. Cl., 119, 129, 130, 134.
himalaicus, 122.
hypoleucus Hand.-Mazz., 116.
ignoratus Kunth. & Bouchel, 105.
indamellus Grierson, 87.
indicus Heyne, 147.
indicus Linn., 158.
inuloides D. Don, 147.
jeffreyanus Onno, 146.
kawaguchii Kitamura, 142.
labrangensis Hand.-Mazz., 142.
lacunarum Aitch. & Hemsl., 147.
laka C. B. Cl., 96.
latibracteatus Franch., 143.
lavandulifolius Hand. & Mazz., 116.
likiangensis Franch., 134, 136.
subsp. *costei* Onno, 136.
subsp. *typicus* Onno, 136.
limitaneus W. W. Sm. & Farrer, 145.
linifolius Wall., 147.
maackii, 88.
mekongensis Onno, 120, 122.
molliusculus C. B. Cl., 114.
var. *minor* Grierson, 115.
Astor—Continued.
var. *molliusculus*, 115.
multiradiatus Wall., 147.
neo-elegans Grierson, 118, pl. 11.
nigromontanus Dunn, 80, 112.
nitidulus DC., 147.
odontophyllus Wall., 147.
peduncularis Wall. ex Nees, 94.
subsp. *nepalensis* Grierson, 95.
subsp. *peduncularis*, 94.
poliothamnus Diels, 90.
praetermissus Drumm., 153.
pseudamellus Hook. f., 87, 89.
pycnophyllus W. W. Sm., 112.
pyrrhopappus Boiss., 150.
ramsbottomii Hand.-Mazz., 90.
retusus Ludlow, 121.
roylei Onno, 147.
salwinensis Onno, 127.
scabridus C. B. Cl., 101.
scaber Thumb., 93.
scaposus Klatt, 114.
senecioides Franch., 93, 128.
sherriffianus Hand.-Mazz., 89, 90.
sikkimensis Hook., 111.
souliei Franch., 145.
var. *limitaneus* Hand.-Mazz., 145.
spartioides C. B. Cl., 150.
staticifolius Franch., 122.
stracheyi Hook. f., 125.
subcoeruleus S. Moore, 146.
thomsonii C. B. Cl., 97.
tibeticus Hook. f., 129.
tongolensis, 146.
tricephalus C. B. Cl., 117.
trinervius D. Don, 98.
trinervius Auct. non Don, 102.
subsp. *Ageratoides* Grierson, 102.
subsp. *trinervius*, 100.
var. *firmus*, 103.
var. *heterophyllus* Maxim, 103.
var. *laticorymbus*, 103.
var. *trinervius*, 101.
var. *wattii* Grierson, 101.
vestitus Franch., 89.
vilmorinii Franch., 137, 142.
wattii C. B. Cl., 101.
yunnanensis Franch., 142.
var. *angustior* Hand.-Mazz., 142.
Asteranthera Klotzsch. et Haust., 394, 397.
Asteromoea Blume, 157.
indica Blume, 158.
Asterothamnus fruticosus Novopokr., 116.
Asters of the Himalayan Area, a Revision, 67.
Aubrieta canescens Bornm., 191.
subsp. *canescens*, 191.
subsp. *cilicica* Cullen, 191.
subsp. *macrostyla* Huber-Morath & Cullen, 191.
deltoidea var. *canescens* Boiss., 191.
var. *cilicica* Boiss., 191.

Aubrieta—Continued.
var. *deltoidea*, 191.
var. *microphylla*, 191.

Barbarea auriculata Hausskn. ex Bornm., 190.
var. *paludosa* Coode & Cullen, 190.
grandiflora Busch., 189.
lutea Coode & Cullen, 189, pl. 19.
minor C. Koch, 190.
var. *robusta* Coode & Cullen, 190.
plantaginea DC., 190.
Beccarinda Kuntze, 389.
Bellonia Plum. ex L., 395.
Bellonieae Benth., 393.
Berberidaceae, 35.
Berberis chinensis Poir. var. *paphlagonica* Schn., 35, 39.
crataegina DC., 39.
var. *armeniaca* Schn., 35, 40.
var. *lycica* Schn., 35, 40.
cretica L., 40.
densiflora Boiss. & Buhse, 35, 40.
iberica var. *paphlagonica* Schn., 35, 39.
integerrima Bunge, 40.
orientalis Boiss. ex Schn., 35, 39.
turcomannica Ledeb., 40.
vulgaris L., 39.
var. *orientalis* Grossheim, 35, 39.
Besleria L., 394.
Bixaceae, Catalogue of numbers of Hector Léveillé, 342.
Boea Comm. ex Lam., 381, 389.
Boeica Clarke, 388, 398.
Bolbitiaceae, a conspectus of the family, 289.
Bolbitius Fries, 295.
subgenus *Bolbitius*, 296.
subgenus *Pluteolus*, 296.
Boltonia L'Hérit., 157.
asteroides L'Hérit., 157.
campestris Hemsl., 157.
diffusa, 157.
lautureana Deb., 157.
indica Benth., 158.
Book Reviews
Adanson. The Bicentennial of Michel Adanson's "Familles des Plantes." Hunt Botanical Library, 427.
Flora of Delhi by J. K. Maheshwari, 202.
Flora of Java, v. 1 by C. A. Backer and R. C. Bankhuizen van den Brink, Jr., 66.
The Identification of Flowering Plant Families by P. H. Davis and J. Cullen, 405.
Organisation and Evolution in Plants by C. W. Wardlaw, 347.
Principles of Angiosperms Taxonomy by P. H. Davis and V. H. Heywood, 259.
Principles of Numerical Taxonomy by R. R. Sokal and P. H. A. Sneath, 259.
Borneacanthus, 325.
grandifolius Brem., 327.
mesargyreus, 327.
parvus Brem., 327.
Bournea Oliv., 389.
Brassica: Catalogue of the names published by Hector Léveillé, 333.
Brassica antiquorum Lévl., 334, 335.
argyi Lévl., 334.
campestris L., 335.
chinensis L., 334.
var. *chinensis* O. E. Schulz., 334.
integrifolia O. E. Schulz., 334.
juncea Czern., 334.
napus L., 334.
var. *chinensis*, 334.
var. *napobrassica* Reich., 335.
oleracea L., 335.
race *napus* L. var. *hongnoensis* Lévl., 334.
race *rapa* L. var. *tsiekentsiensis* Lévl., 335.
var. *bullata* DC. subvar. *gemmifera* DC., 335.
var. *ramosa* Alefeld., 335.
var. *suttoniana* Lévl., 335.
subvar. *gemmifera* Lévl., 335.
subvar. *millecapitata* Lévl., 334.
var. *taquetii* Lévl., 335.
rapa, 335.
race *napus* var. *pseudocolza* Lévl., 334.
race *campestris* var. *colza* Lévl., 335.
race *campestris* var. *rutabaga* Lévl. 33, 335.
taquetii Lévl., 334.
violacea L., 339.
Briggsia Craib., 388.
Bryogenae, 290.
Bulla Batt., 298.
Burtt, B. L.
Adanson and modern taxonomy (review) 427.
Inland Occurrences of Heliotropium curassavicum, 357.
The neglect of Michel Adanson (review), 26.
A new tropical flora (review), 66.
Notes, Chiefly Nomenclatural, on Gentianaceae of Pakistan and India, 269.
Plant organisation in an evolutionary background (review), 347.
Studies in Gesneriaceae of the Old World: XXVI, A Contribution to the Study of Chirita, 261.
Burtt, B. L. & Lauener, L. A.
Red flowered Caltha from Tibet, 349.
Burtt, B. L. & Smith, R. M.
Cosmianthemum, A Bornean genus of Acanthaceae, 365.
A New Genus of Acanthaceae from Sarawak, 325.

Calimeris Nees, 157.
albertii Rgl., 150.
altaicus Nees, 149.
canescens Nees, 150.
flexuosus Royle ex DC., 97.
fruticosus C. Winkl., 116.
Callistephus, 68, 77.
Calocybe onychina Kühn., 65.
Caltha palustris L., 349, 350.
var. *alba*, 350.
subsp. *minor*, 349.
rubiflora Burtt & Lauener, 349.
scaposa Hook. f. & Thoms., 349, 350.
Camelina grandiflora Boiss., 196.
hispida Boiss. var. *grandflora* Hedge, 196.
subapressa Hausskn. & Bornm., 196.
Canscora decussata, 271.
diffusa R. Br., 271.
pusilla, 271.
Cantharellus cibarius, 43.
friesii Quél., 43.
Capparaceae: Catalogue of the names published by Hector Léveillé III, 340.
Capparis acutifolia Sw. subsp. *bodinieri*, 340.
subsp. *viminea* Jacobs, 340.
bodinieri, 340.
cantoniensis Lour., 340.
masaikai Lévl., 341.
sikkimensis Kurz subsp. *masaikai*, 341.
subtenera Craib. & W. W. Sm., 340.
viminea Hook. f., 340.
Capsella bursa-pastoris Medik., 336.
var. *coreana* Lévl., 336.
f. *integrifolia*, 336.
Cardamine amaraeformis Nakai., 336.
argyi Lévl., 337.
bodinieri Lauener, 336.
calthifolia Lévl., 336.
fauriei Lévl., 336.
flexuosa var. *regeliana*, 338.
glechomifolia Lévl., 338.
hirsuta var. *regeliana* Maxim., 338.
impatiens L., 336.
var. *fumaria* Lévl., 336.
komarovii Nakai., 337.
lyrata Bunge, 337.
nakaiana Lévl., 336.
potentillifolia Lévl., 337.
regeliana Miq., 338.
scutata Thunb. subsp. *regeliana* Hara, 338.
taquetii Lévl., 338.
violifolia O. E. Schulz, 338.
Carolofritschia Engl., 388, 399.
Carriera dunniana Lévl., 342.
Caryophyllaceae: Catalogue of the names published by Hector Léveillé III, 344.
Catalogue of the names published by Hector Léveillé III: 333.
Cathayanthe Chun, 389.
Celestrus hindsii Benth., 342.
Cerastium Mairei Lévl., 345.
Chamaegeron, 77.
oligocephalus Schrenk., 147.
Chamaemyces fracidus Donk., 316.
Championia Gardn., 388.
Chang, Yung & Watling, R. Clitopilus pinsitus (Fries) Josserand, 287.
Chirita, 9.
adenocalyx Chatterjee, 261.
anachoreta, 264.
asperifolia, 264.
bifolia, 264.
brevipedes C. B. Cl., 265.
caliginosa C. B. Cl., 268.
cyanea B. L. Burtt, 267.
cycnostyla B. L. Burtt, 268.
dimediatae C. B. Cl., 265.
elata Ridley, 261.
fusca C. B. Cl., 268.
heterostigma B. L. Burtt, 262.
hookeri C. B. Cl., 262.
lacei B. L. Burtt, 261.
lacunosa B. L. Burtt, 267.
longepedicellata B. L. Burtt, 264.
macrophylla Wall., 262.
mollissima Ridley, 268.
monophylla C. B. Cl., 261.
oblongifolia Sinclair, 261.
peduncularis B. L. Burtt, 265.
pumila D. Don, 265.
reptans B. L. Burtt & Panigrahi, 265.
sericea Ridley, 268.
sinensis Lindl., 264, 268.
speciosa Kurz., 263, 264.
stolonifera Fischer & Kaul, 266.
trailliana, 264, 265.
umbricola W. W. Sm., 267.
urticifolia Ham. ex D. Don, 262, 264.
viola Ridl., 268.
Chlamydoboea Stapf, 389.
Chorispora tenella DC., 338.
Chrysothemis Decne, 394.
Cistus helianthemum L., 199.
hirsutus Thuill., 199.
nummularius L., 199.
ovatus Viv., 200.
tomentosus Scop., 199.
Cleome ornithopodioides, 197.
Clitocybe fragrans, 317.
nebularis, 317.
phyllophila, 317.
Clitopilus hobsonii, 288.
pinsitus Josserand, 287.
Codonanthe Haust, 395.
Codonoboea Ridl., 389.
Collybia maculata Kumner, 317.
prolixa, 317.
putilla Sing., 44.
tergina Lundell, 44.
sect. *Striipedes*, 317.
Columneae Hanst, 394.
Coluteocarpus, 181.
boissieri Schulz., 181.

Coluteocarpus—Continued.
reticulatus Boiss., 181.
var. *boissieri* Hausskn., 181.
vesicaria Holmboe subsp. *boissieri* Hedge, 181.
subsp. *vesicaria*, 181.
Commelina kurzii, 351, 352.
livingstonii Clarke, 351, 352.
obliqua Buch. Ham., 351.
var. *mathewii*, 351, 352.
paludosa Bl., 351.
var. *mathewii* Rolla Rao & Kam., 352.
sphaerosperma Clarke, 351, 352.
striata Edgew., 351, 352.
undulata R. Br., 352.
Conandron Sieb. et Zucc. 388.
Conocybe Fayod, 297.
subgenus *Conocybe*, 297.
subgenus *Gallerella*, 297.
subgenus *Ochromanasmius* Singer, 297.
subgenus *Pholiotima*, 297.
subgenus *Piliferae*, 298.
sect. *Candidae*, 297.
sect. *Conocybe*, 297.
sect. *Gigantae*, 297.
sect. *Pholiotima*, 298.
sect. *Pilosellae*, 297.
sect. *Vestitae*, 298.
antipus, 306, 309.
coprophila, 307.
cyanopus, 292, 310.
farinacea, 292.
hexagonospora, 306, 309.
intrusa Singer, 297.
laricina, 306, 294.
lateritia Kühner, 297.
mairei, 301.
martiana, 306.
pilosella Kühner, 297, 302.
pygmaeoaffinis Kühner, 298.
rickeniana, 295.
silignea, 295.
siligneoides, 292, 310.
spiculoides, 308.
togularis, 301.
umbonata Watling, 294.
vestita, 301, 309, 312, 298.
Consolida, 172.
aconiti Lindley, 172.
ambigua Ball & Heywood, 174.
armeniaca Schröd., 173.
cornuta Davis, 174.
cruciata Davis, 174.
hellespontica Chater, 173, 175.
olopetala Hayek, 173.
orientalis Schröd. subsp. *phrygia* Chater, 174.
var. *thessalonica* Soó, 174.
phrygia Soó, 173.
subsp. *phrygia*, 174.
Consolida—Continued.
subsp. *thessalonica* Davis, 174.
regalis S. F. Gray, 174.
subsp. *paniculata* Soó var. *divaricata* Davis, 174.
saccata Davis, 173.
samia P. H. Davis, 172.
stenocarpa Davis, 173.
sulphurea Davis, 175.
tomentosa Schröd., 175.
subsp. *oligantha* Davis, 175.
Conyza conspicua Wall, 105.
Coode, M. J. E. & Davis, P. H.
A neglected Mediterranean Fumana, 27.
See also Cullen, J. & Coode, M. J. E. *and* Davis, P. H., *et al.*
Coprinacae, 305.
Coprinus, 292, 305, 317.
Coronanthera Vieill. ex Clarke, 394.
aspera, 394.
Coronanthereae Fritsch., 391.
Cortinariaceae, 303, 314.
Cortinarius Fr., 291, 314, 319.
anthracinus Lange, 48.
(*Phlegmacium*) *caledoniensis* P. D. Orton, 44.
(*Dermocybe*) *fervidus* P. D. Orton, 47, 48, 49.
(*Sericeocybe*) *fuliginosus* P. D. Orton, 46, 47.
lepidopus, 46, 47.
myrtillinus, 46, 47.
phoeniceus, 49.
purpureobadius, 48.
scaurus, 45, 46.
semisanguineus, 49.
turbinatus, 46.
Cosmianthemum, A Bornean genus of Acanthaceae, 365.
Cosmianthemum angustifolium, 377, 380.
anomalum, 380, pl. 40.
brookeae, 374, 380.
bullatum, 380, pl. 40.
cosmianthemum,
dido, 380, pl. 40.
latifolium, 377.
longibractateum, 375.
magnifolium, 375, 380.
obtusifolium, 380, pl. 40.
punctulatum, 373.
subglabrum, 373, 380.
Crambe alutacea Hand.-Mazz., 181.
orientalis L., 181.
var. *alutacea* Hedge & Hub.-Mor., 181.
parviflora Hub.-Mor. & Reese, 181.
tataria Sebeök, 181.
var. *parviflora* Hedge & Hub.-Mor., 181.
Crataegus academiae Lévl., 342.
Crawfurdia Wallich emendeta, 240.
sect. *Crawfurdia*, 240, 242.

Crawfurdia—Continued.
subgenus *Dipterospermum*, 240.
sect. *Protocrawfurdia* H. Sm., 240, 242.
subgenus *Tripterospermum* Clarke, 240.
affinis Wall., 244.
angustata, 242, 244.
blumei G. Don, 237.
bomareoides H. Sm., 244.
bulleyana Forr., 244.
campanulacea, 242, 244.
coerulea Hand.-Mazz., 246.
cordata Hand.-Mazz., 244.
crawfurdioides H. Sm., 244.
delavayi, 242, 244.
dimidiata, 242, 244.
fasciculata Wall., 237, 247, 270.
forestii H. Sm. pl. 28, 245.
gracilipes H. Sm. pl. 29, 246.
iochroa H. Sm., 244.
japonica Sieb. et Zucc., 237, 245.
luteo-viridis Clarke, 245.
nienkui H. Sm., 244.
pallida H. Sm., 247.
pricei H. Sm., 244.
puberula Clarke, 247.
semialata H. Sm., 244.
sessiliflora H. Sm., 244.
sinkuensis H. Sm., 244.
speciosa Wall., 237, 242, 244, pl. 27, 270.
thibetica Franch., 244.
trailiana Forr., 244.
trinervis Mak., 245.
Crenularia eunomoides Boiss., 183.
glaucescens Boiss., 183.
Crepidotaceae, 314, 315.
Crepidotus Kummer, 314, 315, 316, 317.
Crotalaria duboisii Lévl., 343.
Croton congestum Lour., 342.
Cruciferae: Isatis: Materials for a Flora of Turkey: Davis, 11, 181.
Catalogue of names published by Hector Léveillé III, 333.
Cucubulus baccifer L., 345.
var. *cavaleriei* Lévl., 345.
Cudrania bodinieri Lévl., 340.
Cullen, J. & Coode, M. J. E.
Materials for a Flora of Turkey: IX, Berberidaceae, 35.
Cyclopus Barbier, 298.
Cyrtandra J. R. et G. Forst., 391, 397.
sandwicensis, 342.
Cyrtandreae Blume, 391.
Cyrtandroideae Endl., 386.
Cyrtandromoea Zollgr., 391.
Cyrtandropsis Lauterb., 391.
Cystodermateae, 314.
Cyttarophyllum, 290.

Dasydesmus Craib, 389.
Davis, P. H. *et al.*
Davis, P. H.—Continued.
Materials for a Flora of Turkey, 165.
Davis, P. H.
Materials for a Flora of Turkey: VIII, Cruciferae—1: Isatis, 11.
Davis, P. H. & Coode, M. J. E.
A neglected Mediterranean Fumana, 27.
Deconica Karst., 314.
bullacea, 49, 50.
graminicola P. D. Orton, 49.
Delphinium ajacis auct. non L., 174.
balcanicum Pawl., 171, 172.
bithynicum Davis, 171.
campylopodum Freyn., 173.
carduchorum Chowdhuri & Davis, 170.
cornutum Davis & Hossain, 174.
consolida L., 172.
cruciatum Davis & Hossain, 174.
cyphoplectrum Boiss., 170.
var. *stenophyllum* Boiss., 170.
var. *pallidiflorum* Davis, 171.
var. *vanense* Davis, 171.
divaricatum Ledeb., 174.
halteratum Sibth. & Sm., 171, 172.
hellesponticum Boiss., 173.
hybridum var. *laxiusculum* Boiss., 170.
ilgazense P. H. Davis, 169, pl. 17.
laxiusculum Nevski, 170.
macedonicum Hal. & Charrel, 173.
nachiczevanicum Tzvel, 170.
oliganthum Boiss., 175.
pallidiflorum Freyn, 171.
paphlagonicum Huth, 173.
peregrinum L., 171, 172.
var. *virgatum* Huth, 171.
phrygium Boiss., 174.
quercetorum Boiss. & Hausskn., 171.
saccatum Huth, 173.
sintenisii Freyn., 172.
stenocarpum Davis & Hossain, 173.
sulphureum Boiss. & Hausskn., 175.
talychensis Tzvel, 170.
tuberosum Aucher & Boiss., 170.
vanense Rech. fil., 171.
venulosum Boiss., 171.
virgatum Poiret, 171, 172.
Dentaria bodinieri, 336.
Depanthus S. Moore, 394.
Descolea Singer, 314.
Dianthera bullata N. E. Br., 368, 372.
Dianthus fauriei Lévl. & Van., 345.
superbus L., 345.
Diastema Benth., 395.
Dichiloboea Stapf, 389.
Dichrotrichum Reinw., 391.
Didissandra Clarke, 389.
sesquifolia C. B. Cl., 264.
Didymocarpeae, 381, 386.
Didymocarpus cyaneus Ridl., 267.
lacunosus Hook. f., 267.
macrophyllus, 387.
sinensis, 388.

Didymocarpeae G. Don, 388.
Diplolegon Regl., 394.
Diplopappus asper Less., 68.
asperrimus DC., 101.
asperulus DC., 94.
elegans Hook. f. & Thoms.
molliusculus Lindl., 114.
roylei Lindl. ex DC., 114.
Dipterospermum, 237, 240.
Draba, 185.
aizoides sensu Sibth. & Sm., 187.
archipelagi Gilg. *nom. nud.*, 187.
bruniifolia Stev., 185, 186.
subsp. *bruniifolia*, 186.
subsp. *archipelagi* Coode & Cullen, 187.
subsp. *armeniaca* Coode & Cullen, 186, 187.
prol. *buhsei* Schulz, 188.
var. *diversifolia* Boiss., 186.
prol. *diversifolia* Schulz., 186.
subsp. *heterocoma* Coode & Cullen, 187.
subsp. *kurdica* Coode & Cullen, 187.
subsp. *heterocoma* var. *nana* Schulz., 187.
var. *incana* Boiss., 186.
prol. *incana* Schulz., 186.
subsp. *olympica* Coode & Cullen, 187.
diversifolia Boiss. & Huet, 186.
heterocoma Fenzl., 187.
var. *archipelagi* Gilg. ex Schulz, 187.
mairei Lévl., 338.
nana Stapf, 187.
natolica Boiss., 186.
olympica sensu Boiss., 186.
Sibth. ex DC., 187.
var. *genuina* Boiss., 187.
var. *heterocoma* Boiss., 187.
rigida, 185.
surculosa Fr., 338.
yunnanensis Franch., 338.
Dracocephalum sibiricum, 356.
Drymaria cerastium Lévl., 344.
mairei Lévl., 344.
Drymonia Mart., 394.

Episcia Mart., 394, 401.
Episcieae Endl., 394.
Episcioideae Ivanina, 394, 401.
Episphaeria Donk, 314.
Epithema Blume, 391.
Eremurus kaufmannii Regel, 420.
stenophyllus Baker, 420.
Ericala argentea D. Don, 270.
canaleculata D. Don, 270.
capitata D. Don, 270.
decemfida D. Don, 270.
marginata D. Don, 270.
pedicellata D. Don, 270.

Erigeron, 78.
bellidioides C. B. Cl., 147.
diplostephioides Botsch., 137.
dolichostylus Botsch.
falconeri Botsch., 140.
flaccidus Botsch., 129.
heterochaeta Botsch., 129.
multicaulis, 73.
multiradiatus Benth. & Hook. f., 74, 115, 147.
roylei, 73.
uniflorus L., 74.
vilmorinii Botsch., 142.
Erysimum alpestre Kotschy ex Boiss., 196.
deflexum Cullen, 195, pl. 20.
hakkiaricum Cullen, 195.
nanum Boiss. & Hoh., 195, 196.
ponticum Hausskn. & Bornm., 196.
pseudocheiri Boiss., 195.
szowitsianum Boiss., 195.
thyrsoideum Boiss., 196.
subsp. *ponticum* Cullen, 196.
Erythraea roxburghii D. Don, 270.
Eurythalia carinata D. Don, 270.
coronata D. Don, 269, 270.
pedunculata D. Don, 270.
Erythrospermum cavaleriei Lévl., 342.
Esquiroliella violifolia, 339.
Eunomia, 182.
Euonymus provicarii Lévl., 342.
Euthamnus schlechter, 391.
Exacum pedunculatum L., 271.
tetragonum D. Don, 271.

Ficus marchandii Lévl., 340.
Fieldia A. Cunn., 394.
Filetia, 325.
africana Lindan, 325.
brookeae Brem., 325.
Flacourtia cavaleriei Lévl., 342.
Flammula, 304, 320.
Flocculina Orton, 319.
Fumana, A neglected Mediterranean, M. J. Coode & P. H. Davis, 27.
Fumana aciphylla Boiss., 33.
arabica, 33.
bonapartei Maire & Petitm., 29, 33.
calycina Claus., 33.
ericoides Gand., 27, 28, 30, 31, 33.
var. *glandulosa* Maire, 27.
f. *malyi* Janchen, 29.
f. *montana* Grosser, 29.
var. *scoparia* Maire, 27.
glandulosa Pau, 29.
glutinosa Boiss., 29, 33.
grandiflora Jaub. & Spach, 33.
laevipes Spach, 33.
montana Pomel, 29.
nudifolia Janch., 31
oligosperma Boiss. & Kitschy, 33.
paphlagonica Bornm. & Janchen, 29.

Fumana—Continued.
paradoxa Heywood, 29, 33.
pinatzii Rech. f., 34.
procumbens Gren. & Godr., 28.
racemosa Pan, 27, 29.
scoparia Pomel, 27, 30, pl. 7.
spachii Gren. & Godr., 27.
thymifolia Verl., 33.
var. *thymifolia*, 29.
trisperma Hub.-Mor. & Reese, 33.
viscida Spach, 29.
viscidula Juz., 33.
vulgaris Spach, 31.
f. *alpina* Maire, 32.

Galatella asperima Nees, 101.
juncea Lindl., 150.
Galera Fries, 290, 293, 296, 304.
pygmaeoaffinis, 305.
tenera Kummer, 297.
Galerella Watling, 296, 297, 300, 313.
Galerina Earle, 290, 293, 315, 320.
calyptrospora, 312.
marginata, 312.
moniophila, 304.
Galeropsis Vel., 291, 315.
Galerula Karsten, 296.
Gentiana sect. *Dipterospermum*, 240.
sect. *Stenogyne* Franch. emend. Kusnezow, 240, 242.
sect. *Tripterospermum* Marq. emend., 240, 245.
angustata Marq., 244.
arethusae Burk., 251.
bomareoides Marq., 244.
bulleyana Marq., 244.
caudata Marq., 244.
cachemirica Decaisne, 276.
cherayta Roxb., 274.
chirata Wall., 274.
chirayita Roxb. ex Fleming, 274.
confusa Marq., 244, 245.
cordata Marq., 244.
contorta Royle, 269, 270.
coronata Royle, 269.
crawfurdioides Marq., 238, 239, 244.
cristata H. Sm., 251.
curviflora Marq., 244.
cyananthiflora, 254.
dimidiata Marq., 244.
discoidea Marq., 244.
exquisita H. Sm., 251.
farreri, 250.
fascicularis Marq., 244.
filicaulis Hemsley, 238.
fratri Marq., 244.
golowninia Marq., 245.
heleni Marq., 244.
iochroa Marq., 244.
khamensis Marq., 244.
kingdoni Marq., 244.

Gentiana—Continued.
kurroo Royle, 269, 276.
macauleyi, 250.
meiantha H. Sm., 248, 249, pl. 31.
membranacea Marq., 244.
nienkui Marq., 244.
ornata, 250.
ornata Wall. var. *meiantha* Clarke, 248.
pricei Marq., 244.
primuliflora Franch., 238, 240.
prolata Stapf, 248.
pterocalyx Franch., 238, 240.
radicans H. Sm., 250, pl. 32.
rhodantha Franch., 238, 240, pl. 27.
semialata H. Sm., 239, 244, pl. 26.
serra Franch., 238.
sessiliflora Marq., 244.
sinkuensis Marq., 244.
sino-ornata, 250.
souliei Franch., 240.
speciosa Marq., 244.
striata Maxim., 238.
veichiorum, 250.
viatrix H. Sm., 251.
volubilis D. Don, 244.
xanthonannos H. Sm., 253, 254.
Gentianella Moench., 269.
maclarenii H. Sm., 253, 254, pl. 33.
Geophila Quél., 305.
Gesneriaceae: Application of the carpological method to the taxonomy, 383.
Gesneria L., 398.
Gesnerieae DC., 398.
Gesnerioideae, 395.
Gloxinia L'Hérit., 396.
Gloxinieae G. Don, 396.
GRIERSON, A. J. C.
A revision of the Asters of the Himalayan area, 67.
Gymnopilus P. Karst., 314, 520.

Halenia elleptica D. Don, 270.
Hallieriacantha, 325.
Hebeloma Kummer, 291, 314, 321.
elatum, 311.
mesophaeum, 310.
radicosum, 320.
HEDGE, I. C.
A Family Key (review), 405.
New Nepeta from Nepal, 355.
An account of Salvia, 407.
A new species of Saponaria, 353.
See also DAVIS, P. H., *et al.*
Helianthemum antitauricum Davis & Coode, 201.
chamaecistus subsp. *barbatum* var. *hirsutum*, 200.
subsp. *nummularium* Gross., 199.
germanicopolitanum Bornm., 201.
hirsutum Merat., 200.
nummularium Miller, 199.

Helianthemum—Continued.
subsp. *lycaonicum* Coode & Cullen, 200.
subsp. *nummularium*, 199.
subsp. *ovatum* Schinz & Thellung, 200.
subsp. *tomentosum* Schinz & Thellung., 199.
subsp. *vulgare* Hayek, 199.
ovatum subsp. *grandiflorum*, 200.
subsp. *hirsutum*, 200.
soongoricum Schrenk, 201.
strickeri Grosser., 201.
tomentosum Spreng., 199.
vulgare Gars., 199.
var. *discolor* Reichb., 199.
var. *grandiflorum*, 199.
var. *virescens*, 200.
Heliotropium curassavicum B. L. Burtt, 357.
Hemiboea henryi Clarke, 389.
HENDERSON, D. M.
Appendix on pollen morphology *in* BURTT & SMITH. Cosmianthemum, 365.
Puccinia thymi, 359.
Heppiella Regel, 395.
Hersilia simplex Klotzsch, 114.
Hesperis adzharica Tzvelev, 192.
bottae Fourn., 192.
cappadocica Fourn., 192.
ixodes Hausskn. & Schulz, 192.
matronalis L., 192.
subsp. *matronalis*, 192.
subsp. *adzharica* Cullen, 192.
subsp. *cilicica* Cullen, 192.
var. *runcinata* Boiss., 192.
subsp. *woronowii* P. W. Ball, 192.
microcalyx Fourn., 192.
schischkinii Tzvel., 192.
silvestris Crantz. subsp. *cilicica* Siehe ex Bornm., 192.
thyrsoides Boiss., 192.
woronowii Busch, 192.
Heteropappus Less., 147.
altaicus Novopokr., 148.
var. *altaicus*, 149.
canescens Serg., 150.
boweri Hemsl., 154.
albertii Novopokr., 150.
crenatifolius Grierson, 152.
distortus Tamamsch, 151.
gouldii Grierson, 153.
hispidus, 152.
holohermaproditus Grierson, 155, pl. 16.
semiprostratus Grierson, 151, pl. 15.
Hippodamia Decne, 398.
Hisutua DC., 157.
Hohenbuehelia fluxilis P. D. Orton, 50.
Hygrocybe vitellina Karst., 51.
Hygrophorus citrinopallidus Smith & Hesler, 52.
laetus P. D. Orton, 53.
Hygrophorus (*Camarophyllus*) *subviolaceus* Peck, 51.
(*Hygrocybe*) *citrinus* Rea, 51.
(*Hygrocybe*) *vittelinus* Fr., 51.
(*Hygrocybe*) *xanthochrous* P. D. Orton, 53.
nitidus Berk. & Curtis, 52.
Hypholoma elongatum, 317.
Hypocyrta Mart., 394.
Hypogomphia turkestana Bge., 409.

Iberis glaucescens Boiss., 183.
oppositifolia Pers., 184.
Identification of Flowering Plant Families (review), 403.
Inland Occurrences of Heliotropium curassavicum, 357.
Inocybe Fr., 314, 315, 321.
calospora, 321.
Inula cuspidata, 110.
nervosa, 98, 102.
Isanthera Nees, 391.
Isatis, 11.
aleppica Scop., 12, 25.
alpina, 16.
alyssifolia Boiss., 18.
amani Davis, 21.
arenaria Azn., 12, 14, 25.
atropatana Grossh., 17.
aucheri Boiss., 12, 13, 14, 16, 21, 25.
besseri, 14.
bitlisica Davis, 20, pl. 4.
buschiana, 12, 13, 14, 25.
callifera Boiss. & Bal., 12, 14, 20, 24, 25.
candolleana Boiss., 21.
canescens DC., 22.
cappadocica Desv., 17.
subsp. *cappadocica*, 17.
subsp. *alyssifolia* Davis, 18.
subsp. *macrocarpa* Davis, 18.
subsp. *nurihakensis* Davis, 18, pl. 1.
subsp. *steveniana* Davis, 17.
subsp. *subradiata* Davis, 18.
var. *gudrunensis* Davis, 18.
var. *subradiata* 18.
cochlearis Boiss, 12, 14, 15, 16, 25.
conringiifolia Bornm., 12, 21.
constricta Davis, 23.
corymbosa Boiss., 22.
djurdjaedae Coss. & Dur., 15.
eriocarpa Blakelock, 16, 25.
erzurumica Davis, 18, pl. 2.
exauriculata Davis, 22.
floribunda Boiss. ex Bornm., 13, 14, 15, 16, 25.
frigida Boiss. & Kotschy, 12, 14, 15, 25.
gaubeana, 12, 13.
glauca Aucher ex Boiss., 22.
var. *collina* Boiss., 22.
subsp. *exauriculata* Davis, 22.
subsp. *glauca*, 22.
subsp. *iconia* Davis, 22.

Isatis—Continued.
grossheimii Busch, 22.
guestii, 15.
hispida Post, 25.
huber-morathii Davis, 24, pl. 5.
iberica, 12, 15.
iconia Boiss. & Heldr. 16, 22.
kotschyana Boiss. & Hoh., 12, 16.
kozlowskyi Grossh., 13, 25.
lanceolata Stapf, 22.
latisiliqua Auch., 14.
latisiliqua Steven, 17.
var. *gudrunensis* Boiss. ex Buser, 18.
var. *haussknechtii* Bornm., 18.
subsp. *subradiata* Bordz., 18.
leiocarpa DC., 18.
leuconera, 16.
lockmanniana Kotschy ex Boiss., 12, 14, 20, 25.
lusitanica L., 12, 13, 14, 15, 16, 25.
pinnatiloba Davis, 19, pl. 3.
platycarpa Jaub. & Spach var. *macrocarpa* Jaub. & Spach, 18.
psilocarpa Ledeb., 17.
pyramidata Stapf, 25.
sivasica Davis, 21.
spatella Davis, 24, pl. 6.
spectabilis Davis, 22.
steveniana Trautv., 17.
subradiata Rupr., 18.
takhtajanii Avet., 12, 25.
tinctoria L., 22.
subsp. *corymbosa* Davis, 22.
var. *stenocarpa* Boiss., 22.
subsp. *tinctoria*, 22.
subsp. *tomentella* Davis, 22.
var. *vulgaris* Koch, 22.
tomentella Boiss., 22.
undulata Aucher ex Boiss., 21.
velutina Boiss. & Huet., 17, 21.
Isodendron fauriei Lévl., 341.
pyrifolium Gray, 341.
Isometrum Craib, 388, 389.
IVANINA, L. I.
Application of the Carpological Method to the Taxonomy of Gesneriaceae, 383.

Jaeschkea gentianoides Kurz., 276.
oligosperma Knoblauch, 276.
Jerdonia Wight, 394.
Jovibarba sobolifera 280.
Justiceae, 327.

Kalimeris Cass., 157.
indica Sch., 158.
Klugia Schlechtd., 391.
Klugieae Fritsch, 391.
Koellikiria Regel, 395.
Kohleria Regel, 395.
Kohlerieae Fritsch, 395.
Kuehneromyces Singer & Smith, 315.
mutabilis, 320.

Lactarius Pers. per S. F. Gray, 316.
lacunarum, 53.
rufus, 53.
sphagneti Moser, 53.
subdulcis sphagneti Fr., 53.
LAUENER, L. A.
A note on Aconitum leucanthum (Brühl) Stapf, 331.
Catalogue of the names published by Hector Léveillé III, 333.
New species & records of Aconitum of Nepal, 1.
See also BURTT, B. L. & LAUENER, L. A.
Leontice L., 41.
leontopetalum L., 41.
subsp. *armeniaca* Coode, 42.
subsp. *ewersmannii* Coode, 42.
subsp. *leontopetalum*, 42.
minor Boiss., 42.
Lepidieae, 182.
Leptoboea Benth, 388, 398.
Leptoboeinae Clarke, 388.
Leptonia formosa (Fr.) *Gillet*, 55.
fulva, 54, 55.
sarcitula, 54, 55.
whiteae, 54, 55.
xanthochroa P. D. Orton, 54.
Leucopoa karatavica Krecz & Bobr., 420.
Léveillé, Hector: Catalogue of the names published by, 333.
Lietzea Regl., 397.
Linaria, 325.
Linariantha, 325, 327, 328.
bicolor, 328.
Linderomyces Singer, 313.
Linnaeopsis Engl., 388.
Liparis, 361.
Lomatogonium caeruleum H. Sm., 275, 276.
Loxocarpus R. Br., 389.
Loxonia Jach., 391.
Loxostigma Clarke, 391.
Lyophyllum onychinum Kühn., 65.
Lysionotus, 268, 391.

Macrocystidia Joss., 313.
cucumis Heim ex Joss., 316.
Marasmius putillus Fr., 44.
Martinella violifolia, 339.
Martinia Vaniot, 157.
Materials for a Flora of Turkey: VIII, 11.
Materials for a Flora of Turkey: IX, 35.
Materials for a Flora of Turkey: X, 165.
Matthiola persica DC., 193.
Melandrium taquetii Nah., 345.
viscidulum F. N. Williams, 346.
Melanoleuca Pat., 316.

Meliderma Vel., 396.
Micraeschynanthus Ridl., 391.
Microchirita, 261, 265.
Microglossa albescens C. B. Cl., 105, 109.
var. *nivea* C. B. Cl., 109.
cabulica C. B. Cl., 105.
Microsporae Singer ex Singer, 299.
Mitraria Cav., 394.
Mitrarieae Burtt, 394.
Monophyllaea R. Br., 391.
Monopyle moritz, 396.
MUIRHEAD, C. W.
Sempervivum globiferum, 297.
Mycena Rousell, 291, 296.
urania, Quél., 55.
Mycetophilidae, 292.

Naematoloma polytrichi, 310.
Napeanthus Gardn., 394.
Nasturtium henryi, 339.
kouytchense Lévl., 339.
Naucoria Kummer, 291, 304, 305, 313, 318, 319, 321.
celluloderma, 303.
centunculus, 301, 302, 303.
f. *filopes*, 302.
f. *luxurians*, 302.
cerodes, 304.
coniophora, 302.
escharoides, 304, 305.
haustellaris, 301, 302.
juruensis P. Henning, 297, 301.
melionoides, 304, 305.
praecox, 298.
rubi, 301, 302.
sumptuosa, 301, 302, 303.
vervacti, 304.
Nautilocalyx Linden, 394.
Negria F. Muell., 394.
Nematanthus Schrad., 395.
Neomartinella violifolia, 339.
Neopaxillus Singer, 313.
Nepeta macrantha Fisch., 355.
sibirica L., 356.
staintonii Hedge, 355.
Neslia, 185.
apiculata Fisch. Mey & Avé-Lall., 185.
paniculata Desv., 185.
New species & records of Aconitum of Nepal, 1.
Nigella, 167.
arvensis L. var. *microcarpa* Boiss., 169.
var. *tauricola*, P. H. Davis, 169.
degenii Vierh., 169.
involucrata Braerd., 168.
latisecta P. H. Davis, 168.
noeana Boiss., 168.
oxypetala Boiss., 168.
var. *tenuifolia* Boiss., 168.
persica Boiss., 168.
Niphaea Lindl., 395.

Ochromarasmius Singer, 297, 300.
Odontonemeae, 327, 365.
Ophelia angustifolia, 270, 271.
chirayta, 271.
ciliata G. Don, 271, 272.
cordata, 270, 271, 273.
dalhousiana Griseb., 277.
florida G. Don, 271, 275.
lucida, 271, 274.
lurida, 270, 274.
nervosa Griseb., 274.
nuda Klotzsch, 273.
paniculata, 270, 271.
porrigens G. Don, 271, 275.
pulchella D. Don, 270, 271, 275.
var. *minor* D. Don, 275.
purpurascens D. Don, 270, 271, 272.
var. *ciliata* D. Don, 272.
racemosa Grisebach, 272, 274.
teres G. Don, 271, 272.
wallichii, 271.
Opithandra Burtt, 389.
Orchidaceae, 361.
Oreocharis Benth., 387.
Ornithoboea Parish ex Clarke, 389.
ORTON, P. D.
Notes on British Agarics II, 43.
Orychophragmus violaceus, 339.
Oxychlamys Schlechter, 391.

Pachlepyrium Singer, 315.
Paeonia kesrouanensis Thiébaut, 176.
mascula L., 177.
turcica Davis & Cullen, 176.
Paliavana Vell. ex Vandelli, 397.
Panaeolus Quélet, 305.
acuminatus, 307.
ater, 306.
campenulatus, 307.
fumicola, 307.
foenisecii, 306, 307.
papilionaceus, 307.
retirugis, 307.
semiovatus, 306, 307.
sphinctrinus, 306, 307.
Papaver apokrinomenon Fedde, 178, 179, 180.
feddii Schwarz, 179.
heldreichii Boiss., 178, 179.
var. *pumilum* Fedde, 178.
var. *sparsipilosum* Boiss., 178, 180.
lateritium C. Koch, 178, 179.
monanthum Trautv., 178.
oreophilium Rupr., 178.
pannosum Schwarz, 179.
pilosum Sibth. & Sm., 178, 179.
pseudostrictum Fedde, 178, 179.
ramosissimum Fedde, 178, 180.
spicatum Boiss. & Bal., 178, 179.
var. *luschanii* Fedde, 178, 179.
var. *spicatum*, 179.

Papaver—Continued.
strictum Boiss. & Bal., 178, 179, 180.
var. *psilocalyx* Fedde, 178.
Papaveraceae, 178.
Paraboea Ridl., 381, 389.
Paxillaceae, 313.
Paxillus Fr., 313, 317, 318.
Pearcea Regel., 395.
Pellidiscus Donk, 315.
Petrocodon Hance, 389.
Petrocosmea, 389.
Phaeocollybia Heim, 314, 315, 319.
Phaeolepiota Maire ex K. & M., 314.
aurea, 318.
Phaeomarasmius, 314, 316, 317, 319.
Phinaea Benth, 395.
Pholiota Kummer, 291, 315, 319, 320, 321.
blattaria Quélet, 297.
mutabilis, 320.
myosotis, 320.
praecox Kummer, 298.
Pholiotella spegazzini, 297.
Pholiotina Kühner, 301.
appendiculata, 294.
blattaria, 294.
brunnea, 294.
Phylloporus Quélet, 313, 318.
rhodoxanthus, 318.
Pinus cilicica Ant. & Kotschy, 165, 167.
nordmanniana Stev., 167.
Piptanthus esquirolii, Lévl., 343.
Pittosporaceae: Catalogue of the names published by Hector Léveillé, III, 342.
Pittosporum brevicalyx Gagnep., 342.
cavaleriei Lévl., 342.
fauriei Lévl., 342.
glabratum Lindl., 342.
var. *neriiflorum* Rehd. & Wils., 342.
glabrum Hook. & Arn., 342.
hillebrandii Lévl., 343.
pauciflorum Hook. & Arn. var. *brevicalyx* Oliv., 342.
trigonocarpum Lévl., 343.
truncatum Pritz., 342.
Pleuroflammula Singer, 315.
Pleurotellus Fayod, 315.
patelloides Orton, 288.
Pleurotus chioneus, 288.
fluxilis Gillet, 50.
Pluteolus, 294, 295, 296, 299, 318.
dictyopus, 294.
reticulatis, 294.
plautus Gillet, 56.
Pneumonanthe depressa D. Don, 270.
kurroo D. Don, 269, 270.
Polygala arillata, Ham., 343.
ciliata L., 344.
dunniana Lévl., 343.
furcata Royle, 343.
glaucescens Royle, 343.
japonica Houtt, 343.
Polygala—Continued.
leptalea DC., 344.
longifolia Poir., 344.
oligophylla DC., 344.
pyramidalis Lévl., 344.
taquetii Lévl., 343.
tatarinowii Regl, 344.
triphylla Ham., 343.
Polygalaceae: Catalogue of the names published by Hector Léveillé III, 343.
Pratella, 291.
Primulina Hance, 389.
Protocyrtandra Hosakawa, 391.
Psathyrella subgenus *Homophron*, 316.
candolleana, 317.
hydrophila, 317.
sarcocephala Singer, 316, 317.
sphaerocystis P. D. Orton, 57.
Pseuderanthemum, 327, 365.
Pseudodeconica van Overeem, 298.
Psilocybe, 291, 297, 305.
semilanceata, 310.
Pterygocalyx volubilis Maxim., 238.
Pterobisleria Morton, 394.
Ptychella, 318.
Puccinia thymi, 359.
caulinicola Schneider, 359.
schneideri Henderson, 359.
schneideri Schroet, 359.
stipina, 359.
Pulicaria angustifolia DC., 156.
wightiana C. B. Cl., 147.
Pyrrhoglossum Heim, 314.
Pyrrosia stigmosa, 267.

Raddetes Karst., 290, 297.
Ramicola Vel., 301.
olivacea Vel., 301.
Ramondeae Fritsch, 386.
Ranunculaceae, 167, 175.
Ranunculus isthmicus Boiss., 176.
hierosolymitanus Boiss., 175.
longipes Cut., 176.
malabailae Boiss., 175.
millefolius Banks. & Sol., 175.
subsp. *hierosolymitanus* Davis, 175.
subsp. *millefolius*, 175.
myrophyllus DC., 175.
"*myriophyllus* Russ.", 175.
var. *hierosolymitanus* Post., 175.
ophioglossifolius Vill., 176.
orientalis L., 175.
subsp. *hierosolymitanus* Davis, 175.
revelieri Boreau, 176.
thracicus Azn., 176.
Rao, Seshagiri Rolla.
Commelina undulata, 351.
Raphanus chanetii Lévl., 339.
courtoisii Lévl., 339.
macropoda Lévl., 339.
monnetii Lévl., 338.

Raphanus—Continued.
sativus L., 339.
var. *dasycarpus*, 338.
var. *macropodus*, 340.
taquetii, 339.
tenellus Pall., 338.
Raphiocarpus Chun, 389.
Rechsteineria Regel, 395, 401.
Rechsteinerieae Ivanina, 396, 401.
Reevesia pubescens Mast., 340.
Revision of the Asters of the Himalayan area, 67.
Rhabdothamnopsis Hemsl., 389.
Rhabdothamnus A. Cunn., 394.
Rhodocybe Maire, 313, 316.
Rhynchoglossum Blume, 325, 391.
Rhynchotecheae Ivanina, 391, 401.
Rhynchotechum Blume, 391, 399.
Rhytiodophyllum Mart., 398.
Ripartites P. Karst., 313, 319.
Roettlerinae Fritsch, 388.
Rozites Karst., 304, 305, 314.
caperata, 305, 319.
Ruelliodeae, 325.
Russula Pers. per S. F. Gray, 316.
Russulaceae, 313, 316.

Sagina japonica Ohwi, 345.
taquetii Lévl., 345.
Saintpaulia Wendl., 388, 397, 401.
Saintpaulieae Ivanina, 388, 400.
Salomonia seguinii Lévl., 343.
Salvia, 407.
aegyptiaca L., 421.
var. *intermedia* Stibal, 421.
ariana Hedge, 417.
var. *ariana*, 417.
var. *calophyta*, 418.
aristata Benth., 412, 413.
bucharica, 413.
cabulica Benth., 413.
ceratophylla L., 418.
chrysophylla, 420.
compressa Vahl, 415.
dracocephaloides Boiss., 414.
edelbergii Rech., 419.
gilliattii Turrill, 420.
glutinosa L., 420.
honigbergeri Rech., 413.
hydrangea DC., 414.
khorassanica Bge., 420.
lacei Mukerjee, 421.
lasearica Rech. f., 420.
leriifolia Benth., 415.
macilenta Boiss., 422.
macrosiphon Boiss., 415.
var. *brachycalycina* Bornm., 415.
var. *cabulica* Benth., 415.
var. *kotschyi* Boiss., 415.
maymanica Hedge, 414.
moorcroftianna Benth., 416.
Salvia—Continued.
nubicola Sweet, 420.
plebeia B. Br., 422.
polychroma Rech., 419.
polyclada Rech., 419.
pterocalyx Hedge, 412.
rhytidea Benth., 419.
sahendiea Boiss. & Buhse, 420.
santolinifolia Boiss., 421.
sclarea L., 418.
semilanata Czerniak, 418.
seravschanica Regel & Schmalk, 418.
spinosa L., 416.
tetrodonta Hedge, 412.
trautvetteri Regel, 413.
trichocalycina Benth., 421.
virgata Jacq., 421.
Salomonia cavaleriei Lévl., 344.
ciliata DC., 344.
martinii, 343, 344.
oblongifolia DC., 344.
seguinii Lévl., 343.
Sameraria litvinovii Busch, 17.
Saponaria, 353.
picta Boiss., 353.
pinetorum Hedge, 353.
suffruticosae Nab., 353.
Sarmienta Ruiz et Pav., 392.
Schlechter's New Guinea duplicates of Liparis, 361.
Schraderia bucharica Nevski, 413.
Scoliotheca Baill., 395.
Scrophulariaceae, 383.
Secotium, 291.
Seemannia Regel, 396.
Sempervivum armenum Boiss. & Huet., 279, 281, 283, 284.
braunii Led., 280.
glabrifolium Borissova, 284.
globiferum L., 279, 280, 281, 283, 284.
grandiflorum Haworth, 281.
marmoreum, 284.
ruthenicum Koch, 279, 280, 281, 283.
ruthenicum Schnittsp. et Lehm., 280.
sosnowskyi Ter. Chat., 284.
transcaucasicum, 284.
zelebori Schott, 281.
Senecio linifolius C. B. Cl., 147.
Silene aprica Turcz., 345.
argyi Lévl., 346.
bodinieri Lévl., 346.
esquirolii Lévl., 346.
fauriei Lévl., 346.
fortunei Vis., 346.
mairei Lévl., 346.
repens Patrin., 346.
taquetii Lévl., 345.
viscidula Franch., 346.
Simocybe Karsten, 301.
Sinapis integrifolia West, 334.
juncea L., 334.
Sinningia Nees, 395.

Sinoboea Chun, 389.
Sisymbrium irio, 340.
Slevogtia verticillata, 271.
SMITH, R. M. *see* BURTT, B. L. & SMITH, R. M.
Smithiantha Kuntze, 395.
Solenophora Benth., 398.
Solenophoreae Fritsch, 398.
Solidago aurea Spr., 147.
salicifolia Wall., 105.
Sorbus aria Crantz. var. *mairei* Lévl., 344.
Spergula coreana Lévl., 345.
japonica Swartz, 345.
salina L. & C. Presl var. *asiatica* Hara, 345.
Spergularia atheniensis Achers. & Schweinf., 203.
bocconii Aschers. & Graebn., 203, 224.
coreana Lévl., 345.
fimbriata Boiss., 203.
heldreichii Simon & Monnier, 203, 224.
marina Griseb., 224.
nicaëensis Burnat, 203, 223.
purpurea J. Don, 203, 224.
rubra J. & C. Presl., 224.
rupicola Lobel, 203, 224.
salina var. *asiatica* Hara, 345.
Sphinetacanthus, 365.
Stauranthera Benth., 391.
Sterigma elichrysifolium DC., 193.
Streptocarpinae Ivanina, 389.
Streptocarpus Lindl., 268, 351, 389.
fanniniae, 268.
Stropharia, 291, 305.
coronilla, 307.
fimetaria P. D. Orton, 59.
merdaria, 60.
semiglobata, 307.
squamosa, 59, 60.
Strophariaceae, 315.
Suaeda fruticosa Forsk., 357.
Swertia affinis C. B. Cl., 274, 275.
alata C. B. Cl., 274, 277.
alternifolia Royle, 269, 270.
angustifolia Ham. ex D. Don, 274, 277.
var. *angustifolia* Burkill, 275.
var. *florida* Burkill, 275.
var. *hamiltoniana* Burkill, 275.
var. *pulchella* Burkill, 275.
var. *wallichiana* Burkill, 275.
atroviolaceae H. Sm., 256.
bimaculata C. B. Cl., 346.
caerulea Royle, 269, 270, 275.
candelabrum H. Sm., 255, pl. 34.
chirata C. B. Cl., 274.
chirayita, 273, 274.
ciliata B. L. Burtt, 272, 274, 277.
cincta Burkill, 273.
cordata C. B. Cl., 272, 273, 277.
cuneata D. Don, 270, 275.
divaricata H. Sm., 255, 256, pl. 35.
endotricha H. Sm., 256, 257.
Swertia—Continued.
florida Wall., 275.
forrestii H. Sm., 256, 257.
hookeri Clarke, 255.
lurida C. B. Cl., 274.
nervosa C. B. Cl., 274.
perfoliata G. Don, 275.
petiolata D. Don, 270, 275, 277.
pulchella C. B. Cl., 274, 275.
purpurascens C. B. Cl., 272, 273, 274.
var. *violaceo-cincta* Frahch., 273.
racemosa Wall., 272, 273, 274.
speciosa D. Don, 270, 275, 277.
Synepilaena Baill., 395.

Tengia Chun, 388.
Tetraphyllum Griff., 388.
Thlaspi, 184.
sect. *Syrenopsis*, 184.
sect. *Thlaspi*, 185.
annuum C. Koch., 185.
arvense L., 340.
var. *sinuatum* Lévl., 340.
bornmuelleri Hedge, 184.
jaubertii Hedge, 185.
natolicum Boiss., 185.
Tissa coreana Nakai, 345.
Togaria W. G. Sm., 296, 298.
Trachystigma Clarke, 389.
Tremacron Craib, 389.
Trichantha Hook., 394.
Tricholoma caligatum, 65.
focale Ricken, 62.
onychinum Gillet, 65.
robustum Ricken, 60, 62, 63.
Tricholomataceae, 313.
Tricholomopsis rutilans, 65.
Trichosporeae Fritsch, 389.
Tripterospermum Blume, 240.
affine H. Sm., 244, pl. 27.
carlesii H. Sm., 245, pl. 30.
caudatum H. Sm., 244, pl. 27.
coerulum H. Sm., 246.
cordatum H. Sm., 244.
discoideum H. Sm., 244.
filicaule H. Sm., 238.
japonicum Maxim., 245.
pallidum H. Sm., 247, 248.
trinerve Blume, 237.
ummembranaceum H. Sm., 244.
volubile H. Sm., 244, 245, pl. 27.
Trisepalum Clarke, 388.
Tubaria Gill, 304, 314, 315, 320.
Tubariopsis, 290.
Tuberaria guttata Fourr. var. *clandestina* Davis & Coode, 201.
Tylopsacas Leeuw., 394.

Vanhouttea Lem., 395.
Vaniera bodinieri Chun, 340.
Viola arcuata Bl., 341.

Viola boissieui Lévl. & Maire, 341.
bulbosa Maxim. subsp. *tuberifera*, 341.
delavayi Fr., 341.
impatiens Lévl., 341.
japonica Korth, 341.
javanica Lévl., 341.
mairei Lévl., 341.
sandwicensis Lévl., 342.
tuberifera Franch., 341.
var. *pseudopalustris*, 341.
Violaceae: Cataologue of the names published by Hector Léveillé, III, 341.
WATLING, R.
Observations on the Bolbitiaceae, 2: a conspectus of the family, 289.
See also CHANG, YUNG & WATLING, R.
WOODS, P. J. B.
The whereabouts of Schlechter's New Guinea Duplicates of Liparis, 361.

Xylosma dunnianum Lévl., 342.
racemosum Miq., 342.
var. *kwangtungense* Rehd., 342.

Printed in Scotland for HER MAJESTY'S STATIONERY OFFICE
by Hay Nisbet & Co., Ltd., Glasgow Wt. 72156 K4