GENERAL INDEX TO VOLUME XXVII

Abelmoschus crinitus Wall., 7.
esquirolii (Lévl.) S.Y.Hu, 7.
Abutilon cavaleriei Lévl., 7.
esquirolii Lévl., 8.
indicum (L.) Sweet, 7.
Acer argutum Maxim., 287.
bodinieri Lévl., 288.
buergerianum Miq., 287.
subsp. *formosanum* (Hayata ex Koidz.) E. Murray & L. A. Lauener, 287.
var. *formosanum* (Hayata ex Koidz.) Rehder, 287.
caudatum Wall., 287.
subsp. *ukurunduense* (Trautv. & Mey.) E. Murray, 287.
var. *ukurunduense* (Trautv. & Mey.) Rehder, 287.
cavaleriei Lévl., 287.
coriaceifolium Lévl. 287.
crataegifolius Lévl., 287.
cucullobracteatum Lévl., 289.
davidii Franch., 287.
dielsii Lévl., 289.
fabri Hance, 288.
var. *rubrocarpum* Metcalf, 288.
fauriei Lévl., 288.
hayatae Lévl. & Van., 288.
var. *glabra*, 288.
lasiocarpum Lévl. & Van., 287.
mairei Lévl., 288.
miyabei Maxim., 288.
mono Maxim., 288.
var. *tricuspis* (Rehder) Rehder, 288.
f. *tricuspis* (Rehder) Fang, 288.
negundo L., 288.
oblongum Wall. apud DC., 288.
var. *biauritum* W.W. Sm., 288.
var. *erythrocarpum* Lévl., 288.
palmatum Thunb.
var. *plicatum* Lévl, 287.
paxii Franch., 288.
var. *integrifolia* Lévl., 288.
pellucidobracteatum Lévl., 289.
pictum Thunb., 288.
f. *tricuspis* Rehder, 288.
prainii Lévl., 288.
rufinerve Sieb. & Zucc., 289.
spicatum Lam., 287.
var. *ukurunduense* (Trautv. & Mey.) Maxim., 287.
stachyophyllum Lévl., 287.
Acer—Continued.
tschonoskii Max., 289.
ukurunduense Trautv. & Mey., 287.
Acronychia esquirolii Lévl., 268.
Actinidia arguta (Sieb. & Zucc.) Planch. ex Miq., 5.
var. *dunnii* Lévl., 5.
dielsii Lévl., 5.
eriantha Benth., 5.
fortunatii Finet & Gagnep., 5.
lanata Hemsl., 5.
purpurea Rehd., 5.
rubus Lévl., 6.
Aeschynanthus obconicus C.B.Cl., 208.
Afghanistan: Studies in the Flora—VI: Labiatae, A-Lal., 149.
Aglaia tetrapetala (Pierre) Pellegr., 270.
Ailanthus esquirolii Lévl., 270.
Ajuga L., 149.
bracteosa Benth., 149, 150.
chamaecistus Benth., 149, 150.
parviflora Benth., 149.
Alcea pisidica Hub.-Mor., 216.
rufescens (Boiss.) Boiss., 216.
striata (DC.) Alef. subsp. *rufescens* (Boiss.) Cullen, 216.
Alectra indica Benth., 8.
Alstonia yunnanensis Diels, 268.
Althaea rufescens Boiss., 216.
Ampelopsis aconitifolia Bunge, 281.
var. *palmiloba* (Carr.) Rehder, 282.
chaffanjonii (Lévl.) Rehder, 290.
delavayana Planch., 283.
var. *gentiliana* (Lévl. & Van.) Hand.-Mazz., 283.
heterophylla Bl., 284.
heterophylla Sieb. & Zucc. var. *delavayana* (Planch.) Gagnep., 283.
japonica auct., 282.
palmiloba Carr., 282.
tricuspidata Sieb. & Zucc., 284.
Anacardiaceae: Catalogue of the names published by Hector Léveillé, V, 291.
Androsaemum xylosteifolium Spach, 185.
Anisoptera Korth, 176, 181.
laevis Ridl., 176.
Aquifoliaceae: Catalogue of the names published by Hector Léveillé. V, 272.
Aquilegia fauriei Lévl., 268.
Aralia labordei Lévl., 269.
Arenaria glutinosa Bieb., 213.
Aspidopterys cavaleriei Lévl., 265.

Aspidopterys—Continued.
dunniana Lévl., 265.
esquirolii Lévl., 265.
hypoglauca Lévl., 265, 277.
Aster capusii Franch., 139.
poncinsii Franch., 115.
popovii Botsch., 130.
turkestanicus (Rgl. & Schmalh.) Franch., 110.
Asterothamnus Novopokr., 103.
Atraphaxis billardieri Jaub. & Spach var. *tournefortii* (Jaub. & Spach) Cullen, 215.
tournefortii Jaub. & Spach, 215.

Balanocarpus Bedd., 176, 181.
heimii King, 176, 180.
Berberis cavaleriei Lévl., 277, 281.
esquirolii Lévl., 277.
Berchemia alnifolia Lévl., 277.
chaneti Lévl., 281.
giraldiana Schneider, 277.
pycnantha Schneider, 277.
yunnanensis Franch., 277.
Biophytum esquirolii Lévl., 265.
Bodiniera thalictrifolia Lévl. & Van., 268.
Boea lawesii (F. Muell.) H. O. Forbes, 208.
Boenninghausenia albiflora (Hook.) Meissn., 268.
brevipes (Franch.) Lévl., 268.
var. *brevipes* Franch., 268.
sessilicarpa Lévl., 268.
Book Reviews
Botanical Latin by William T. Stearn, 148.
Flora of Iraq, vol. I by Evan Guest, 210.
Flora of Java, vol. II by C. A. Backer & R. C. Bakhuizen van den Brink Jr. 218.
Flora of Pavagadh (Gujarat State, India) by A. R. Chavan & G. M. Oza, 174.
Flora of Turkey and the East Aegean Islands by P. H. Davis, 340.
Flowers of the Mediterranean by O. Polunin & A. Huxley, 101.
Hortulus by Walahfrid Strabo, 343.
Libellus de Re Herbaria and The Names of Herbes by William Turner, 100.
Methodus plantas . . . by Conrad Moench, 258.
Pacific Plant Areas, vol. 2, edit. C. G. G. J. van Steenis & M. M. J. van Balgooy, 219.
Brachyactis Ledeb., 107.
obovata Benth., 130.
pubescens Aitch. et Clarke, 107, 143.
robusta Benth., 107, 143.
Brathys laxa Bl., 4.
Burretiodendron esquirolii (Lévl.) Rehder, 8, 9.
Burtt, B. L.
An Indian local Flora (review), 174.
Flora of Java (review), 218.
Latin as a Living Language (review), 148.
Mapping the plants of the Pacific (review), 219.
Strabo's Hortulus (review), 343.

Calamintha Mill., 150.
clinopodium Benth., 151.
debilis (Bge.) Benth., 150.
repens (Don) Benth., 151.
umbrosa (M. Bieb.) Benth., 150, 151.
vulgaris (L.) Druce, 150, 151.
Callicarpa cavaleriei Lévl., 271.
Camellia costei Lévl., 6.
grijsii Hance, 6.
mairei (Lévl.) Melchior var. *mairei* Rehder, 6.
oleifera Abel., 6.
pitardii var. *lucidissima* (Lévl.) Rehder, 6.
pitardii Cohen Stuart var. *pitardii* f. *cavaleriana* (Lévl.) Sealy, 6.
podogyna (Lévl.) Melchior, 6.
saluensis Stapf ex Bean, 6.
synaptica Sealy, 6.
Camelliastrum mairei (Lévl.) Nakai, 6.
Capparis masaikai Lévl., 9.
Castanopsis cameliifolia Lévl., 7.
cavaleriei Lévl., 10.
Cavaleriella cordata Lévl., 265.
Cayratia dichromocarpa (Lévl.) Rehder, 283.
oligocarpa (Lévl. & Van.) Gagnep., 283.
f. *glabra* Gagnep., 283.
Celastraceae: Catalogue of the names published by Hector Lévillé, V, 273.
Celastrus bodinieri Lévl., 272, 273.
alatus Thunb., 274.
cavaleriei Lévl., 273, 274.
clemacanthus Lévl., 273.
discolor Lévl., 273, 291.
esquiroliana Lévl., 273, 278.
esquirolii Lévl., 273, 291.
euonymoidea Lévl., 10, 273.
feddei Lévl., 10, 273.
flagellaris Rupr., 273.
gemmatus Loes., 273.
hindsii Benth., 273.
var. *henryi* Loes., 273.
kouytchensis Lévl., 273, 278.
lyi Lévl., 274, 279.
mairei Lévl., 274, 291.
rosthornianus Loes., 274.
salicifolia Lévl., 272, 274.
seguini Lévl., 274.
suaveolens Lévl., 273, 274.
tristis Lévl., 274, 279.
vanioti (Lévl.) Rehder, 7, 274.
yunnanensis Lévl., 274.
Cerastium dichotomum L. subsp. *inflatum* (Link) Cullen, 211.

Cerastium—Continued.
inflatum Link, 211.
Chamaegeron Schrenk, 107.
Chamaesphacos Schrenk, 151.
ilicifolius Schrenk, 151.
Chirita asperifolia (Bl.) B. L. Burtt, 208.
caliginosa C.B.Cl., 208.
macrophylla Wall., 208.
zeylanica Hook., 208.
Choerospondias axillaris (Roxb.) B. L. Burtt & A. W. Hill, 291.
Chromosome numbers of Malaysian Dipterocarpaceae, 176.
Chukrasia tabularis A. Juss., 270.
baccifera (Roth.) Miq. var. *sinensis* Rehder & Wilson, 271.
Cipadessa cinerascens (Pellegr.) Hand.-Mazz., 271, 292.
fruticosa Bl. var *cinerascens* Pellegr., 271.
Cissus serrulata Roxb., 285.
thunbergii Sieb. & Zucc., 284.
Citrus cavaleriei Lévl., 268.
ichangensis Swingle, 268.
Clausena dentata (Willd.) Roem. var. *dunniana* (Lévl.) Swingle, 268.
dunniana Lévl., 268.
esquirolii Lévl., 269.
excavata Lévl., 268.
willdenowii Lévl., 268.
Clematoclethra racemosa Lévl., 6, 278.
Clinopodium umbrosum (M. Bieb.) Koch, 151.
vulgare L., 151.
Columella oligocarpa (Lévl.) Rehder, 283.
Conyza L., 105, 106, 107.
andryaloides DC., 113, 114.
aucheri DC., 142.
khorassanica (Boiss.) Novopokr., 142.
krausseana Rgl et Schmalh., 142.
nivalis Boiss., 136.
COODE, M. J. E., HEDGE, I. C., CULLEN, J. and HUBER-MORATH, A.
Materials for a Flora of Turkey: XII, 211.
COODE, M. J. E.
Materials towards a Flora of Turkey: XV. Valerianaceae: Valerianella, 219.
Corchorus cavaleriei Lévl., 8, 9.
onotheroides Lévl., 9.
polygonatum Lévl., 9.
Coriaria sinica Maxim., 292.
Coriariaceae: Catalogue of the names published by Hector Léveillé, V, 292.
Corylopsis alnifolia (Lévl.) Schneider, 277.
CULLEN, J., HUBER-MORATH, A., HEDGE, I. C., and COODE, M. J. E.
Materials for a Flora of Turkey: XII, 211.
CULLEN, J. and RATTER, J. A.
Taxonomic and cytological notes on Turkish Ornithogalum, 293.
Cyrtandra oblongifolia (Bl.) C.B.Cl., 208.
paludosa Gaud., 208.
radiciflora C.B.Cl., 208.
Cytisanthus radiatus Lang, 80.
Cytisus holopetalus Koch, 82.
radiatus Koch, 80.
sericea Vis., 46.
villarsii Vis., 47.

Dichiloboea speciosa (Ridl.) Stapf, 208.
Dichrotrichum sp., 208.
Dictamnus albus L., 268.
subsp. *dasycarpus* (Turcz.) Kitagawa, 268.
dasycarpus Turcz., 268.
Didymocarpus innominatus B. L. Burtt, 208.
purpureus Ridl., 208.
tomentosus Wight, 208.
Diospyros bodinieri Lévl., 272.
Diplopappus andryaloides O. & B. Fedtsch., 115.
turkestanicus Rgl. & Schmalh., 110.
Dipterocarpaceae subfam. *Dipterocarpoideae*, 176.
Dipterocarpaceae: I. Cytological studies in the, 175.
Dipterocarpus Gaertn. f., 176, 181.
alatus Roxb., 179.
baudii Korth., 176.
sarawakensis V. Sl., 176.
Dipteronia sinensis Oliver, 289.
Dodonaea viscosa (L.) Jacq., 289.
× *fauriei* Lévl., 289.
Dracocephalum L., 151.
aitchisonii Rech. fil., 152, 154.
bipinnatum Rupr., 152, 155.
glechomifolium Dunn, 152, 154.
heterophyllum Benth., 152, 155.
kafiristanicum Bornm., 152, 156.
moldavica L., 152, 155.
nuristanicum Rech. fil., 154.
nutans L., 152, 154.
pamiricum Briq., 155.
paulsenii Briq., 152.
pulchellum Briq., 155.
royleanum Benth., 172.
ruprechtii Rgl., 155.
stamineum Kar. & Kir., 155.
wendelboi Hedge, 152, 153.
Drosanthe Spach, 186.
fimbriata Spach, 187.
helianthemoides Spach, 187.
hirtella Spach, 187.
hyssopifolia Spach, 187, 193.
ledifolia Spach, 187, 188.
scabra (L.) Spach, 187, 193.
Dryobalanops Gaertn. f., 176, 181.
aromatica Gaertn. f., 176.
oblongifolia Dyer, 176.

Dufresnia conjugens Bunge, 238, 239.
leiocarpa Koch, 238, 239.
orientalis DC., 238.
Dysoxylum esquirolii Lévl., 270.

Echinocarpus cavaleriei (Lévl.) Lévl., 9, 276.
erythrocarpa Lévl., 9, 274.
esquirolii Lévl., 9, 276.
hederaerhiza Lévl., 9, 274.
sinensis Hance, 10.
Elsholtzia Willd., 156.
densa Benth., 156.
Embelia esquirolii Lévl., 273.
cavaleriei Lévl., 272.
rubrinervis Lévl., 278.
rubro-violacea Lévl., 272.
Eomecon chionantha Hance: chromosome number of, 257.
Eremosporus Spach, 186.
Eremostachys Bge., 156.
acanthocalyx Boiss., 161.
acaulis Rech. fil., 159, 163.
ariana Hedge, 159, 164.
badakshanica Hedge, 158, 167.
bamianica Rech. fil., 159, 164.
cabulica Rech. fil., 161.
calophyta Hedge, 159, 164.
dielsii Bornm., 165.
edelbergii Rech. fil., 159, 163.
ghorana Rech. fil., 158, 160.
gymnoclada Rech. fil. & Koeie, 158, 162.
hissarica Regel, 158, 159.
labiosa Bge., 158, 165.
laciniata (L.) Bge., 158, 161.
var. *brevicaulis* Rgl., 163.
lindbergii Rech. fil., 158, 160.
loasifolia Benth., 158, 161.
persimilis Aitch. & Hemsl., 158, 160.
rastagalensis Hedge, 158, 165.
regeliana Aitch. & Hemsl., 158, 166.
sanglechensis Rech. fil., 159, 163.
speciosa Rupr. var. *bipinnatifida* (Rgl.) Popov, 163.
var. *brevicaulis* (Rgl.) Popov, 163.
stocksii Boiss., 165.
superba Benth., 158, 162.
thyrsiflora Benth., 158, 160.
vacillans Rech. fil., 161.
vicaryi Hook. fil., 158, 166.
vulnerans Rech. fil. & Koeie, 158, 159.
Erigeron Sect. *Conyzastrum* Boiss., 102.
subsect. *Pseudoconyzastrum* Rech. f., 102.
aellenii Rech. f., 135.
alexeenkoi (Krasch.) Botsch., 126.
amorphoglossus Boiss., 119.
andryaloides (DC.) Benth. ex Clarke, 114.
aucheri Boiss. 144.
biramosus Botsch., 139.
bizgensis Rech. f., 119.

Erigeron—Continued.
bornmuelleri Hausskn., 130.
brachyspermus Botsch., 137.
cabulicus (Boiss.) Botsch., 111.
candidissimus Rech. f. & Edelb., 125.
capusii (Franch.) Novopokr., 140.
chionophilus Boiss., 136.
dichrous M. Pop., 111.
dolichostylus Botsch., 111.
edelbergii Rech. f. et Koeie, 111.
karatavicus Pavl., 126.
kermanensis Rech. f., 126.
khorassanicus Boiss., 142.
koelzianus Rech. f., 111.
latisquamus Boiss., 130.
var. *bornmuelleri* (Hausskn.) Bornm., 130.
lehmanni Boiss., 139.
leucophyllus (Bge.) Boiss., 119.
lumbricoides Grierson, 127.
minjanensis Rech. f., 115.
mollissimus Rech. f. & Koeie, 119.
nigrimontanus M. Pop., 126.
nigromontanus Boiss. & Buhse, 144.
nivalis Boiss., 136.
obovatus (Benth.) Boiss., 130.
olgae Rgl. et Schmalh., 124.
paghmanicus Rech. f., 115.
persicus Boiss., 134.
polyadenus Rech. f. & Koeie, 126.
poncinsii (Franch.) Botsch., 115.
var. *denudatus* Botsch., 117.
primuloides M. Pop., 129.
pseuderigeron (Bge.) M. Pop., 140.
psychrogeton M. Pop., 110.
sanglichensis Rech. f. & Edelb., 115.
shahvaricus Rech. f., 119.
sphaeroxylus Gilli, 131.
stapfianus Rech. f., 119.
stenodon Rech. f. & Edelb., 114.
turkestanicus (Rgl. & Schmalh.) O. Fedtsch., 110.
wendelboi Rech. f., 124.
Eriobotrya cavaleriei (Lévl.) Rehder, 265.
Eriolaena esquirolii Lévl., 8, 9.
malvacea (Lévl.) Hand.-Mazz., 8.
sterculiacea Lévl., 8.
Erythrospermum cavaleriei Lévl., 273.
Euonymus acanthocarpa auct. non Franch., 274.
acanthocarpus Franch., 9, 274.
aculeatus Hemsl., 9, 274.
alatus (Thunb.) Regel, 274.
bicolor Lévl., 276.
blinii Lévl., 275, 276.
Euonymus bodinieri Lévl., 275.
cavaleriei Lévl., 275.
coreanus Lévl., 276.
crosnieri Lévl., 275.
centidens Lévl., 275.
darrisii Lévl., 276.

Euonymus—Continued.
dielsianus Loes. var. *latifolius* Loes., 275.
distichus Lévl., 275.
erythrocarpa (Lévl.) Lévl., 274.
esquirolii Lévl., 275.
feddei Lévl., 277.
forbesianus Loes., 275.
grandiflorus Wall., 275.
hamiltonianus Wall., 275.
var. *lanceifolius* (Loes.) Blakelock, 275.
var. *maackii* (Rupr.) Komarov, 276.
hypoleucus Lévl., 276.
lanceifolia Loes., 275.
latifolius (L.) Miller subsp. *cauconis* Coode & Cullen, 216.
leclerei Lévl., 276.
maackii Rupr., 276.
mairei Lévl., 275, 276.
proteus Lévl., 276.
provicarii Lévl., 276.
rehderianus Loes., 276.
rugosa Lévl., 275.
subtrinervis Rehder, 9, 276.
uniflorus Lévl., & Van., 276.
vaniotii Lévl., 275.
yunnanensis, 275, 276.
Eurocorymbus cavaleriei (Lévl.) Rehder & Hand.-Mazz., 289, 292.
Eurya acuminata DC. var. *groffii* (Merr.) Kobuski, 6.
cavaleriei Lévl., 6.
esquirolii Lévl., 6.
groffii Merrill, 6.
nitida Korth., 7.
Euscaphis japonica (Thunb.) Kan., 269, 289.
staphyleoides Sieb. & Zucc. 289.
Evodia chaffanjoni Lévl., 269, 289.
lyi Lévl., 269.
odorata Lévl., 270.

Fagara chaffanjonii (Lévl.) Hand.-Mazz., 269.
odoratum (Lévl.) Hand.-Mazz., 270.
Fedia lasiocarpa Stev., 243.
muricata Stev., 244.
nervata Hochst. & Steud., 242.
orientalis Schlechtd., 235.
tridentata (Stev.) Krok, 237.
turgida Stev., 237.
Fedtschenkiella staminea (Kar. & Kir.) Kudr., 155.
Ficus hirtaeformis Lévl., 5.
ouangliense Lévl., 270.
vanioti Lévl., 270.
Frangula crenata (Sieb. & Zucc.) Miq., 273, 274, 278.
Fraxinus fauriei Lévl., 290.

Gardneria multiflora Makino, 280, 291.
Genista, A revision of the Genus, 11.

Genista L.
subgenus *Genista*, 20, 32.
subgenus *Phyllobotrys* Spach, 20, 63.
subgenus *Spartocarpus* Spach, 20, 79.
sect. *Acanthospartum* Spach, 20, 91.
sect. *Asterospartum* Spach, 79.
sect. *Cephalospartum* Spach, 20, 93.
sect. *Ephedrospartum* Spach, 79.
sect. *Erinacoides* Spach, 20, 50.
sect. *Fagonium*, 97.
sect. *Fasselospartum* P. Gibbs, 20, 92
sect. *Lasiospartum* Spach, 93.
sect. *Retamospartum* Spach, 79.
sect. *Scorpioides* Spach, 20, 59.
sect. *Spartioides* Spach, 20, 40.
sect. *Voglera* (Gaertn., Mey. & Schreb.) Spach, 20, 65.
acanthoclada DC., 28, 91.
subsp. *acanthoclada*, 91.
subsp. *echinus* (Spach) Vierhapper, 92.
var. *fasciculata* Knoche, 75.
aetnensis (Rafin. ex Biv.) DC., 30, 89.
albida Willd., 31, 32, 40, 48.
var. *albida*, 48.
var. *godetii* (Spach) Boiss., 49.
var. *montbretii* (Spach) Boiss., 50.
alpestris Bert., 34, 36.
alpini Spach, 91.
anatolica Boiss., 29, 75.
anglica L., 29, 64.
var. *inermis* Rouy, 64.
anxantica Ten., 36.
arcuata Koch, 67.
aristata C. & J. Presl., 29, 68.
armeniaca Spach, 48, 49.
aspalathoides auct., 28, 50, 55.
aspalathoides Lamark, 59.
aspalathoides Poiret, 59.
var. *legionensis* Pao, 57.
atlantica Spach, 73.
aucheri Boiss., 32, 83.
baetica Spach, 28, 50, 55.
var. *pumila* Deb. & Rev., 53.
baetica Spach var. *tejedensis* Porta & Rigo, 51.
berberidea Lange, 29, 63, 65.
bruguieri Spach, 91.
campestris Janka, 36.
capitellata Cosson, 30, 95.
cappadocica Spach, 83.
carinalis Griseb., 30, 67.
carpetana Leresche ex Lange, 28, 61.
subsp. *carpetana*, 61.
subsp. *novica* (Pau & Font Quer) Lainz & Vicioso, 61.
cazorlana Deb. & Rev., 45.
cephalantha Spach, 30, 94.
cinerascens Lange, 42.
cinerea (Vill.) DC., 31, 41.
subsp. *cinerea*, 41.

Genista L.—Continued.
subsp. *cinerea* var. *cinerea*, 42.
subsp. *cinerea* var. *cinerascens* (Lange) P. Gibbs, 42.
subsp. *leptoclada* (Willk.) P. Gibbs, 41, 42.
var. *leptoclada* Willk., 42.
f. *cinerascens* (Lange) Laguna, 42.
cinerea sensu Reverchon, 45.
cinerascens Lange, 42.
clavata Poiret, 32, 96.
corsica (Lois.) DC., 28, 60.
cupanii Guss., 28, 78.
dalmatica Bart., 67.
depressa Bieb., 33, 36.
decipiens Spach, 74.
demnatensis Cosson ex Murb., 30, 94.
dorycnifolia Font Quer, 32, 88.
duriaei Spach, 72.
echinus Spach, 92.
elata (Moench) Wend., 33, 34, 36.
ephedroides DC., 32, 88.
equisetiformis Spach, 96.
erinacoides (Lois.) Vierhap., 51.
erioclada Spach, 29, 73.
falcata Brot., 29, 63, 64.
fasselata Decne., 28, 93.
ferox (Poiret) Poiret, 27, 59, 63.
florida L., 31, 43.
friwaldskyi Boiss., 33, 34, 36.
germanica L., 29, 63, 65.
gibraltarica DC., 79.
godetii Spach, 49.
gracilis Spach, 67.
halacsyi, 47.
haenseleri Boiss., 30, 90.
hassertiana (Bald.) Bucheg., 32, 82.
hirsuta Vahl, 29, 70.
var. *algarbiensis* DC., 71.
var. *cuspidata* DC., 71.
hispanica L., 29, 68.
subsp. *hispanica*, 69.
subsp. *occidentalis* Rouy, 69.
var. *hirsuta* Willk., 69.
var. *villosa* Willk., 69.
holopetala (Koch) Baldacci, 32, 82.
var. *hassertiana* Bald., 82.
hungarica Kerner, 33, 36.
hystrix Lange, 28, 56.
subsp. *hystrix*, 56.
subsp. *legionensis* (Pau) P. Gibbs, 57.
var. *villosa*, 58.
involucrata Spach, 30, 40, 50.
januensis Viv., 31, 37, 38, 40.
jaubertii Spach, 83.
sensu Bucheg. non Spach, 86.
juniperina Spach, 79.
kabylica Coss. ex Batt., 77.
lanuginosa Spach, 70.
lasiocarpa Spach, 33, 34, 36.
legionensis (Pau) Lainz, 57.

Genista L.—Continued.
leptoclada Gay ex Spach, 43.
leptophylla Spach, 39.
libanotica Boiss., 31, 40.
lobelii DC., 28, 50, 51, 52, 55.
var. *baetica* auct., 55.
var. *pumila* (Deb. & Rev.) Deg. & Herv., 53.
longipes Pau, 51.
lucida Cambess., 29, 75.
lydia Boiss., 31, 39.
var. *lydia*, 39.
var. *rumelica* (Velen.) Bornm., 39.
mantica Poll., 33, 36.
× *martinii*, 48.
mayeri Janka, 33, 36.
melia Boiss., 60.
michelii Spach, 67.
micrantha Ortega, 30, 65.
microcephala Cosson, 30, 95.
millii Heldr. ex Boiss., 32, 47.
montbretii Spach, 48.
morisii Colla, 27, 59, 62.
mugronensis Vierhap., 53.
myriantha Ball, 28, 59, 60.
nervosa Kit., 33.
nissana Petrovic 32, 87.
nociva Pau & Font Quer, 61.
numidica Spach, 88.
obtusiramea Gay ex Spach, 31, 44.
oliveri Spach, 75.
oretana Webb ex Willk., 43.
orientalis Spach, 75.
ovata Waldst. & Kit., 33, 36.
parnassica Halácsy, 28, 56.
peloponesiaca Spach, 91.
perreymondii Loisel., 33, 36.
phrygia Bornm., 83.
pilosa L., 31, 40, 50.
polyanthos B. de Roem. ex Willk., 28, 58.
polygalifolia DC., 43.
polygaliphylla Brot., 43.
pomelii Marés & Vigin, 75.
pseudopilosa Cosson, 31, 45.
ptilophylla Spach, 33.
pumila (Deb. & Rev.) Vierhapper, 28, 51, 53.
quadriflora Munby, 30, 95.
radiata (L.) Scop., 32, 80.
var. *holopetala* Reichenb., 82.
var. *leiopetala* Bucheg., 80.
var. *nana* Spach, 82.
var. *radiata*, 80.
var. *sericopetala* Bucheg., 80.
retamoides Spach, 89.
rigidissima Vierhap., 53.
romanica Prodan, 86.
rumelica Velen., 39.
sakellariadis Boiss. & Orph., 31, 46.
salzmannii DC., 28, 51, 55.
scariosa Viv., 37.

Genista L.—Continued.
scorpius (L.) DC., 48, 59.
var. *campylocarpa* Willk., 60.
scorpioides Spach, 76, 77.
sericea Wulf., 31, 46.
sessilifolia sensu Bucheg. non DC., 83, 86.
sessilifolia DC., 32, 86.
subsp. *romanica* (Prodan) P. Gibbs, 86.
subsp. *sessilifolia*, 86.
spartioides Spach, 30, 89.
spathulata Spach, 38.
sphacelata Spach, 93.
spiniflora Lam., 59.
spinulosa Pomel, 97.
subcapitata Pančić, 30, 47.
sylvestris Scop., 29, 30, 67.
tenella Willk., 65.
tenuifolia Loisel., 36.
teretifolia Willk., 31, 45.
tetragona Bess., 33, 36.
tinctoria L., 31, 32, 33.
subsp. *elatior*, 34.
subsp. *littoralis* (Corb.) Rothm., 34, 36.
var. *depressa* (Bieb.) P. Gibbs, 36.
var. *ovata* (Waldst. & Kit.) Arcangeli, 36.
var. *prostrata* Bab., 34.
var. *tinctoria*, 36.
var. *vulgaris*, 34.
tournefortii Spach, 29, 71, 74.
triacanthos Brot., 28, 76.
subsp. *triacanthos*, 76.
subsp. *vepres* (Pomel) P. Gibbs, 77.
var. *tournefortiana* Spach, 77.
triangularis Willd., 37.
tricuspidata Desf., 29, 72.
tridens (Cav.) DC., 28, 29, 79.
trifoliata Janka, 86.
var. *romanica* Prodan, 86.
triquetra Waldst. & Kit., 37.
tripolitana Bornm., 95.
ulicina Spach, 29, 74.
umbellata (Desf.) Poiret, 30, 96.
valentina (Willd. ex Spreng.) Steudel, 31, 43.
vepres Pomel, 77.
villarsiana Jordan, 47.
villarsii Clementi, 27, 32, 47, 55.
virgata Willd., 33, 36.
Geraniaceae: Catalogue of the names published by Hector Léveillé, V, 265.
Geranium eriophorum Lévl., 265.
lavergneanum Lévl., 266.
var. *cinerascens* Lévl., 266.
mairei Lévl., 265.
robertianum L., 265.
var. *eriophorum* (Lévl.) Lévl., 265.
sibiricum L., 260.
sinense Franch., 265.
Gesneriaceae, Chromosome numbers in: III, 205.
Gesneriaceae
subfam. *Cyrtandreae* Endl., 208.
subfam. *Gesnerioideae*, 209.
trib. *Coronanthereae* K. Fritsch, 209.
trib. *Didymocarpeae* Endl., 208.
trib. *Klugieae* K. Fritsch, 208.
trib. *Trichosporeae* K. Fritsch, 208.
Gibbs, P. E.
A Revision of the Genus Genista L., 11.
Glochidion vanioti Lévl., 269.
Glyptopetalum feddei (Lévl.) Ding Hou, 277.
Gontscharovia Boriss., 167.
Gordonia axillaris (Ker) Szyszyl., 7.
Gouania javanica Miq., 6, 278.
Grewia abutilifolia Vent. ex Juss., 9.
Grewia abutilifolia Vent. apud. Juss., 9.
biloba var. *parviflora* (Bge.) Hand.-Mazz., 9.
cavaleriei Lévl., 9.
chanetii Lévl., 9.
esquirolii Lévl., 10.
feddei (Lévl.) Burret, 10, 273.
glabrescens Benth., 10.
henryi Burret, 10, 273.
Grierson, A. J. C.
The Genus Psychrogeton (Compositae), 101.
Gymnosporia esquirolii Lévl., 277.
Gynostemma pentaphyllum (Thunb.) Makino, 286.

Handeliodendron bodinieri (Lévl.) Rehder, 290.
Hedge, I. C.
A Linnaean Antagonist (review), 258.
A selection of Mediterranean Plants (review), 101.
Studies in the Flora of Afghanistan: VI, Labiatae, A-Lal., 149.
The Introduction to the Flora of Iraq (review), 210.
Two of the earliest works on the British Flora (review), 100.
Hedge, I. C., Coode, M. J. E., Cullen, J. & Huber-Morath, A.
Materials for a Flora of Turkey: XII, 211.
Helicteres cavaleriei (Lévl.) Lévl., 8.
glabriuscula Wall., 9.
glabriuscula Wall. ex Masters, 8.
Hernandia sinensis Lévl., 271.
Heterochaeta leucophylla Bge., 119.
pseuderigeron Bge., 139.
Hibiscus bellicosus Lévl., 7.
bodinieri Lévl., 7.
bodinieri Lévl., var. *brevicalyculata* Lévl., 7.
cavaleriei Lévl., 7.
crinitus (Wall.) G. Don, 7.

Hibiscus—Continued.
esquirolii Lévl., 7.
fauriei Lévl., 8.
labordei Lévl., 8.
rosa sinensis var. *schizopetalus* Dyer, 8.
sagittifolius Kurz var. *septentrionalis* Gagnep., 7.
schizopetalus (Dyer) Hook., 8.
Hiptage cavaleriei Lévl., 265.
esquirolii Lévl., 265.
Holosteum L., 211.
macropetalum Bornm. & Hausskn., 212.
marginatum C. A. Meyer, 211.
tenerrimum Boiss., 212.
umbellatum sensu Boiss., 212.
var. *oligandrum* Fenzl, 212.
var. *pleiandrum* Fenzl, 213.
umbellatum L., 211, 212.
var. *glutinosum* (Bieb.) Gay, 212, 213.
var. *tenerrimum* (Boiss.) Gay, 212.
var. *umbellatum*, 212.
liniflorum Fisch. & Meyer, 213.
liniflorum Stev., 213.
Hopea Roxb., 176, 181.
nutans Ridl., 176, 180.
odorata Roxb., 179.
pubescens Ridl., 176.
wightiana Wall., 176.
Hovenia acerba Lindley, 278.
Hoyopsis dielsii Lévl., 277.
HUBER-MORATH, A., HEDGE, I. C., COODE, M. J. E. & CULLEN, J.
Materials for a Flora of Turkey: XII, 211.
Hymenocrater Fisch. & Mey., 168.
sessilifolius Benth., 168.
Hypericaceae: Catalogue of the names published by Hector Léveillé, IV, 1.
Hypericum, Notes on Turkish species, 185.
Hypericum L., 185.
sect. *Adenosepalum* Spach, 186, 195, 197.
sect. *Drosanthe* (Spach) Endl., 186, 190, 192, 194.
sect. *Eremosporus* (Spach) Endl., 186.
sect. *Euhypericum* Boiss., 187.
sect. *Heterophyllum* N. Robson, 185.
sect. *Hirtella* Stef., 187.
sect. *Humifusoideum* R. Keller, 195.
sect. *Hypericum*, 186, 194, 195.
sect. *Hyssopifolia* Stef., 187.
sect. *Montana* Stef., 195.
sect. *Nummularium* Nyman, 194.
sect. *Oligostema* (Boiss.) Stef., 194, 195.
sect. *Olympia* (Spach) Endl., 198.
sect. *Origanifolia* Stef., 194, 201, 204.
sect. *Reflexa* Stef., 195.
sect. *Scabra* Stef., 187.
sect. *Spectabiles* Stef., 187.
Hypericum L.—Continued.
sect. *Taeniocarpium* Jaub. & Spach, 186, 193, 194, 195.
sect. *Triadenioides* sensu Stefanov, 185.
subsect. *Adenosepalum* (Spach) Endl., 186.
subsect. *Homotaenium* R. Keller, 187.
subsect. *Taeniocarpia* (Jaub. & Spach) Boiss., 187.
adenocladum Boiss., 189.
adenophyllum Ledeb., 199.
aethiopicum Thunb., 195.
alpestre Stev. var. *giganteum* Kar. & Kir., 190.
amanum Boiss., 187.
amblysepalum Hochst., 187.
anagallidioides Jaub. & Spach, 194.
annulatum Moris., 195.
apricum Kar. & Kir., 190.
argyi Lévl. & Van., 4.
ascyron L., 1, 3.
asperulum Jaub. & Spach, 187, 188, 194.
asperum Ledeb., 193.
assyriacum Boiss., 187.
atomarium Boiss., 195, 196.
aucheri Jaub. & Spach, 194.
australe Ten., 194.
aviculariifolium Jaub. & Spach, 194, 202.
subsp. *aviculariifolium*, 202, 203.
subsp. *byzantinum* (Azn.) N. Robson, 202, 203.
subsp. *depilatum* (Freyn & Bornm.) N. Robson, 202, 203.
subsp. *uniflorum* (Boiss. & Heldr.) N. Robson, 202, 204.
var. *albiflorum* Hub.-Mor., 202, 203.
var. *aviculariifolium*, 202, 203.
var. *bourgaei* (Boiss.) N. Robson, 202, 203.
var. *cymbiferum* (Boiss. & Bal.) Boiss., 203.
var. *depilatum*, 202, 203.
var. *leprosum* (Boiss.) N. Robson, 202, 203.
var. *roseiflorum* Hub.-Mor., 203.
f. *viride* Bornm., 203.
bachii Lévl., 4.
bodinieri Lévl., 4.
bonatii Lévl. & Van., 2.
bourgaei Boiss., 193.
byzantinum Azn., 204.
callianthum Boiss., 188.
callithyrsum Cosson, 190.
capitatum Choisy, 193, 204.
var. *luteum* N. Robson, 204.
cavaleriei Lévl., 3.
centiflorum Lévl., 4.
chrysothyrsum (Woronow) Grossh., 190.
citrinum Hort., 199.
cuneatum Poir., 186.

Hypericum L.--Continued.
cyclosepalum Rech. f., 188.
cymbiferum Boiss. & Bal., 203.
cymosum Hochst., 193.
depilatum (Freyn & Bornm.) Bornm., 203.
dielsii Lévl. & Van., 2.
dimoniei Velen., 199.
diversifolium DC., 190.
dominii Lévl., 4.
elegans Steph. ex Willd., 194, 195.
elongatum Ledeb., 190.
erectum Thunb., 2.
subsp. *vanioti* Lévl., 2.
var. *axillare* Lévl., 2.
var. *erectum* 2, 3.
var. *obtusifolium* Bl., 4.
f. *vanioti* (Lévl.) Kimura, 2.
race *vanioti* (Lévl.) Kimura, 2.
fasciculatum Lapeyr., 190.
fieldianum Rech. f., 188.
formosum Kunth, 195.
fragile sensu Hort., 199.
galiiforme Freyn, 193.
galioides Freyn & Sint., 193.
glandulosum Ait., 195.
gracile Boiss., 196.
grandiflorum Hort., 199.
hakonense Franch. & Sav., 2.
hayekii Siehe ex Stef., 200.
helianthemoides (Spach) Boiss., 187.
hemsleyanum Lévl., 3.
henryi Lévl. & Van., 3.
heterophyllum Vent., 186.
hirtellum (Spach) Boiss., 187.
hookerianum Wight & Arn., 3.
huber-morathii N. Robson, 197.
hyssopifolium group, 189.
hyssopifolium Chaix, 194, 195.
var. *elongatum* (Ledeb.) Ledeb., 190.
var. *latifolium* Boiss., 190.
var. *lydium* (Boiss.) Boiss., 189.
var. *lythrifolium* Boiss., 189.
var. *microcalycinum* (Boiss. & Heldr.) Boiss., 189, 190.
var. *tymphestreum* (Boiss. & Sprun.) Boiss., 190.
imbricatum Poulter, 202, 204.
inodorum Willd. non Miller, 185.
var. *intermedium* (Ledeb.) R. Keller ex Somm. & Lev., 185.
var. *multiflorum* (Ledeb.) R. Keller ex Somm. & Lev., 185.
var. *sommieri* R. Keller ex Somm. & Lev., 185.
var. *subuniflorum* (Ledeb.) R. Keller ex Somm. & Lev., 185.
japonicum Thunb., 3.
var. *cavaleriei* (Lévl.) Koidzumi, 3.
var. *plurinervium* Lévl., 3.
karjaginii Rzazade, 190.

Hypericum L.—Continued.
kelleri Lévl., 3.
kouytchense Lévl., 3.
kurdicum Bornm., 188.
laeve Boiss. & Hausskn., 192, 193.
var. *rubrum* (Hochst.) Boiss., 191.
lanuginosa group, 195.
lanuginosum Lam., 195.
subsp. *millepunctatum* Holmboe, 196.
var. *gracile* (Boiss.) Boiss., 196.
var. *lanuginosum*, 196.
var. *pestalozzae* (Boiss.) N. Robson, 196.
var. *scabrellum* (Boiss.) N. Robson, 196.
lateriflorum Lévl., 5.
laxum (Bl.) Koidzumi, 3.
ledifolium (Spach) Steudel, 188.
leichtlinii Stapf ex Bornm., 188.
leprosiforme O. Schwarz, 203.
leprosum Boiss., 203.
var. *bourgaei* Boiss., 203.
var. *rigidulum* Boiss., 203.
linarifolium Vahl, 194, 195.
linarioides Bosse, 194.
longifolium Lévl., 1.
lorentii Hochst., 187.
luristanicum Rech. f. & Koeie, 188.
lusitanicum Poir., 195.
lydium Boiss., 189.
lysimachioides group, 187.
lysimachioides Boiss. & Noé, 187, 188.
var. *lysimachioides*, 188.
var. *spathulatum* N. Robson, 188.
macrocalyx Freyn, 199.
mairei Lévl., 4.
makinoi Lévl., 4.
matsumurae Lévl., 2, 3.
microcalycinum Boiss. & Heldr., 190.
modestum Boiss., 194.
monanthemum Hook. f. & Thoms. ex Dyer, 4.
montanum L., 195.
mororanense Keller f. *tetragynum* Lévl., 5.
nabelekii Stef., 188.
nakaianum Lévl., 2.
napaulense Choisy, 4.
nummularium L., 195.
obtusifolium (Bl.) Makino, 4.
oliganthum Franch. & Sav., 4.
olympicum L., 198, 199.
subsp. *auriculatum* Robson & Huber-Morath, 198, 200.
subsp. *olympicum*, 198, 199.
olympicum L. var. α Chaub. & Bor., 199
var. β Chaub. & Bor., 199.
var. *citrinum* Hort., 199.
var. *coronense* Velen., 199.
var. *dimoniei* (Velen.) Bornm., 199.
var. *grandiflorum* Hort., 199.

Hypericum L.—Continued.
var. *latifolium* Sims, 199.
var. *latifolium* Stef., 199.
var. *prostratum* Stef., 199.
var. *stenophyllum* Stef., 199.
var. *viride* Stef., 199.
f. *major* Haussk., 199.
f. *minor* Haussk., 199.
orbiculare Hálacsy, 199.
origanifolium Willd., 202.
subsp. *depilatum* Freyn & Bornm., 203.
otaruense Keller, 2.
pallens Banks & Solander, 186.
papillare Boiss. & Heldr., 203.
f. *alpinum* Bornm., 203.
patulum Thunb., 4.
perforatum L., 5.
var. *microphyllum* Lévl., 5.
pestalozzae Boiss., 196.
polyphyllum Boiss. & Bal., 198, 200.
subps. *lycium* Robson & Huber-Morath, 198, 200.
subsp. *polyphyllum*, 198, 200.
subsp. *subcordatum* Robson & Huber-Morath, 198, 201.
polyphyllum sensu Hayek, 199.
ponticum Lipsky, 189.
porphyrandrum Lévl., 5.
pseudolaeve N. Robson, 190.
pulchrum L., 195.
ramosissimum Ledeb., 185.
rariflorum Stev. ex Rupr., 185.
reflexum L. f., 195.
repens sensu Hort., 199.
repens sensu Jaub. & Spach, 194.
repens L., 194.
retusum Aucher, 194.
rubrum Hochst., 191, 204.
var. *luteum* Robson, 192, 193.
var. *rubrum*, 191.
russeggeri (Fenzl) R. Keller, 186.
sachalinense Lévl., 1, 2.
salsugineum Robson & Huber-Morath, 202, 204.
sampsoni Hance, 5.
saturejifolium Jaub. & Spach, 194.
saxifragum Robson & Huber-Morath, 194.
scabrellum Boiss., 196.
scabroides Robson & Poulter, 192.
scabrum L., 187, 193.
subsp. *sublaeve* Freyn & Sint., 193.
var. *asperum* (Ledeb.) Trautv., 193.
var. *bourgaei* Lipsky, 193.
var. *glabrum* B. Fedtsch., 193.
var. *hyssopifolium* (Spach) Boiss., 193.
var. *laeve* Boiss. & Noé, 192, 193.
var. *laevicaule* Stapf, 193.
var. *leiocalyx* Kuntze, 193.

Hypericum L.—Continued.
var. *micranthum* Boiss., 193.
var. *typicum* Trautv., 193.
scopulorum Balf. f., 186.
sebasteum Boiss., 189.
seniawinii Maxim., 5.
serpyllifolium Lam., 195.
spectabile Jaub. & Spach, 194.
suberosum Salzm., 195.
supinum Vis., 196.
taquetii Lévl. & Van., 3.
ternatum Poulter, 186.
thethrobicum Kem.-Nath., 189.
tomentosum L., 195, 196.
tortuosum Balf. f., 186.
trachyphyllum Griseb., 203.
triplinerve Vent., 195.
tymphresteum Boiss. & Sprun., 190.
uniflorum Boiss. & Heldr., 204.
vanioti Lévl., 2.
vulcanicum, 2.
xylosteifolium (Spach) N. Robson, 185.
yabei Lévl. & Van., 1, 2, 4.
yezoense Maxim., 5.
Hypogomphia Bge., 169.
elatior (Rgl.) Vass., 169.
nana Hook., 169.
turkestana Bge., 169.
var. *elatior* Rgl., 169.
var. *nana* (Hook.) Rgl., 169.
Hyssopus Linn., 171.
officinalis Linn., 171.

Identity of the Pelea species (Rutaceae) described by H. Léveillé: Studies in Hawaiian Rutaceae, viii, 259.
Ilex chinensis Sims., 272, 273.
corallina Franch., 272.
var. *loeseneri* Lévl., 272.
f. *loeseneri* Lévl., 272.
dunniana Lévl., 272.
fargesii Franch. var. *bodinieri* Loes. apud Lévl., 272.
Ilex intermedia Loes. ex Diels var. *fangii* (Rehder) S.Y. Hu, 272.
latifolia Thunb. var. *fangii* Rehder, 272.
macrocarpa Oliver, 272, 274.
metabaptista Lévl., 272.
metabaptista Loes. var. *myrsinoides* (Lévl.) Rehder, 272.
pedunculosa Miq., 273.
purpurea Hassk., 272.
var. *leveilleana* Loes., 273.
suaveolens (Lévl.) Loes., 273, 274.
Impatiens aquatilis Hook. f., 266.
bachii Lévl., 266.
blinii Lévl., 266.
centiflora Lévl., 267.
cordata Lévl., 266.
delavayi Franch., 266.
desmantha Hook. f., 267.

Impatiens—Continued.
dichrocarpa Lévl., 267.
gagnepainii Hook. f. & Lévl., 266.
hookeriana Lévl., 267.
lemeei Lévl., 267.
mairei Lévl., 267.
radiata Hook. f., 267.
tongchouanensis Lévl., 266.
valbrayana Lévl., 267.
vaniotiana Lévl., 267.
Iodes ovalis Bl. var. *vitiginea* (Hance) Gagnep., 271, 285, 286, 291.
rugosa Gagnep., 271.
seguinii (Lévl.) Rehder, 271, 286.

JONG, KWITON and LETHBRIDGE, AVRIL
Cytological studies in the Diptero-carpaceae, I: 175.

Krylovia popovii (Botsch.) Tamamsch., 130.

Labiatae, A-Lal.: Studies in the Flora of Afghanistan. VI, 149.
Lachnophyllum Bge., 107.
Lagochilus Benth., 171.
cabulicus Benth., 171, 172.
cuneatus Benth., 171, 172.
nuristanicus Rech. fil. & Edelb., 172.
Lallemantia Fisch. & Mey., 172.
baldshuanica Gontsch., 172.
royleana (Benth.) Benth., 172.
LAUENER, L. A.
Catalogue of the names published by Hector Léveillé: IV, 1; V, 265.
Leea dielsii Lévl., 283.
Lepiaglaia tetrapetala Pierre, 270.
LETHBRIDGE, AVRIL and JONG, KWITON
Cytological studies in the Diptero-carpaceae, I, 175.
Léveillé, Hector
Catalogue of the names published by, IV, 1; V, 265.
Identity of the Pelea species (Rutaceae) described by, 259.
Linaceae: Catalogue of the names published by Hector Léveillé, V, 265.
Linum cavaleriei Lévl. & Van., 265.
Litsea kobuskiana Allen, 6.
Lysimachia mairei Lévl., 9.

Maesa blinii Lévl., 279.
Mallotus philippensis (Lam.) Muell., 276.
Malphigiaceae: catalogue of the names published by Hector Léveillé, V, 265.
Malva hawaiensis Lévl., 8.
moschata L., 8.
Malvaceae: Catalogue of the names published by Hector Léveillé, IV, 7.
Malvastrum coromandelianum (L.) Garcke, 8.
Materials for a Flora of Turkey: XI, 185.
Materials for a Flora of Turkey: XII, 211.
Materials for a Flora of Turkey: XV, 219.
Meliaceae: Catalogue of the names published by Hector Léveillé, V, 270.
Meliosma cavaleriei Lévl., 283, 290.
cuneifolia Franch., 290.
oldhamii Miq., 290, 292.
Melissa umbrosa M. Bieb., 151.
Mespilus esquirolii Lévl., 5.
Microrhamnus bodinieri Lévl., 278.
cavaleriei Lévl., 278.
franchetiana Lévl., 277, 278.
mairei Lévl., 277.
taquetii Lévl., 274.
Microtropis fokienensis Dunn, 277.
Miliusa sinensis Finet & Gagnep., 269.
Monophyllaea horsfieldii R. Br., 208.
Myrsine africana L., 279.
cavaleriei Lévl., 6, 7.
chaffanjoni Lévl., 277.
feddei Lévl., 272.
semiserrata Wall., 273, 274.

Negria rhabdothamnoides F. Muell., 209.
Nothocestrum longifolium A. Gray, 269.
Nyssa sinensis Oliver, 278.

Olacaceae: Catalogue of the names published by Hector Léveillé, V, 271.
Olympia glauca Spach, 199.
Orixa japonica Thunb., 269, 290, 291.
Orinithoboea wildeana Craib, 208.
Ornithogalum, Taxonomic and Cytological Notes on Turkish, 293.
Ornithogalum
subgenus *Beryllis* (Salisb.) Baker, 301.
subgenus *Caruelia* Parl., 309.
subgenus *Heliocharmos* Baker, 309.
subgenus *Myogalum* (Link) Baker, 299.
subgenus *Ornithogalum*, 299.
Ornithogalum aemulum Schott & Kotschy, 330.
alpigenum Stapf, 310, 312.
arabicum L., 309.
arcuatum Stev., 302, 304, 333.
armeniacum Baker, 310, 314.
aucheri Boiss., 320.
balansae Boiss., 330.
bifolium C. Koch, 330.
brachystachys C. Koch, 302, 306, 333.
brevipedicellatum Boiss. ex Baker, 330.
byzantinum Azn., 311.
comosum L., 310, 314.
divergens Bor., 312.
fimbriatum Willd., 310, 329.
fischerianum Krassch., 333.
flavescens Lam., 302, 307.
garganicum Ten., 314.

Ornithogalum—Continued.
gussonei Ten., 311.
hyrcanum Grossh., 334.
lanceolatum Lab., 310, 317.
magnum Krassch. & Schischk., 302, 306.
melanogynum Cullen, 309.
montanum Cyr., 310, 316.
nanum Sibth. & Sm., 310, 319, 333.
narbonense L., 302, 303.
subsp. *typicum* Feinbr., 303.
var. *pyramidale* (L.) Boiss., 303.
nivale Boiss., 310, 314.
oligophyllum Clarke, 310, 330.
pyramidale L., 302, 303.
var. *eu-pyramidale* Markgraf, 303.
pyrenaicum L., 306, 307.
refractum Willd., 310, 328.
ruthenicum Gris., 330.
schelkovnikovii Grossh., 333.
schischkinii Krassch., 333.
schmalhauseni Miscz., 333.
sigmoideum Freyn & Sint., 319.
sintenisii Freyn, 333.
sphaerocarpum Kerner, 302, 306.
tempskyanum Freyn & Sint., 310, 318.
tenuifolium Güss., 310, 311.
transcaucasicum Miscz., 334.
ulophyllum Hand.-Mazz., 310, 315.
umbellatum L., 310, 312.
wiedemannii Boiss., 310, 319.
woronowii Krassch., 333.
Oxalis corniculata L. var. *trichocaulon* Lévl., 268.

Paliurus mairei Lévl., 281.
Paraboea capitata Ridl., 208.
vulpina Ridl., 208.
Paradombeya sinensis Dunn, 9.
Parthenocissus heterophylla (Bl.) Merrill, 284.
himalayana (Royle) Planch. var. *rubrifolia* (Lévl. & Van.) Gagnep., 284.
Paullinia asiatica L., 269.
Paulseniella pamirensis Briq., 156.
Pelea: identity of the species described by H. Léveillé, 259.
Pelea acutivalvata Lévl., 260.
anisata Mann, 260, 262.
clusiifolia var. *fauriei* (Lévl.) St. John & Hume, 260.
fauriei Lévl., 260.
feddei Lévl., 260.
foetida Lévl., 260.
grandipetala Lévl., 260, 261.
hillebrandii Lévl., 260.
honoluluensis St. John, 260.
leveillei Faurie ex Lévl., 261.
macropus Hillebr., 260.
molokaiensis Hillebr., 260.
nodosa Lévl., 261.
oahuensis Lévl., 261.
Pelea—Continued.
parviflora var. *sessilis* (Lévl.) B.C. Stone, 262.
penduliflora Lévl., 261, 262.
pedunculatis Lévl., 261, 262.
punctata St. John & Hume, 260.
resiniflora Skottsb., 260.
rockii St. John, 261.
sandwicensis var. *macrocarpa* Hillebr. ex Rock, 261.
sessilis Lévl., 262.
singuliflora Lévl., 262.
subpeltata Lévl., 262.
waianaensis Lévl., 262.
Pentace esquirolii Lévl., 9.
virginis Lévl., 10, 277.
Petrocosmea parryorum C.E.C. Fish., 208.
Phlomis laciniata L., 161.
Photinia bodinieri Lévl., 265.
Phyllanthus bodinieri (Lévl.) Rehder, 9.
Pistacia chinensis Bunge, 292.
Pittosporum brevicalyx (Oliv.) Gagnep., 276.
Platydesma campanulatum Mann, 269.
fauriei Lévl., 269.
oahuensis Lévl., 269.
Plectranthus chamaedrys Lévl., 10.
Polygonum bistorta L. subsp. *carneum* (C. Koch) Coode & Cullen, 215.
carneum C. Koch, 215.
praelongum Coode & Cullen, 215.
salebrosum Coode & Cullen, 215.
Portulaca grandiflora Hook., 1.
oleracea var. *silvestris* (Garsault) DC., 1.
vilmoriana Lévl., 1.
Portulacaceae: Catalogue of the names published by Hector Léveillé, IV, 1.
Poupartia axillaris (Roxb.) King & Prain, 292.
Premna mairei Lévl., 290.
parvilimba P'ei, 274.
PRENTICE, H. T. & RATTER, J. A. Chromosome numbers in the Gesneriaceae, III, 205.
Prunus taqueti Lévl. & Van., 281.
Psedera thunbergii (Sieb. & Zucc.) Nakai, 284.
Psychrogeton (Compositae), the Genus, 101.
Psychrogeton Boiss., 102.
aellenii (Rech. f.) Grierson, 108, 110, 135.
alexeenkoi Krasch., 108, 110, 126.
amorphoglossus (Boiss.) Novopokr., 108, 110, 119.
var. *latisquamus* Novopokr., 130.
andryaloides (DC.) Novopokr. ex Krasch., 108, 109, 113, 122.
var. *andryaloides*, 114.
var. *denudatus* (Botsch.) Grierson, 114, 117.
var. *poncinsii* (Franch.) Grierson, 114, 115.

Psychrogeton—Continued.
aucheri (DC.) Grierson, 108, 109, 142.
biramosus (Botsch.) Grierson, 108, 109, 139.
bornmuelleri Novopokr., 130.
brachyspermus (Botsch.) Grierson, 108, 110, 137.
cabulicus Boiss., 102, 108, 109, 110, 118.
candidissimus (Rech. f. & Edelb.) Grierson, 108, 110.
capusii Novopokr. ex Krasch., 139.
chionophilus Krasch., 108, 110, 136.
drabiformis Grierson, 108, 110, 133.
lumbricoides (Gilli) Grierson, 108, 110, 127.
nigromontanus (Boiss. & Buhse) Grierson, 108, 109, 144.
obovatus (Benth.) Grierson, 108, 110, 130.
olgae (Rgl. & Schmalh.) Novopokr. ex Nevski, 108, 110, 124.
persicus (Boiss.) Grierson, 108, 110, 134.
primuloides (M. Pop.) Grierson, 108, 109, 129.
pseuderigeron (Bge.) Novopokr. ex Nevski, 108, 109, 139.
rotundifolius Grierson, 108, 109, 118.
sphaeroxylus (Gilli) Grierson, 108, 110, 131.
turkestanicus (Rgl. & Schmalh.) Hoffm., 110.
Ptelea viscosa L., 289.
Pterocarya stenoptera C. DC., 288.

Quercus dunniana Lévl., 281.

Rapanea aurea Lévl., 7.
RATTER, J. A.
The Chromosome Number of Eomecon chionantha, 257.
RATTER, J. A. & CULLEN, J.
Taxonomic & Cytological Notes on Turkish Ornithogalum.
RATTER, J. A. & PRENTICE, H. T.
Chromosome numbers in the Gesneriaceae, III, 205.
Reevesia cavaleriei Lévl. & Van., 9.
esquirolii Lévl., 9.
pubescens Mast., 9.
Rhamnaceae: Catalogue of the names published by Hector Léveillé, V, 277.
Rhamnella martinii (Lévl.) Schneider, 278.
rubrinervis (Lévl.) Rehder, 278.
Rhamnus blinii (Lévl.) Rehder, 279.
bodinieri Lévl., 279.
cavaleriei Lévl., 279.
coriaceifolius Lévl., 279.
crenata Sieb. & Zucc., 278.
esquirolii Lévl., 274, 279.
hamatidens Lévl., 279.
Rhamnus—Continued.
heterophylla Oliver, 279.
leveilleana Fedde, 279.
martini Lévl., 278.
myrtillus Lévl., 279.
napalensis (Wall.) M. A. Lawson, 274, 279.
paniculiflorus Schneider, 279.
pasteuri Lévl., 280.
pruniformis Lévl., 280.
pseudofrangula Lévl., 278.
schneideri Lévl. & Van., 280.
serpyllifolia Lévl., 280.
taquetii (Lévl. & Van.) Lévl., 281.
theezans L., 281.
Rhododendron cavaleriei Lévl., 9.
Rhus argyi Lévl., 292.
blinii Lévl., 271, 292.
bodinieri Lévl., 292.
bofillii Lévl., 290, 292.
cavaleriei Lévl., 289, 292.
echinocarpa Lévl., 292.
esquirolii Lévl., 292.
gummifera Lévl., 292.
mairei Lévl., 292.
punjabensis Stewart var. *sinica* (Diels) Rehder & Wilson, 292.
sinica Diels, 292.
trichocarpa Miq., 292.
Rhynchoglossum notonianum (Wall.) B. L. Burtt, 208.
papuae Schlechter, 208.
ROBSON, N. K. B.
Materials for a Flora of Turkey: XI Notes on Turkish species of Hypericum.
Rubus umbellifer Lévl., 9.
Rutaceae: Catalogue of the names published by Hector Léveillé, V, 268.

Sabia cavaleriei Lévl., 269, 290.
dielsii Lévl., 291.
dunnii Lévl., 291.
edulis Lévl., 271, 291.
esquirolii Lévl., 291.
feddei Lévl., 269, 291.
parviflora Wall. var. *nitidissima* Lévl., 273, 291.
swinhoei Hemsl., 291.
yunnanensis Franch. var. *mairei* (Lévl.) Chen, 274, 291.
Sabiaceae: Catalogue of the names published by Hector Léveillé, V, 290.
Sageretia bodinieri Lévl., 279.
cavaleriei (Lévl.) Schneider, 281.
chanetii (Lévl.) Schneider, 281.
henryi Drummond & Sprague, 281.
rugosa Hance, 281.
theezans (L.) Brongn., 281.
Sambucus japonica Thunb., 289.

Sanguinaria canadensis L., 257.
Sapindaceae: Catalogue of the names published by Hector Léveillé, V, 287.
Sapindus cavaleriei Lévl. ,289.
Saponaria halophila Hedge & Huber-Morath, 213.
liniflora Boiss. & Hausskn., 214.
oxyodonta (Boiss.) Boiss., 214.
vaccaria L. var. *grandiflora* Fisch. ex DC., 214.
Sarothra japonica (Thunb.) Kimura, 3.
laxa (Bl.) Kimura, 4.
Satureia debilis (Bge.) Benth., 156.
vulgaris (L.) Fritsch, 151.
Saurauja vanioti Lévl., 7, 274.
Schoepfia jasminodora Sieb. & Zucc., 272.
Shorea Roxb. ex Gaertn. f., 177, 181.
curtisii Dyer ex King, 177.
leprosula Miq., 177.
ovalis (Korth.) Bl., 177, 179.
pauciflora King, 177.
robusta Gaertn. f., 179.
singkawang (Miq.) Burck, 177.
smithiana Sym., 177.
sumatrana (V. Sl. ex Foxw.) Sym., 177.
talura Roxb., 179.
Sida cavaleriei Lévl., 8.
fallax Walp., 8.
fauriei Lévl., 8.
indica L., 7.
oahuensis Lévl., 8.
sandwicensis Lévl., 8.
Sideroxylon bodinieri Lévl., 290.
wightianum Hook. & Arn., 279.
Simaroubaceae: Catalogue of the names published by Hector Léveillé, V, 270.
Sloanea sinensis (Hance) Hu, 10.
Sopubia trifida Buch.-Ham. ex D. Don, 265.
Spartium aetnense Rafin. ex Biv., 89.
aspathaloides Desf., 59.
cinereum Vill., 41.
corsicum Lois., 60.
erinacoides Lois., 51.
ferox Poiret, 63.
gasparrini Guss., 88.
gymnopterum Viv., 59.
horridum Sibth. & Smith, 91.
radiatum L., 80.
ramosissimum Desf., 41.
scorpius L., 59.
tridens Cav., 79.
umbellatum Desf., 96.
valentinum Willd. ex Sprengel, 43.
Spinovitis davidii Rom. du Caill., 285.
Spondias axillaris Roxb., 291.
Stachyurus esquirolii Lévl., 7.
yunnanensis Franch., 7.
Staphylea holocarpa Hemsl., 290.
Sterculia bodinieri Lévl., 9.
malvacea Lévl., 8.
tiliacea Lévl., 9.
Sterculiaceae: Catalogue of the names published by Hector Léveillé, IV, 8.
STONE, BENJAMIN C.—Identity of the Pelea species (Rutaceae) described by H. Léveillé. Studies in Hawaiian Rutaceae, VIII, 259.
Streptocarpus confusus Hilliard, 208.
cooksonii B. L. Burtt, 208.
cyanandrus B. L. Burtt, 208.
cyaneus S. Moore, 208.
cyaneus S. Moore x *willmsii* Engl., 209.
davyi S. Moore, 208.
denticulatus Turrill, 208.
eylesii S. Moore, 208.
fanniniae Harvey ex C.B. Cl. x *gardenii* Hook., 209.
grandis N. E. Br., 208.
haygarthii N. E. Br., 208.
hilsenbergii R. Br., 208.
kirkii Hook., 208.
micranthus C.B. Cl., 208.
molweniensis Hilliard, 208.
polyanthus Hook. f. subsp. *comptonii* (Mansf.) Hilliard, 208.
prolixus C.B. Cl., 208.
rimicola Story, 209.
saundersii Hook., 209.
umtaliensis B. L. Burtt, 209.
sp. aff. *primulifolius* Gard., 209.
Strychnos esquirolii Lévl., 281.
Symplocos courtoisii Lévl., 272.
laurina Wall., 6.

Taxonomic & Cytological Notes on Turkish Ornithogalum—J. Cullen & J. A. Ratter, 293.
Tecoma cavaleriei Lévl., 290.
Terminalia kouytchensis Lévl., 278.
Tetrastigma obtectum (Wall.) Planch. var. *glabrum* (Lévl. & Van.) Gagnep., 284.
obtectum (Wall.) Planch. var. *potentilla* (Lévl. & Van.) Gagnep., 285.
serrulatum (Roxb.) Planch., 285.
The Chromosome Number of Eomecon chionantha—J. A. Ratter, 257.
Thea camellia var. *lucidissima* Lévl., 6.
chinensis var. *androxantha* Lévl., 6.
costei (Lévl.) Rehder, 6.
grijsii (Hance) Kuntze, 6.
mairei Lévl., 6.
pitardii (Cohen Stuart) Rehder, 6.
var. *lucidissima* (Lévl.) Rehder, 6.
podogyna Lévl., 6.
Theaceae: Catalogue of the names published by Hector Léveillé, IV, 5.
Thymus debilis Bge., 150.
Tilia kinashii Lévl. & Van. 10.
miqueliana Maxim., 10.
tuan Szyszyl., 10.
var. *cavaleriei* Engler & Lévl., 10.

Tiliaceae: Catalogue of the names published by Hector Léveillé, IV, 9.
Toddalia asiatica (L.) Lam., 269.
Tricyrtis, 9.
Tripterygium hypoglaucum (Lévl.) Lévl. ex Hutchinson, 265.
hypoglaucum (Lévl.) Rehder, 10.
Triumfetta annua L., 10.

Urena lobata sensu Rehder, 8.
reparida Roxb., 8.

Vaccaria grandiflora (Fisch. ex DC.) Jaub. & Spach, 214.
oxyodonta Boiss., 214.
pyramidata Medik., 214.
var. *grandiflora* (Fisch. ex DC.) Cullen, 214.
var. *liniflora* (Boiss. & Haussk.), 214.
var. *oxyodonta* (Boiss.) Cullen, 214.
var. *pyramidata*, 214.
Vaccinium cavaleriei Lévl. & Van., 272.
Valeriana echinata L., 233.
locusta L., 235.
var. *coronata* L., 239.
var. *dentata* L., 244.
var. *discoidea* L., 241.
var. *pumila* L., 237.
pubescens Germann, 230.
soyeri Buch., 233.
uncinata Bieb., 230.
Valerianella Mill., 219.
sect. *Cornigerae* Soy.-Willem., 233.
sect. *Coronatae* Boiss., 238.
sect. *Eriocephalae* Boiss., 229.
sect. *Locustae* DC., 235.
sect. *Physocoele* (Krok) Boiss., 229.
sect. *Platycoele* DC., 236.
sect. *Sclerocarpae* Boiss., 232.
sect. *Siphonocoele* Soy.-Willem., 244.
amblyotis Fisch. & Mey., 247.
aucheri Boiss., 233.
auriculata DC., 238.
boissieri Krok, 240.
carinata Lois., 223, 227, 236, 237.
var. *navicularis* Krok, 232.
chlorostephana Boiss. & Bal., 222, 226, 240.
corniculata C. A. Mey., 247.
coronata (L.) DC., 223, 226, 239, 240.
corymbifera Boiss., 237.
costata (Stev.) Betcke, 223, 227, 236.
cymbicarpa C. A. Mey., 224, 232.
dentata (L.) Poll., 223, 244.
dactylophylla Boiss. & Hohen., 222, 225, 230.
discoidea (L.) Lois., 223, 225, 241.
dufresnia Boiss., 222, 227, 238.
echinata 224, 225.
eriocarpa Desv., 222, 224, 228, 245.

Valerianella—Continued.
glomerata Boiss. & Bal., 223, 226.
hirsutissima Link., 222, 226, 229.
kotschyi Boiss., 223, 227, 239, 240.
lasiocarpa (Stev.) Betcke, 222, 225, 243.
laxa Boiss. & Bal., 224, 226, 234.
lipskyi Lincz., 247.
locusta (L.) Betcke, 223, 227, 235.
microcarpa Lois., 244.
microstephana Boiss. & Bal. 243.
monodon Koch, 232.
morisonii DC., 244.
muricata (Stev.) Baxt., 224, 228, 244.
obtusiloba Boiss., 223, 227, 242.
olitoria (L.) Pollich, 235.
orientalis (Schlechtd.) Boiss. & Bal., 224, 225, 235.
oxyrrhyncha Fisch. & Mey., 224, 225, 231.
persica Boiss., 233.
plagiostephana Fisch. & Mey., 223, 232.
platycarpa Trautv., 247.
pubescens (Germann) Krok, 230.
pumila (L.) DC., 222, 223, 226, 237.
rimosa Bast., 223, 238.
sclerocarpa Fisch. & Mey., 247.
szowitsiana Fisch. & Mey., 224, 225, 233.
triceras Bornm., 224, 234.
tridentata Stev., 237.
triplaris Buhse, 247.
truncata Betcke, 244.
truncata Betcke var. *muricata* (Stev.) Boiss., 244.
tuberculata Boiss., 222, 225, 229.
turgida (Stev.) Betcke, 223, 227, 237.
turkestanica Rgl. & Schmalh., 247.
uncinata (Bieb.) Dufr., 222, 225, 230.
vesicaria (L.) Moench, 222, 228, 242.
Vatica L., 176, 181.
grandiflora Dyer, 179.
papuana Dyer, 176.
stapfiana (King) V. Sl., 176.
wallichii Dyer, 176.
Vitaceae: Catalogue of the names published by Hector Léveillé, V, 281.
Vitis adstricta Hance, 286.
armata Diels & Gilg., 286.
cavaleriei Lévl., 286.
chrysobotrys Lévl. & Van., 272, 285.
davidii (Rom. du Caill.) Foëx, 285.
delavayana auct. non Franch., 284.
delavayana Franch., 283.
dichromocarpa Lévl., 283.
dunniana Lévl., 282.
esquirolii Lévl. & Van., 284.
flexuosa auct. non Thunb., 286.
flexuosa Thunb. var. *mairei* Lévl., 286.
var. *mairei* (Lévl.) Lévl., 285.
var. *parvifolia* (Roxb.) Gagnep., 286.
f. *parvifolia* (Roxb.) Planch., 286.

Vitis—Continued.
gentiliana Lévl. & Van., 283.
heterophylla Thunb. var. *aconitifolia* Lévl. & Van., 281.
inconstans Miq., 284.
labordei Lévl. & Van., 284.
mairei Lévl., 283, 285, 286.
marchandii Lévl., 286.
martini Lévl. & Van., 286.
megaphylla Lévl., 283.
obtecta Wall. var. *glabra* (Lévl. & Van.) Lévl., 285.
var. *potentilla* (Lévl. & Van.) Lévl., 285.
f. *glabra* (Lévl. & Van.) Lévl., 284.
f. *pilosa* auct., 285.
oligocarpa Lévl. & Van., 283.
parvifolia Roxb., 286.
potentilla Lévl. & Van., 285.
var. *glabra* Lévl. & Van., 284.
prunisapida Lévl. & Van., 286.
quelpaertensis Lévl., 286.
rigida Lévl. & Van., 283.
rubrifolia Lévl. & Van., 284.
seguini Lévl., 271, 286.
taquetii Lévl., 284.
thunbergii Sieb. & Zucc. var. *adstricta* (Hance) Gagnep., 286.
Vitis—Continued.
var. *mairei* (Lévl.) Lauener, 286.
umbellata auct., 285.
wilsoniae Veitch, 286.
Voglera spinosa Gaertn., 70.

Waltheria fauriei Lévl., 9.
WEBB, D. A.
A Flora of Turkey (review), 340.

Xanthoceras argyi Lévl., 270.
enkianthiflora Lévl., 290.
Zanthoxylum bodinieri Lévl., 270.
chaffanjonii Lévl., 269.
dissitum Hemsley, 270.
esquirolii Lévl., 270.
myriacanthum Wall. ex Hook. f., 270.
odoratum (Lévl.) Lévl., 270.
oxyphyllum Lévl., 269.
rhetsoides Drake, 270.
simulans Hance, 270.
stenophyllum Rehder, 270.
Zizyphus esquirolii Lévl., 278.
mairei (Lévl.) K. Browicz & L. A. Lauener, 281.
pubinervis Rehder, 353.

Printed in Scotland for HER MAJESTY'S STATIONERY OFFICE
by Hay Nisbet & Co., Ltd., Glasgow Demand 233358 K5