GENERAL INDEX TO VOLUME XXIX

Acosmium, A Review of Sweetia and, 347
Acosmium sect. *Acosmium*, 349
sect. *Leptolobium* (Vog.) Yakovl., 350
sect. *Mesitis* (Vog.) Yakovl., 354
sect. *Praeclara* Yakovl., 355
bijugum (Vog.) Yakovl., 354
brachystachyum (Benth.) Yakovl., 354
dasycarpum (Vog.) Yakovl., 351
subsp. *dasycarpum*, 351
subsp. *glabratum* (Benth.) Yakovl., 351
diffusissimum (Mohlenb.) Yakovl., 350
fallax (Taub.) Yakovl., 350
glaziovianum (Harms) Yakovl., 352
inornatum (Mohlenb.) Yakovl., 355
lentiscifolium Schott, 350
lentiscifolium auct. non Schott, 348
mohlenbrockii Yakovl., 352
nitens (Vog.) Yakovl., 353
panamense (Benth.) Yakovl., 353
parvifolium (Harms) Yakovl., 353
praeclarum (Sandwith) Yakovl., 355
stipulare (Harms) Yakovl., 354
subelegans (Mohlenb.) Yakovl., 353
tenuifolium (Vog.) Yakovl., 353
tomentellum (Mohlenb.) Yakovl. 352
Aecidium akebiae Hennings, 377
anceps Syd., 378
dubiosum Syd., 378
elaeagni Dietel, 379
impatientis-capensis Doidge, 377
machili Hennings, 381
mori Barclay, 382
rhodesicum Cummins, 378
royenae Cooke & Massee, 379
Aeschynanthus sect. *Diplotrichium*, 39
sect. *Haplotrichium*, 39
sect. *Holocalyx*, 39
sect. *Microtrichium*, 39
sect. *Polytrichium*, 39
ellipticus Lauterb. & K. Schum., 39, 43, 45
Aeschynanthus—Continued.
evrardii Pellegrin, 39, 43, 45
hosseusii Pellegrin, 39, 43, 45
kermesinus Schlechter, 39, 43, 45
lamponga Miq., 39, 43, 45
longiflorus (Bl.) DC, 39, 43, 45
maculatus Lindl., 39, 43, 45
marmoratus T. Moore, 39, 43, 45
nummularius (Burk. & S. Moore) K. Schum., 39, 43, 45
Aeschynanthus obconicus C.B. Cl., 39, 43, 45
pachyanthus Schlechter, 39, 43, 45
parasitica (Lam.) O. Kuntze 52, 53
parvifolius R. Br., 39, 43, 45
perakensis Ridl., 39, 43, 45
praelongus Kraenzlin, 39, 43, 45
pulcher (Bl.) G. Don, 39, 43, 45
radicans Jack, 39, 43, 45
tricolor, Hook., 39, 43, 45
x splendidus T. Moore, 39, 43, 45
Afghanistan, Botanical Literature of, 357
Agalmyla Bl., 52
borneensis (Schlechter) B. L. Burtt, 52
tuberculata Hook. f., 52
Agarics, Notes on British, III, 75
Agaricus, aestuans Fr., 124
atropunctus Pers. ex. Fr., 134
comosus Fr., 112
heteroclitus Fr. ex Fr., 113
medullatus Fr., 105
pessundatus, 126
piluliformis Bull. ex Mérat, 116
resplendens Fr., 125
stans (Fr.) Karst., 126
subcoprophilus Britz., 121
subradiatus Schum. ex Secr., 131
virgineus Wulf. ex Fr., 132
Amblystegium serpens (*Hedw.*) B.&S. 234
Anastrabe and Bowkeria, 1

Anastrabe [E. Mey ex] Benth., 4
integerrima [E. Mey ex] Benth., 45
integerrima var. *serrulata* [E. Mey. ex Benth.] Hiern, 5
serrulata [E. Mey. ex] Benth., 5
Arisaema filiforme, 146
laminatum, 146
microspadix, 146
simplicifolium, 146
umbrinum Ridley, 144, 146
Asterophora, 75
Astragalus, Materials for a Flora of Turkey XVIII, 285
Astragalus sect. *Acanthophace* Bunge, 292
sect. *Adiaspastus* Bunge, 295
sect. *Alopecias* Bunge, 302
sect. *Cystodes* Bunge, 308
sect. *Dasyphyllium* Bunge, 288
sect. *Hololeuce* Bunge, 303
sect. *Hypoglottis* Bunge, 288
sect. *Macrophyllium* Bunge, 298
sect. *Malacothrix* Bunge, 291
sect. *Megalocystis* Bunge, 301
sect. *Melanocercis* Bunge, 308
sect. *Myobroma* Bunge, 292
sect. *Onobrychium* Bunge, 302
sect. *Proselius* Bunge, 306
sect. *Pterophorus* Bunge, 297
sect. *Rhacophorus* Bunge, 296
sect. *Stereothrix* Bunge, 289
sect. *Trachycercis* Bunge, 303
albicalycinus Huber-Morath & Matthews, 308
angustifolius Lam.
subsp. *longidens* Huber-Morath & Matthews, 308
atrocarpus Chamberlain & Matthews, 302
atropurpureus Boiss., 306
bashkalensis Chamberlain, 291
baytopianus Chamberlain & Matthews, 292
campylosema Boiss., 306
subsp. *atropurpureus* (Boiss.) Chamberlain, 306
subsp. *nigripilis* Huber-Morath & Chamberlain, 306
coadunatus Huber-Morath & Chamberlain, 288
comosoides Chamberlain, 291
coodei Chamberlain, 290
cymbibracteatus Huber-Morath & Chamberlain, 297
dasycarpus Chamberlain, 289
davisii Chamberlain & Matthews 308
Astragalus—Continued.
eriocephalus Willd.,
subsp. *elongatus* Chamberlain & Matthews, 295
ermineus Matthews, 301
gevashensis Chamberlain & Matthews, 296
hakkiaricus Chamberlain & Matthews, 298
isauricus Huber-Morath & Matthews, 298
kirshehiricus Chamberlain, 297
latistipulatus Chamberlain, 288
maximus Willd. var. *dasysemius* Chamberlain & Matthews, 302
oocephalus Boiss.
subsp. *stachyophorus* Huber-Morath & Chamberlain, 302
patnosicus Chamberlain, 297
pennatulus Huber-Morath & Chamberlain, 296
pithyusarum Bornm., 306
ramicaudex Chamberlain, 292
roseocalycinus Matthews, 295
sorgerae Huber-Morath & Chamberlain, 289
sparsipilis Huber-Morath & Chamberlain, 290
stenosemoides Bornm.
ex Chamberlain & Matthews 303
syringus Chamberlain, 303
trifoliastrum Huber-Morath & Matthews, 301
yueksekovae Matthews, 295
Aulacomnium palustre (Hedw.) Schwaegr., 234
Aureoboletus cramesinus (Secr.) Watling, 265

Barbula cordata (Jur.) Dix., 262
Bartramia ithyphylla Brid., 234
Bolbitius subgenus *Pluteolus*, 79
Boleti, records of, and notes on their taxonomic position: II, 265; III, 391
Boletus aereus Bull. ex Fries, 391
amabilis Peck, 392
citrinovirens Watling, 266
cyanescens Bull. ex Fr., 65
legaliae Pilat, 272
lupinus Fries, 271
purpureus Fries, 271
var. le *galiae* Pilat, 272
sphaerosporus Peck, 67
satanoides Smotlacha, 270

BOOK REVIEWS
Annotated glossary of botanical nomenclature (Regnum Vegetabile vol. 56) by R. McVaugh, R. Ross and F. A. Stafleu, 128
B-P-H, Botanico-Periodicum,-Huntianum ed. by G. H. M. Lawrence, A. F. G. Buchheim, G. S. Daniels and H. Dolezol, 139
Der Hausschwamm and andere Bauholzpilze by Werner Bevendamm, 330
Essays on form in plants by C. W. Wardlaw, 196
Excursion Flora of the British Isles ed. 2 by Clapham, Tutin & Warburg, 74
First checklist of the herbaceous flora of Malawi by Blodwen Binns, 224
Flora Europaea vol. 2 ed. by Tutin et al., 283
Flora of Greenland by T. W. Böcker, K. Holmen and K. Jakobsen, English translation by T. T. Elkington and M. C. Lewis, 31
Flora of North America by John Torrey & Asa Gray, Reprint, 405
Flowering plants: origin and dispersal by A. L. Takhtajan, 406
Fungi. An introduction by Lilian E. Hawker, 74
Golden Age of plant hunters by Kenneth Lemmon, 38
Index to European taxonomic literature for 1966 (Regnum Vegetabile vol. 53) by R. K. Brummitt & I. K. Ferguson, 14
Index to plant chromosome numbers for 1966 (Regnum Vegetabile vol. 55) by R. Ornduff et al, 128
Introduction to plant taxonomy by C. Jeffrey, 156
Komarov Botanical Institute: 250 years of Russian research by Stanwyn G. Shetler, 14
Reliquiae Baldwinianae. Compiled by William Darlington, 405
Story of the Royal Horticultural Society by Harold R. Fletcher, 328
Supplement to the Dictionary of Gardening, Royal Horticultural Society, ed. P. Synge, 324
Synopsis generum agaricalium (Die Gattungstypen der agaricales) by E. Horak, 209
Taxonomic Literature (Regnum Vegetabile vol. 52) by F. A. Stafleu, 139
Borago cretica Willd., 169
Botanical literature of Afghanistan, 357
Bowkeria and Anastrabe, 1
Bowkeria Harv., 7
calceolarioides Diels, 12
citrina Thode, 11
cymosa MacOwan, 12
gerrardiana [Harv. ex] Hiern, 8
natalensis Schinz, 9
simpliciflora MacOwan, 9
triphylla Harv., 7, 8
triphylla var. *pubescens* O. Kuntze 8
var. *subglabra* O. Kuntze, 8
velutina [Harv. ex] Hiern, 9
verticillata (Eckl. & Zeyh.) Schinz, 7, 8
BRECKLE, S.-W., FREY, W., & HEDGE, I. C. Botanical Literature of Afghanistan, 357
Bryophyte Flora of Turkey, Contributions to the, VII, 233
Bryophyte Flora of Turkey, Contributions to the, VIII, 235
Buddleia, Notes on: I, 197; II, 199; III, 343
Buddleia colvilei Hook. f., 197
subherbacea Keenan, 343
Burmannia sphagnoides Beccari, 147
BURTT, B. L.
Aids to the use of taxonomic literature (review), 139
Form in plants (review), 196
Herbaceous plants of Malawi (review), 224
Revised supplement to R.H.S. Dictionary (review), 324
Sarawak plants: I, 141
BURTT, B. L. & ROSSER, E. M.
Studies in the Gesneriaceae of the Old World XXX: anatomical characters in the tribe Trichosporeae, 39

Caeoma heteromorphae Doidge, 385
Callicarpa anomala (Ridley) B. L. Burtt, 149
barbata Ridley, 151
havilandii (King & Gamble) H. J. Lam., 151
Camarophyllopsis Herink, 136, 137
schulzeri (Bres.) Herink, 136
Camarophyllus (Fr.) Kummer, 136
pratensis (Pers. ex Fr.) Kummer, 136
Camptothecium philippeanum (Spruce) Kindb., 234
sericeum (Hepw.) Kindb., 234
Cantharellus cibarius, 83
ferruginascens P. D. Orton, 83
Cassia, morphological notes on the genus, I, 185; II & III, 331

Cassia alata, 186
arnottiana, 186
artemisioides, 186
auriculata, 186
eremophila, 186
galeottiana, 186
marylandica, 186
obovata, 186
occidentalis, 186
pruinosa, 186
sturtii, 186
timorensis, 186
Ceratodon purpureus (Hedw.) Brid., 233
CHAMBERLAIN, D. F. New combinations in Pottia starkeana, 403
CHAMBERLAIN, D. F. and MATTHEWS, V. A. Materials for a Flora of Turkey XVIII: Leguminosae-Astragalus, 285
Cheiloscyphus pallescens (Ehrh.) Dum., 262
Chroogomphus helveticus (Singer) Moser, 270
Cicer L., 311
echinospermum P. H. Davis, 312
isauricum P. H. Davis, 311
Cinclidotus aquaticus (Hedw.) B.S.G., 262
Clitocybe asterospora (Lange) Moser, 135, 136
borealis (M. Lange & Skifte) Orton & Watling, 131, 136
Coleosporium bletiae Dietel, 383
pedicularidis Tai, 385
plectranthi Barclay, 381
Collybia subgenus *Tephrophana*, 75
inodora (Pat.) P. D. Orton, 85
Contributions to the bryophyte flora of Turkey: VII, 233; VIII, 235
Coprinus acuminatus (Romagn.) P. D. Orton, 86
atramentarius var. *acuminatus* Romagn., 86
cothumatus Godey apud Gillet, 87
galericuliformis, 89
hemerbius, 89
hexagonosporus Joss., 88
leiocephalus P. D. Orton, 88, 89
miser, 89
plicatilis var. *microsporus* Kühner, 88
Cortinarius fulvidolilaceus P. D. Orton, 90
Cronartium gilgianum P. Hennings, 379
Cytogenetic studies in Spergularia: IV, some further interspecific hybrids 213; V, some interspecific hybrids involving S. media, 225

DAVIS, P. H. Materials for a Flora of Turkey XIX Leguminosae-Vicieae, 311
DAVIS, P. H. AND JONES, B. M. G. Turkish Itineraries: IV, 203
Dicraeopetalum Harms, 354
stipulare Harms, 354
Dicranum bonjeani de Not., 262
scoparium Hedw., 233
cf. *strictum* Schleich., 262
tauricum Sapehin, 262
Drepanocladus fluitans (Hedw.) Warnst., 262

Eccilia bisporigera P. D. Orton, 98
Elburzia: A New Genus of Cruciferae from Iran, 181
Elburzia fenestrata (Boiss.) Hedge, 181
Encalypta rhabdocarpa Hedw., 233
Eurhynchium pulchellum (Hedw.) Jenn. var. *diversifolium* (B.S. & G.) C. Jens., 234

Ferreirea Allem., 348
spectabilis Allem., 348
var. *paraguariensis* Hassler, 348
f. *fruiticosa* Chodat & Hassler, 349
First record of Nectria radicicola in Britain, 263
Flocculina, 77
FREY, W., BRECKLE, S.-W. & HEDGE, I.C. Botanical Literature of Afghanistan, 357
Fritillaria, new from Rhodes, 329
Fritillaria rhodia A. Hansen, 329
Fungal spores, studies in the morphology of, I: 373
Fungi of Greece IV: species of Uromyces and Pileolaria, 273

Galerina, 77
leucolepidota, 100
myriadophylla P. D. Orton, 101
Gesneriaceae of the Old World XXX, studies in, 39
Geunsia anomala Ridley, 149
havilandii King & Gamble, 151
Gliophorus Herink, 136
psittacinus (Schaefe. ex Fr.) Herink., 136
Godfrinia Maire, 136
conica (Scop. ex Fr.) Maire, 136
Gomphidius, 77
Grimmia apocarpa Hedw., 233
commutata Huben., 233
elatior Bruch., 233
Grimmia montana B.S.G., 262
trichophylla Grev. f.
subepilosa Podp., 262
Gymnostonum minutulum Schleicher ex Schwägr., 403
Gymnostomum conicum Schleicher ex Schwägr., 403
davallianum Sm., 403

Gyrodon, 77
meruliodes, 72
Gyroporus cyanescens (Fries) Quélet
var. *cyanescens*, 65
var. *violaceotinctus* Watling, 63

HALLIDAY, G.
Greenland's Flora (review), 32
HANSEN, A.
A new Fritillaria from Rhodes, 329
HEDGE, I. C.
Elburzia: a new genus of Cruciferae from Iran, 181
European taxonomic literature (review), 14
Flora Europaea (review), 283
Materials of a Flora of Turkey, XVII: Onobrychis & Hedysarum, 33
Nomenclatural terms (review), 128
Plant taxonomy for Everyman (review), 156
Two new species of Lamium from Nepal, 29
HEDGE, I. C., BRECKLE, S.-W. & FREY, W.
Botanical literature of Afghanistan, 357
Hedysarum, Onobrychis and: Materials for A Flora of Turkey, XVII, 33
Hedysarum pycnostachyum Hedge & Huber-Morath, 37
vanense Hedge & Huber-Morath, 36
Hemileia fadogiae Sydow, 384
HENDERSON, D. M.
Rust fungi from various sources, 377
Studies in the morphology of fungal spores I, 373
Timber fungi (review), 330
Two new Puccinias from South-West Asia, 389
HENDERSON, D. M. & PANTIDOU, M.
Fungi of Greece IV: species of Uromyces and Pileolaria, 273
HENDERSON, D. M. & PRENTICE, H. T.
Contributions to the Bryophyte Flora of Turkey: VIII, 235
Heterocladium squarrosulum (Voit) Lindb., 234
HILLIARD, O. M.
Bowkeria and Anastrabe: two woody South African Scrophulariaceae, 1
Hodophilus Heim., 136, 137
foetens (Philips) Heim, 136
Homalomena sagittifolia [Junghuhn ex] Schott, 146
HUBER-MORATH, A. & ZOHARY, M.
Materials for a Flora of Turkey XX, Leguminosae: Trifolieae, 321
Hygroaster Singer, 135
Hygrocybe, 131
subgenus *Cuphophyllus* 131, 137
sect. *Amylohygrocybe* (Hesler & Smith) Orton & Watling, 136
sect. *Camarophyllopsis* (Herink) Orton & Watling, 137
sect. *Cuphophyllus* (Donk) Orton & Watling, 131, 137
sect. *Hygrocybe*, 131
sect. *Hygrotrama* (Singer) Orton & Watling, 134, 137
sect. *Neohygrocybe* (Herink) Orton & Watling, 137
atropuncta (Fr.) Orton & Watling, 134
aurantiolutescens P. D. Orton 103, 104
berkeleyi (Orton), Orton & Watling, 131
clivalis (Fr.) Orton & Watling, 131
colemanniana (Blox. apud. Berk. & Br.) Orton & Watling, 131
cinerea (Fr.) Orton & Watling, 131
conica (Scop. ex Fr.) Kummer, 136
conicoides (Orton) Orton & Watling, 131
dennisiana (Singer) Orton & Watling, 137
foetens (Philips apud Berk. & Br.) Orton & Watling, 134
fuscescens (Bres.) Orton & Watling, 132
hymenocephala (Smith & Hesler) Orton & Watling, 134
lacma (Fr.) Orton & Watling, 131
langei, 103
lepidopus (Rea) Orton & Watling, 131
leporina (Fr.) Orton & Watling, 132
metapodia (Fr. ex Fr.) Moser, 136
micacea (Berk. & Br.) Orton & Watling, 134
nivea (Fr.) Orton & Watling, 131
ovina (Bull. ex Fr.) Kühn, 137
pratensis (Pers. ex Fr.) Donk, 137
russocoriacea (Berk. & Miller) Orton & Watling, 131
sciophanoides (Rea) Orton & Watling, 131

Hygrocybe—Continued.
shulzeri (Bres.) Joss., 137
subradiata (Secr.) Orton & Watling, 131
substrangulata (Orton) Orton & Watling, 131
subviolacea (Peck) Orton & Watling, 132
virginea (Fr.) Orton & Watling, 132
Hygrophoraceae, A reconsideration of the classification of the, 129
Hygrophorus, 77
sect. *Amylochygrocybe* Hesler & Smith, 136
sect. *Camarophyllopsis* Hesler & Smith, 136
sect. *Hygrotrama* (Singer) Hesler & Smith, 136
sect. *Hygrocybe*, 131, 136
berkeleyi Orton, 131
colemannianus Bloxam apud Berkeley & Broome, 131
conicoides Orton, 131
cinereus Fr., 131
foetens Phillips apud Berkeley & Broome, 134
fornicatus H. *clivalis* Fr., 131
fuscescens Bres., 132
hymerocephalus Smith & Hessler, 134
lepidopus Rea, 131
leporinus Fr., 132
micaceus Berk. & Br., 134
niveus Scop. ex Fr., 131
russocoriaceus Berk. & Miller, 131
sciophanoides Rea, 131
sciophanus S. Cke., 131
*subradiatus** *lacmus* Schum. ex Fr., 131
substrangulatus Orton, 131
subviolaceus Peck, 132
Hygrotrama Singer, 134, 136, 137
dennisianum Singer, 137
Hypnum vaucheri Lesq., 234

Inocybe, 77

JONES, B. M. G. & DAVIS, P. H.
Turkish Itineraries: IV, 203

KEENAN, J.
Notes on Buddleia I: rolyploid pattern in B. Colvilei, 197; II, pollen 199; III, a Buddleia of herbaceous habit, 343

Lamium, two new species from Nepal, 29
Lamium nepalense Hedge, 30
staintonii Hedge, 29
Lathyrus L., 317
aphaca L. var. *modestus* P. H. Davis, 319
phaselitanus Huber-Morath & Davis, 318
satdaghensis P. H. Davis, 317
tauricola P. H. Davis, 318
LAUENER, L. A.
Classica Botanica Americana (review), 405
Leccinum aurantiacum var. *quercinum*, 265
quercinum (Pilat) Green & Watling, 265
roseotinctum Watling, 267
variicolor Watling, 268
Lepiota medullata (Fr.) Quél., 105
Leptocarpum dasycarpum Vog.
Leptocarpum dasycarpum Vog. forma α Tul., 351
lanceolatum Tul., 351
Leptodictyum riparium (Hedw.) Warnst., 262
Leptolobium Vog., 349
Leptolobium Vog., sect. *Euleptolobium* Vog., 350
sect. Mesitis Vog., 354
bijugum Vog., 354
dasycarpum Vog., 351
elegans Vog., 353
var. *gradifolia* Vog., 351
var. *parvifolia* Vog., 353
nitens Vog., 353
nitidulum Miq., 353
tenuifolium Vog., 353
tortum Mart., 352
Leptonia, 78
Limacella medullata (Fr.) P. D. Orton, 105
ochraceoluta P. D. Orton, 106
Limacium (Fr. ex Fr.) Kummer, 136
Linariantha bicolor Burtt & Smith, 141
Loxostigma C. B. Cl., 52
griffithii (Wight) C. B. Cl., 52, 55
Lysionotus D. Don, 52
serratus D. Don, 52
var. *pauciflorus* Maxim., 52

MATTHEWS, J. R.
Horticultural History (review), 328
MATTHEWS, V. A.
Soviet Botany (review), 14
MATTHEWS, V. A. & CHAMBERLAIN, D. F.
Materials for a Flora of Turkey XVIII: Leguminosae—Astragalus, 285
MCNEILL, J.
New Species of Minuartia, 325
Marasmius, 78
Marasmius inodorus Pat., 85
Materials for a Flora of Turkey XVII: Onobrychis and Hedysarum, 33

Materials for a Flora of Turkey XVIII: Leguminosae—Astragalus, 285
Materials for a Flora of Turkey XIX: Leguminosae—Vicieae, 311
Materials for a Flora of Turkey XX: Leguminosae—Trifolieae, 321
Melampsora euphorbiae Cast. 380
Milesina pteridicola Hirats. 384
Minuartia new species of, 325
sect. *Minuartia*
subsect. *Minuartia*, 325
subsect. *Xeralsine*, 326
isaurica McNeill, 325
nifensis McNeill, 326
valedictionis McNeill, 327
Morphological notes on the genus Cassia: I, 185; II, 331; III, 341
MUIRHEAD, C. W.
Shorter British Flora (review), 74
Turkish species of Sempervivum, 15

Naucoria, 78
centunculus var. *laevigata* Favre., 78
Nectria radicicola in Britain, the first record of, 263
Neohygrocybe Herink, 136, 137
ovina (Bull. ex Fr.) Herink, 136
(Herink) Orton & Watling, 137
New combinations in Pottia starkeana, 403
New Fritillaria from Rhodes, 329
New species of Minuartia, 325
Nolanea limosella P. D. Orton, 108
Notes on Buddleia: I, 197; II, 199; III, 343
Nyssopsora echinata, 374

Onobrychis and Hedysarum: materials for a Flora of Turkey, XVII, 33
Onobrychis argyrea Boiss. subsp. *isaurica* Hedge & Huber-Morath, 36
Onobrychis densjuga Hedge & Huber-Morath, 33
occulta Hedge & Huber-Morath, 34
quadrijuga Hedge & Huber-Morath, 34
sulphurea Boiss. & Bal. var. *vanensis* Hedge, 34
OKPON, E. N. U.
Morphological notes on the genus Cassia: I, 185; II, 331; III, 341
ORTON, P. D.
Notes on British Agarics III, 75
ORTON, P. D. & WATLING, R.
A reconsideration of the classification of the Hygrophoraceae, 129

Panaeolina, 78
Panaeolus speciosus P. D. Orton, 108
PANTIDOU, M. & HENDERSON, D. M.
Fungi of Greece IV: Species of Uromyces and Pileolaria, 273
Paragyrodon, 67
sphaerosporus (Peck) Singer, 67
Paxillus involutus, 61
rubicundulus P. D. Orton, 110
vernalis Watling, 60
Pholiota comosa (Fr.) Quél., 112, 113
destruens, 113
heteroclita (Fr. ex Fr.) Quél., 113
Phragmidium rosae-moschatae Dietel, 384
Pileolaria terebinthi (DC.) Cast., 273
Pisum L., 320
humile Boiss. & Noë, 320
sativum L. subsp. *elatius* (Bieb.) Aschers. & Graebn., 320
var. *brevipedunculatum* Davis & Meikle, 320
var. *elatius*, 320
var. *pumilio* Meikle, 320
Pleurocybella, 78
Pleurotellus, 78
acerosus, 78
candidissimus, 78
dictyorhizus, 78
filicinus, 78
hypnophilus, 78
patelloides, 79
tremulus, 78
Pleurotus, 78
dryinus, 78
ligmatilis, 78
ostreatus, 78
porrigens, 78
tessulatus, 78
ulmarius, 78
Plicatura, 79
Pluteolus, 79
Pluteus dryophiloides P. D. Orton, 115
Polygala monticola Ridley, 148
oreotrephes B. L. Burtt, 148
Polytrichum juniperinum Hedw., 233
Porella baueri (Schiffn.) Jens., 262
Pottia algiriensis Warnst., 403
arabica C. Müll., 403
conica (Schleicher ex Schwärg.) Fürnr., 403
davalliana (Sm.) C. Jens., 403
macowaniana C. Müll., 403
microphylla Warnst., 403
minutula (Schleicher ex Schwägr.) Fürnr., 403
minutula (Schleicher ex Schwägr.) Fürnr. var. *conica* Schimper, 403
mutica Vent. var. *salina* (Warnst.) Podp., 403

Pottia—Continued.
rufescens (Schultz.) Fürnr. ex Warnst. var. *angustifolia* Warnst., 403
rufescens Schultz. var. *conica* (Schleicher ex Schwägr.) Warnst., 403
salina Warnst., 403
Pottia starkeana, new combinations in, 403
Pottia starkeana (Hedw.) C. Müll., 403
subsp. *conica* (Schleicher ex Schwägr.) Chamberlain, 403
subsp. *minutula* (Schleicher ex Schwägr.) Chamberlain, 403
texana Wareham, 403
verrucosa Warnst. ex Rehn, 403
zealandioides Dixon & Sinsb., 403
PRENTICE, H. T. & HENDERSON, D. M.
Contributions to the bryophyte flora of Turkey VIII, 235
Procopiania Gusuleac, 157
creticum (Willd) Gusul., 169
euboica Runem., 167
Psathyrella hydrophila, 116
piluliformis (Bull. ex Mérat) P. D. Orton, 116
Pseudohiatula, 79
Psilocybe, 79
appelliculosa P. D. Orton, 82, 118
bullacea, 81, 83
callosa (Fr. ex Fr.) Quél., 82
caricicola P. D. Orton, 80, 119
coprophilla, 81
crobulus, 83
cyanescens, 80, 81
fimetaria, 80, 81
graminicola (P. D. Orton) P. D. Orton, 80, 83
inquilina, 83
libertatis (Fr.) Møller, 82
luteonitens, 80
merdaria, 80, 81
merdicola, 81
montana, 82
muscorum, 83
percevalii (Berk. & Br.) P. D. Orton, 80, 81
physaloides, 82
pratensis P. D. Orton, 82, 120
rhombispora, 83
semilanceata, 80
squamosa (Pers. ex Fr.) P. D. Orton, 80, 81
subcoprophila (Britz.) Sacc, 81, 121
turficola Favre, 82
xeroderma Huysman, 82
Psilostemon creticum DC., 169
Puccinias, two new from SW Asia, 389
Puccinia angelicae (Schum.) Fuckel, 386
canaliculata (Sch.) Lagerheim, 378
collettiana Barclay, 384
Puccinia—Continued.
coronata Corda, 380
dieteliana Sydow, 384
fagopyri Barclay, 383
ferruginea, 381
galopinae Cooke, 384
granularis Kalch. & Cooke, 380
henryana H. & P. Sydow, 382
hydrocotyles Cooke, 386
iridis Rahb., 380
maianthemi Dietel, 382
nanbuana Hennings, 386
nakonishikii Dietel, 380
parkerae Dietel & Holway, 385
phellopteri A. & H. Sydow, 386
phragmitis (Schum.) Kornicke, 380
pimpinellae (Str.) Rohl., 386
polygoni-amphibii Pers., 383
prostii, 374
quadricostata Henderson, 389
scutellariae Henderson, 389
striiformis West, 380
tabernaemontanae Cke., 377
tokyensis P. & H. Sydow, 386
zoysiae Dietel, 384
Pucciniostele clarkiana (Barclay) Dietel, 385

RATTER, J. A.
Chromosome Counts (review), 128
Cytogenetic studies in Spergularia: IV Some further interspecific hybrids 213; V, some interspecific hybrids involving S. media, 225
Records of Boleti and notes on their taxonomic position: II, 265; III, 391
Review of Sweetia and Acosmium, 347
Revision of Symphytum L. in Turkey and Adjacent Areas, 157
Rhodocybe borealis M. Lange & Skifte, 131
Rhytidiadelphus triquetrus (Hedw.) Warnst., 234
ROSSER, E. M. & BURTT, B. L.
Studies in the Gesneriaceae of the Old World XXX: Anatomical characters in the tribe Trichosporeae, 39
Roxburgh's "Plants of the Coast of Cordmandel": Dates of Publication of Vol. 3, 211
Rust Fungi from Various Sources, 377

Saelania glaucescens (Hedw.) Broth., 233
Sarawak Plants 1, 141
Sempervivum, Turkish species of, 15
Sempervivum armenum Boiss. & Huet., 18
var. *insigne* Muirhead, 19
artivinense Muirhead, 23
braunii Led. var. glabrum Medw., 18
brevipilum Muirhead, 26

Sempervivum—Continued.
davisii Muirhead, 23
furseorum Muirhead, 25
georgicum Gurgenidze, 27
gillianii Muirhead, 26
glabrifolium Borissova, 20
ispartae Muirhead, 21
minus Turrill, 27
staintonii Muirhead, 20
transcaucasicum Muirhead, 27
Simocybe laevigata (Favre) P. D. Orton, 78
SMITH, R. M.
Some early collectors (review), 38
Spergularia, Cytogenetic studies in: IV, 213
Spergularia, Cytogenetic studies in: V, 225
Spergularia bocconii, 218
heldreichii, 217
media, 226, 227, 231
purpurea, 217, 218, 226, 231
rubra, 217, 218
rupicola, 217
Sphagnum subsecundum var. *inundatum* (Russ.) C. Jens., 262
Stropharia fimetaria, 80
luteonitens, 80
merdaria, 80
percevalii, 80
squamosa, 80
Suillus nueschii Singer, 272
sphaerosporus (Peck) Smith & Thiers, 67
Sweetia and Acosmium, A review of, 347
Sweetia Spreng., 348
sect. *Acosmium* (Schott.) Benth., 349
sect. *Leptolobium* (Vog.) Benth., 350
sect. *Mesitis* (Vog.) Benth., 354
atrata Mohlenb., 349
bijuga (Vog.) Benth., 354
brachystachya Benth., 354
dasycarpa (Vog.) Benth., 351
var. glabrata Benth., 351
var. *torta* Malme, 352
difusissima Mohlenb., 350
elegans (Vog.) Benth., 351
f. *oblongifolia* Chodat & Hassler, 353
f. *ovalifolia* Chodat & Hassler, 353
fallax Taub., 350
fruticosa Spreng., 348
var. *fruticosa*, 348
var. *hassleri* Yakovl., 349
var. *paraguariensis* (Hassler) Yakovl., 348
glabrifolia Benth., 351
glazioviana Harms, 352
handroi Mohlenb., 352
inornata Mohlenb., 355
lentiscifolia (Schott) Spreng., 350
Sweetia—Continued.
nitens (Vog.) Benth., 353
panamensis Benth., 353
parvifolia Harms, 353
praeclara Sandwith, 355
subelegans Mohlenb., 353
tenuifolia (Vog.) Benth., 353
tomentella Mohlenb., 352
velutina Mohlenb., 352
Symphytum in Turkey and adjacent areas, a revision of, 157
Symphytum abchasicum Trautv., 179
aintabicum Huber-Morath & Wickens, 161, 174
anatolicum Boiss., 161, 162, 166
armeniacum Buchnall, 162, 165
asperrimum Sims, 162
asperum Lepechin, 161, 162
bornmuelleri Buchnall, 161, 175
brachycalyx Boiss., 161, 175
brochum Bory & Chaub., 178
bulbosum Schimper, 160, 177
bulbosum senso Guss., 178
caucasicum Bieb., 161, 170
circinale Runem., 161, 168
clusii C. C. Gmel., 177
cordatum Bieb., 178
creticum (Willd.) Runem., 161, 169
davisii Wickens, 162, 168
donii DC., 170
echinatum Ledeb., 162
euboicum (Runem.) Runem., 160, 167
filipendulum Bischoff, 177
foliosum Rehm., 176
grandiflorum DC., 160, 178
var. *abchasicum* (Trautv.) Kusn., 179
var. grandiflorum, 178
hajastanum Gviniaschvili, 161, 164
ibericum Steven in Bieb., 178
jacquinianum Tausch., 171
kurdicum Boiss. & Hausskn., 161, 171
leonhardtianum Pugsley, 176
leonhardtianum var. *longifolium* Pugsley, 176
longipetiolatum Wickens, 161, 179
longisetum Huber-Morath & Wickens, 162, 174
macrolepis Gay in Reich., 177
majus Guldenst. ex Leder, 162
nodosum Schur., 176
officinale L., 157
orientale L, 161, 162, 171
ottomanum Friv., 160, 167

Symphytum—Continued.
palaestinum Boiss., var. *palaestinum*, 161, 172
var. *dentatum* Boiss., 173
var. *majus* Bucknall, 173
var. *strigosum* Post ex Post, 173
patens Fries, 162
peregrinum Ledebour, 161, 163
pseudobulbosum Aznavour, 161 172
punctatum Gaudin, 177
racemosum Stephan ex Roem. & Schultes, 170
sepulcrale Boiss. & Bal., 162, 164
sicyosinum Candargy, 166
sylvaticum Boiss., 161, 166
tauricum Sims, 162, 171
tauricum Willd., 165
tuberosum L., 162
subsp. *nodosum* (Schur) Soo, 176
var. *clusii* Caruel, 177
var. *exsertum* Loisel, 177
var. *latifolium* G. Beck, 176
f. *longifolium* G. Beck, 176
tuberosum sensu Ucria, 178
zeyheri Schimper, 160, 178

Tephrocybe fuscipes P. D. Orton, 122
Thalesia Mart., 352
Tortella fragilis (Hook. & Wils. ex Drumm.) Limpr., 233
tortuosa (Hedw.) Limpr., 233
israelis Biz. & Bil., 262
Tortula starkei Lindb. var. *davallii* Lindb., 403
TOWNSEND, C. C.
Contributions to the Bryophyte Flora of Turkey: VII, 233
Trachystemon creticum D. Don ex G. Don., 169
Trichocladus verticillatus Eckl. & Zeyh., 8
Tricholoma, 83
aestuans (Fr.) Gillet, 124
resplendens (Fr.) Karst., 125
stans (Fr.) Sacc., 126
Trifolieae: Materials for a Flora of Turkey XX, 321
Trifolium L., 321
apertum Bobrov var. *kilaeum* Zoh. et Lern., 322
euxinum Zoh., 321
pachycalyx Zoh., 321
Trigonella L., 322
arenicola Huber-Morath, 322
Trigonella L.—Continued.
hierosolymitana auct., 322
kotschyi Fenzl. var. *hierosolymitana* (Boiss) Şirj., 323
mesopotamica Huber-Morath, 322
Turkish Itineraries: IV, 203

Uredo dianellae Dietel, 382
gaultheriae (Syd.) Hiratsuka f., 379
kyllingae P. Hennings, 378
Uromyces anagyridis (Rouss.) Roum., 276
antholyzae Syd., 381
anthyllidis Schroet., 276
behenis (DC) Unger, 273
bidenticola Arth., 378
bonaveriae Syd., 277
dactylidis Otth., 276
dianthi (Pers.) Niessl., 274
doricus Maire, 274
fabae de Bary, 278
galegae (Opiz) Sacc., 277
geranii (DC) Lev., 275
glycyrrhizae (Rabh.) Magnus, 278
gurkeanus P. Henn., 277
gypsophilae Cooke, 275
hippocrepidis Mayor, 277
hymenocarpi O. Jaap, 277
limonii (DC) Lév., 280
muscari (Duby) Lév., 280
nerviphilus (Grognot) Hotson, 278
pisi (DC.) Otth., 279
polygoni - avicullariae (Pers.) Karst., 280
rumicis (Schum.) Wint., 280
seligeri Tranz. & Erem., 279
spartii-juncei Syd., 279
striatus Schroet., 279
thapsi (Opiz) Bubak, 280
trifolii (DC.) Lév., 280
veratri Schroeter, 382
verruculosus Schroeter, 275

Vicieae: Materials for a Flora of Turkey: XIX, 311
Vicia cracca L. subsp. *atroviolacea* (Bornm.) P. H. Davis, 313
glareosa P. H. Davis, 315
quadrijuga P. H. Davis, 316
splendens P. H. Davis, 314
tenuifolia Roth. var. *atroviolacea* Bornm., 313

WATLING, ROY
An agaricologist's God-send (review), 209
Introducing mycology (review), 74
New fungi from Michigan, 59
Records of Boleti and notes on their taxonomic position: II, 265; III, 391
The first record of Nectria radicicola in Britain, 263
The genus Paragyrodon, 67
WATLING, ROY & ORTON, P. D.
A reconsideration of the classification of the Hygrophoraceae, 129
WICKENS, G. E.
A revision of Symphytum L. in Turkey and Adjacent Areas, 157
WOOD, D.
Roxburgh's "Plants of the Coast of Coromandel" Dates of Publication of Vol. 3, 211
YAKOVLEV, G. P.
A Review of Sweetia and Acosmium, 347
Zingiber incomptum Burtt & Smith, 152
pachysiphon Burtt & Smith, 154
ZOHARY, M. & HUBER-MORATH, A.
Materials for a Flora of Turkey XX: Leguminosae—Trifolieae, 321

Printed in Scotland for HER MAJESTY'S STATIONERY OFFICE
by Hay Nisbet & Co., Ltd., Glasgow. Dd. 233394/2625 K5