

GENERAL INDEX TO VOLUME 32

- Abelia bodinieri* Lévl., 98
cavaleriei Lévl., 98
graebneriana Rehder var. *deutzifolia* (Lévl.) Lauener, 98
mairei Lévl., 98
myrtilloides Rehder, 98
schumannii auct., 98
schumannii (Graebn.) Rehder, 98
verticillata Lévl., 98
- Acanthaceae, Notes on Asiatic, 405
Acantholimon, anatomical characters and their taxonomic importance in, 85
Acantholimon and Limonium, a brief review of stigma and pollen types in, 79
Acantholimon Boiss., 65
 Sect. *Acantholimon*, 66, 86
 Sect. *Acmostegia* Bunge, 86
 Sect. *Cymaria* Bunge, 86
 Sect. *Dracogyna* Mobayen, 86
 Sect. *Glumaria* Boiss., 65, 85
 Sect. *Gontscharovia* Lincz., 85
 Sect. *Pulvinaria* Boiss., 85
 Sect. *Speciosissima* Bornm., 65
 Sect. *Staticopsis* Boiss., 66, 86
 Sect. *Tragacanthina* Bunge, 65, 86
acerosum (Willd.) Boiss., 66, 71, 86
 var. *acerosum*, 71
 var. *balansae* (Boiss. & Huet) Mobayen, 72
 var. *brachystachyum* Boiss., 71
 var. *parvifolium* Bokhari, 71
 var. *pinardi* (Boiss.) Mobayen, 71
androsaceum (Jaub. & Sp.) Boiss., 66, 75, 86
 subsp. *androsaceum*, 75
 subsp. *lycaonicum* (Boiss. & Heldr.) Bokhari, 76
 var. *androsaceum*, 76
 var. *creticum* Boiss., 76
 var. *purpurascens* Bokhari, 76
armenum Boiss. & Huet, 66, 72
 var. *armenum*, 72
 var. *balansae* Boiss. & Huet, 72
assyriacum Boiss. var. *micracme* Näb. & Bornm., 71
balansae (Boiss. & Huet) Bunge, 72
baltanense Boiss. & Haussk., 72
bracteatum (Girard) Boiss., 66, 76, 86
 var. *bracteatum*, 76
 var. *capitatum* (Sosn.) Bokhari, 76
bromifolium Boiss., 85
caesareum Boiss. & Bal., 66, 73
calvertii Boiss., 66, 74, 86
 var. *sanguineum* Mobayen, 74
capitatum (Sosn.) Bokhari, 76
caryophyllaceum Boiss., 66, 71
 subsp. *caryophyllaceum*, 72
 subsp. *parvifolium* Bokhari, 72
 var. *brachystachyum* Boiss., 73
cataonicum Bunge, 75
confertiflorum Bokhari, 66, 73, 86
curviflorum Bunge, 65, 69, 86
cymosum Bunge, 86
damassanum Mobayen, 66, 75
 var. *damassanum*, 75
 var. *lancibracteatum* Bokhari, 75
dianthifolium Bokhari, 66, 73
diapensioides Boiss., 85
echinus auct., 76
erinaceum (Jaub. & Sp.) Lincz., 65, 69
glumaceum (Jaub. & Sp.) Boiss., 66, 73, 86
 var. *glabra* Mobayen, 74
halophilum Bokhari, 66, 71
haussknechtii Bunge, 72
huetii Boiss., 66, 74, 86
hypochaerum Mobayen, 66, 74, 86
iconicum Boiss. & Heldr., 73
inermis Rech. f. & Koeie, 85
kotschyi (Jaub. & Sp.) Boiss., 66, 72
 subsp. *kotschyi*, 72
 subsp. *laxispicatum*, 73
 var. *iconicum* Boiss., 72
latifolium Boiss. & Noë, 69
laxiflorum Boiss., 70
 var. *assyriacum* (Boiss.) Boiss., 71
lepturoides (Jaub. & Sp.) Boiss., 66, 70
libanoticum Boiss., 66, 73
listoniae Boiss., 71
lycaonicum Boiss. & Heldr., 76
peronini Boiss., 75
phrygium Boiss., 71
pinardi Boiss., 71
polystachyum Boiss., 86
puberulum Boiss. & Bal., 66, 74
 var. *glabrum* Bokhari, 75
 var. *longiscapum* Bokhari, 75
 var. *puberulum*, 75
purpureum Parsa, 69
quiquelobum Bunge, 65, 69, 86
reflexifolium Bokhari, 66, 74
roseum Boiss., 69
saxifragifolium Rech. f. & Koeie, 85
saxifragiforme Mobayen, 66, 74, 86
scabiosum Mobayen, 76
spirizianum Mobayen, 70
 var. *multiflorum* Bokhari, 70
 var. *spirizianum*, 70

- Acantholimon*—continued
splendidum Bunge, 76
strigillosum Bokhari, 66, 74
tomentellum Boiss., 86
tournefortii Boiss., 76
venustum Boiss., 66, 70, 86
 var. *assyriacum* (Boiss.) Boiss., 71
 var. *laxiflorum* (Boiss. ex Bunge)
 Bokhari, 70
 var. *venustum*, 70
wiedemannii Bunge, 76
Acanthopale labordei (Lévl.) Hand.-Mazz.,
405
Acanthopanax bodinieri Lévl., 94
esquirolii Lévl., 94
Aconitum of the Himalaya: II, 411
Aconitum angulatum Tamura, 413
 bhedingense Lauener, 413
 bullatifolium Lévl., 412
 deltoideum Lauener, 411
 duclouxii, 412
 gammiei Stapf, 413
 heterophylloides (Brühl) Stapf var.
 leucanthum (Brühl) Lauener, 413
 hicksii, 412
 hookeri Stapf, 413
 laciniatum (Brühl) Stapf, 413
 nagarum Stapf var. *heterotrichum* Fletcher
 & Lauener, 412
 nakaoui Tamura, 414
 nepalense Lauener, 414
 parabrachypodium Lauener, 414
 spicatum (Brühl) Stapf, 414
 wallichianum Lauener, 414
Adina fauriei Lévl., 103
 racemosa (Sieb. & Zucc.) Miq., 97, 103
 rubella Hance, 103
Aeollanthus njassae, The pollination mech-
anism of, 45
Aeollanthus canescens Gürke, 433, 435
 elongatus Briq., 433, 435
 njassae Gürke, 45, 433, 435
Agarics, Notes on Some British, III, 127
Agarics, Notes on British: IV, 135
Agapetes, Notes on the infrageneric classifi-
cation of, with four new taxa from New
Guinea, 13
Agapetes D. Don ex G. Don, 19
 subgen. *Agapetes*, 19, 26
 subgen. *Paphia* (Seem.) Stevens, 20
 sect. *Paphia* (Seem.) Stevens, 20
 sect. *Pseudoagapetes* Airy Shaw, 20
acuminata D. Don ex G. Don, 26
affinis (Griff.) Airy Shaw, 26
alberti-eduardi Sleum., 27
angulata (Griff.) Hook. f., 26
angustifolia Knagg, 26
auriculata (Griff.) Hook. f., 26
brachypoda Airy Shaw, 26
bracteata Hook. f., 26
brassii Sleum.ssp. *brassii*, 27
brassii Sleum.ssp. *serratifolia* Stevens,
21, 27
burmanica W. E. Evans, 26
buxifolia Nutt., 26
costata Wright, 27
forrestii W. E. Evans, 26
griffithii Clarke, 26
helenae (F. v. M.) F. v. M. ex Sleum., 27
hosseana Diels, 26
hyalocheilos Airy Shaw, 26
incurvata (Griff.) Sleum., 26
interdicta (Hand.-Mazz.) Sleum., 26
lacei Craib, 26
leptantha Airy Shaw, 26
linearifolia Clarke, 26
lobbii Clarke, 26
macrophylla Clarke, 26
macrostemon Clarke, 26
mannii Hemsl., 26
megacarpa W. W. Smith, 26
meiniana F. v. M., 27
miniata (Griff.) Hook. f., 26
miranda Airy Shaw, 26
neo-caledonica Guill., 27
nerifolia (King & Prain) Airy Shaw, 26
oblonga Craib, 26
obovata (Wight) Hook. f., 26
odontocera (Wight) Hook. f., 26
parishii Clarke, 26
pensilis Airy Shaw, 26
pilifera Hook. f., 26
praeclara Marquand, 26
prostrata Stevens, 21, 27
pseudo-griffithii Airy Shaw, 26
pubiflora Airy Shaw, 26
pyrolifolia Airy Shaw, 26
refracta Airy Shaw, 26
rubrocalyx Sleum., 27
salicifolia Clarke, 26
saligna Hook. f., 26
saxicola Craib, 26
sclerophylla Sleum., 27
scortechinii (King & Gamble) Sleum., 27
serpens (Wight) Sleum., 26
setigera D. Don, 26
shungolensis Stevens, 23, 27
similis Airy Shaw, 26
sleumeriana Stevens, 25, 27
smithiana Sleum., 27
spissa Airy Shaw, 27
stenantha (Schltr.) Sleum., 27
toppinii Airy Shaw, 27
variegata (Roxb.) D. Don ex G. Don, 27
vernayana Merrill, 27
vitiensis (Seem.) Drake, 27
vitis-idaea Sleum., 27
wardii W. W. Smith, 27
Agrocharis Hochst. and allied genera, the
taxonomic position of, 211
Agrocharis melanantha Hochst., 211
Akebia trifoliata Koidz., 424

- Alangium faberi* Oliver, 97
var. *perforatum* (Lévl.) Rehder, 97
- ALAVA, REINO
A new genus of Umbelliferae (Tordyliinae) from Caucasia, 189
- Alpinia* (Zingiberaceae) monoecism in, with descriptions of six new species, 29
- Alpinia* Sect. *Monopleura* K. Schum., 34
Sect. *Myriocrater* K. Schum., 34
- aenea* Burt & Smith, 42
celebica K. Schum., 40
conferta Burt & Smith, 40
eremochlamys K. Schum., 37
laxiseconda Burt & Smith, 39
monopleura K. Schum., 39
var. *minor* K. Schum., 39
myriocratera K. Schum., 43
novae-hiberniae Burt & Smith, 38
salomonensis Burt & Smith, 41
unilateralis Burt & Smith, 37
- Ambrosia artemisiifolia* L., 434, 436
maritima L., 434, 436
psilostachya DC., 431, 434, 436
- Amphidoxa gnaphalodes* DC., 335
- Anatomical characters and their taxonomic importance in *Acantholimon*, 85
- Anatropostylia, the new genus; studies in the Viciaeae, I., 247
- Anatropostylia* (Plitmann) Kupicha, 247
koeieana (Rech. f.) Kupicha, 247
- Angiosperm chromosome numbers, some, 427
- Angiosperms, chromosome numbers of some primitive, 423
- Anisosciadium* DC., 170, 175
subgen. *Anisosciadium*, 176
subgen. *Echinum* Townsend, 176
- isosciadium* Bornm., 176
lanatum Boiss., 176, 177
lanatum sensu Rech. f., 176
orientale DC., 176
- Anthemis chia* L., 434
pontica Willd., 434
tinctoria L., 434
- Antherura rubra* Lour., 114
- Anthriscus boissieu* Lévl., 93
- Antirrhoea esquirolii* Lévl., 103
martini Lévl., 103
- Antirrhinum heterophyllum* Schousb., 267
sagittatum Poir., 268
- Apiaceae (Umbelliferae) in the Araliaceae, inclusion of the, 161
- Apodolirion* Baker, 304
buchananii (Baker) Baker, 306
lanceolatum (Thunb.) Baker, 307
macowanii Baker, 308
- Aporuella* C.B. Cl., 408
- Araliaceae, inclusion of the Apiaceae (Umbelliferae) in the, 161
- Aralia bodinieri* Lévl., 95
chinensis L. var. *nuda* Nakai, 94
- dumetorum* Hand.-Mazz., 94
glomerulata Bl., 94
labordei Lévl., 94
mairei Lévl., 96
melanocarpa (Lévl.) Lauener, 94
? *papyrifera* Hook., 96
- Ardisia discolor* Lévl., 97
perforata Lévl., 97
- Arenaria bungei* Barkoudah, 393
deflexa Decne. ssp. *deflexa* var. *glabrata* Danin, 263
- Armeria* Willd., 77
cariensis Boiss., 77
trojana Bokhari & Quézel, 77
- Armeriastrum* (Jaub. & Sp.) Lindley, 65
- Aspidopteryx esquirolii* Lévl., 98
- Asystasia chinensis* S. Moore, 405
silvicola W. W. Sm., 405
- Asystasiella chinensis* (S. Moore) E. Hossain, 405
neesiana auctt., 405
- Athanasia* L., 328
acerosa (DC.) Harv. & Sond., 329
natalensis Schltr., 330
pinnatifida (Oliv.) Hilliard, 330
villosa Hilliard, 330
woodii (Thellung) Hilliard, 331
- Barberetta aurea* Harv., 433, 435
- Barteria crotalaria* Lévl., 116
- Begonia sinuata*, The name, 273
- Begonia bilocularis* (Wight) Craib, 274
caffra Meisn., 274
dregei var. *caffra* A.D.C., 274
var. *sinuata* A.D.C., 274
homonyma Steudel, 274
sinuata Graham, 274
sinuata [E. Mey. ex] Otto & Dietr., 274
sinuata [Wall. ex] Meisn., 274
- BOKHARI, M. H.
Anatomical characters and their taxonomic importance in *Acantholimon*, 85
A brief review of stigma and pollen types in *Acantholimon* and *Limonium*, 79.
Synopsis of Plumbaginaceae in Turkey, 57
Variation and taxonomic importance of anatomical characters in *Limonium*, 275
- BOKHARI, M. H. & BURTT, B. L.
Studies in the Gesneriaceae of the Old World XXXVI: foliar sclereids in New Guinea and Pacific Cyrtandra, 397
- Boletus amarellus* in pure culture, fruit bodies of, 439
etus amarellus Quélet, 439

BOOK REVIEWS

- Biology and chemistry of the Umbelliferae, Ed. V. H. Heywood, 156
- Boletus in Malaysia by E. J. H. Corner, 443
- Botanical Journeys in Kent and Hampstead by Thomas Johnson 1632 (Fascimile 1972), 272
- Excelsa No. 1, 44
- Flora of Natal, by J. H. Ross, 388
- Flora Palaestina, Vol. 2 by M. Zohary, Umbelliferae, 159
- Flora of Turkey and East Aegean Islands. Vol. 4 Ed. by P. H. Davis, 159, 246
- Flora of West Pakistan, No. 20. Umbelliferae, by E. Nasir, 159
- A gardener's dictionary of plant names, by A. W. Smith. [Revised and enlarged by W. T. Stearn. 1972.], 12
- Genera of North American Plants, by Thomas Nuttall. 2 vols. 1818 (Reprint 1971), 216
- Proteaceae by C. Venkata Rao, 222
- Brassaiopsis ciliata* Dunn, 94
- glomerulata* (Bl.) Regel, 94
- tripteris* (Lévl.) Rehder, 95
- Brassica deserti* Danin & Hedge, 259
- Brief review of stigma and pollen types in *Acantholimon* and *Limonium*, A., 79
- BURTT, B. L.
 - The name *Begonia sinuata*, 273
 - Polygala arvensis*, *chinensis* and *glomerulata*, 403
 - A journal for Rhodesian Succulents (review), 44
 - Early plant hunting in Britain (review), 272
 - Medley Wood's grandchild (review), 388
- BURTT, B. L. & BOKHARI, M. H.
 - Studies in the Gesneriaceae of the Old World XXXVI: foliar sclereids in New Guinea and Pacific *Cyrtandra*, 397
- BURTT, B. L. & HILLIARD, O. M.
 - Notes on some plants of Southern Africa chiefly from Natal: III, 303
- BURTT, B. L. & SMITH, R. M.
 - Monoecism in *Alpinia* (Zingiberaceae), with descriptions of six new species, 29
- Cacalia harveyi* O. Kuntze, 385
- quinqueloba* Thunb., 384
- Cacalia* ? *cissampelina* DC., 376
- Callicarpa rubella* Lindl. var. *dielsii* (Lévl.) Li, 101
- Camptotheca acuminata* Decne., 97, 103
- CANNON, JOHN F. M.
 - Studies in tropical African Umbelliferae, I: *Frommia ceratophylloides* and the *Diplolophium buchananii* complex, 195
- CANNON, JOHN F. M. & THEOBALD, WILLIAM L.
 - A survey of Phlyctidocarpa (Umbelliferae) using the light and scanning electron microscope, 203
- Canthium cavaleriei* Lévl., 103
- dunnianum* Lévl., 109
- henryi* Lévl., 113
- labordei* Lévl., 113
- Carissa carandas* L., 105
- Carlemannia henryi* Lévl., 103
- tetragona* Hook. f., 103
- Cassinia phyllicifolia* (DC.) Wood, 374
- Catalogue of the names published by Hector Léveillé, VIII, 93
- Cavaleriella cordata* Lévl., 98
- dunniana* Lévl., 98
- Cephalanthus cavaleriei* Lévl., 115
- esquirolii* Lévl., 97, 103
- navillei* Lévl., 111
- Chaerophyllum villosum* [Wall. ex] DC., 93
- Championella coreana* (Lévl.) E. Hossain, 405
- labordei* (Lévl.) E. Hossain, 405
- Chiliocephalum schimperii* Benth., 345
- Chroësthes silvicola* (W.W.Sm.) E. Hossain, 405
- Chromosome numbers, some angiosperm, 429
- Chromosome numbers of some primitive angiosperms, 423
- Chrysosciadium sibthorpiatum* (Guss.) Tamamsch., 180
- Chrysosplenium macrophyllum* Oliv., 116
- Cistus x aguilarii* O. E. Warb., 429, 430
- x corbariensis* Pourr., 429, 430
- x florentinus* Lam., 429, 430
- laurifolius* L., 429, 430
- x laxus* Dryand., 429, 430
- pallinhaii* Ingram, 429, 430
- populifolius* L., 429
- x purpureus* Lam., 429
- x skanbergii* Lojac., 429
- villosus* L., 429
- Clarkella nana* (Edgew.) Hook. f., 104
- var. *siamensis* (Craib) Fukuoka & Kurosaki, 104
- siamensis* Craib, 104
- Clerodendrum foetidum* Bunge, 113
- Contributions to the flora of Sinai, I: New and confused taxa, 259
- Conyza obscura* DC., 332
- Coprinus from white rot of sugar maple, A, 445
- Coprinus argenteus* P. D. Orton, 139
- cinereofloccosus*, 138

- Coprinus*—continued
foetidellus P. D. Orton, 138, 139
galericuliformis, 142
hemerobius, 142
laanii, 139
latisporus P. D. Orton, 140
leiocephalus, 142
martinii, 138
megaspermus P. D. Orton, 141, 142
miser, 142
narcoticus, 138
nudiceps P. D. Orton, 142
pachyspermus P. D. Orton, 144
plicatilis, 142
radicans, 138
rhombisporus P. D. Orton, 145
saccharomyces, 138
sclerotiger Watling, 130, 138
scobicola P. D. Orton, 147
semitalis P. D. Orton, 139, 147
stercoreus Fries, 127, 138
trispurus Kemp & Watling, 128, 137
tuberosus Quélet, 127, 138
xantholepis P. D. Orton, 150
- Cornus canadensis* L., 97
amblardi Lévl., 97
bodinieri Lévl., 97
capitata [Wall. ex] Roxb., 97
 var. *hypoleuca* Lévl., 97
esquirolii Lévl., 97, 103
fauriei Lévl., 97
macrophylla Wall., 97
monbeigii Hemsl., 97
oblonga Wall., 97
paucinervis Hance, 97
rosea Lévl., 97
- Cotula lineariloba* (DC.) Hilliard, 332
membranifolia Hilliard, 332
paludosa Hilliard, 333
socialis Hilliard, 334
- Cousinia birandiana* Hub.-Mor., 49
birecikensis Hub.-Mor., 53
davisiana Hub.-Mor., 56
eleonora Hub.-Mor., 50
ermenekensis Hub.-Mor., 50
euphratica Hub.-Mor., 51
hakkarica Hub.-Mor., 54
halysensis Hub.-Mor., 51
iconica Hub.-Mor., 52
satdagensis Hub.-Mor., 55
sivasica Hub.-Mor., 53
vanensis Hub.-Mor., 55
- Craterocapsa* Hilliard & Burt, 314
congesta Hilliard & Burt, 315, 320
insizwae (Zahlbr.) Hilliard & Burt, 316, 323
montana (A.DC.) Hilliard & Burt, 316, 323
- tarsodes* Hilliard & Burt, 315, 324
- CULLEN, J.
 William Roscoe's Monandrian plants of the order Scitamineae, 417
- Cupia mollissima* Hook. & Arn., 115
- Curculigo* sect. *Empodium* (Salisb.) Benth., 308
namaquensis Bak., 313
plicata (Thunb.) Dryand., 313
 var. *barberae* Baker, 312
 var. *veratrifolia* (Willd.) Baker, 314
scorzonerifolia (Lam.) Baker, 307
- Cynanchum yunnanense* Lévl., 112
yunnanense Anth., 113
- Cynoctonum pedicellatum* (Benth.) Rob., 111, 112
- Cyphonema buchananii* Baker, 306
- Cyrtandra*, foliar scelreids in New Guinea and Pacific; Studies in Gesneriaceae of the Old World XXXVI: 397
- Cyrtandra chippendalei* C.B.Cl., 400
cordifolia Gaud., 401
garnotiana Gaud., 401
gayana Heller, 401
gracilis Hillebr., 401
grandiflora Gaud., 401
kalichii Wawra, 401
kealii Wawra, 401
latebrosa Hillebr., 401
lessioniana Gaud., 401
lysiosepala C.B.Cl., 401
oenobarba H. Mann, 401
paludosa Gaud., 401
stupantha St. John & Storey, 401
triflora Gaud., 401
victoriae Gillespie, 400
vitiensis Seem., 400
wawrae Hillebr., 401
wentiana, 402
- Cytogenetic studies in *Spergularia*, VI: the evolution of true breeding, fertile tetraploids from a triploid interspecific hybrid, 117; VII, cryptic speciation in *S. media* (L.) C. Presl and *S. marina* (L.) Griseb., 291; VIII, barriers to the production of viable interspecific hybrids, 297
- Damnacanthus esquirolii* Lévl., 105
- DANIN, A. & HEDGE, I. C.
 Contributions to the flora of Sinai, I: new and confused taxa, 259
- Daphniphyllum cavaleriei* Lévl., 98
glauescens Bl. subsp. *oldhamii* (Hemsl.) Huang, 115
- Dendropanax morbiferus* Lévl., 95
- Dermatobotrys saundersii* Bolus, 434, 436
- Decaisnea fargesii* Franch., 424, 425

- Dicyclophora* Boiss., 170, 173
 caucalooides Velen., 176
 morphologica Velen., 176, 177
 persica Boiss., 174
Difflugossa shweliensis (W.W.Sm.) E. Hossain, 406
Dipcadi marlothii Engl., 433, 435
Dipelta yunnanensis Franch., 98
Diploclinium biloculare Wight, 274
Diplophium buchananii (Benth. ex Oliv.) Norman, 200
 subsp. *buchananii*, 200
 subsp. *swynnertonii* (Bak. f.) Cannon, 200
 swynnertonii (Bak. f.) Norman, 200
Diplycosia heterophylla Blume, 435
Doronicum L. in SW Asia, notes on, 255
Doronicum bithynicum J. R. Edmondson, 257
 subsp. *sparsipilosum* J. R. Edmondson, 258
 bracteatum J. R. Edmondson, 257
 hakkiaricum J. R. Edmondson, 255
 thirkei [Schultz Bip. ex] Boiss., 257
 tobeyi J. R. Edmondson, 256
Drimys lanceolata (Poir.) Baill., 423, 424
 piperita Hook. f., 423, 424
 winteri Forst., 423, 424
- Ecdysanthera rosea* Hook. & Arn., 103
Echinophora L., 170, 177
 subgen. *Chrysophora* (DC.) Hedge & Lamond, 180
 subgen. *Echinophora*, 178
 subgen. *Lamprosciadium* Hedge & Lamond, 181
 subgen. *Trichophora* Hedge & Lamond, 179
 sect. *Chrysophora* DC., 180
 sect. *Sphaerocarpaea* Boiss., 182
 carvifolia Boiss., 182
 chrysantha Freyn & Sint., 181
 ? *flabellifolia* (Boiss.) Boiss., 175
 orientalis Hedge & Lamond, 179
 platyloba DC., 179
 radians Boiss., 179
 scabra Gilli, 181
 sibthorpiana Guss., 180
 spinosa L., 178
 tenuifolia L., 180
 tenuifolia L. subsp. *sibthorpiana* (Guss.) Tutin, 180
 var. *sibthorpiana* (Guss.) Fiori & Paol., 180
 tournefortii Jaub. & Spach, 178
 trichophylla J. E. Smith, 179
Echinophoreae (Umbelliferae), a review of the tribe, 167
Echinosciadium Zohary, 175
 arabicum Zohary, 177
- Echium connatum* Lévl., 101
 EDMONDSON, J. R.
 Notes on *Doronicum* L. in S.W. Asia, 255
Ehretia esquirolii Lévl., 115
Elatinoides spartioides (Brouss. ex Buch) Wettst., 266
Eleutherococcus bodinieri Lévl., 96
 mairi Lévl., 94
Emmenopterys henryi Oliver, 105
Empodium Salisb., 308
 elongatum (Nel) B. L. Burtt, 311
 gloriosum (Nel) B. L. Burtt, 312
 monophyllum (Nel) B. L. Burtt, 313
 occidentale (Nel) B. L. Burtt, 313
 plicatum (Thunb.) Garside, 313
 veratrifolium (Willd.) M. F. Thompson, 314
Ephedra L., 264
 alata Decne., 264
 alte C. A. Meyer, 264
 aphylla Forssk., 264
 foliata Boiss. ex C. A. Meyer, 265
 pachyclada Boiss., 264
Eranthis vaniotiana Lévl., 94
Ergocarpon C. C. Townsend, 169, 174
 cryptanthum (Rech. f.) C. C. Townsend, 174
Euptelea franchetii van Tiegh., 425
 pleiosperma Hook. f. & Thom., 425
Exoacantha cryptantha Rech. f., 174
- Fabricia* Thunb., 308
 plicata Thunb., 313
Fatsia cavaleriei Lévl., 96
 FERGUSON, DAVID K. The identity of *Lonicera rhytidophylla*, 415
Ficus rufipes Lévl. & Van., 114
 Foliar sclereids in New Guinea and Pacific Cyrtandra; studies in Gesneriaceae of the Old World XXXVI., 397
Forbesia Eckl. ex Nel, 308
 elongata Nel, 311
 flexilis Nel, 312
 var. *barberae* (Baker) Nel, 312
 gloriosa Nel, 312
 monophylla Nel, 313
 namaquensis (Bak.) Nel, 313
 occidentalis Nel, 313
 plicata (Thunb.) Nel, 313
 var. *veratrifolia* (Willd.) Nel, 314
Frommia ceratophylloides Wolff, 196
 Fruit-bodies of *Boletus amarellus* in pure culture, 439
- Galium aparine* L., 105
 argyi Lévl. & Van., 114
 asperifolium [Wall. ex] Roxb. var. *sikkimense* (Gdgr.) Cuf., 106

- Galium*—continued
bodinieri Lévl., 106
bungei Steud. var. *punduanoides* Cuf., 106
? cavaleriei Lévl., 106
comari Lévl. & Van., 107
cuneatum Lévl., 106
elegans [Wall. ex] Roxb. var. *velutinum* Cuf., 107
esquirolii Lévl., 106
gracile Bunge f. *hispidum* Matsuda, 108
hongnoense Lévl., 105
mairei Lévl., 107
martinii Lévl. & Van., 107
quinatum Lévl., 107
remotiflorum Lévl. & Van., 106
taqueti Lévl., 108
trachyspermum A. Gray var. *hispidum* (Matsuda) Kitagawa, 108
f. *hispidum* (Matsuda) Ohwi, 108
trifidum L. var. *brevipedunculatum* Regel, 108
venosum Lévl., 108
Galopina crocylloides Bär ex Schinz, 387
Gardenia jasminoides Ellis, 108
Gardneria multiflora Makino, 97, 112
Gastonia palmata Roxb., 96
Gentiana scandens Lour., 112
Geophila yunnanensis Lévl., 93
Gesneriaceae of the Old World, studies in, XXXVI: foliar sclereids in New Guinea and Pacific Cyrtandra, 397
Gethyllis lanceolata (Thunb.) L.f., 307
plicata (Thunb.) Jacq., 313
Geum capense Thunb., 435
Gilibertia morbifera (Lévl.) Nakai, 95
Gladiolimon speciosissimum (Aitch. & Hemsl.) Mobayen, 65
Gnaphalium adscendens Thunb., 344
alticolum Compton, 344
ambiguum Pers., 345
arenarium L., 344
auriculatum Lam., 355
capitellatum Thunb., 350
congestum Lam., 348
crassifolium L., 345
crispum L., 346
crispum L. f., 353
declinatum L. f., 335
divaricatum Berg., 355
dodii Levyns, 338
elatum Lam., 353
elongatum Lam., 348
felinum Thunb., 348
helianthemifolium L., 350
latifolium Thunb., 358
limicola Hilliard, 336
orbiculare Thunb., 359
odoratissimum L., 353
patulum L., 355
pedunculare L., 353
petiolatum L., 384
pilosellum L. fil., 358
polifolium Thunb., 337
rüppellii Fresen., 269
serpyllifolium Berg., 359
serratum auct. non Linn., 348
squamosum (Jacq.) Sch. Bip., 358
undatum J. F. Gmelin, 354
unionis [Sch. Bip. ex] Oliv. & Hiern., 336
Goldfussia chaffanjonii (Lévl.) E. Hossain, 406
equitans (Lévl.) E. Hossain, 406
feddei (Lévl.) E. Hossain, 407
mahongensis (Lévl.) E. Hossain, 407
penstemonoides Nees, 406
Gomphostemma strobilinum var. *variegatum* Craib, 433, 435
Goniolimon Boiss., 64, 275
bessarianum (Schultes) Kusn., 275
collinum (Griseb.) Boiss., 64, 275
dalmaticum (Presl) Reichenb. & Reichenb. fil., 275
graminifolium (Aiton) Boiss., 275
heldreichii Halacsy, 275
speciosum (L.) Boiss., 275
tataricum (L.) Boiss., 275
Gutzlaffia lyi (Lévl.) E. Hossain, 407
Gypsophila and *Stellaria*: an unexpected problem in generic delimitation, 389
Gypsophila alsinoides Bunge, 393
X Halimocistus ingwersenii E. F. Warb., 430, 431
Halimium lasianthum Spach var. *formosum*, 430, 431
umbellatum (L.) Spach, 430, 431
HEDGE, I. C.
Salvia in Madagascar, 1
The pollination mechanism of *Aeollanthus njassae*, 45
Umbelliferae in 1672 and 1972, 151
HEDGE, I. C., & DANIN, A.
Contributions to the flora of Sinai, I: new and confused taxa, 259
HEDGE, I. C., & LAMOND, J. M.
A review of the tribe Echinophoreae (Umbelliferae), 167
Hedyotis bodinieri Lévl., 111
coreana Lévl., 108
esquirolii Lévl., 111
hedyotideae (DC.) Merrill, 111
macrostemon Hook. & Arn., 111
mairei Lévl., 101, 109
yunnanensis Lévl., 102, 109
Helichrysum Mill., 339
adenocarpum DC. subsp. *ammophilum* Hilliard, 343
adscendens (Thunb.) Less., 344
ambiguum (Pers.) Presl., 345
araneosum Klatt, 345
arenarium (L.) Moench, 344

Helichrysum—continued

- aretioides* Thellung, 360
basalticum Hilliard, 344
capitellatum (Thunb.) Less., 351
cephaloideum DC., 345
 var. *polycephalum* DC., 345
chiliocephalum Hilliard & Burt, 345
crassifolium (L.) D. Don, 345
crassifolium auct., 346
crispum auct., 356
crispum (L.) D. Don, 346
 var. *subrufescens* DC., 356
cymosum (L.) D. Don subsp. *calvum*
 Hilliard, 346
dasyllum Hilliard, 347
declinatum (L. fil.) Less., 335
epapposum Bolus var. *robustum* Bolus,
 349
felinum Less., 348
glaciale Hilliard, 348
griseolanatum Hilliard, 349
helianthemifolium (L.) D. Don, 350
herbaceum (Andr.) Sweet, 351
humile (Andr.) Less., 358
hyphocephalum Hilliard, 352
inermis Moeser var. *brachycladum*
 Moeser, 350
infaustum Wood & Evans var. *discolor*
 Moeser, 346
lamarckii Cambess., 345
lanatum Harv., 347
latifolium (Thunb.) Less., 358
leucophyllum DC., 346
lingulatum Hilliard, 352
monocephalum Bak., 351
odoratissimum (L.) Sweet, 353
orbiculare (Thunb.) Druce, 359
oxyphyllum DC., 353
paleatum Hilliard, 354
pallidum DC., 355
patulum (L.) D. Don, 355
pedunculare auct., 356
pedunculare (L.) DC., 353
 var. *pilosellum* (L. fil.) Harv., 358
pedunculatum Hilliard & Burt, 356
petiolare Hilliard & Burt, 357
petiolatum auct., 357
petiolatum (L.) DC., 384
pilosellum (L. fil.) Less., 358
pinifolium (Lam.) Schrank, 358
praecurrens Hilliard, 359
serpyllifolium (Berg.) Pers., 359
 var. *orbiculare* (Thunb.) DC., 359
 var. *polifolium* (Thunb.) DC., 338
sessiloides Hilliard, 360
silvaticum Hilliard, 361
splendens Sims, 351
squamosum auct., 351
squamosum (Jacq.) Thunb., 358
subfalcatum Hilliard, 361

- subglomeratum* Less. var. *imbricatum*
 DC., 362
undatum Less., 354
 var. *pallidum* (DC.) Harv., 355
vernum Hilliard, 363

Helwingia argyi Lévl. & Van., 97
Hemigraphis drymophila Diels, 409

HENDERSON, D. M.

The rust fungus genus *Nyssopsora* and
its host relations, 217

Heptapleurum bodinieri Lévl., 95

- cavaleriei* Lévl., 96
delavayi Franch., 96
dunnianum Lévl., 96
esquirolii Lévl., 95
tripteris Lévl., 95

Heteromma Benth., 364

- krookii* (O. Hoffm. & Muschler)
 Hilliard & Burt, 364
simplicifolium Wood & Evans, 365

HEYWOOD, V. H.

The taxonomic position of *Agrocharis*
Hochst. and allied genera, 211

HILLIARD, O. M. & BURTT, B. L.

Notes on some plants of Southern
Africa chiefly from Natal: III, 303

History of *Rhododendron* classification, A,
223

Holbellia angustifolia Wall., 424

Homalanthus populneus (Giesel) Pax, 435

HOSSAIN, A. B. M. ENAYET

Materials for a flora of Turkey XXIX:
Tripleurospermum Schultz Bip., 251
Notes on Asiatic *Acanthaceae*, 405

HUBER-MORATH, A.

Materials for a flora of Turkey XXVIII:
Cousinia, 49

Hydrocotyle rotundifolia Roxb., 93

sibthorpioides Lam., 93, 108

Hypoxis luzulifolia DC., 307

plicata (Thunb.) Linn. f., 313

plicata auct., 314

scorzonerifolia Lam., 307

veratrifolia Willd., 314

Identity of *Lonicera rhytidophylla*, The, 415

Ifloga spicata (Forssk.) Sch. Bip., 270

var. *condensata* Boiss., 269

rueppellii (Fresen.) Danin, 269

Illicium cauliflorum Merr., 424, 425

henryi Diels, 424, 425

Inclusion of the *Apiaceae* (*Umbelliferae*) in
the *Araliaceae*, 161

Inula exsiccata Lévl., 116

Ixocomus amarellus (Quélet) Gilbert, 439

Ixora cavaleriei Lévl., 109

henryi Lévl., 109

- Jacobaea reclinata* (Linn. f.) Thunb., 376
Jasminum prainii Lévl., 111
sinense Hemsl., 99, 100
JORDAAN, P. G.
Proteaceae (review), 222
Justicia kouytcheensis (Lévl.) E. Hossain, 407
- Kalanchoë figuereidoi* Croizat, 386
Kickxia Dumort, 265
heterophylla (Schousb.) Dandy, 267
macilentia (Decne.) Danin, 265
sagittata (Poir.) Rothm., 268
spartioides (Brouss. ex Buch) Janchen, 266
- KUPICHA, F. K.
Studies in the Viciae I: the new genus
Anatropostylia, 247
- LAMOND, J. M.
The Transcaucasian and Iranian collections of J. N. Szovits, 239
Plant nomenclature: "the magic of a name" (review), 12
A good year for Umbels (review), 159
- LAMOND, J. M. & HEDGE, I. C.
A review of the tribe Echinophoreae (Umbelliferae), 167
- Lardizabala biternata* Ruiz & Pav., 424, 425
Lasianthus biermannii auct., 109
? *dunniana* Lévl., 109
esquirolii Lévl., 109
hartii Franch., 109
hookeri Clarke ex Hook. f., 109
labordei (Lévl.) Rehder, 113
- LAUENER, L. A.
Aconitum of the Himalaya: II, 411
Catalogue of the names published by Hector Léveillé: VIII, 93
Classica botanica americana (review), 216
- Leptodermis esquirolii* Lévl., 110
mairei Lévl., 110
motsouensis Lévl., 110
oblonga Bunge, 110
pilosa (Franch.) Diels var. *glabrescens* H. Winkl., 110
potaninii Batal., 110
var. *glauca* (Diels) H. Winkl., 110
var. *tomentosa* H. Winkl., 110
tongtchouanensis Lévl., 110
- Leptosiphonium venustum* (Hance) E. Hossain, 408
- Léveillé, Hector, Catalogue of the names published by: VIII, 93
- Ligustrum thea* Lévl. & Dunn, 115
- Limoniopsis* Lincz., 64, 277
davisii Bokhari, 65, 277
owerinii (Boiss.) Lincz., 64, 277
- Limonium, a brief review of stigma and pollen types in *Acantholimon* and, 79
- Limonium, variation and taxonomic importance of anatomical characters in, 275
- Limonium* Miller, 58, 277
Sect. *Limonium*, 59
Sect. *Pteroclados* (Boiss.) Bokhari, 59
Sect. *Sarcophyllum* (Boiss.) Lincz., 59
Sect. *Schizhymenium* (Boiss.) Bokhari, 59
Sect. *Sphaerostachys* (Boiss.) Bokhari, 59
anatolicum Hedge, 63, 277
arborescens (Brouss.) O. Kuntze, 277
articulatam (Lois.) O. Kuntze, 277
aureum (L.) O. Kuntze, 277
axillare (Forsk.) O. Kuntze, 277
bellidifolium (Gouan) Dum., 63, 277
bicolor (Bunge) O. Kuntze, 277
bonduellii (Lostib.) O. Kuntze, 277
brassicifolium (Webb. & Berth.) O. Kuntze, 277
cabulicum (Boiss.) O. Kuntze, 277
californicum (Boiss.) Heller, 277
carnosum (Boiss.) O. Kuntze, 277
carolinianum (Walt.) Britton, 277
caspium (Willd.) Gams, 59, 63
chrysocomum (Kar. & Kir.) O. Kuntze, 277
cordatum (L.) Mill., 277
corymbulosum (Boiss.) O. Kuntze, 277
cumanum (Ten.) O. Kuntze, 277
cylindrifolium (Forsk.) Cufod., 277
delicatulum (Gir.) O. Kuntze, 277
dichotomum (Cav.) O. Kuntze, 277
dictyocladum (Boiss.) O. Kuntze, 277
dodartii (Gir.) O. Kuntze, 277
dregeanum (Boiss.) O. Kuntze, 277
dufourii (Gir.) O. Kuntze, 277
duriusculum (Gir.) O. Kuntze, 277
echioides (L.) Miller, 59, 63, 277
effusum (Boiss.) O. Kuntze, 59, 61, 277
flexuosum (L.) O. Kuntze, 277
globuliferum (Boiss. & Heldr.) O. Kuntze, 59, 63, 277
gmelinii (Willd.) O. Kuntze, 61, 277
var. *gmelinii*, 61
var. *lancifolium* Bokhari, 61
gougetianum (Gir.) O. Kuntze, 277
graecum (Poirot) Rech. fil., 59, 62
var. *graecum*, 62
var. *hyssopifolium* (Girard) Bokhari, 62
hyssopifolium (Girard) Rech. fil., 62
iconicum (Boiss. & Heldr.) O. Kuntze, 59, 63, 277
imbricatum (Webb.) F. T. Hubbard, 277
jovibarbum (Webb.) O. Kuntze, 277
leptophyllum (Schrenk) O. Kuntze, 277
lilacinum (Boiss.) Wagenitz, 59, 63, 277

Limonium—continued

- linifolium* (L. f.) O. Kuntze, 277
lynchidifolium (Gir.) O. Kuntze, 277
macrophyllum (Brouss.) O. Kuntze, 277
macropterum (Webb) O. Kuntze, 277
macrorhabdon (Boiss.) O. Kuntze, 277
meyeri (Boiss.) O. Kuntze, 59, 61, 277
minutiflorum (Guss.) O. Kuntze, 277
minutum (L.) O. Kuntze, 277
mucronatum (L. f.) O. Kuntze, 277
myrianthum (Schrenk) O. Kuntze, 277
occidentale (Lloyd) O. Kuntze, 277
ocymifolium (Poir.) O. Kuntze, 59, 62
ovalifolium (Poir.) O. Kuntze, 277
owerinii (Boiss.) Lincz., 64
palmyrense (Post) Dinsm., 277
pectinatum (Ait.) O. Kuntze, 277
perezii (Stapf) F. T. Hubbard, 277
pruinatum (L.) O. Kuntze, 277
psilocladon (Boiss.) O. Kuntze, 277
puberulum (Webb.) O. Kuntze, 277
purpuratum (L.) L. H. Bailey, 277
pycnanthum (C. Koch) O. Kuntze, 61
reniforme (Gir.) Lincz., 277
roseum (Sm.) O. Kuntze, 177
salsuginosum (Boiss.) O. Kuntze, 277
scabrum (Thunb.) O. Kuntze, 277
sieberi (Boiss.) O. Kuntze, 59, 62, 277
sinense (Gir.) O. Kuntze, 277
sinuatum (L.) Miller, 61, 277
stocksii (Boiss.) O. Kuntze, 277
suffruticosum (L.) O. Kuntze, 277
tamaricoides Bokhari, 59, 63, 277
thouinii (Viv.) O. Kuntze, 277
tubiflorum (Delile) O. Kuntze, 277
virgatum (Willd.) Fourr., 59, 62, 277
Linaria circinata Sweet, 268
gracilis [R. Br. ex] Benth., 268
 var. *propinqua* Benth., 268
heterophylla (Schousb.) Steud., 268
lancerottae Delile, 268
macilenta Decne, 265
patula Baker, 268
propinqua R. Br., 268
sagittata (Poir.) Steud., 268
scalarum [Schweinf. ex] Blatter, 268
scoparia [Brouss. ex] Spreng., 266
spartioides [Brouss. ex] Buch, 266
Lindera megaphylla auct., 114
Lonicera rhytidophylla, the identity of, 415
Lonicera acrophila Lévl., 99
 androsaemifolia Lévl., 99
 buxifolia Lévl., 100
 cavaleriei Lévl., 99
 esquirolii Lévl., 99
 fauriei Lévl. & Van., 99
 fragilis Lévl., 99
 guillonii Lévl., & Van., 100
 gynopogon Lévl., 99
 japonica Thunb., 99
 lanceolata [Wall. ex] Roxb., 99

- ligustrina* [Wall. ex] Roxb., 100
macrantha Spreng. var. *guillonii* (Lévl. & Van.) Lauener & Ferguson, 100
mairei Lévl., 101
menelii Lévl., 100
missionis Lévl., 100
pampaninii Lévl., 100
pileata Oliver, 100
rehderi Lévl., 100
reticulata Champion, 415
rhytidophylla Hand. Mazz., 415
rocheri Lévl., 100
trichopoda Franch., 100
vaccinium Lévl., 101
vestita W. W. Sm., 99
yunnanensis Franch., 101

- Macaranga esquirolii* (Lévl.) Rehder, 110
Macropanax rosthornii (Harms) Wu ex Hoo, 95
Mandenovia Alava, 191
 komarovii (Manden.) Alava, 191
 f. *crenatiloba* Alava, 193
Marlea cavaleriei Lévl., 97
 bodinieri Lévl., 97
Materials for a Flora of Turkey XXVIII:
 Cousinia, 49; XXIX: Tripleurospermum
 Schultz Bip., 251
McNEILL, J.
 Gypsophila and Stellaria: an
 unexpected problem in generic
 delimitation, 389
Matricaria macrotis Rech. f., 434
Meconopsis discigera Prain, 434, 435
Michelia figo Spreng., 424
Microrhamnus bodinieri Lévl., 98
Micromeria serbaliana Danin & Hedge, 261
MILLER, O. K. & WATLING, ROY
 A coprinus from white rot of sugar
 maple, 445
MILNE, C. & RATTER, J. A.
 Chromosome numbers of some primitive
 angiosperms, 423
 Some angiosperm chromosome num-
 bers, 429
Monoecism in *Alpinia* (Zingiberaceae) with
 descriptions of six new species, 29
Morina delavayi Franch., 116
 esquirolii Lévl., 110
Morysia acerosa DC., 330
Mussaenda bodinieri Lévl., 110
 cavaleriei Lévl., 105
 esquirolii Lévl., 110
 mairei Lévl., 105
 pubescens Ait. f., 110
Myriactis wallichii Less., 116

Natal, Notes on some plants of Southern
Africa chiefly from, III, 303

- Nauclea racemosa* Sieb. & Zucc., 103
rubella (Hance) Nakai, 103
scandens Smith, 115
mairei (Lévl.) Lauener & Ferguson, 110
Neillia sinensis Oliv. var. *sinensis*, 436
Neonauclea navillei (Lévl.) Rehder, 111
New Guinea and Pacific *Cyrtandra*, foliar sclereids in; Studies in Gesneriaceae of the Old World XXXVI, 397
Nidorella angustifolia O. Hoffm., 366
anomala Steetz, 366
depauperata Harv., 366
krookii O. Hoffm., 366
resedifolia DC., 366
solidaginea auct., 366
solidaginea DC., 366
tongensis Hilliard, 366
Nolletia ruderalis Hilliard, 367
Notes on Asiatic Acanthaceae, 405
Notes on British Agarics: IV, 135
Notes on *Doronicum* L. in SW Asia, 255
Notes on some British Agarics: III, 127
Notes on some plants of Southern Africa chiefly from Natal: III, 303
Nothopanax delavayi (Franch.) Harms, 95
rosthornii Harms, 95
Nyssa sinensis Oliver, 98
Nyssopsora, the rust fungus genus and its host relations, 217
- Oldenlandia bodinieri* (Lévl.) Chun, 111
esquirolii (Lévl.) Chun, 111
hedyotidea (DC.) Hand.-Mazz., 111
macrostemon (Hook. & Arn.) Kuntze, 111
mairei (Lévl.) Chun., 101
yunnanensis (Lévl.) Chun, 102
Ophiorrhiza bodinieri Lévl., 111
cavaleriei Lévl., 112
cantoniensis Hance, 111
darrisii Lévl., 111
esquirolii Lévl., 111
japonica Bl., 112
mairei Lévl., 110
marchandii Lévl., 112
nana Edgew., 104
pellucida Lévl., 104
seguini Lévl., 111
violacae-flammea Lévl., 111
- ORTON, P. D.
Notes on British Agarics: IV, 135
Othonna cf. *carnosa* Less., 434, 436
- Paederia bodinieri* Lévl., 112
cavaleriei Lévl., 112
dunniana Lévl., 112
esquirolii Lévl., 112
foetida auct., 112
mairei Lévl., 112
- rehderiana* Hand.-Mazz., 113
scandens (Lour.) Merrill, 112
var. *mairei* (Lévl.) Hara, 112
tomentosa Bl. var. *mairei* (Lévl.) Lévl., 112
var. *purpureo-coerulea* Lévl. & Van., 112
wallichii auct., 113
yunnanensis (Lévl.) Rehder, 112
Panax delavayi Franch., 95
PANTIDOU, M. & WATLING, R.
Fruit-bodies of *Boletus amarellus* in pure culture, 439
Paphia Seem., 20
Papiria lanceolata Thunb., 307
Pararuellia Bremekamp, 408
cavaleriei (Lévl.) E. Hossain, 409
delavayana (Baill.) E. Hossain, 409
Paratropia venulosa Wight & Arn., 96
Patrinia sinensis (Lévl.) Koidzumi, 116
villosa (Thunb.) Juss., 116
var. *japonica* Lévl., 116
var. *sinensis* Lévl., 116
Paretta esquirolii Lévl., 113
Pentapterygium rugosum Hook. x *serpens*, 435
serpens Klotz, 435
Pentas coccinea Stapf, 436
Pentheriella krookii O. Hoffm. & Muschl., 364
Pentzia pinnatifida Oliv., 330
var. *chenoleoides* Hutch., 330, 332
stenocephala Thellung, 330
tysonii Thellung, 331
woodii Thellung, 331
Phacocarpus pruinosis Bern., 435
PHILIPSON, W. R. & M. N.
A history of *Rhododendron* classification, 223
Phlyctidocarpa (Umbelliferae), a survey of, using light and scanning electron microscope, 203
Photinia parvifolia (Pritz.) Schneid., 102
Physotrichia buchananii [Benth. ex] Oliv., 200
swynnertonii Bak. f., 200
Plumbaginaceae in Turkey, synopsis of, 57
Plumbago L., 58
europaea L., 58
Pollen types in *Acantholimon* and *Limonium*, a brief review of stigma and, 79
Pollination mechanism of *Aeollanthus njassae*, The, 45
Polycarpaea repens (Forssk.) Asch. & Schweinf. subsp. *repens*, 263
subsp. *tiranica* Danin, 263
Polygala arvensis, *chinensis* & *glomerata*, 403
Polygala arvensis Willd., 404
chinensis auct., 404
chinensis L., 404

- Polygala*—continued
 f. arvensis (Willd.) Chodat, 404
 densiflora Bl., 404
 glomerata Lour., 403
Premna esquirolii Lévl., 101
 valbrayi Lévl., 102
Printzia Cass., 368
 auriculata Harv., 372
 densifolia Wood & Evans, 373
 laxa N. E. Br., 373
 pyrifolia Less., 373
Prismatomeris brevipes Hutch., 113
 henryi (Lévl.) Rehder, 113
 labordei (Lévl.) Merrill ex Rehder, 113
Psychotria esquirolii Lévl., 114
 henryi Lévl., 113
 prainii Lévl., 114
 rubra (Lour.) Poir., 114
Psylliostachys (Jaub. & Sp.) Nevski, 277
 anceps (Regel) Roshk., 277
 beludshistanica Roshk., 277
 leptostachya (Boiss.) Nevski, 177
 spicata (Willd.) Nevski, 277
 suworowii (Regel) Roshk., 277
 volkii Rech. f., 277
Pycnocycla Lindl., 170
 abyssinica Hochst., 171
 acanthorhipsis Rech. f., Aell. & Esfand., 173
 aitchisonii Rech. f. & Riedl, 172
 aucheriana Dcne. ex Boiss., 172
 caespitosa Boiss. & Hausskn. ex Boiss., 172
 cephalantha Rech. f. & Riedl, 173
 flabellifolia (Boiss.) Boiss., 173
 glauca Lindl., 171
 ledermannii Wolff, 171
 mesomorpha Rech. f., Aell. & Esfand., 173
 modiflora Dcne. ex Boiss., 172
 occidentalis Hutch., 171
 spinosa Dcne. ex Boiss., 172
 tomentosa Dcne., 171

Randia wallichii Hook. f., 114
RATTER, J. A.
 Cytogenetic studies in *Spergularia* VI: the evolution of true breeding, fertile tetraploids from a triploid interspecific hybrid, 117
 Cytogenetic studies in *Spergularia* VII: cryptic speciation in *S. media* (L.) C. Presl and *S. marina* (L.) Griseb., 291
 Cytogenetic studies in *Spergularia* VIII: barriers to the production of viable interspecific hybrids, 297
RATTER, J. A. & MILNE, C.
 Chromosome numbers of some primitive angiosperms, 423
 Some angiosperm chromosome numbers, 429
 Review of the tribe Echinophoreae (Umbelliferae), 167
 Rhododendron classification, A history of, 223
Rhodohypoxis baurii (Bak.) Nel, 306
 rubella (Bak.) Nel, 306
Rhynea phyllifolia DC., 374
Roella ciliata L., 317
 ? *insizwae* A. Zahlbr., 323
 muscosa Linn. f., 326
 secunda Buek, 317
Roscoe's (William) Monandrian plants of the order Scitamineae, 417
Rubia akane Nakai, 114
 argyi (Lévl. & Van.) Hara, 114
 chinensis Regel & Maack var. *esquirolii* (Lévl.) Lévl., 114
 cordifolia L. var. *maillardi* (Lévl. & Van.) Lévl., 115
 esquirolii Lévl., 114
 maillardi Lévl. & Van., 115
 schumanniana Pritz., 114
 var. *maillardii* (Lévl. & Van.) Hand.-Mazz., 115
Ruellia sect. *Schizothecium* Baillon, 408
 cavaleriei Lévl., 409
 delavayana Baill., 409
 drymophila (Diels) Hand.-Mazz., 409
 esquirolii Lévl., 409
 lyi Lévl., 407
 repens L. var. *kouytcheensis* Lévl., 407
 venusta Hance, 408
Rust fungus genus *Nyssopsora* and its host relations, The, 217

Salvia in Madagascar, 1
Salvia cryptoclada Baker, 9
 goudotii Briq., 8
 hildebrandtii Briq., 6
 leucodermis Baker, 8
 parvifolia Baker, 3
 perrieri Hedge, 3
 subsp. *brevilabiata* Hedge, 6
 subsp. *perrieri*, 5
 porphyrocalyx Baker, 8
 stenodonta Briq., 6
 sessilifolia Baker, 6
 var. *auriculata* Hedge, 8
 var. *sessilifolia*, 6
 tananarivensis Briq., 6
Sambucus argyi Lévl., 101
 javanica Bl. var. *argyi* (Lévl.) Rehder, 101
 rubriflora [F. Schmidt ex] Maxim., 94
Scabiosa mairei Lévl., 116
 siamensis Craib, 431, 434, 436

- Schefflera bodinieri* (Lévl.) Rehder, 95
compacta D. G. Frodin, 96
delavayi (Franch.) Harms, 96
venulosa (Wight & Arn.) Harms, 96
Scilla aff. *natalensis* Planch., 434, 435
hyacinthina (Roth) Macbride, 434, 435
indica Baker, 435
Scitamineae, William Roscoe's Monandrian plants of the order, 417
Sedum fastigiatum Hook. f. & Thoms., 116
Selago junodii Rolfe, 387
stewartii S. Moore, 387
Senecio breviflorus Hilliard, 374
chrysocoma Meerburgh, 376
cissampelinus (DC.) Sch. Bip., 376
graminifolius Jacq., 376
hastatus L., 378
hastulatus [sphalm. ?] L., 376
helminthioides (Sch. Bip.) Hilliard, 379
macroglossoides Hilliard, 380
macroglossus DC., 382
ngoyanus Hilliard, 382
pandurifolius Harv., 383
panduriformis Hilliard, 383
paniculatus auct. non Berg., 376
paniculatus Berg. var. *reclinatus* (Linn. f.) Harv., 376
quinquelobus (Thunb.) DC., 384
quinquelobus var. *helminthioides* Sch. Bip., 379
reclinatus Linn. f., 376
tanacetopsis Hilliard, 384
tanacetoides [Sond. ex] Harv., 384
Sindechites henryi Oliv., 103
SMITH, R. M. & BURTT, B. L.
Monoecism in *Alpinia* (Zingiberaceae), with descriptions of six new species, 29
Some angiosperm chromosome numbers, 429
Sonchus gigas Boulos ex Humbert, 434, 436
Spergularia, Cytogenetic studies in: VI: the evolution of true breeding, fertile tetraploids from a triploid interspecific hybrid, 117; VII: cryptic speciation in *S. media* (L.) C. Presl and *S. marina* (L.) Griseb., 291; VIII: Barriers to the production of viable interspecific hybrids, 297
Spergularia bocconii (Scheele) Aschers. & Graebn., 297
capillacea (Kind. & Lange) Willk., 297
diandra (Guss.) Boiss., 297
fimbriata Boiss., 297
heldreichii (Fouc.) Simon & Monnier, 297
macrotheca (Hornem.) Heynh., 297
marginata (DC.) Kittel., 291
marina (L.) Griseb., 297
media (L.) C. Presl, 297
nicaeensis Sarato ex Burnat, 117, 297
purpurea (Pers.) G. Don, 117, 297
rubra (L.) J. & C. Presl, 297
rupicola Lebel ex Le Jol., 297
salina J. & C. Presl, 294
Spermacoe? hedyotidea DC., 111
Staehelina arborescens L., 384
corymbosa Linn. f. 385
petiolata (L.) Hilliard & Burtt, 384
Statice L., 58, 77
subgen. *Armeriastrum* Jaub. & Sp., 65
sect. *Armeria* DC., 77
sect. *Limonium* Boiss., 59
sect. *Pterocladus* Boiss., 59
sect. *Schizhymenium* Boiss., 59
sect. *Sphaerostachys* Boiss., 59
sect. *Tropidice* Griseb., 64
acerosa Willd., 71
androsacea Jaub. & Sp., 76
aristata Sibth. & Smith, 63
bracteata Girard, 76
caspia Willd., 63
collina Griseb., 64
dianthifolia Jaub. & Sp., 70
echioides L., 63
effusa Boiss., 61
erinacea Jaub. & Sp., 69
globulifera Boiss. & Heldr., 63
glumacea Jaub. & Sp., 73
gmelinii Willd., 61
α scoparia Schmalh., 61
var. *genuina* Boiss., 61
var. *laxiflora* Boiss., 61
var. *lilacina* Boiss., 63
var. *typica* Trautv., 61
graeca Poir., 62
var. *hyssopifolia* (Girard) Boiss., 62
var. *sieberi* (Boiss.) Boiss., 62
hyssopifolia Girard, 62
iconica Boiss. & Heldr., 63
jauberti Girard, 69
kotschy Jaub. & Sp., 72
lepturoides Jaub. & Sp., 70
lilacinum Boiss. & Bal., 63
limonium L. var. *bellidifolium* Gouan, 63
meyeri Boiss., 61
obovata Ledeb., 61
ocymifolia Poir., 62
owerinii Boiss., 64
pauciflora Jaub. & Sp., 76
prolifera D'Urv., 62
pungens Jaub. & Sp., 69
pyncantha C. Koch, 61
reticulata auct., 63
rorida Sibth. & Smith, 62
var. *hyssopifolia* (Girard) Boiss., 62
var. *prolifera* (D'Urv.) Boiss., 62
sieberi Boiss., 62
sinuata L., 61
smithii Gandoger, 62
smithii Tenore, 62

- Statice*—continued
tournefortii Jaub. & Sp., 76
virgata Willd., 62
Stauntonia hexaphylla Decne., 424
Stellaria and *Gypsophila*: an unexpected problem in generic delimitation, 389
Stellaria sect. *Oligosperma* Boiss., 392
blatteri Mattf., 393
kotschyana Fenzl ex Boiss., 392
Stemona japonica (Bl.) Miq., 97
STEVENSON, P. F.
Notes on the infrageneric classification of *Agapetes*, with four new taxa from New Guinea, 13
Stigma and pollen types in *Acantholimon* and *Limonium*, a brief review of, 79
Strobilanthes chaffanjonii Lév., 406
coreana Lév., 405
darrisii Lév., 410
deutziaefolia Lév., 98
esquirolii Lév., 410
? equitans Lév., 406
feddei Lév., 407
hypericifolia Lév., 98
labordei Lév., 405
"makongensis" Lév., 407
shweliensis W. W. Sm., 406
Strobilanthes deutziaefolia Lév., 98
hypericifolia Lév., 98
Studies in the Gesneriaceae of the Old World XXXVI: foliar sclereids in New Guinea and Pacific *Cyrtandra*, 397
Studies in tropical African Umbelliferae I: *Frommia ceratophylloides* and the *Diplolephium buechananii* complex, 195
Studies in the Viciae I: The new genus *Anatropostylia*, 247
Suillus amarellus (Quélet) O. Kuntze, 439
piperatus var. *amarellus* (Quélet) Singer, 439
Szovits, J. N., Transcaucasian and Iranian collections of, 239

Tanacetum linearilobum DC., 332
Tarchonanthus galpinii Hutch. & Phill., 385
trilobus DC. var. *galpinii* (Hutch. & Phill.) J. Parva, 385
Tarenna incerta Koorders & Valetton, 114
mollissima (Hook. & Arn.) Merrill, 115
Tarphochlamys darrisii (Lév.) E. Hossain, 410
Taxonomic position of *Agrocharis* Hochst. and allied genera, the, 211
Teedia lucida Rudolphi, 434, 436
Tetracentron sinense Oliv., 423, 425, 427
Tetragoga esquirolii (Lév.) E. Hossain, 410
Tetrapanax papyriferus (Hook.) C. Koch, 96
Textoria moribifera (Lév.) Nakai, 95

Thecocarpos Boiss., 169, 182
carvifolius (Boiss.) Hedge & Lamond, 182
meifolius Boiss., 182
THEOBALD, WILLIAM L. & CANNON, JOHN F. M.
A survey of *Phlyctidocarpa* (Umbelliferae) using the light and scanning electron microscope, 203
THORNE, ROBERT F.
Inclusion of the *Apiaceae* (Umbelliferae) in the *Araliaceae*, 161
Toddalia asiatica (L.) Lam., 94
Tordylium komarovii Manden., 189
Transcaucasian and Iranian collections of J. N. Szovits, 239
Trevesia palmata (Roxb.) Vis., 96
Trichostigma peruvianum H. Walt., 435
Trigonosciadium komarovii (L. Mand.) Tamam., 191
Triosteum himalayana [Wall. ex] Roxb., 101
Tripleurospermum baytopianum E. Hossain, 253
corymbosum E. Hossain, 253
rosellum (Boiss. & Orph.) Hayek var. *album* E. Hossain, 254
Triplostegia epilobiifolia Lév., 116
mairei Lév., 116
pinifolia Lév., 116
Trochodendron aralioides Sieb. & Zucc., 423, 425, 427
Tropaeolum tricolorum Sweet, 436
TUTIN, T. G.
Flora of Turkey, vol. 4, (review), 246

Umbelliferae in 1672 and 1972, 151
Umbelliferae, Studies in tropical African, I: *Frommia ceratophylloides* and the *Diplolephium buechananii* complex, 195
Umbelliferae (*Tordyliinae*) from Caucasia, a new genus of, 189
Uncaria scandens (Sm.) Hutch., 115

Valeriana briquetiana Lév., 116
mairei Briquet, 116
villosa Thunb., 116
Variation and taxonomic importance of anatomical characters in *Limonium*, 275
Vernonia ampla O. Hoffm., 386
corymbosa (L. f.) Less., 385
galpinii Klatt, 385
monocephala Harv., 385
neocorymbosa Hilliard, 385
oliveriana Pichi-Sermolli, 386
podocoma Sch. Bip., 386
stipulacea Klatt, 386
Versipellis amarellus (Quélet) Quélet, 439.

- Viburnum ajugifolium* Lévl., 102
barbigerum Lévl., 101
bodinieri Lévl., 102
botryoideum Lévl., 101
Viburnum cavaleriei Lévl., 101
ceanthoides Wight, 102
chaffanjonii Lévl., 103
congestum Rehder, 101, 109
corylifolium Hook. f. & Thoms., 101
dielsii Lévl., 101
dunnianum Lévl., 101
erosum Thumb. var. *taquetii* (Lévl.)
 Rehder, 101
erubescens Wall., 101
foetidum auct. non Wall., 102
foetidum Wall. var. *ceanothoides* (Wight)
 Hand.-Mazz., 102
 var. *rectangulatum* (Graebn.) Rehder,
 102, 109
komarovii Lévl. & Van., 102
mairii Lévl., 101
martini Lévl., 102
pinfaense Lévl., 102
rectangulatum Graebn., 102
sempervirens C. Koch. var. *trichophorum*
 Hand.-Mazz., 102
setigerum Hance, 102
sympodiale Graebn., 102
taquetii Lévl., 101
ternatum Rehder, 103
touchanense Lévl., 102
Vicia sect. *Anatropostylia* Plitmann, 247
aristata (Nab.) Schischkin, 247
blakelockiana C. C. Townsend, 247
koeieana Rech. fil., 247
singarensis Boiss. & Hausskn. var.
aristata Nab., 247
 Viciaeae, Studies in the I: The new genus
Anatropostylia, 247
Wahlenbergia basutica E. P. Phillips, 324
intricatissima, 317
montana A. DC., 324
 var. *angustisepala* v. Brehm., 324
 var. *glabrata* Sonder, 324
ovalis v. Brehm., 323
solitaria v. Brehm., 327
 WATLING, ROY
 Malaysian boletes (review), 443
 Notes on some British Agarics: III, 127
 WATLING, ROY & MILLER, O. K.
 A *Coprinus* from white rot of sugar
 maple, 445
 WATLING, ROY & PANTIDOU, M.
 Fruit bodies of *Boletus amarellus* in
 pure culture, 439
Webbia kraussii Sch. Bip., 332
Webera cavaleriei Lévl., 114
henryi Lévl., 114
marchandii Lévl., 115
Wendlandia cavaleriei Lévl., 115
dunniana Lévl., 115
feddei Lévl., 115
salicifolia [Franch. ex] Castello, 115
uvatifolia Hanc. subsp. *dunniana* (Lévl.)
 Cowan, 115
Wikstroemia vaccinium (Lévl.) Rehder, 101
 William Roscoe's monandrian plants of the
 order Scitamineae, 417
Woodfordia fruticosa (L.) S. Kurz, 99
Xeranthemum herbaceum Andr., 351
humile Andr., 358
pinifolium Lam., 358
squamosum Jacq., 358
Xerocomus amarellus (Quélet) Quélet, 439