GENERAL INDEX TO VOLUME 33

Acanthaceae tribe Nelsonieae, studies in, II: Foliar sclereids and stomata, 269
Achillea absinthifolia Boiss., 428
aleppica DC., 209
subsp. *densa* (Blakelock) Hub.-Mor., 427
subsp. *zederbaueri* (Hayek) Hub.-Mor., 427
var. *ramosa* Bornm., 209
amanicus Rech. fil., 432
anthemiformis Freyn & Sint., 428
anthemoides Freyn & Sint., 428
densa Blakelock, 427
densissima [O. Schwarz ex] Bässler, 427
goniocephala Bornm., 210
gypsicola Hub.-Mor., 208
magnifica [Heimerl ex] Hub.-Mor., 208
subsp. *densissima* (O. Schwarz ex Bässler) Hub.-Mor., 427
nobilis L.
subsp. *kurdica* Hub.-Mor., 209
pseudoaleppica [Hausskn. ex] Hub.-Mor., 209
sintenisii Hub.-Mor., 210
spinulifolia Bornm., 210
zederbaueri Hayek apud Penther & Zederbauer, 427
Aegialophila cretica Boiss. & Heldr., 230
Aeschynanthus, towards a revision of: Studies in the Gesneriaceae of the Old World, XXXIX, 471
Aeschynanthus Jack, 475
sect. *Aeschynanthus*, 475
sect. *Anisocalyx* Schlechter, 477
sect. *Diplotrichium* Benth., 476
sect. *Haplotrichium* Benth., 476
sect. *Holocalyx* Benth., 475
sect. *Microtrichium* C.B. Cl., 477
sect. *Polytrichium* Benth., 477
albidus (Bl.) Steud., 479
asclepioides (Elm.) Burtt & Woods, 480
atropurpureus Van Houtte, 479
breviflorus Ridl., 482
cardinalis (Merrill) Schlechter, 486
crassifolius (Elmer) Schlechter, 486
discolor T. Moore, 479
ellipticus Lautb. & K. Sch., 524
fecundus P. Woods, 482
fraserianus Kraenzlin, 480
guttatus P. Woods, 486, 524
hartleyi P. Woods, 485
hildebrandii auctt., 484
hosseusii Pellegrin, 537
horsfieldii R. Br., 486
irigaensis (Merrill) Burtt & Woods, 486
javanicus Hook., 536
lamponga Miq., 536
lineatus Craib, 524
lobbianus Hook., 536
longicalyx Ridl., 486, 537
longicaulis R. Br., 481
longiflorus DC., 537
magnificus Stapf, 486
marmoratus T. Moore, 481
miniaceus Burtt & Woods, 486
miniatus Lindl., 486
motleyi C.B.Cl., 479
musaensis P. Woods, 487
myrmecophilus P. Woods, 483
nervosus (Elmer) Schlechter, 486
nummularius (Burk. & S. Moore) K. Sch., 537
obconicus C. B. Cl., 536
oblongifolius (Roxb.) G. Don, 174
papuanus (Schltr.) B. L. Burtt, 524
parasiticus (Roxb.) Wall., 475
parviflorus (D. Don) Spreng., 537
parviflorus Ridl., 482
parvifolius R. Br., 537
perakensis Ridl., 537
philippinensis C. B. Cl., 486
poilanei Pellegrin, 484
praelongus Kraenzl., 536
putcher (Blume) G. Don, 536
purpurascens Hassk., 479
radicans Jack, 536
sikkimensis Stapf, 537
speciosus Hook., 537
x *splendidus* T. Moore, 537
stenocalyx Kraenzl., 480
trichocalyx Kraenzl., 485
tricolor Hook. f., 537
vinaceus P. Woods, 488
viridiflorus Teÿsmann & Binnendijk, 482
volubilis Jack, 475
zebrinus Van Houtte, 481
Afghanistan, Botanical literature of, Supplement I, 503
Agalmyla asperifolia Blume, 182
borneensis (Schlect.) B. L. Burtt, 537
parasitica (Lam.) Kuntze, 537
Agarics, notes on some British: IV, 325
Agrostis coerulescens (Desf.) Poir., 365
holciformis M. Bieb., 371
miliacea L., 362
Allium desertorum and A. sindjarense in Palestine, 437
Allium phanerantherum, a note on, 305

Allium azaurenum Gomb., 439
davisianum Feinbr., 305
descendens auct., 305
desertorum Forssk., 439
modestum Boiss., 439
phanerantherum Boiss. & Hausskn., 305
sindjarense Boiss. & Hausskn. ex Regel, 439
Amphiscirpus nevadensis (Watson) Oteng-Yeboah, 308
Anacyclus, 410
creticus Linn., 213
nigellifolius Boiss.
subsp. *orientalis* Grierson, 411
orientalis Linn., 213
pectinatus Bory & Chaub., 213
Ancylostemon convexus Craib, 538
Anemone, a new Himalayan species of, 491
Anemone smithiana Lauener & Panigrahi, 491
Antennaria rubicunda C. Koch, 239
Anthemis, 411
albida Boiss., 435
amblyolepis Eig, 216
anatolica Boiss., 428
anthemiformis (Freyn & Sint.) Grierson, 428
antitaurica Grierson, 211
arenicola Boiss.
var. *tenuisecta* Grierson, 428
var. *urosperma* (Eig) Yavin, 428
argaea Boiss. & Bal., 428
argentea Eig.
var. *microstephana* Eig, 428
biebersteiniana (Adams) Boiss., 216
var. *marschalliana* (Willd.) Boiss, 214
var. *pectinata* Boiss., 215
var. *rudolphiana* (DC.) Boiss., 215
calcarea Sosn.
var. *discoidea* Grierson, 211
candicans Boiss., 428
carpatica Willd., 435
carnea Boiss., 217
cassia Boiss., 428
var. *sieheana* Eig, 428
coelopoda Boiss.
var. *bourgaei* Boiss., 212
var. *coelopoda*, 212
var. *longiloba* Grierson, 212
cretica L., 213
subsp. *absinthifolia* (Boiss.) Grierson, 428
subsp. *albida* (Boiss.) Grierson, 435
subsp. *anatolica* (Boiss.) Grierson, 428
subsp. *argaea* (Boiss. & Bal.) Grierson, 428
subsp. *candicans* (Boiss.) Grierson, 428
subsp. *carpatica* (Willd.) Grierson, 435
subsp. *cassia* (Boiss.) Grierson, 428
subsp. *iberica* (Bieb.) Grierson, 428
subsp. *leucanthemoides* (Boiss.) Grierson, 428
subsp. *pontica* (Willd.) Grierson, 428
subsp. *tenuiloba* (DC.) Grierson, 428
subsp. *umbilicata* (Boiss. & Huet) Grierson, 428
creticus (L.) Nym., 213
euxina Boiss., 428
fulvida Grierson, 213
iberica Bieb., 428
kotschyana Boiss.
var. *discoidea* (Bornm.) Grierson, 428
leucanthemoides Boiss., 428
marschalliana Willd., 214
subsp. *biebersteiniana* (Adams) Grierson, 216
subsp. *marschalliana*, 214
subsp. *pectinata* (Boiss.) Grierson, 215
subsp. *sosnowskyana* (Fedorov) Grierson, 215
var. *rudolphiana* DC., 215
melanolepis Boiss., 216
melanoloma Trautv.
subsp. *trapezuntica* Grierson, 411
montana Linn., 213
subsp. *carpatica* (Willd.) Rouy, 435
orientalis (L.) Degen., 212
palestina Reut., 216
pauciloba Boiss.
var. *microstephana* (Eig) Grierson, 428
var. *sieheana* (Eig) Grierson, 428
pectinata (Bory & Chaub.) Boiss. & Reut., 213
pontica Willd., 428
nigrescens Willd., 216
rigida (Sibth. & Sm.) Boiss. ex Heldr., 213
rosea Sm., 217
subsp. *carnea* (Boiss.) Grierson, 217
rudolphiana Adam, 215
scopulorum Rech. f., 428
sismondeana Clem., 217
sosnowskyana An. A. Fed., 215
tenuisecta Boiss., 428
tinctoria L.
var. *euxina* (Boiss.) Grierson, 428
tomentosa L.
subsp. *scopulorum* (Rech. f.) Grierson, 428
umbilicata Boiss. & Huet, 428
urosperma Eig, 428
ARGENT, G.
The major groups of palms (review), 502

Aspidium jaculosum Christ, 496
Aster amani Post, 430
amellus L.
subsp. *ibericus* (Stev.) Grierson, 428
ibericus Stev., 428
Asteracantha longifolia Nees, 272

Babactes DC., 131
oblongifolia (Roxb.) DC., 174
Beccarinda cordifolia (Anthony) B. L. Burtt, 538
Betonica annua L., 288
haussknechtii [Uechtr. ex] Hausskn., 292
officinalis L., 292
BHATTACHARJEE, Reba
Taxonomic studies in Stachys: New species and infra-specific taxa from Turkey, 275
BHATTACHARJEE, Reba & DAVIS, P. H.
Two new species from Iraq, 293
Bignonia albida Bl., 479
Bilabium Miq., 131
limans Miq., 183
Bjerkandera adusta (Willd.) Karst., 336
Blysmopsis Oteng-Yeboah, 309
rufa (Hudson) Oteng-Yeboah, 310
Boea hemsleyana B. L. Burtt, 540
herbacea C.B. Cl., 540
hygroscopica F. Muell., 540
kerrii Craib, 524, 540
lawesii (F. Muell.) H. O. Forbes, 540
magellanica Lam., 540
reticulata Barnett, 540
speluncarum B. L. Burtt, 540
BOOK REVIEWS
Biological Nomenclature by Charles Jeffrey, 444
Drawings of British Plants by Stella Ross-Craig, 448
Excelsa: journal of the Aloe, Cactus and Succulent Society of Rhodesia, 465
The major groups of palms and their distribution by Harold E. Moore, 502
Introduction to Biophysical Plant Physiology by Park S. Nobel, 436
Numerical Taxonomy by P. H. A. Sneath and R. R. Sokal, 465
Palms of Malaya by T. C. Whitmore, 268
The plants of Southern New Jersey by Witmer Stone, 300
Shedding of Plant Parts ed. T. T. Kozlowski, 465
Botanical literature of Afghanistan; Supplement I, 503
BOKHARI, M. H.
A new record of Cupressus from SW Iran, 445
Bolboschoenus (Aschers.) Palla
sect. *Bolboschoenus*, 316
sect. *Lentischoenus* Oteng-Yeboah, 315
Boletus edulis
subsp. *trisporus*, 326
Bonnaya bifolia (D. Don) Spreng., 185
pumila (D. Don) Spreng., 161
BRECKLE, S.-W., FREY, W. & HEDGE, I. C.
Botanical literature of Afghanistan: Supplement I, 503
Briggsia aurantiaca B. L. Burtt, 538
kurzii (C. B. Cl.) W. E. Evans, 202
muscicola (Diels) Craib, 538
BURTT, B. L.
Studies in the Gesneriaceae of the Old World, XXXVII: Schizoboea, the erstwhile African Didymocarpus, 265
Excelsa (review), 465
Shedding of plant parts (review), 465
BURTT, B. L. & DICKISON, W. C.
The morphology and relationships of Seemannaralia (Araliaceae), 449
BURTT, B. L. & HILLIARD, O. M.
Studies in the Gesneriaceae of the Old World, XXXVIII: A new species of Streptocarpus from East Africa, 467
BURTT, B. L. & WOODS, P. J. B.
Studies in the Gesneriaceae of the Old World, XXXIX: Towards a revision of Aeschynanthus, 471
Busea asperifolia (Blume) Miq., 182

Cachrys L., new combinations in, as a genus distinct from Hippomarathrum Link, 441
Cachrys asperula (Boiss.) Herrnst. & Heyn, 443
ssp. *haussknechtii* (Boiss.) Herrnst. & Heyn, 443
bucharica (Fedtsch.) Herrnst. & Heyn, 443
calligonoides (Rech. fil.) Herrnst. & Heyn, 443
corymbosa (Boiss.) Herrnst. & Heyn, 443
denticulata (Fisch. & Mey.) Herrnst. & Heyn, 443
hermonis (Boiss.) Herrnst. & Heyn, 443
latiloba (Korovin) Herrnst. & Heyn, 443
meliocarpoides (Boiss.) Herrnst. & Heyn, 443
var. *arcis-romanae* (Boiss. & Huet) Herrnst. & Heyn, 443
pabularia (Lindl.) Herrnst. & Heyn, 443
peucedanifolia (Fenzl) Herrnst. & Heyn, 443
platychloena (Boiss. ex Tchih.) Herrnst. & Heyn, 443
tuberculata (Boiss. & Hausskn.) Herrnst. & Heyn, 443

Cachrys—continued
uechtritzii (Boiss. & Hausskn.) Herrnst. & Heyn, 443
uloptera (DC.) Herrnst. & Heyn, 443
Calosacme acuminata Wall., 174
amplectens Wall., 185
dimidiata Wall., 166
flava Wall., 161
grandiflora Wall., 178
macrophylla Wall., 167
Carduus, 411
arabicus [Jacq. ex] Murray
subsp. *cinereus* (Bieb.) Kazmi, 429
subsp. *marmoratus* (Boiss. & Heldr.) Kazmi, 429
cinereus Bieb., 429
cronius Boiss. & Heldr.
subsp. *hypoleucus* (Bornm.) Kazmi, 429
hypoleucus Bornm., 429
marmoratus Boiss. & Heldr., 429
subsp. *falcato-incurvus* P. H. Davis, 411
subsp. *trojanus* P. H. Davis, 412
olympicus Boiss.
subsp. *hypoleucus* (Bornm.) Davis, 429
onopordioides Fisch. ex Bieb.
subsp. *turcicus* (Kazmi) Davis, 429
pycnocephalus L., 413
subsp. *breviphyllarius* P. H. Davis, 412
subsp. *cinereus* (Bieb.) Davis, 429
subsp. *marmoratus* (Boiss. & Heldr.) Davis, 429
turcicus Kazmi, 429
Carlina involucrata Poiret
subsp. *libanotica* (Boiss.) Meusel & Kastner, 429
libanotica Boiss., 429
oligocephala Boiss. & Kotschy
subsp. *pallescens* (Wettst.) Meusel & Kastner, 429
pallescens Wettst., 429
Centaurea
sect. *Pseudoseridia* Wagenitz, 220
sect. *Pteracantha* Wagenitz, 222
aegialophila Wagenitz, 230
antiochia Boiss.
var. *praealta* (Boiss. & Bal.) Wagenitz, 429
bornmuelleri Hausskn., 227
brevifimbriata Hub.-Mor., 227
calcitrapa L.
subsp. *cilicica* (Boiss. & Bal.) Wagenitz, 230
carneola Boiss., 229
cheiranthifolia Willd.
var. *purpurascens* (DC.) Wagenitz, 230
cheirolepidoides Wagenitz, 221
cilicica Boiss. & Bal., 230
cretica (Boiss. & Heldr.) Nyman, 230
deflexa Wagenitz, 229
extrarosularis Hayek & Siehe, 231
fisheri Willd., 230
freynii Sint., 230
goniocaula Boiss., 229
gracillima Wagenitz, 225
hakkariensis Wagenitz, 224
halkensis Fors.-Maj. & Barbey, 429
hedgei Wagenitz, 230
holtzii Wagenitz, 226
huber-morathii Wagenitz, 226
iconica Hub.-Mor., 231
inexpectata Wagenitz, 219
lactucifolia Boiss.
subsp. *halkensis* (Fors.-Maj. & Barbey) Rech. fil., 429
var. *halkensis* (Fors.-Maj. & Barbey) Wagenitz, 429
longifimbriata Wagenitz, 223
montana L.
var. *purpurascens* DC., 230
nivea (Bornm.) Wagenitz
var. *declinata* (Boiss.) Wagenitz, 229
pergamacea DC., 227
pichleri Boiss.
subsp. *extrarosularis* (Hayek & Siehe) Wagenitz, 231
poluninii Wagenitz, 228
polypodiifolia Boiss.
var. *szovitsiana* (Boiss.) Wagenitz, 229
praealta Boiss. & Bal., 429
pseudobehen Boiss., 229
pseudokotschyi Wagenitz, 220
ptosimopappoides Wagenitz, 225
pulcherrima Willd.
var. *freynii* (Sint.) Wagenitz, 230
pyracantha Boiss., 229
subsp. *carneola* (Boiss.) Wagenitz, 229
schischkinii Tzvelev, 227
sericea Wagenitz, 222
sipylea Wagenitz, 229
sivasica Wagenitz, 218
solstitialis L.
subsp. *pyracantha* (Boiss.) Wagenitz 229
spinosa L.
var. *tragacanthoides* (Rech. fil.) Wagenitz, 429
szovitsiana Boiss., 229
var. *pseudobehen* (Boiss.) Wagenitz, 229
taochia (Sosn.) Sosn., 230
tardiflora Wagenitz, 228
tragacanthoides Rech. fil., 429
variensis Wagenitz, 223
zeybekii Wagenitz, 218

Ceratoscyphus Chun, 132
Chamaemelum callosum Boiss. & Heldr., 435
fissurale Sosn., 435
kotschyi Boiss., 435
tchihatchewii Boiss., 435
CHAMBERLAIN, D. F.
Scorzonera, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 255
Numerical taxonomy (review), 465
Cheirolepis declinata (Boiss.) Czerep., 229
Chirita (Gesneriaceae), a revision of, 123
Chirita [Buch. Ham. ex] D. Don, 129
sect. *Bilabium* (Miq.) C. B. Cl., 131
sect. *Euchirita* C. B. Cl., 131
sect. *Liebigia* (Endl.) C. B. Cl., 131
acaulis Merrill, 202
acuminata Steud., 174
acuminata Wall. ex R. Br., 174
adenocalyx Chatterjee, 176
alba Ridley, 183
amplectens Steud., 185
anachoreta Hance, 164, 539
angusta (C. B. Cl.) Theobald & Grupe, 169
annamensis Pellegrin, 140
aratriformis D. Wood, 197
asperifolia (Blume) B. L. Burtt, 182, 539
balansae Drake, 146
barbata Sprague, 197
bicornuta Hayata, 202
bifolia D. Don, 184
bilabium C. B. Cl., 183
bimaculata D. Wood, 196, 524, 539
blumei C. B. Cl., 182
var. *cordifolia* S. Moore, 183
bracteosa Drake, 139
bracteosa (Zoll. & Mor.) Miq., 182
brevipes C. B. Cl., 180
caerulea R. Br., 200, 524, 539
caliginosa C. B. Cl., 186, 539
calva C. B. Cl., 168
capitis Craib, 199
ceratosyphus B. L. Burtt, 202
chanetii Lévl., 202
chlamydata W. W. Sm., 202
clarkei Hook f., 155
colaniae Pellegrin, 136
communis Gardner, 202
corniculata Pellegrin, 158
cortusifolia Hance, 146
cristata (Dalzell) B. L. Burtt, 191
cyanea (Ridley) B. L. Burtt, 151
cycnostyla B. L. Burtt, 148
dalzielii W. W. Sm., 202
diaphana Royle, 161
dielsii (Borza) B. L. Burtt, 154
dimidiata Steud., 166
dimidiata Wall. ex C. B. Cl., 166
dimidiata auct. non R. Br., 164
drakei B. L. Burtt, 139
dryas Dunn, 135
eberhardtii Pellegrin, 149
eburnea Hance, 138
edgeworthii DC., 161
elata Ridley, 189
elphinstonia Craib, 195
fauriei Franchet, 138
fimbrisepala Hand.-Mazz., 144
flava Steud., 161
flava Wall. ex R. Br., 161
forbesii S. Moore, 183
forbesii Ridley, 183
fordii (Hemsley) D. Wood, 142
forrestii Anthony, 163
fulva Barnett, 150
fusca (C. B. Cl.) O. Kuntze, 186
gemella D. Wood, 141
geoffrayi Pellegrin, 199
glabra auct., 168
glabra Miq., 183
glasgovii Ridley, 202
grandiflora Wall., 178
griffithii C. B. Cl., 202
hamosa R. Br., 191, 524, 539
var. *finlaysoni* C. B. Cl., 191
var. *unifolia* C. B. Cl., 191
heterostigma B. L. Burtt, 177
heterotricha Merrill, 137
heucherifolia (Hand.-Mazz.) D. Wood, 145
hookeri C. B. Cl., 173
horsfieldii R. Br., 182
var. *scaberrima* (R. Br.) C. B. Cl., 182
humilis Miq., 202
insignis C. B. Cl., 157
integra Barnett, 151
involucrata Craib, 199, 524, 539
juliae Hance, 143
kerrii Craib, 200
kurzii (C. B. Cl.) C. B. Cl., 202
lacei (W. W. Sm.) B. L. Burtt, 160
lachenensis C. B. Cl., 155
lacunosa (Hook. f) B. L. Burtt, 151
lavandulacea Stapf, 198, 539
lilacina Lemaire, 202
longipedicellata B. L. Burtt, 172
macrophylla Wallich, 167, 539
subsp. *tirapensis* Panigrahi, 167
macrosiphon Hance, 202
marcanii Craib, 193
martinii Lévl. & Vant., 202
micromusa B. L. Burtt, 194, 539
minuteserrulata Hayata, 164
minutihamata D. Wood, 149
mishmiensis [Debbarman ex] Biswas, 156
mollissima Ridley, 188
monophylla C. B. Cl., 181
moonii Gardner, 171

Chirita—continued
oblongifolia (Roxb.) Sinclair, 174
obtusa C. B. Cl., 160
oculata Craib, 194
orbicularis W. W. Sm., 154
parvula Ridley, 186
peduncularis B. L. Burtt, 173
pellegriniana B. L. Burtt, 142
pinnatifidia (Hand.-Mazz.) B. L. Burtt, 202
poilanei Pellegrin, 147
var. *villosa* Pellegrin, 147
polycarpa Steud., 202
polyneura Miq., 202
var. *amabilis* C. B. Cl., 166
var. *thomsonii* C. B. Cl., 161
primulacea C. B. Cl., 153
primuloides (Miq.) Ohwi, 202
pumila D. Don, 161, 539
purpureo-lineata (Kerr) D. Wood, 152
quercifolia D. Wood, 144
reptans Burtt & Panigrahi, 157
ridleyana S. Moore, 183
rotundata Barnett, 169
rotundifolia (Hemsley) D. Wood, 138
rupestris Ridley, 201
scaberrima R. Br., 182
scabra Royle ex C. B. Cl., 185
semicontorta Pellegrin, 147
sericea Ridley 187, 539
var. *scortechinii* Ridley, 188
sericea Lévl. & Vant., 202
sinensis Lindl., 130, 135, 539
var. *angustifolia* Dunn, 135
var. *bodinieri* Lévl., 135
speciosa Kurz, 180, 539
spectabilis Miq., 202
var. *pedicellata* C. B. Cl., 202
speluncae (Hand.-Mazz.) D. Wood, 141
sphagnicola Lévl. & Vant., 161
stolonifera Fischer & Kaul., 155
subacaulis (Hand.-Mazz.) B. L. Burtt, 202
ternifolia D. Don, 202
tibetica (Franchet) B. L. Burtt, 159
trailliana Forrest & Smith, 180
trisepala Barnett, 153
tubulosa Craib, 190
umbricola W. W. Sm., 155
uniflora Ridley, 202
urticifolia Buch.-Ham. ex D. Don, 131, 177, 539
vestita D. Wood, 141
viola Ridley, 190
walkeri Gard., 170, 524, 539
subsp. *parviflora* (C. B. Cl.) Theobald & Grupe, 171
var. *parvifolia* C. B. Cl., 171
zeylanica Hook., 169, 539
var. *augusta* C. B. Cl., 169
zollingeri C. B. Cl., 200
Chondrilla
sect. *Arthrorynchus* Fisch. & Mey., 234
spinosa Lamond & Matthews, 231
Chromosome numbers in the Gesneriaceae, V., 523
Chromosome numbers in the Gesneriaceae of the Old World, a survey of, 527
Chrysanthemum altense Sosn., 435
alyssifolium Bornm., 434
biebersteinianum Adams, 216
coccineum Willd., 262
haradjanii Rech. fil., 435
heimerlei Nab., 434
oxylepis Bordz., 260
oxystegium Sosn., 435
sipikorense Bornm., 260
zahlbruckneri Nab., 435
Cicerbita boissieri (Rouy) C. Jeffrey, 429
brevirostris (Schultz Bip. ex Vis. & Panč.) C. Jeffrey, 429
Cirsium, 413
aduncum Fisch. & Mey. ex DC., 414
subsp. *bashkalense* Davis & Parris, 414
alatum (Gmelin) Bobrov, 414
subsp. *pseudocreticum* Davis & Parris, 414
baytopae Davis & Parris, 415
boluense Davis & Parris, 415
cassium Davis & Parris, 416
cilicicum Davis & Parris, 416
creticum (Lam.) d'Urv.
subsp. *gaillardotii* (Boiss.) Davis & Parris, 429
depilatum Boiss. & Bal.
var. *glomeratum* Freyn & Sint., 430
gaillardotii Boiss., 429
hakkaricum Davis & Parris, 417
lappaceum (Bieb.) Bieb.
subsp. *tenuilobum* (C. Koch) Davis & Parris, 430
libanoticum DC., 419
subsp. *arachnoideum* Davis & Parris, 419
subsp. *lycaonicum* (Boiss. & Heldr.) Davis & Parris, 430
var. *lycaonicum* (Boiss. & Heldr.) Boiss., 430
lycaonicum Boiss. & Heldr., 430
poluninii Davis & Parris, 418
pseudobracteosum Davis & Parris, 419
pubigerum (Desf.) DC.
var. *glomeratum* (Freyn & Sint.) Davis & Parris, 430
rhizocephalum C. A. Meyer
subsp. *sinuatum* (Boiss.) Davis & Parris, 430
var. *sinuatum* Boiss., 430

Cirsium—continued
siculum Sprengel
subsp. *gaillardotii* (Boiss.) Petrak, 429
simplex C. A. Meyer, 420
subsp. *satdaghense* Davis & Parris, 420
Codonocephalum inuloides Fenzl, 250
peacockianum Aitch. & Hemsl., 250
serratuloides Gilli, 250
Compositae I: Materials for a Flora of Turkey, XXX, 207
Compositae II: Materials for a Flora of Turkey, XXXI, 409
Conandron ramondioides Sieb. & Zucc., 538
Cordyceps militaris Fr., 338
Coriolus hirsutus (Wulf.) Quélet, 337
versicolor (L.) Quélet, 337
Courrantia chamonelloides Sch.-Bip., 253
Crepidotus cesatii (Raberh.) Sacc., 334
Crepis aurea (L.) Cass.
subsp. *olympica* (C. Koch) Lamond, 430
bupleurifolia (Boiss.) Freyn & Sint., 234
foetida L.
subsp. *rhoeadifolia* (M. Bieb.) Čelak., 234
fraasii Schultz Bip., 235
hakkarica Lamond, 235
olympica C. Koch, 430
CULLEN, J.
A field guide to Malayan Palms (review), 268
Cupressus from SW Iran, a new record of, 445
Cupressus sempervirens L.
var. *horizontalis* (Miller) Gordon, 445
Cussonia gerrardii Seem., 449
Cyclosorus biauritus (Bedd.) Ching, 498
jaculosus (Christ) H. Ito, 496
Cyperaceae-Cyperoideae, four new genera in, 307
Cyperaceae-Cyperoideae, taxonomic studies in, 311
Cyrtandra cordifolia Gaud., 536
ferruginosa St. J. & Storey, 536
garnotiana Gaud., 536
grandiflora Gaud., 536
latebrosa Hill, 536
mooreaensis G. W. Gillett, 536
oblongifolia (Blume) C. B. Cl., 536
paludosa Gaud., 536
pendula Blume, 536
propinqua C. N. Forbes, 536
radiciflora C. B. Cl., 536
sandei De Vries, 536
sandwicensis (Lév.) St. J. & Storey, 536
sororia Schltr., 536
splendens C. B. Cl., 536
stupantha St. J. & Storey, 536
Daedalea quercina (L.) Fr., 337
Daldina concentrica (Bolt. ex Fr.) Ces. & De Not., 338
DALE, J. E.
Deep ploughing—or numerical plant physiology (review), 436
Damrongia purpurea-lineata Kerr, 152
DANIN, A.
Onopordum, in Davis, P. H. Materials for a Flora of Turkey; Compositae, I, 254
DAVIS, P. H.
Materials for a Flora of Turkey, XXX: Compositae I (compiled by), 207
Materials for a Flora of Turkey, XXXI: Compositae II (compiled by), 409
Carduus, in Davis, P. H. Materials for a Flora of Turkey, XXXI, Compositae II, 411
DAVIS, P. H. & BHATTACHARJEE, Reba
Two new species from Iraq, 293
DAVIS, P. H. & KUPICHA, F. K.
Helichrysum, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 239
DAVIS, P. H. & PARRIS, B. S.
Cirsium, in Davis, P. H. Materials for a Flora of Turkey XXXI, Compositae II, 413
Dichiloboea speciosa (Ridl.) Stapf, 540
Dichrotrichum asperifolium (Blume) Benth., 182
DICKISON, W. C. & BURTT, B. L.
The morphology and relationships of Seemannaralia (Araliaceae), 449
Didissandra begoniifolia Lévl., 202
Didymocarpus Wall., 265
subgen. *Chirita* (D. Don) Chun, 129
sect. *Euchirita* (C. B. Cl.) Chun, 132
sect. *Microchirita* (C. B. Cl.) Chun, 134
alternans Ridl., 539
anachoretus (Hance) Lévl., 164
anthonyanus Hand.-Mazz., 161
asperifolius (Blume) Bakh. f., 182
balansae Pellegrin, 142
bequaertii De Wild, 267
biserratus Barnett, 540
bombycinus Ridl., 539
brevipes (C. B. Cl.) Hand.-Mazz., 180
citrinus Ridl., 540
clarkei Lévl., 160
corchorifolius R. Br., 540
cortusifolius (Hance) Lévl., 146
cristatus Dalzell, 191
cruciformis Chun, 202
cyaneus Ridley, 151
dielsii Borza, 154
eburneus (Hance) Lévl., 138
fauriei (Franchet) Lévl., 138

Didymocarpus—continued
fimbrisepalus (Hand.-Mazz.) Hand.-Mazz., 144
flavescens Ridl., 539
floccosus Thw., 524, 540
fordii Hemsley, 142
forrestii (Anthony) Hand.-Mazz., 163
grandifolius (A. Dietr.) F. G. Dietr., 167
hedyotideus Chun, 202
heucherifolius Hand.-Mazz., 145
humilis (Miq.) B. L. Burtt, 202
innominatus B. L. Burtt, 540
juliae (Hance) Lévl., 143
kamerunensis Engl., 267
lacei W. W. Sm., 160
lacunosus Hook. f., 151
malayanus Hook. f., 539
martinii Lévl. & Vant., 202
minuteserrulatus (Hayata) Yamamoto, 164
minutus Hand.-Mazz., 141
mollissimus (Ridl.) Williams, 188
polycephalus Chun, 202
praeteritus Burtt & Davidson, 540
pumilus Ridl., 540
purpureus Ridl., 540
pygmaeus C. B. Cl., 191
reticulosus C. B. Cl., 539
rodgeri
var. *siamensis* W. W. Sm., 540
rotundifolius Hemsley, 138
salviiflorus Chun, 202
secundiflorus Chun, 202
siamensis Barnett, 540
sinensis (Lindl.) Lévl., 135
sinohenryi Chun, 202
speciosus (Kurz) Hand.-Mazz., 180
speciosus Wall. ex C. B. Cl., 161
speluncae Hand.-Mazz., 141
stolzii Engl., 267
var. *minor* Mansf., 267
swinglei Merrill, 202
tibeticus (Franchet) Hand.-Mazz., 159
tomentosus Wight, 540
traillianus (Forrest & Smith) Hand.-Mazz., 180
uniflorus (Franchet) Borza, 154
urticifolius (D. Don) Wonisch, 178
verecundus Chun, 202
viola (Ridl.) Williams, 190
zollingeri (C. B. Cl.) Backer & Bakhuizen van den Brink, 200
Dryopteris biaurita (Bedd.) C. Chr., 498
lebeufii (Baker) C. Chr., 498

Echinops melitenensis Hedge & Huber-Morath, 237
polyacanthus Iljin, 430
pungens Trautv.
var. *adenoclados* Hedge, 239
var. *polyacanthus* (Iljin) Hedge, 430
var. *transcaucasicus* (Iljin) Hedge, 430
transcaucasicus Iljin, 430
Elytraria, 269
maritima J. K. Morton, 271
shaferi (P. Wilson) Leonard, 271
Epitrachys tenuiloba C. Koch, 430
Erigeron acer L.
subsp. *pycnotrichus* (Vierh.) Grierson, 430
caucasicus Stev.
subsp. *venustus* (Botsch.) Grierson, 430
venustus Botsch., 430
Eriophorum L., 312
subgen. *Eriophoropsis* (Palla) Raymond, 312
subgen. *Eriophorum*, 312
subgen. *Japonicus* (Koyama) Oteng-Yeboah, 312
sect. *Eriophorum*, 312
sect. *Lachnophorum* Nylander, 314
sect. *Phyllanthela* Anderss., 312
japonicum Maxim., 312
vaginatum L., 312
virginicum L., 312
Erioscirpus Palla, 314
subgen. *Erioscirpus*, 314
subgen. *Lachnophorum* (Nylander) Oteng-Yeboah, 314
comosus (Wall.) Palla, 314
microstachys (Boeck.) Palla, 314

Fieldia australis F. Muell., 543
Filago arvensis L., 432
Five Asiatic Thelypteris species re-interpreted, 495
Foliar sclereids and stomata; Studies in Acanthaceae tribe Nelsonieae, II, 269
Four new genera in Cyperaceae-Cyperoideae, 307
FREITAG, H.
The genus Piptatherum (Gramineae) in southwest Asia, 341
FREY, W., HEDGE, I. C., & BRECKLE, S.-W. Botanical literature of Afghanistan: Supplement 1, 503
Fuirena Rottb., 312
subgen. *Fuirena* Rottb., 313
subgen. *Pentasticha* (Turcz.) Oteng.-Yeboah, 313
subgen. *Vaginaria* (Pers.) Oteng-Yeboah, 313
sect. *Pseudo-isolepis* (C. B. Clarke) Chermezon, 313
sect. *Pseudoscirpus* (C. B. Clarke) Chermezon, 313
sect. *Vaginaria* (Pers.) C. B. Clarke, 313

Fuirena—continued
pubescens (Poir.) Kunth, 313
scirpoidea Michx., 313
stricta Steud., 313
umbellata Rottb., 313
Funalia trogii (Berk.) Bond. & Sing., 337
Fungi from Iran, larger, 333
Further note on Salvia tetrodonta, A, 295

Galatella amani (Post) Grierson, 430
Gaterina unicolor (Vahl ex Sommerf.) Singer, 334
Ganoderma applanatum (Pers.) Pat., 336
Garhadiolus angulosus Jaub. & Spach, 433
hamosus Boiss. & Hausskn., 433
Genus Piptatherum (Gramineae) in Southwest Asia, the, 341
Gesneriaceae, chromosome numbers in the: V, 523
Gesneriaceae of the Old World, Studies in the, XXXVIII: A new species of Streptocarpus from East Africa, 467
Gesneriaceae of the Old World, Studies in the, XXXIX: towards a revision of Aeschynanthus, 471
Gesneriaceae of the Old World, a survey of chromosome numbers in the, 527
Gnaphalium, 421
stewartii, 424
arenarium L., 239
supinum, 424
Gonatostemon boucheanum Regel, 178
GRIERSON, A. J. C.
Anthemis, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 211; Inula, op. cit., 248; Matricaria, op. cit., 252; Pulicaria, op. cit., 255; Tanacetum, op. cit., 259. Anacyclus, in Davis, P. H. Materials for a Flora of Turkey XXXI: Compositae II, 410; Anthemis, op. cit., 411; Gnaphalium, op. cit., 421; Inula, op. cit., 425; Logfia, op. cit. 425; Tanacetum, op. cit., 427
Nomenclature without tears (review), 444

Haberlea rhodopensis Friv., 524
HEDGE, I. C.
A revision of Salvia in Africa, including Madagascar and the Canary Islands, I
HEDGE, I. C.
Echinops, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 237
HEDGE, I. C.
A further note on Salvia tetrodonta, 295
HEDGE, I. C., BRECKLE, S.-W. & FREY, W.
Botanical literature of Afghanistan: Supplement I, 503

Helichrysum anatolicum Boiss., 240
arenarium (L.) Moench, 239
subsp. *aucheri* (Boiss.) Davis & Kupicha, 239
subsp. *erzincanicum* Davis & Kupicha, 240
subsp. *rubicundum* (C. Koch) Davis & Kupicha, 239
var. *plinthocalyx* C. Koch, 239
var. *rosea* Trautv., 239
artvinense Davis & Kupicha, 240
aucheri Boiss., 239
niveum Boiss. & Heldr., 430
pamphylicum Davis & Kupicha, 430
plicatum DC., 240
subsp. *plicatum*, 240
subsp. *polyphyllum* (Ledeb.) Davis & Kupicha, 241
subsp. *pseudoplicatum* (Nab.) Davis & Kupicha, 241
var. *lacteum* Boiss., 241
polyphyllum Ledeb., 241
pseudoplicatum Nab., 241
rubicundum (C. Koch) Bornm., 239
undulatum Ledeb., 239
subsp. *rubicundum* (C. Koch) Takht., 239
Helicomyces roseus Link, 338
Hemiboea bicornuta (Hayata) Ohwi, 202, 538
subacaulis Hand.-Mazz., 202
Hemipappus canus C. Koch, 427
Henckelia bifolia (D. Don) Dietr., 185
grandifolia Dietr., 167
pumila (D. Don) Dietr., 161
urticifolia (Buch. Ham. ex D. Don) Dietr., 178
wallichiana Dietr., 178
HERRNSTADT, Ilana & HEYN, Chaia C.
New combinations in Cachrys L. as a genus distinct from Hippomarathrum Link, 441
Hexatheca fulva C. B. Cl., 536
HEYN, Chaia C. & HERRNSTADT, Ilana
New combinations in Cachrys L. as a genus distinct from Hippomarathrum Link, 441
Hieracium L., 242, 425
argaeum (Zahn) Sell & West, 430
auriculoides Lang, 432
beypazariense Huber-Morath, 425
bithynicum (Zahn) Sell & West, 430
byzantinum (Boiss.) Zahn, 432
cryptonaevum (Bornm. & Zahn) Sell & West, 430
erythrocarpum Peter
subsp. *cryptonaevum* Bornm. & Zahn, 430
subsp. *karageollense* Zahn, 431
subsp. *laxifurcans* Bornm. & Zahn, 431

Hieracium—continued
subsp. *mallopoderes* Bornm. & Zahn, 431
subsp. *stellidorsum* Bornm. & Zahn, 431
florentoides Arvet-Touvet, 432
gentiliforme (Zahn) Sell & West, 431
giresunense Huber-Morath, 245
hoppeanum Schults
subsp. *cilicicum* Naegeli & Peter, 432
subsp. *lydium* Bornm. & Zahn, 433
subsp. *pilisquamum* Naegeli & Peter, 433
subsp. *testimonialis* Naegeli & Peter, 433
subsp. *troicum* Zahn, 433
huber-morathii P. D. Sell & C. West, 244
idae (Zahn) Sell & West, 431
karagoellense (Zahn) Sell & West, 431
karakolense (Bornm. & Zahn) Sell & West, 431
lasiochaetum (Bornm. & Zahn) Sell & West, 431
laxifurcans (Bornm. & Zahn) Sell & West, 431
leithneri Heldr. & Sart.
subsp. *karakolense* Bornm. & Zahn, 431
leptodermum (Zahn) Sell & West, 431
macrogonum (Zahn) Sell & West, 431
maculatum Sm.
subsp. *leptodermum* Zahn, 431
magyaricum Naegeli & Peter
subsp. *megalomastix* Naegeli & Peter, 433
mallopoderes (Bornm. & Zahn) Sell & West, 431
marmoricola P. D. Sell & C. West, 244
muricellum Fries
subsp. *macrogonum* Zahn, 431
murorum L.
subsp. *bithynicum* Zahn, 430
subsp. *subsilvularum* Zahn, 431
subsp. *tossianum* Zahn, 431
onosmopsis (Zahn) Sell & West, 431
pallidum Biv.
subsp. *argaeum* Zahn, 430
subsp. *lasiochaetum* Bornm. & Zahn, 431
subsp. *subvandasii* Bornm. & Zahn, 431
phrygiense Sell & West, 431
pilosella L.
subsp. *micradenia* Naegeli & Peter, 433
var. *byzantinum* Boiss., 432
pratense Tausch
subsp. *brevipilum* Naegeli & Peter, 432
procerum Fries, 432
pseudodontotrichum Huber-Morath, 246
ruprechtii Boiss., 433
sparsum Friv.
subsp. *idae* Zahn, 431
stellidorsum (Bornm. & Zahn) Sell & West, 431
subrosulatum Freyn & Sint.
subsp. *phrygium* Bornm. & Zahn, 431
subsilvularum (Zahn) Sell & West, 431
subvandasii (Bornm. & Zahn) Sell & West, 431
sylvaticum (L.) Grufberg
subsp. *gentiliforme* Zahn, 431
tamderense Huber-Morath, 246
tmoleum Huber-Morath, 247
tossianum (Zahn) Sell & West, 431
tschamkorijense Zahn
subsp. *onosmopsis* Zahn, 431
valdefrondosum (K. Maly & Zahn) Sell & West, 432
HILLIARD, O. M. & BURTT, B. L.
Studies in the Gesneriaceae of the Old World, XXXVIII: a new species of Streptocarpus from East Africa, 467
Hippomarathrum Link, new Combinations in Cachrys L. as a genus distinct from, 441
verbenacea Miller, 95
Horminum sativum Miller, 94
HOSSAIN, A. B. M. Enayet
Studies in Acanthaceae tribe Nelsonieae, II. foliar sclereids and stomata, 269
HUBER-MORATH, A.
Achillea in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae I, 208
Hieracium in Davis, P. H., Materials for a Flora of Turkey XXXI: Compositae II, 425
Hygrophila auriculata (Schumach.) Heine, 272
Hypholoma fasciculare (Huds. ex Fr.) Kummer, 336

Incarvillea oblongifolia Roxb., 174
Inula, 425
helenium L., 248
subsp. *helenium*, 249
subsp. *orgyalis* (Boiss.) Grierson, 249
subsp. *pseudohelenium* Grierson, 249
subsp. *turcoracemosa* Grierson, 249
subsp. *vanensis* Grierson, 249
inuloides (Fenzl) Grierson, 251
macrocephala Boiss., 251
odora L., 255
orgyalis Boiss., 249
peacockiana (Aitch. & Hemsl.) Korovin, 250
serratuloides (Gilli) Grierson, 250
thapsoides (Bieb. ex Willd.) Spr.
subsp. *australis* Grierson, 425

Jerdonia indica Wight, 525, 543
Jurinea depressa (Stev.) C. A. Meyer
var. *pinnatisecta* Boiss., 432
Jurinella moschus (Habl.) Bobrov
subsp. *pinnatisecta* (Boiss.) Danin & Davis, 432

KOLLMANN, Fania
Allium desertorum and A. sindjarense in Palestine, 437
A note on Allium phanerantherum, 305
KUPICHA, F. K.
Lampyropsis, in Davis, P. H., Materials for a Flora of Turkey: Compositae, I, 251
KUPICHA, F. K. & DAVIS, P. H.
Helichrysum, in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae, I, 239

LACK, H.-W.
Picris, in Davis, P. H., Materials for a Flora of Turkey XXXI, Compositae II, 426
Lactuca boissieri Rouy, 429
glareosa Schott & Kotschy ex Boiss., 433
quercina L., 432
Lactucopsis brevirostris Schultz Bip. ex Vis. & Panč, 429
LAMOND, J. M.
Crepis, in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae I, 234
LAMOND, J. M. & MATTHEWS, V. A.
Chondrilla, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 231
Lamyropsis lycia Kupicha, 251
Lapsana alpina Boiss. & Bal., 432
communis L.
subsp. *alpina* (Boiss. & Bal.) Sell, 432
subsp. *grandiflora* (Bieb.) Sell, 432
grandiflora Bieb., 432
Larger fungi from Iran, 333
LAUENER, L. A.
In and around the Pine Barrens (review), 300
Drawings of British Plants (review), 448
LAUENER, L. A. & PANIGRAHI, G.
A new Himalayan species of Anemone, 491
Lentinus adhaerens (Alb. & Sch. ex Fr.) Fr., 334
Leontodon asperum (Waldst. & Kit.) Poiret
var. *setulosus* Hal., 432
divaricatus Boiss., 432
froedinii Rech. fil.
var. *setulosus* (Hal.) Kupicha, 432
oxylepis Boiss. & Heldr.
var. *divaricatus* (Boiss.) Kupicha, 432
Leucocyclus formosus Boiss.
subsp. *amanicus* (Rech. fil.) Hub.-Mor. & Grierson, 432
Liebigia Endl., 131
bracteosa Zoll. & Mor., 182
Logfia arvensis (L.) Holub, 432
davisii [Holub ex] Grierson, 425
Loxocarpus conicapsularis (C. B. Cl.) B. L. Burtt, 524, 540
Loxostigma griffithii (Wight) C. B. Cl., 202
Lyonnetia tenuiloba DC., 428
Lysionotus albidus (Bl.) Bl., 479
serratus D. Don, 202, 537

Marasmius alliaceus (Jacquin ex Fr.) Fr., 336
rotula (Scop. ex Fr.) Fr., 336
Martynia lanceolata Moon, 171
Materials for a Flora of Turkey: XXX, Compositae I, 207; XXXI, Compositae II, 409
Matricaria chamomilla L., 252
var. *chamomilla*, 253
var. *coronata* (Gay) Boiss., 253
var. *courrantiana* (DC.) Fiori & Paol. 253
var. *kochiana* (Sch.-Bip.) Fiori & Paol., 253
var. *recutita* (L.) Grierson, 253
coronata Gay apud W. Koch, 253
courrantiana DC., 253
kochiana Sch.-Bip., 253
meridionalis C. Koch, 253
pappulosa Margot & Reuter, 253
punctata Desr., 435
pusilla Willd., 253
pyrethroides DC., 253
recutita L., 253
MATTHEWS, V. A.
Senecio, in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 256; Sonchus, op. cit., 258
MATTHEWS, V. A. & LAMOND, J. M.
Chondrilla, in Davis, P. H., Materials for a Flora of Turkey XXX, Compositae I, 231
Milium coerulescens Desf., 365
var. *angustifolium* [Munro ex] Regel, 369
var. *kokanicum* Regel, 375
var. *songoricum* (Trin. & Rupr.) Regel, 374
holciforme (M. Bieb.) Spreng.
var. *songoricum* (Trin. & Rupr.) Griseb., 374
laterale [Munro ex] Regel, 393
thomasii Duby, 363
MILNE, C.
Chromosome numbers in the Gesneriaceae: V, 523

Mitraria coccinea Cavan., 543
Monophyllaea horsfieldii R. Br., 538
Morphology and affinities of Pinus canariensis, 317
Morphology and relationships of Seemannaralia (Araliaceae), The, 449
Mortsdorffia Steud., 131
speciosa Steud., 182
Mulgedium quercinum (L.) C. Jeffrey, 432

Negria rhabdothamnoides F. Muell., 543
Nelsonieae, Studies in Acanthaceae tribe, II: foliar sclereids and stomata, 269.
Nephrodium amboinense auctt., 499
biauritum Bedd., 498
extensum (Bl.) Moore
var. *minor* Bedd., 499
malabariense Fée, 497
molle Desv. 499
var. *amboinense* auctt., 499
zeylanicum Fée, 499
New Combinations in Cachrys L. as a genus distinct from Hippomarathrum Link, 441
New Himalayan species of Anemone, A, 491
New record of Cupressus from SW Iran, A, 445
New species of Rhododendron from Yunnan, A, 493
Note on Allium phanerantherum, A, 305
Notes on some British Agarics: IV, 325

Onopordum turcicum Danin, 254
Onosma, two new species of, 301
Onosma pygmaeum H. Riedl, 302
subulifolium H. Riedl, 301
Opithandra acaulis (Merrill) B. L. Burtt, 202
dalzielii (W. W. Sm.) B. L. Burtt, 202
primuloides (Miq.) B. L. Burtt, 202, 538
Oreocharis sericae Lévl., 202
Ornithoboea wildeana Craib, 540
Oryzopsis aequiglumis [Duthie] Hook. f., 379
alpestris Grig., 394
angustifolium (Regel) Kitamura, 369
asiatica Mez, 375
barbellata (Mez) Bor, 391
brachyclada Pilger, 398
coerulescens (Desf.) Hack., 365
var. *grandis* Pampanini, 372
fasciculata (Hack.) Roshev., 379
geminiramula Ohwi, 381
gracilis (Mez) Pilger, 398
holciformis (M. Bieb.) Hack., 371
var. *blancheana* (Boiss.) Bornm., 366
var. *kokanica* (Regel) Roshev., 375
var. *songorica* (Trin. & Rupr.) Roshev., 375
humilis Bor, 400
kokanica (Regel) Roshev., 375
kopetdaghensis Roshev., 371
lateralis auct., 398
latifolia Roshev., 373
microcarpa Pilg., 367
var. *pubescens* Bor, 369
miliacea (L.) Aschers. & Schweinf., 362
molinioides (Boiss.) Hack., 383
var. *pubiflora* (Hack.) Bornm., 393
molinioides auct., 398
munroi Stapf, 381
pamiralaica Grig., 402
pauciflora Beg. & Vacc., 362
platyantha (Nevski) Grig., 396
pubiflora Hack., 393
purpurascens Hack., 401
rechingeri Bor, 397
sogdiana Grig., 393
songorica (Trin. & Rupr.) B. Fedtsch., 375
sphacelata (Boiss. & Buhse) Hack., 383
stewartiana Bor, 381
vavilovii Roshev., 393
vicaria Grig., 367
virescens (Trin.) Beck, 363
wendelboi Bor, 400
OTENG-YEBOAH, A. A.
Four new genera in Cyperaceae-Cyperoideae, 307
Taxonomic studies in Cyperaceae-Cyperoideae, 311
Otostegia tomentosa Rich.
subsp. *tomentosa*, 112
Oxychlamys Schlechter, 475

PAGE, C. N.
Morphology and affinities of Pinus canariensis, 317
Panaeolus phalaenarum (Fr.) Quélet, 334
sphinctrinus (Fr.) Quélet, 334
Panax gerrardii Harv. ex Hook. fil., 449
PANIGRAHI, G.
Five Asiatic Thelypteris species reinterpreted, 495
PANIGRAHI, G. & LAUENER, L. A.
A new Himalayan species of Anemone, 491
Paraboea capitata Ridl., 540
vulpina Ridl., 540
Pentasticha Turcz., 313
Petrocosmea kerrii Craib, 538
parryorum C. E. C. Fisch., 538
Peziza repanda Pers., 338
Phaeopappus declinatus Boiss., 229
PHILIPSON, Melva N. & PHILIPSON, W. R.
A new species of Rhododendron from Yunnan, 493
PHILIPSON, W. R. & PHILIPSON, Melva N.
A new species of Rhododendron from Yunnan, 493

Picris, 426
cyprica Lack, 426
Pilosella Hill, 242
x *auriculoides* (Láng) Sell & West, 432
x *byzantina* (Boiss.) Sell & West, 432
caespitosa (Dum.) Sell & West
subsp. *brevipila* (Naegeli & Peter) Sell & West, 432
echinoides (Lumn.) C. H. & F. W. Schultz
subsp. *procera* (Fries) Sell & West, 432
x *florentoides* (Arvet-Touvet) Sell & West, 432
hoppeana (Schultes) C. H. & F. W. Schultz
subsp. *cilicica* (Naegeli & Peter) Sell & West, 432
subsp. *isaurica* Huber-Morath, 245
subsp. *lydia* (Bornm. & Zahn) Sell & West, 433
subsp. *pilisquama* (Naegeli & Peter) Sell & West, 433
subsp. *testimonialis* (Naegeli & Peter) Sell & West, 433
subsp. *troica* (Zahn) Sell & West, 433
officinarum C. H. & F. W. Schults
subsp. *micradenia* (Naegeli & Peter) Sell & West, 433
piloselloides (Vill.) Sell & West
subsp. *megalomastix* (Naegeli & Peter) Sell & West, 433
x *ruprechtii* (Boiss.) Sell & West, 433
Pinus canariensis, morphology and affinities of, 317
Pinus canariensis C. Smith, 317
roxburghii Sargent, 321
Piptatherum (Gramineae) in southwest Asia, the genus, 341
Piptatherum P. Beauv., 358
sect. *Miliacaea* [Roshev. ex] Freitag, 361
sect. *Piptatherum*, 364
sect. *Virescentia* [Roshev. ex] Freitag, 363
subsect. *Coerulescentia* [Roshev ex] Freitag, 364
subsect. *Holciformia* [Roshev. ex] Freitag, 370
subsect. *Himalayana* [Roshev. ex] Freitag, 401
aequiglume (Hook. f.) Roshev., 377
var. *aequiglume*, 379
var. *fasciculatum* (Hack.) Freitag, 379
alpestre (Grig.) Roshev., 395
angustifolium (Regel) Boiss., 368
var. *angustifolium*, 369
var. *pubescens* (Bor) Freitag, 369
baluchistanicum Freitag, 389
barbellatum Mez, 391
binabium Pazij, 399
blancheanum [Desv. ex] Boiss., 365
coerulescens (Desf.) P. Beauv., 365
fasciculatum (Hak.) Roshev, 379
fedtschenkoi Roshev., 393
flaccidum Freitag, 387
var. *flaccidum*, 388
var. *pubescens* Freitag, 389
gracile Mez, 398
hilariae Pazij, 399
holciforme (M. Bieb.) Roem. & Schult., 370
subsp. *holciforme*, 371
subsp. *longiglume* Hausskn., 372
var. *blancheanum* (Boiss.) Boiss., 365
var. *epilosum* Freitag, 372
var. *glabrum* Freitag, 372
var. *holciforme*, 371
var. *longiglume* Hausskn., 372
karataviense Roshev., 371
kokanicum (Regel) Roshev., 375
laterale (Regel) Roshev., 392
subsp. *alpestre* (Grig.) Freitag, 394
subsp. *laterale*, 393
subsp. *verticillatum* Freitag, 394
latifolium (Roshev.) Nevski, 373
miliaceum (L.) Coss., 362
subsp. *miliaceum*, 362
subsp. *thomasii* (Duby) Boiss., 363
moliniodes Boiss., 383
munroi (Stapf) Mez, 381
pamiralaicum (Grig.) Roshev., 402
platyanthum Nevski, 396
var. *glabrum* Freitag, 397
var. *platyanthum*, 396
pubiflorum (Hack.) Roshev., 393
purpurascens (Hack.) Roshev., 401
rechingeri (Bor) Freitag, 397
roshevitzianum Tzvelev, 398
schugnanicum Roshev., 400
sinense Mez, 379
sogdianum (Grig.) Roshev., 393
songoricum (Trin. & Rupr.) Roshev., 374
sphacelatum (Boiss. & Buhse) Boiss., 383
thomasii (Duby) Kunth, 363
tremuloides Ovch. & Chuk., 400
vavilovii (Roshev.) Roshev., 393
vicarium (Grig.) Roshev., 367
virescens (Trin.) Boiss., 363
Pluteus exiguus Pat., 336
Podosperum jacquinianum W. Koch, 433
Polypodium lebeufii Baker, 498
semisagittatum Roxb., 500
Prangos arcis-romanae Boiss. & Huet, 443
asperula Boiss., 443
bucharica Fedtsch., 443
calligonoides Rech. fil., 443
corymbosa Boiss., 443
denticulata Fisch & Mey., 443

Prangos—continued
haussknechtii Boiss., 443
hermonis Boiss., 443
latiloba Korovin, 443
meliocarpoides Boiss., 443
pabularia Lindl., 000
peucedanifolia Fenzl, 443
platychloena Boiss. ex Tchih., 443
tuberculata Boiss. & Hausskn., 443
uechtritzii Boiss. & Hausskn., 443
uloptera DC., 443
Preanthes glareosa (Schott & Kotschy ex Boiss.) C. Jeffrey, 443
Psephellus freynii (Sint.) Bornm., 230
taochius Sosn., 230
Pseudoschoenus (C. B. Clarke) Oteng-Yeboah, 308
inanis (Thunb.) Oteng-Yeboah, 309
Pulicaria odora (L.) Reichb., 255
Pyrethrum aucherianum DC.
var. glabrescens Boiss., 260
carneum M. Bieb., 262
cilicicum Boiss., 434
depauperatum Post, 434
eginense Hausskn. ex Bornm., 434
germanicopolitanum Bornm. & Heimerl., 434
haussknechtii Bornm., 435
heterotomum Bornm., 435
kotschyi Boiss., 435
myriophyllum C. A. Meyer
var. *subvirescens* DC., 434
nitens Boiss. & Noë, 435
orientale Willd., 216
poteriifolium Ledeb. apud Nordmann, 435
roseum Adams, 262
var. *chamaemelifolium* Somm. & Lev., 262
sorbifolium Boiss., 435
tomentellum Boiss., 435

Ramonda myconii (L.) Reichenb., 538
nathaliae Pancič & Petrovič, 538
serbica Pancič, 538
RATTER, J. A.
A survey of chromosome numbers in the Gesneriaceae of the Old World, 527
Rehmannia angulata (Oliver) Hemsl., 543
glutinosa (Gaertn.) Fisch. & Mey., 202
glutinosa (Gaertn.) Libosch. ex Steud., 543
Revision of Salvia in Africa including Madagascar and the Canary Islands, 1
Rhabdothamnus solandri A. Cunn., 543
Rhagadiolus angulosus (Jaub. & Spach) Kupicha, 433
hamosus (Boiss. & Hausskn.) Kupicha, 433
Rhododendron from Yunnan, a new species of, 493
Rhododendron gemmiferum M. N. & W. R. Philipson, 493
Rhynchoglossum gardneri Theobald & Grupe, 538
notonianum (Wall.) B. L. Burtt, 538
obliquum Bl., 538
papuae Schlecht., 538
etuberculata Steud., 315
Rhynchotechum discolor (Maxim.) B. L. Burtt, 536
RIEDL, Harald
Two new species of Onosma, 301
Roettlera
subgen. *Chirita* (D. Don) K. Fritsch, 129
sect. *Bilabium* (Miq.) K. Fritsch, 132
sect. *Euchirita* (C. B. Cl.) K. Fritsch, 132
sect. *Gibbosaccus* (C. B. Cl.) K. Fritsch, 130
sect. *Liebigia* (Endl.) K. Fritsch, 132
sect. *Microchirita* (C. B. Cl.) K. Fritsch, 134
sect. *Schizoboea* K. Fritsch, 266
anachoreta (Hance) O. Kuntze, 164
bifolia (D. Don) O. Kuntze, 185
brevipes (C. B. Cl.) O. Kuntze, 180
caerulea (R. Br.) O. Kuntze, 200
caliginosa (C. B. Cl.) O. Kuntze, 186
calva (C. B. Cl.) O. Kuntze, 168
dimidiata (Wall. ex C. B. Cl.) O. Kuntze, 166
eburnea (Hance) O. Kuntze, 138
fusca (C. B. Cl.) O. Kuntze, 186
glabra (Miq.) O. Kuntze, 183
grandifolia (Dietr.) O. Kuntze, 167
hamosa (R. Br.) O. Kuntze, 191
hookeri (C. B. Cl.) O. Kuntze, 173
horsfieldii (R. Br.) O. Kuntze, 182
josephi O. Kuntze, 173
juliae (Hance) O. Kuntze, 143
kamerunensis (Engl.) Fritsch, 267
lachenensis (C. B. Cl.) O. Kuntze, 155
limans (Miq.) O. Kuntze, 183
monophylla (C. B. Cl.) O. Kuntze, 181
moonii (Gardner) O. Kuntze, 171
oblongifolia (Roxb.) O. Kuntze, 174
obtusa (C. B. Cl.) O. Kuntze, 160
primulacea (C. B. Cl.) O. Kuntze, 153
pumila (D. Don) O. Kuntze, 161
sinensis (Lindl.) O. Kuntze, 135
speciosa (Kurz) O. Kuntze, 180
tibetica Franchet, 159
uniflora Franchet, 154
urticifolia (Buch.-Ham. ex D. Don) O. Kuntze, 170
walkeri (Gardner) O. Kuntze, 171
Russula polychroma Singer ex Hora, 336

Saintpaulia, 542
amaniensis E. Roberts, 542
brevipilosa B. L. Burtt, 542
confusa B. L. Burtt, 542
difficilis B. L. Burtt, 542
diplotricha B. L. Burtt, 542
grandifolia B. L. Burtt, 542
grotei Engl., 542
intermedia B. L. Burtt, 542
ionantha Wendl., 542
magungensis E. Roberts, 542
orbicularis B. L. Burtt, 542
pendula B. L. Burtt, 542
shumensis B. L. Burtt, 542
teitensis B. L. Burtt, 542
tongwensis B. L. Burtt, 543
velutina B. L. Burtt, 543
Salvia in Africa, including Madagascar and the Canary Islands; A revision of, 1
Salvia abyssinica Jacq., 62
abyssinica Linn. fil., 101
acetabulosa Linn., 45
aegyptiaca Linn., 8, 37
aethiopis Linn., 112
africana Linn., 45, 113
afr. caerulea Linn., 45
afr. lutea Linn., 42
albicaulis Benth., 57
var. *dregeana* (Benth.) Skan, 57
algeriensis Desf., 8, 109
var. *mariae* Maire & Sennen, 109
ambigua Salisb., 101
angustifolia Salisb., 47
arachnoidea [de Noé ex] Walp., 86
argentea Linn., 8, 90
subsp. *patula* (Desf.) Maire, 90
var. *aurasiaca* (Pomel) Maire, 90
var. *fontanesiana* Maire, 90
var. *mesatlantica* Maire, 90
var. *pomelii* Maire, 90
aride Salisb., 37
atlantica Pers., 90
aucheri Boiss., 27
subsp. *blancoana* (Webb & Heldr.) Maire, 26
var. *amethystea* Emberger & Maire, 27
var. *aurasiaca* Maire, 27
var. *claryi* Faure & Maire, 27
var. *maurorum* (Ball) Maire, 27
var. *mesatlantica* Maire, 27
var. *oranensis* Maire, 27
var. *reboudiana* Maire, 27
var. *tananica* Maire, 27
aurasiaca Pomel, 90
aurea Linn., 8, 42
aurita Thunb., 8, 65
var. *aurita*, 65
var. *galpinii* (Skan) Hedge, 67
baccifera Etlinger, 23
balansae de Noé, 83
barbata Lam., 45
barrelieri Etlinger, 8, 103
subsp. *pseudobicolor* (Battandier & Pitard) Maire, 104
bicolor Lam., 103
bicolor Desf.
var. *barrelieri* (Etlinger) Maire, 104
var. *dichroa* (Hook. fil.) Maire, 104
var. *pallida* Maire, 104
var. *pluripartita* (Pau) Maire, 104
blancoana Webb & Heldr., 26
bolleana de Noé, 83
botschantzevii Tschern., 87
brachycalyx Boiss., 112
bracteata Russ., 112
broussonetii Benth., 8, 83
burchellii N. E. Brown, 59
var. *hispidula* Skan, 59
canariensis Linn, 8, 49
candelabrum Boiss.
subsp. *blancoana* (Webb & Heldr.) Cuatr., 26
subsp. *maurorum* Ball, 26
chamelaeagnea Berg., 54
chlorophylla Briq., 77
chudaei Battand. & Trab., 41
var. *tefedestica* Maire, 41
var. *tibestiensis* (A. Cheval) Maire, 41
clandestina Linn., 95
var. *angustifolia* Benth., 96
cleistogama de Bary & Paul, 96
coccinea Etlinger, 114
collina Lowe, 95
colorata Linn., 42
congesta A. Rich., 101
commutata Benth., 53
comosa Salisb., 94
controversa auctt., 99
controversa Ten., 95
cooperi Skan, 74
crassifolia Jacq., 103
crispula Benth., 47
cryptoclada Baker, 31
dentata Aiton, 47
deserti Dcne., 40
dichroa Hook. fil., 103
dinteri Briq., 51
disermas Linn., 105
dolichorrhiza Caballero, 94
dolomitica Codd, 48
dominica Linn., 53
dregeana Benth., 57
eckloniana Benth., 42
farinacea Benth., 114
fleckii Gürke, 105
foetida Lam., 92
fruticosa Miller, 8, 23, 113
galpinii Skan, 67
garipensis E. Meyer, 51
gattefossei Emberger, 87

Salvia—continued
grahamii Benth., 115
granitica Hochst., 81
graveolens Vahl, 53
hastifolia Benth., 44
hildebrandtii Briq., 29
hispanorum Lagasca, 28
hochstetteri Baker, 62
horminoides Pourr., 95
horminum L., 94
var. *viridis* (L.) Briquet, 94
inamoena Vahl, 103
incisa Benth., 74
indica Linn., 112
integerrima Mill., 45
interrupta Schousboe 8, 25
subsp. *paui* (Maire) Maire, 25
involucrata Cav., 115
jaminiana de Noé, 84
judaica Boiss., 112
lanata Salisb., 49
lanceolata Lam., 44
lanigera Desf., 99
lanigera Poir., 99
lanuginosa Burm. f., 45
lasiostachys Benth., 65
latifolia Vahl, 109
lavandulifolia Vahl, 28
leucantha Cav., 114
leucodermis Baker, 32
libanotica Boiss. & Gaill., 23
lobryana Azn., 23
macrorrhiza Chiov., 62
marginata Benth., 69
mariae Sennen, 109
marocana Battandier & Pitard, 110
maurorum (Ball) Ball, 26
merjamie Forssk., 8, 101
microphylla Kunth, 115
montana Salisb., 86
monticola Benth., 75
var. *angustifolia* Skan, 80
mouretii Battandier & Pitard, 8, 110
muirii L. Bolus, 35
var. *grandiflora* L. Bolus, 35
multifida Sibth. & Sm., 95
namaensis Schinz, 59
natalensis Briq. & Schinz, 74, 75
nemorosa Linn., 116
nilotica [Juss. ex] Jacq., 8, 62
nivea Thunb., 44
nubia [Juss. ex] Murray, 101
nudicaulis Vahl, 101
var. *congesta* (A. Rich.) Engler, 101
var. *nubia* Baker, 101
var. *pubescens* Benth., 101
oblongata Vahl, 95
obtusata Thunb., 69
ochroleuca Coss. & Bal., 96
officinalis Linn., 113
subsp. *lavandulifolia* (Vahl) Cuatr., 28
var. *hispanica* Boiss., 28
palaestina Benth., 88
pallidiflora Skan, 65
paniculata Linn., 54
parvifolia Baker, 35
parviflora Salisb., 62
patula Desf., 90
paui Maire, 25
peglerae Skan, 65
perrieri Hedge, 57
subsp. *brevilabiata* Hedge, 58
subsp. *perrieri*, 58
phlomoides Asso, 86
var. *africana* Maire, 87
pluripartita Pau, 104
porphyrocalyx Baker, 31
pratensis Linn., 112
pseudobicolor Battandier & Pitard, 104
pseudojaminiana Chevall., 8, 100
pyreniaca Vahl, 103
radula Benth., 107
raphanifolia Benth., 74
reflexa Hornem., 115
repens [Burch. ex] Benth.
var. *keiensis* Hedge, 75
var. *repens*, 74
var. *transvaalensis* Hedge, 75
rigida Thunb., 47
rotundifolia Salisb., 45
rudis Benth., 74
rugosa Thunb., 105
var. *angustifolia* Benth., 105
runcinata Linn. f., 75
var. *crispa* Benth., 59
sabulicola Pomel., 96
scabra Linn. fil., 67
schenkii Briq., 74
schimperi Benth., 89
schlechteri Briq., 80
sclarea Linn., 93, 112
sessilifolia Baker, 29
var. *auriculata* Hedge, 29
var. *sessilifolia*, 29
sisymbrifolia Skan, 75
somalensis Vatke, 58
spinosa Linn., 8, 89
splendens Sellow ex Roem. & Schultes, 115
steingroeveri Briq., 51
stenodonta Briq., 29
stenophylla [Burch. ex] Benth., 77
suaveolens Pomel, 90
subsessilis Benth., 74
subspathulata Lehm., 45
sylvicola [Burch. ex] Benth., 65
tananarivensis Briq., 29
taraxacifolia [Coss. ex] Hook. f., 8, 34
tenuifolia Benth., 70

Salvia—continued
tibestiensis A. Cheval, 41
tingitana Etlinger, 8, 92
triangularis Thunb., 70
triloba Linn. fil., 23, 113
turdii A. Rich., 112
tysonii Skan, 71
undulata Benth., 45
verbenaca Linn., 8, 95
subsp. *battandieri* Maire, 96
subsp. *clandestina* (Linn.) Briquet, 96
subsp. *clandestina* auctt. non (L.) Briq., 99
subsp. *foetens* Maire, 96
subsp. *ochroleuca* (Coss. & Bal.) Maire, 96
subsp. *pseudojaminiana* (Chevall.) Maire, 100
subsp. *verbenacoides* (Brot.) Pugsley
var. *bicolor* Maire, 96
var. *controversa* (Ten.) Briquet, 96
var. *horminoides* (Pourr.) Briquet, 96
var. *oblongata* (Vahl) Briquet, 96
var. *serotina* Boiss., 95
var. *vernalis* Boiss., 96
verbenacoides Brot., 95
verbenaefolia Salisb., 95
verticillata Linn., 112
viridis Linn., 94
viridis
var. *horminum* (L.) Batt. & Trab., 8, 95
woodii Gürke, 74
xerobia Briq., 77
Santolina rigida Sm., 213
Sarmienta repens Ruiz & Pavon, 543
Schizoboea, the erstwhile African Didymocarpus; Studies in the Gesneriaceae of the Old World XXXVII, 265
Schizoboea (K. Fritsch) B. L. Burtt, 266
kamerunensis (Engl.) B. L. Burtt, 266
Schizophyllum commune Fr., 337
Schoenoplectus (Reichenb.) Pall, 314
subgen. *Actaeogeton* (Reichenb.) Oteng-Yeboah, 315
subgen. *Malacogeton* (Ohwi) Oteng-Yeboah, 315
subgen. *Schoenoplectus*, 314, 315
etuberculatus (Steud.) Oteng-Yeboah, 315
lacustris (L.) Palla, 315
Schoenus inanis Thunb., 309
rufus Hudson, 310
Sclarea argentea Miller, 90
Scirpus L., 311
subgen. *Schoenoplectus* (Reichenb.) Ohwi, 315
subgen. *Trichophorum* (Pers.) Ohwi, 313
sect. *Actaeogeton* Reichenb., 315
sect. *Androcoma* (Nees) Benth. & Hook. f., 311
sect. *Anthelophorum* Ohwi, 313
sect. *Baeothryon* (Ehrh. ex A. Dietr.) Benth. & Hook. f., 313
sect. *Bolboschoenus* Aschers., 315
sect. *Eu-scirpus*, 315
sect. *Japonici* Koyama, 312
sect. *Lachnophorum* Nylander, 314
sect. *Lineatus* (Beetle) Oteng-Yeboah, 311
sect. *Malaeogeton* Ohwi, 315
sect. *Pseudo-Schoenus* C. B. Clarke, 308
sect. *Scirpus*, 311
sect. *Vaginaria* (Pers.) Koyama, 313
etuberculatus (Steud.) O. Kuntze, 315
inanis (Thunb.) Steud., 309
junghuhnii Miq., 307
lineatus Mich., 311
mucronatus (L.) Palla, 315
nevadensis Watson, 308
paludosus A. Nelson, 315
spathaceus Hochst., 309
sylvaticus L., 311
Schraderia hastata Moench, 49
Sclarea tomentosa Miller, 49
Sclereids and stomata, foliar; studies in Acanthaceae tribe Nelsonieae II, 269
Scorzonera cana (C. A. Meyer) Hoffm.
var. *alpina* (Boiss.) Chamberlain, 433
var. *jacquinianum* (W. Koch) Chamberlain, 433
var. *radicosa* (Boiss.) Chamberlain, 433
cariensis Boiss., 434
jacquiniana (W. Koch) Boiss.,
var. *alpina* Boiss., 433
lasiocarpa Chamberlain, 255
mollis Bieb.
subsp. *szowitzii* (DC.) Chamberlain, 443
nutans Czeczott, 433
pygmea Sm.
subsp. *nutans* (Czeczott) Chamberlain, 433
radicosa Boiss., 433
suberosa C. Koch
subsp. *cariensis* (Boiss.) Chamberlain, 434
szowitzii DC., 433
violacea Chamberlain, 256
Seemannaralia (Araliaceae), the morphology and relationships of, 449
Seemannaralia R. Viguier, 449
gerrardii (Seem.) Harms., 449
SELL, P. D. & WEST, C.
Hieracium, in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae I, 241

Senecio argaeus Boiss. & Bal., 434
aucheri DC., 434
bicolor (Willd.) Tod.
var. *plattii* (Meikle) Matthews, 434
cineraria DC.,
var. *plattii* Meikle, 434
davisii Matthews, 256
doriiformis DC
subsp. *orientalis* (Fenzl) Matthews, 433
var. *orientalis* (Fenzl) Hand.-Mazz., 434
hypochionaeus Boiss.
var. *argaeus* (Boiss. & Bal.) Matthews, 434
integrifolius (L.) Clairv.
subsp. *aucheri* (DC.) Matthews, 434
subsp. *karsianus* Matthews, 257
nemorensis L.
var. *orientalis* Fenzl, 434
platyphyllus DC.
var. *glandulosus* Matthews, 257
taraxacifolius (Bieb.) DC.
var. *discoideus* Matthews, 257
tauricolus Matthews, 258
Serrulata grandifolia P. H. Davis, 293
Sideritis balansae Boiss., 291
calycantha Bieb., 283
SOEST, J. L. van
Taraxacum, in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae, I, 263
Sonchus erzincanicus Matthews, 258
Squaminita paradoxa (Smith & Singer) Bas, 330
Stachys, taxonomic studies in, I: new species and infra-specific taxa from Turkey, 275
Stachys adenocalyx C. Koch, 288
alpina L.
subsp. *macrophylla* (Albow) Bhattacharjee, 277
angustifolia, 286
annua (L.) L., 288
subsp. *ammophila* (Boiss. & Bl.) Samuels., 289
subsp. *annua*, 288
subsp. *cilicica* (Boiss.) Bhattacharjee 289
var. *ammophila* Boiss. & Bl., 289
var. *annua*, 288
var. *cilicica* (Boiss.) Boiss., 289
var. *lycaonica* Bhattacharjee, 289
arenaria Benth., 284
atherocalyx, 286
balansae Boiss. & Kotschy, 277
subsp. *balansae*, 277
carduchorum Bhattacharjee, 277
balbissi Link, 288
balcanica P. W. Ball, 292
bayburtensis Bhattacharjee & Huber-Morath, 279
betonica Benth., 292
betonica Crantz, 288
bithynica Boiss., 276
boissieri Kapeller, 283
cataonica Bhattacharjee & Huber-Morath, 280
caucasica C. Koch, 284
chamaesideritis Boiss. & Bal., 281
cilicica Boiss., 289
citrina Boiss. & Heldr. apud Benth., 280
subsp. *chamaesideritis* (Boiss.) Bhattacharjee, 250, 281
subsp. *citrina*, 280, 281
var. *chamaesideritis* Boiss., 281
congesta Urv., 284
daenensis Gandoger, 281
decumbens Willd. ex Benth, 288
distans Benth.
var. *cilicica* Bhattacharjee & Huber-Morath, 287
euphratica Hayek, 284
germanica L., 275
subsp. *bithynica* (Boiss.) Bhattacharjee, 276
subsp. *germanica*, 276
subsp. *heldreichii* (Boiss.) Hayek, 276
subsp. *lusitanica* (Hoffmanns. & Link) Coutinho, 276
subsp. *tymphaea* (Hausskn.) Bhattacharjee, 276
var. *bithynica* (Boiss.) Boiss, 276
haussknechtii (Uechtr. ex Hausskn.) Hayek, 292
heldreichii Boiss., 276
heterodonta Zefirov, 276
huber-morathii Bhattacharjee, 278
iberica Bieb., 284
iranica Rech. fil., 281
iberica Bieb.,
subsp. *georgica* Rech. fil, 284
subsp. *iberica*, 284
subsp. *stenostachya* (Boiss.) Rech. fil., 284
var. *brachyodonta* Boiss., 284
var. *densepilosa* Bhattacharjee, 284
var. *iberica*, 284
var. *pallidiflora* Boiss., 284, 287
iraquensis Bhattacharjee, 294
kurdica Boiss. & Hohen., 282
var. *brevidens* [Bornmüller ex] Bhattacharjee, 283
var. *kurdica*, 282
lanata Crantz, 276
lavandulifolia Vahl, 283
var. *brachyodon* Boiss., 283
var. *glabrescens* Bhattacharjee & Huber-Morath, 283
var. *lavandulifolia*, 283

Stachys—continued
leucoglossa Griseb.
var. *anatolica* Boiss., 287
lycia Gandoger, 281
macrophylla Albow, 277
maritima Urv., 288
masanderana Bornm. & Gauba, 277
megalodonta [Hausskn. & Bornm. ex] Davis, 282
memorabilis Klok., 284
micrantha C. Koch, 288
munzurdagensis Bhattacharjee, 290
neglecta Klok., 288
officinalis (L.) Trevisan, 292
subsp. *balcanica* (P. W. Ball) Bhattacharjee, 292
subsp. *officinalis*, 292
orientalis C. Koch, 283
penicillata Heldr. & Sart., 276
pisidica Boiss. & Heldr., 276
pseudopinardii Bhattacharjee & Huber-Morath, 281
pseudosideritis Bhattacharjee & Huber-Morath, 291
pubescens Ten., 288
ramosissima Montb. & Auch., 291
var. *elazigensis* Bhattacharjee, 291
var. *ramosissima*, 291
recta
subsp. *subcrenata* (Nis.) Briq., 286
reinertii Heldr. ex Halácay, 276
rizëensis Bhattacharjee, 278
setifera C. A. Mey., 281
subsp. *lycia* (Gandoger) Bhattacharjee, 281
subsp. *setifera*, 281
shirini Parsa, 281
sintenisii Gandoger, 281
sparsipilosa Bhattacharjee & Huber-Morath, 287
stenostachya Boiss., 284
sublanata Fleisch. ex Nym., 276
subnuda Mont. & Auch.
var. *kurdica* (Boiss. & Hohen.) Boiss., 282
tomentosa Bunge, 283
tymphaea Hausskn., 276
zurandica Rzazade, 283
Staurogyne aristata E. Hossain, 269
cremostachya Brem., 269
griffithiana (Nees) O. Kuntze, 269
kerrii E. Hossain, 269
merguensis (T. Anders.) O. Kuntze, 269
paludosa (Mangenot & Aké Assi) Heine, 271
pedicellata E. Hossain, 269
tenuispica Brem., 269
Stereum gausapatum Fr., 337
rugosum (Pers.) Fr., 337
Stomata, foliar sclereids and; Studies in Acanthaceae tribe Nelsonieae II, 269
Streptocarpus from East Africa, a new species of; Studies in the Gesneriaceae of the Old World, XXXVIII, 467
Streptocarpus
subgen. *Streptocarpus*, 540
baudertii L. L. Britten, 540
brevipilosa B. L. Burtt, 524
caeruleus Hilliard & Burtt, 540
caulescens Vatke, 542
var. *pallescens* Engl., 542
confusus Hilliard, 540
cooksonii B. L. Burtt, 540
cyanandrus B. L. Burtt, 540
cyaneus S. Moore, 540
davyi S. Moore, 541
decipiens Hilliard & Burtt, 541
denticulatus Turrill, 541
dunnii Mast., 541
erubescens Hilliard & Burtt, 541
eylesii S. Moore, 541
subsp. *brevistylus* Hilliard & Burtt, 541
galpinii Hook. f., 541
gardenii Hook., 541
glandulosissimus Engl., 542
goetzei Engl., 541
grandis N. E. Br., 541
haygarthii N. E. Br., 541
hildebrandtii Vatke, 541
hilsenbergii R. Br., 542
hirtinervis C. B. Cl., 541
holstii Engl., 542
johannis L. L. Britten, 541
kentaniensis Britten & Story, 541
kirkii Hook. f., 542
kungwensis Hilliard & Burtt, 541
michelmorei B. L. Burtt, 541
micranthus C. B. Cl., 541
molweniensis Hilliard, 541
montanus Oliver, 541
muscosus C. B. Cl., 542
nobilis C. B. Cl., 542
oliganthus B. L. Burtt, 542
pendula B. L. Burtt, 542
polyanthus
subsp. *comptonii* (Mansf.) Hilliard, 541
primulifolius Gand., 541
prolixus C. B. Cl., 541
rexii (Hook.) Lindl., 541
rimicola Story, 541
saundersii Hook, 541
saxorum Engl., 542
schliebenii Mansf., 525
solenanthus Mansf., 541
stomandrus B. L. Burtt, 542
thompsonii R. Br.
var. *bojeri* (R. Br.) C. B. Cl., 542
thysanotus Hilliard & Burtt, 467, 525
tongwensis B. L. Burtt, 543
umtaliensis B. L. Burtt, 541

Streptocarpus—continued
variabilis Humbert, 525, 541
velutina B. L. Burtt, 543
wendlandii Spreng. ex Damman, 541
Studies in Acanthaceae tribe Nelsonieae II: foliar sclereids and stomata, 269
Studies in the Gesneriaceae of the Old World XXXVII: Schizoboea, the erstwhile African Didymocarpus, 265; XXXVIII: A new species of Streptocarpus from East Africa, 467; XXXIX: towards a revision of Aeschynanthus, 471
Sumatroscirpus Oteng-Yeboah, 307
junghuhnii (Miq.) Oteng-Yeboah, 307
Survey of Chromosome numbers in the Gesneriaceae of the Old World, 527
SWEENEY, Janis & WATLING, Roy
Larger fungi from Iran, 333

Tanacetum, 427
albipannosum Huber-Morath & Grierson, 259
alyssifolium (Bornm.) Grierson, 434
argenteum (Lam.) Willd.
subsp. *canum* (C. Koch) Grierson, 427, 434
subsp. *flabellifolium* (Boiss. & Heldr.) Grierson, 434
var. *pumilum* Grierson, 427
argyrophyllum (C. Koch) Tzvel.
var. *polycephalum* (Schultz Bip.) Grierson, 434
var. *subvirescens* (DC.) Grierson 434
balsamita L.
subsp. *balsamitoides* (Schultz Bip.) Grierson, 434
balsamitoides Schultz Bip., 434
cadmeum (Boiss.) Heywood
subsp. *orientale* Grierson, 261
chiliophyllum (Fisch. & Mey.) Schultz Bip.
var. *heimerlei* (Nab.) Grierson, 434
var. *monocephalum* Grierson, 427
cilicicum (Boiss.) Grierson, 434
coccineum (Willd.) Grierson, 262
subsp. *carneum* (MB.) Grierson, 262
subsp. *chamaemelifolium* (Somm. & Lev.) Grierson, 262
subsp. *coccineum*, 262
densum (Labill.) Sch.-Bip.
subsp. *laxum* Grierson, 261
subsp. *sivasicum* Huber-Morath & Grierson, 261
depauperatum (Post) Grierson, 434
eginense (Bornm.) Grierson, 434
flabellifolium Boiss. & Heldr., 434
germanicopolitanum (Bornm. & Heimerl) Grierson, 434
haradjanii (Rech. fil.) Grierson, 435
haussknechtii (Bornm.) Grierson, 435
heterotomum (Bornm.) Grierson, 435
kotschyi (Boiss.) Grierson, 435
mucroniferum Huber-Morath & Grierson, 260
nitens (Boiss. & Noë) Grierson, 435
oltense (Sosn.) Grierson, 435
oxylepis (Bordz.) Grierson, 260
oxystegium (Sosn.) Grierson, 435
polycephalum Schultz Bip., 434
poteriifolium (Ledeb.) Grierson, 435
punctatum (Desr.) Grierson, 435
sorbifolium (Boiss.) Grierson, 435
tomentellum (Boiss.) Grierson, 435
zahlbruckneri (Nab.) Grierson, 435
Taraxacum buttleri van Soest, 263
microcephaloides van Soest, 263
uzunoglui van Soest, 264
Taxonomic studies in Cyperaceae-Cyperoideae, 311
Taxonomic studies in Stachys, I: New species and infra-specific taxa from Turkey, 275
Tetradema asperifolium (Blume) Schlechter, 182
Thelypteris species re-interpreted, five Asiatic, 495
Thelypteris biaurita (Bedd.) Reed., 498
jaculosa (Christ) Panigrahi, 496
latipinna (Hook. f. ex Bak.) K. Iwats., 500
lebeufii (Baker) Panigrahi, 498
malabariensis (Fée) Panigrahi, 497
semisagittata (Roxb.) Panigrahi, 500
srilankensis Panigrahi, 499
subpubescens auct., 496
Titanotrichum oldhamii (Hemsl.) Solereder, 543
Trichophorum Pers., 313
subgen. *Anthelophorum* (Ohwi) Oteng-Yeboah, 313
subgen. *Trichophorum*, 313
alpinum (L.) Pers., 313
subcapitatum (Thwaites) Ohwi, 313
Trichosporum D. Don, 475
albidum (Bl.) Nees, 479
asclepioides Elmer, 480
fraserianum (Kraenzl.) Merrill, 480
irigaense Merrill, 486
miniatum Elmer, 486
motleyi (C. B. Cl.) O. Kuntze, 480
Trimorpha pycnotricha Vierh., 430
Tripleurospermum callosum (Boiss. & Heldr.) E. Hossain, 435
fissurale (Sosn.) E. Hossain, 435
kotschyi (Boiss.) E. Hossain, 435
oreades (Boiss.) Rech. fil.
var. *tchihatchewii* (Boiss.) E. Hossain, 435

Tromsdorffia Bl., 131
speciosa Blume, 182
Two new species from Iraq, 293
Two new species of Onosma, 301

Urachne coerulescens (Desf.) Trin., 365
grandiflora Trin., 371
holciformis (M. Bieb.) C. Koch, 371
sinaica Steud., 371
songorica Trin. & Rupr., 374
sphacelata Boiss. & Buhse, 383
virescens Trin., 363

Vaginaria Pers., 313

WAGENITZ, G.
Centaurea (Beiträge zur Kenntnis der Gattung Centaurea L. 2) in Davis, P. H. Materials for a Flora of Turkey XXX: Compositae I, 217.

WATLING, Roy
Notes on some British Agarics: IV, 315
WATLING, Roy & SWEENEY, Janis
Larger fungi from Iran, 333
WEST, C. & SELL, P. D.
Hieracium, in Davis, P. H., Materials for a Flora of Turkey XXX: Compositae I, 241
WOOD, D.
A revisionof Chirita (Gesneriaceae), 123
WOODS, P. J. B. & BURTT, B. L.
Studies in the Gesneriaceae of the Old World, XXXIX: towards a revision of Aeschynanthus, 471

Yunnan, a new species of Rhododendron from, 493

Zietenia orientalis Gléd., 283