GENERAL INDEX TO VOLUME 35

Acanthophyllum chloroleucum Rech. f. & Aell., 357
sordidum Bge., 357
Additional notes on Alpinia sect. Myriocrater, 195
Adenophora argyi Lévl., 248
axilliflora Borb., 248
bockiana Diels, 248
chanetii (Lévl.) Chamberlain, 248
polymorpha Ledeb.
var. *chanetii* Lévl., 248
var. *rhombifolia* Lévl., 249
radiatifolia Nakai, 249
var. *abbreviata* (Lévl.) Nakai, 248
var. *hirsuta* (Fr. Schmidt) Nakai, 249
rotundifolia Lévl., 248
sinensis DC.
var. *pilosa* DC., 248
taquetii Lévl., 248
tetraphylla (Thunb.) Fischer, 249
var. *abbreviata* (Lévl.) Chamberlain, 249
var. *hirsuta* (Fr. Schmidt) Chamberlain, 249
var. *tetraphylla*, 249
verticillata (Pallas) Fischer, 249
var. *abbreviata* Lévl., 249
var. *hirsuta* Fr. Schmidt, 249
wawreana Zahlbr., 248
Aecidium asperifolii Pers., 407
Aeschynanthus solomonensis P. Woods, 375
Aethionema apterocarpum Rech. f. & Aell., 356
trinervia (DC.) Boiss.
var. *apterocarpum* (Rech. f. & Aell.) Parsa, 356
Agapetes sprengelii G. Don, 255
vaccinioidea Lévl., 255
Agarics: VI, notes on British, 147
Agaricus albocyaneus Fries, 152
pseudocyaneus Desmazières, 149, 152
Alangium faberi Oliv.
var. *perforatum* (Lévl.) Rehder, 270
Alcea djahromi Parsa, 351
kuhsangnia Parsa, 351
sotudei Parsa, 351
Alhagi camelorum Fisch.
var. *pluriarticulatum* Parsa, 355
Alkanna areolata Boiss.
var. *sublaevis* Hub.-Mor., 297
tinctoria (L.) Tausch, 73
subsp. *glandulosa* Hub.-Mor., 298
Alopecurus myosuroides Huds., 74
utriculatus Banks & Soland., 74
Alpinia sect. Myriocrater, additional notes on, 195
Alpinia aenea Burtt & Smith, 207
allughas (Retz.) Roscoe, 213
biakensis R. M. Smith, 205
celebica K. Schum., 199
conferta Burtt & Smith, 206
edanoi R. M. Smith, 200
eremochlamys K. Schum., 204
gigantae Bl., 206
laxisecunda Burtt & Smith, 199
monopleura K. Schum., 199
myriocratera K. Schum., 206
nigra (Gaertn.) B. L. Burtt, 213
novae-hiberniae Burtt & Smith, 201
regia R. M. Smith, 203
rheedii Wight, 213
salamonensis Burtt & Smith, 206
unilateralis Burtt & Smith, 199
vulcanica Elm., 200
Althaea hiri Parsa, 351
Alyssopsis kotschyi Boiss.
var. *stenophyllus* Parsa, 350
Alyssum homalocarpum (F. & M.) Boiss., 356
inflatum Nyár.
var. *polycladum* (Rech. f.) Parsa, 356
nomismocarpum Rech. f., Aell. & Esfand., 356
polycladum Rech. f., 356
Ammi visnaga (L.) Lam., 72
Amomum curcuma Jacq., 213
Anatomical observations on a desert group of Salvia species, 377
Anchusa L.
subgen. *Hormuzakia* (Guşul.) Chamb., 298
subgen. *Limbata* Chamb. & R. Mill, 298
subgen. *Phyllocara* (Guşul.) Chamb., 298
angustissima C. Koch, 298
aspera Boiss., 298
azurea Miller
var. *kurdica* (Guşul.) Chamb., 298
var. *macrocarpa* (Boiss. & Hohen.) Chamb., 298
boissieri Bornm. & Guşul., 298
incana Ledeb., 298
italica Retz.
var. *kurdica* Guşul., 298
var. *macrocarpa* (Boiss. & Hohen.) Guşul., 298
leptophylla Roemer & Schultes
subsp. *incana* (Ledeb.) Chamb., 298
subsp. *tomentosa* (Boiss.) Chamb., 298

Anchusa—continued
linearifolia Hochst., 298
lorentii A. DC., 298
macrocarpa Boiss. & Hohen., 298
tomentosa Boiss., 298
Andrachne cavaleriei Lévl., 266
millietii Lévl., 267
Andromeda ovalifolia Wall., 258
Androsace erecta Maxim., 265
mairei Lévl., 265
Anisadenia pubescens Griff., 265
Anisophyllea cavaleriei Lévl., 254
Anthyllis vulneraria complex, the: a resumé, 1
Anthyllis abyssinica (Sagorski) Becker, 13
adriatica Beck, 20
affinis Britt., 27
ajmasiana (Pau) Roth., 25
albana Wettst., 16
alpestris (Kit. ex Schultes) Reichb., 30
alpicola Brügger, 30
argyrophylla Rothmaler, 14
arundana Boiss. & Reut., 13
asturiae Becker, 32
beibersteiniana (Taliev.) Juzepczuk, 16
boissieri Sagorski, 12
bonjeani Beck, 17
carpatica Pantocsek, 27
dillenii
subsp. *hispida* (Boiss. & Reut.) Asch. & Graebn., 15
subsp. *praepropera* (Kerner) Asch. & Graebn., 18
subsp. *pulchella* (Vis.) Asch. & Graebn., 16
subsp. *vulnerarioides* (All.) Asch. & Graebn., 17
var. praepropera Kerner, 18
var. *versicolor* Sagorski, 29
font-queri Rothmaler, 24
forondae Sennen, 18
gandogeri Sagorski, 24
hispida Boiss. & Reut., 15
hispidissima Sagorski, 25
illyrica Beck, 18
insularum Rothmaler, 18
irenae Juzepczuk, 25
kuzenuvae Juzepczuk, 33
lachnophora Juzepczuk, 12
linnaei (Sag.) Juzepczuk, 9
lusitanica Cullen & Pinto da Silva, 19
macrocephala Wenderoth, 10
maritima Schweigger ex Hagen, 10
var. *corbierei* Salmon & Travis, 26
maura Beck, 20
nivalis (Willk.) Beck, 15
occidentalis Rothm., 20
polyphylla (DC.) G. Don f., 10
var. *schiwereckii* (DC.) Sagorski, 10
praepropera (Kerner) Beck, 18
pulchella Visiani, 16
pyrenaica (Beck) Sagorski, 31
rosea Willk., 18
saharae Sagorski, 13
sampaiana Rothm., 18
scardica Wettst., 16
schiwereckii (DC.) Blocki, 10
serpentinicola Rech. f. & Goulimy, 12
spruneri (Boiss.) Beck, 18
subsp. *iberica* Becker, 32
var. *weldeniana* (Reichb.) Becker, 20
taurica Juzepczuk, 12
vulgaris (Koch) Kerner, 27
vulneria L., 9
subsp. *abyssinica* (Sagorski) Cullen, 13
subsp. *alpestris* (Kit. ex Schultes) Asch. & Graebn., 30
subsp. *argyrophylla* (Rothm.) Cullen, 14
subsp. *arundana* (Boiss. & Reut.) Vasc., 13
subsp. *atlantis* Emb. & Maire, 15
subsp. *boissieri* (Sagorski) Bornmüller, 12
subsp. *borealis* (Rouy) Jalas, 34
subsp. *bulgarica* (Sagorski) Cullen, 11
subsp. *carpatica* (Pant.) Nyman, 27
subsp. *communis* (Rouy) Jalas, 27
subsp. *corbierei* (Salmon & Travis) Cullen, 26
subsp. *fatmae* Font-Quer, 16
subsp. *fennica* Jalas, 34
subsp. *forondae* (Sennen) Cullen, 18
subsp. *fruticans* Emberger, 26
subsp. *gandogeri* (Sagorski) Becker
subsp. *hispidissima* (Sagorski) Cullen, 25
subsp. *iberica* (Becker) Jalas, 32
subsp. *inframensis* Cullen, 32
subsp. *lapponica* (Hyl.) Jalas, 33
subsp. *linnaei* (Sag.) Jalas, 9
subsp. *lusitanica* (Cullen & Pinto da Silva) Cullen, 19
subsp. *matris-filiae* Emb. & Maire, 17
subsp. *maritima* (Schweigger ex Hagen) Corb., 10
subsp. *maura* (Beck) Lindb., 20
subsp. *pindicola* Cullen, 18
subsp. *polyphylla* (DC.) Nyman, 10
subsp. *praepropera* (Kerner) Bornm., 18
subsp. *pulchella* (Vis.) Bornm., 16
subsp. *pyrenaica* (Beck) Cullen, 31
subsp. *reuteri* Cullen, 15
subsp. *rifana* (Emb. & Maire) Cullen, 14
subsp. *saharae* (Sagorski) Maire, 13
subsp. *spruneri* (Boiss.) Bornm., 18
subsp. *stenophylloides* Cullen, 25

Anthyllis—continued
subsp. *subscaposa* Cullen, 31
subsp. *variegata* (Boiss.) Cullen, 13
subsp. *vulgaris* (Koch) Corb., 27
subsp. *vulneraria*, 9
subsp. *vulnerarioides* (All.) Arc., 17
subsp. *weldeniana* (Reichb.) Cullen, 20
var. *affinis* (Britt.) Wohlf., 27
var. *ajmesiana* Pau, 25
var. *alpestris* [Kit. ex] Schultes, 30
var. *calcicola* Schur., 30
var. *carpatica* (Pant.) Nyman, 27
var. *coccinea* L., 9
var. *fennica* (Jalas) Cullen, 34
var. *font-queri* (Rothm.) Cullen, 24
var. *hispida* (Boiss. & Reut.) Willk., 15
var. *kerneri* Sagorski, 9
var. *langei* Jalas, 9
var. *lapponica* Hylander, 33
var. *littorea* Sampaio, 32
var. *maritima* (Schweigger ex Hagen) W. Koch, 10
var. *maura* (Beck) Lindl., 20
var. *polyphylla* DC., 10
var. *pseudovulneraria* (Sagorski) Cullen, 28
var. *rifana* Emb. & Maire. 14
var. *schiwereckii* DC., 10
var. *spruneri* Boiss., 18
var. *stenophylla* Lange, 9
var. *variegata* Boiss., 12, 13
var. *versicolor* (Sagorski) Cullen, 29
var. *vulgaris* Koch, 27
var. *vulneraria*, 9
var. *webbiana* sensu Boiss., 16
var. *weldeniana* (Reichb.) Becker, 20
vulnerarioides (All.) Bonjean ex Reichb., 17
webbiana auct., 14
var. *nivalis* Willk., 15
weldeniana Reichb., 20
Arabis bryoides Boiss.
var. *rimarum* (Rech. f.) Parsa, 356
rimarum Rech. f., 356
Ardisia bodinieri Lévl., 269
brevicaulis Diels, 269
castaneifolia Lévl., 270
cavaleriei Lévl., 270
crenata Sims, 270
crispa (Thunb.) A. DC., 270
var. *dielsii* (Lévl.) Walker, 270
var. *taquetii* Lévl., 270
dielsii Lévl., 270
discolor Lévl., 270
elegans Andr., 270
elegantissima Lévl., 270
esquirolii Lévl., 266, 270
faberi Hemsl., 270
henryi Hems .
var. *dielsii* (Lévl.) Walker, 270
labordei Lévl., 270
mairei Lévl., 270
meziana Lévl., 271
perforata Lévl., 270
tenera Mez., 271
ARGENT, G. C. G.
The wild bananas of Papua New Guinea, 77
Arenaria balansae Boiss.
var. *minutissima* (Rech. f. & Esfand.) Parsa, 358
minutissima Rech. f. & Esfand., 358
mirdamadii Rech. f., 358
rigida M. Bieb.
var. *mirdamadii* (Rech. f.) Parsa, 358
Aristolochia from SW Turkey, a new, 319
Aristolochia poluninii Davis & M. S. Khan, 319
Ascolepis observations on the genus, 391
Ascolepis [Nees ex] Steud.
subgen. *Ascolepis*, 396
subgen. *Platylepis* (Kunth) Oteng-Yeboah, 396
brasiliensis (Kunth) Clarke, 396
capensis (Kunth) Ridley, 396
elata Welw., 392
pinguis C. B. Clarke, 392
protea Welw., 392
Asperula octonaria Klokov, 73
Astragalus abbas riazi Parsa, 352
ahouicus Parsa, 352
var. *pumilus* Parsa, 352
aligudarzicus Parsa, 353
ammophilus Kar. & Kir., 358
angustidens Parsa, 353
apricus Bge.
var. *rarus* (Širj. & Rech. f.) Parsa, 359
arakensis Parsa, 353
anserinifolius Boiss.
var. *elegantifolius* Parsa, 353
ardahalicus Parsa, 354
ashuricus Parsa, 354
aulacolobus Boiss.
var. *multijugus* Parsa, 352
aureus Willd., 360
var. *bracteolatus* Širj. & Rech. f., 360
var. *pseudaureus* (Širj. & Rech. f.) Parsa, 360
avicennicus Parsa, 353
bardsiricus Parsa, 353
behboudii Širj. & Rech. f., 360
borudjerdicus Parsa, 353
buchtormensis Pall.
var. *pseudobuchtormensis* (Širj. & Rech. f.) Parsa, 359
caspius M. Bieb.
var. *bornmuelleri* Širj., 360

Astragalus—continued
var. *rahensis* (Širj. & Rech. f.) Parsa, 360
var. *rosellus* (Širj. & Rech. f.) Parsa, 360
var. *talarensis* (Širj. & Rech. f.) Parsa, 360
chrysostachys Boiss., 360
var. *parisiensis* Širj. & Rech. f., 360
chrysotrichus Boiss., 352
cyclophyllon Beck
var. *ordoudaricus* Parsa, 354
cyrusianus Parsa, 352
djashmensis Širj., Rech. f. & Aell., 359
eriopodus Boiss.
var. *longepedunculatus* Parsa, 352
faridanicus Parsa, 354
farmanfarmajani Širj. & Rech. f., 359
var. *flavus* Širj., 359
ferdovsicus Parsa, 353
gandjehicus Parsa, 354
glaberrimus Širj. & Rech. f., 358
griseus Boiss.
var. *viridis* Parsa, 353
gyzensis Del., 359
haematinus Širj. & Rech. f., 359
hamosus L.
var. *pumilus* Parsa, 352
kashgakius Parsa, 354
kermanicus Parsa, 354
khadjouicus Parsa, 354
khayamicus Parsa, 354
lalezarensis Bornm.
var. *rubrolineatus* (Širj. & Rech. f.) Parsa, 361
longemucronulatus Širj. & Rech. f., 360
longepedunculatus Širj., Rech. f. & Aellen, 359
lurorum Bornm., 361
var. *chamchidensis* Širj. & Rech. f., 361
microphysa Boiss.
var. *durudensis* (Širj. & Rech. f.) Parsa, 361
var. *paucijugus* Širj. & Rech. f., 361
mucronifolius Boiss.
subsp. *robustus* Širj. & Rech. f., 361
var. *brevidentatus* Širj. & Rech. f., 362
var. *ovoideus* (Širj. & Rech. f.) Parsa, 361
var. *robustus* (Širj. & Rech. f.) Parsa, 361
var. *talimansurensis* (Rech. f.) Parsa, 361
mollis MB.
var. *retusus* Parsa, 352
movlavius Parsa, 353
nadirius Parsa, 352
naftabensis Širj. & Rech. f., 360
var. *brevipedunculatus* Širj. & Rech. f., 361
nicharensis Bge.
var. *longepedunculatus* (Širj., Rech. f. & Aell.) Parsa, 359
ophiocarpus Benth.
var. *glaberrimus* (Širj. & Rech. f.) Parsa, 358
ovoideus Širj. & Rech. f., 361
pachystachys Bge.
var. *longemucronulatus* (Širj. & Rech. f.) Parsa, 360
parimanicus Parsa, 352
parrowianus Boiss. & Hausskn., 360
pellitus Bge.
var. *orbicularis* Parsa, 353
persicus F. & M.
var. *brevipedunculatus* (Širj. & Rech. f.) Parsa, 361
var. *naftabensis* (Širj. & Rech. f.) Parsa, 360
podosphaerus Boiss. & Hausskn.
var. *ulodjensis* (Širj. & Rech. f.) Parsa, 359
pseudaureus Širj. & Rech. f., 360
pseudobuchtormensis Širj. & Rech. f., 359
pseudoindurascens Širj. & Rech. f., 359
ptychophyllus Boiss., 361
var. *longepedunculatus* Širj. & Rech. f., 361
var. *xerxis* Širj. & Rech. f., 361
rahensis Širj. & Rech. f., 360
rarus Širj. & Rech. f., 359
razicus Parsa, 352
remotijugus Boiss.
var. *pumilus* Parsa, 353
rosellus Širj. & Rech. f., 360
rubrolineatus Širj. & Rech. f., 361
rugosus Fisch.
var. *humilis* Parsa, 353
saadius Parsa, 354
samamensis Boiss. & Buhse, 359
schistocalyx Bge., 359
segazicus Parsa, 354
shahpouricus Parsa, 352
sharifii Širj. & Rech. f., 360
sirdjanicus Parsa, 353
subinduratus Gontsch.
var. *pseudoindurascens* (Širj. & Rech. f.) Parsa, 359
talarensis Širj. & Rech. f., 360
talimansurensis Rech. f., 361
tenellus Bge.
var. *ovatifolius* Parsa, 354
totchalensis Bornm.
var. *behboudii* (Širj. & Rech. f.) Parsa, 360
ulodjensis Širj. & Rech. f., 359
viciifolius DC.
var. *haematinus* (Širj. & Rech. f.) Parsa, 359
vulnerarioides Allioni, 17

Asyneuma Griseb. & Schrenk, 49
davisii Quézel, 49
eximium Rech. f., 49
linifolium (Boiss. & Heldr.) Bornm.
subsp. *eximium* (Rech. f.) Damboldt, 49
subsp. *podanthoides* (Boiss. & Hausskn.) Damboldt, 49
michauxioides (Boiss.) Damboldt, 49
Atherosperma moschatum Labill., 144
Athruphyllum neriifolium (Sieb. & Zucc.) Hara, 273
seguinii (Lévl.) Nakai, 273
Atriplex patula L., 71
tatarica L., 71
Atropauthe mairei (Lévl.) Lévl., 252

BALAKRISHNAN, N. P.
Cyrtandra and Cyrtandromoea on the Nicobar Islands, India, 115
Bananas of Papua New Guinea, the wild, 77
BAYTOP, A.
Nonea, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 299
BAYTOP, A. & MILL, R. R.
Lycium, in Davis, P. H., Materials for a Flora of Turkey XXXVI, 313
BAYTOP, T. & MATHEW, B.
Some observations on Turkish Crocus, 61
Biscutella alireza-dadjua Parsa, 350
Bladhia crenata (Sims) Hara, 270
var. *taquetii* (Lévl.) Hara, 270
crispa Thunb.
var. *taquetii* (Lévl.) Nakai, 270
lentiginosa (Ker) Nakai
var. *taquetii* (Lévl.) Nakai, 270
Blysmopsis, 399
Blysmus, 399
Bobua anomala (Brand) Migo, 277
stellaris (Brand) Migo, 279
Bodinierella cavaleriei Lévl., 257
Boeica brachyandra Ridl., 370
guileana B. L. Burtt, 371
nutans Ridl., 372
tonkinensis (Kraenzlin) B. L. Burtt, 373
BOKHARI, M. H. & HEDGE, I. C.
Anatomical observations on a desert group of Salvia species, 377
BOKHARI, M. H. & WENDELBO, P.
Anatomy of Dionysia I: foliar sclereids, 131
Bolbitiaceae 16: Conocybe sect. Gigantae, observations on the, 281
BOOK REVIEWS
Acta Ecologica Iranica vol. 1, 234
British botanical and horticultural literature before 1800 by Blanche Henrey, 68
Chemotaxonomy of plants by P. M. Smith, 117
Compositae in Natal by O. M. Hilliard, 317
Epiphytic orchids of Malawi by Brian Morris, 60
Flora of Bangladesh nos. 1-5, 320
Flora Europaea vol. 4 ed. T. G. Tutin *et al.*, 194
Geological Research, vol. 3. Exploration in the eastern Himalayas . . . Francis (Frank) Kingdon Ward (1885-1958) by U. Schweinfurth & H. Schweinfurth-Marby, 280
Iranian Journal of Botany vol. 1, 234
Journal of the Adelaide Botanic Gardens vol. 1, 390
Red Book: native plant species to be protected in the USSR, ed. A. Takhtajan, 246
Wild flowers of Malawi by Audrey Moriarty, 60
Boraginaceae, materials for a Flora of Turkey, XXXIV, 297
Brachycodon Fedorov, 44
Brachycodonia Fedorov, 44
Brassica deflexa Boiss., 357
iranica Rech. f., Aell. & Esfand., 357
somalensis Hedge & Miller, 179
Buffonia capitata Rech. f., 358
kotschyana Boiss.
var. *capitata* (Rech. f.) Parsa, 358
Bunium caroides (Boiss.) Bornm., 355
BURTT, B. L.
Studies in the Gesneriaceae of the Old World XLI: Notes on Boeica and Didissandra, 369
The nomenclature of Turmeric and other Ceylon Zingiberaceae, 209
Plants of Malawi (review), 60
BURTT, B. L. & HILLIARD, O. M.
Notes on some plants of Southern Africa chiefly from Natal: VI, 155

Campanulaceae, materials for a Flora of Turkey XXXII, 39
Campanula L., 39
subgen. *Brachycodonia* (Fedorov) Damboldt, 44
subgen. *Campanula*, 40
subgen. *Megalocalyx* Damboldt, 43
subgen. *Quinqueloculares* (Boiss.) Charadze, 40
subgen. *Rapunculus* (Fourr.) Charadze, 44
subgen. *Roucela* (Dumort.) Damboldt, 43
subgen. *Sicydon* (Feer) Damboldt, 43
sect. *Alaria* Damboldt, 44
sect. *Annuae* (Boiss.) Charadze, 43
sect. *Campanula*, 40

Campanula—continued
sect. *Cordifoliae* (Fomin) Charadze, 41
sect. *Dictyocalyx* (Fedorov) Damboldt, 42
sect. *Elatae* (Boiss.) Damboldt, 41
sect. *Eucodon* A. DC., 40
sect. *Involucratae* (Fomin) Charadze, 41
sect. *Latilimbus* (Fedorov) Damboldt, 41
sect. *Medium* Boiss., 40
sect. *Megalocodon* Damboldt, 40
sect. *Platysperma* Damboldt, 43
sect. *Pterophyllum* Damboldt, 44
sect. *Quinqueloculares* (Boiss.) Phitos, 40
sect. *Rapunculus* (Fourr.) Boiss., 44
sect *Rupestres* (Boiss.) Charadze, 41
sect. *Saxicolae* (Boiss.) Charadze, 41, 42
sect. *Scapiflorae* (Boiss.) Charadze, 42
sect. *Sibiricae* (Fomin) Charadze, 40
sect. *Spicatae* (Fomin) Damboldt, 14
sect. *Symphyandriformes* (Fomin) Charadze, 41
sect. *Trachelioideae* (Boiss.) Charadze, 40
sect. *Tracheliopsis* (Buser) Damboldt, 42
subsect. *Annuae* (Boiss.) Fedorov, 43
subsect. *Cordifoliae* (Fomin) Fedorov, 41
subsect. *Dictyocalyx* Fedorov, 42
subsect. *Eucodon* (DC.) Fedorov, 40
subsect. *Involucratae* (Fomin) Fedorov, 41
subsect. *Latilimbus* Fedorov, 41
subsect. *Oreocodon* Fedorov, 41, 42
subsect. *Quinqueloculares* Boiss., 40
subsect. *Rupestres* (Boiss.) Fedorov, 41
subsect. *Saxicolae* (Boiss.) Rech. f. & Schiman-Czeika, 42
subsect. *Scapiflorae* (Boiss.) Fedorov, 42
subsect. *Symphyandriformes* (Fomin) Fedorov, 41
ser. *Alliariaefoliae* Kem.-Nath., 41
ser. *Cordifoliae* Fomin, 41
ser. *Involucratae* Fomin, 41
ser. *Rapunculiformes* Fedorov, 44
ser. *Rupestres* (Boiss.) Fomin, 41
ser. *Scapiflorae* (Boiss.) Fomin, 42
ser. *Sibiricae* Fomin, 40
ser. *Spicatae* Fomin, 41, 42
ser. *Symphyandraeformes* Fomin, 41
ser. *Trachelioideae* (Boiss.) Fomin, 40
bodinieri Lévl., 250
buseri Damboldt, 47
cavaleriei Lévl., 248
chanetii Lévl., 248
colorata Wall., 249
cordifolia C. Koch, 45
crassifolia Hub.-Mor. & Simon, 49
fruticulosa (Schwarz & Davis) Damboldt, 49
fulgens Wall., 250
glaucophylla Damboldt, 49
hohenackeri Fisch. & Mey., 45
lyrata Lam.
subsp. *icarica* [Runemark ex] Phitos, 44
michauxioides Boiss., 49
neptaefolia Lévl. & Van., 249
podanthoides Boiss. & Heldr., 49
ptarmicifolia Lam.
var. *capitellata* Damboldt, 49
pubicalyx (Davis) Damboldt, 47
rapunculoides L.
subsp. *cordifolia* (C. Koch) Damboldt, 45
sibirica L.
subsp. *hohenackeri* (Fisch. & Mey.) Damboldt, 45
var. *hohenackeri* (Fisch. & Mey.) Fomin, 45
sorgerae Phitos, 45
stricta L.
var. *alidagensis* Damboldt, 46
telmessi Huber-Morath & Phitos, 45
tetraphylla Thunb., 249
triphylla Thunb., 249
tubulosa (Boiss.) Engler, 47
troegerae Damboldt, 47
verticillata Pallas, 249
Campanumoea japonica Sieb. & Morr,, 251
javanica Blume, 250
labordei Lévl., 250
lanceolata Sieb. & Zucc., 251
violifolia Lévl., 251
Capsella rubella Reuter, 72
Cardamine uliginosa Bieb., 72
Carex distans L., 74
Carpinus betulus L., 70
Cassiope mairei Lévl., 256
selaginoides Hook f. & Thoms., 256
Catalogue of the names published by Hector Léveillé: X, 247; XI, 265
Celastrus cavaleriei Lévl., 273
gemmatus Loes, 271
seguini Lévl., 273
Cerastium ligusticum and C. dominici in Turkey, 315
Cerastium brachypetalum Pers., 316
subsp. *roeseri* (Boiss. & Heldr.) Nyman, 316
dominici Favarger, 315
glomeratum Thuill., 71
ligusticum Viv., 315
Ceratophyllum demersum L., 71

Cercidiphyllum japonicum Sieb. & Zucc.
var. *japonicum*, 144
var. *magnificum* Nakai, 144
CHAMBERLAIN, D. F.
Anchusa, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 298
Catalogue of the names published by Hector Léveillé: X, 247
The identity of Ferula assa-foetida L., 229
Chelidonium majus L., 71
Chenopodium album L., 71
opulifolium [Schrader ex] Koch & Ziz, 71
Chesneya makranica Rech. f. & Esfand., 358
parviflora Jaub. & Spach, 358
Chloranthus glaber (Thunb.) Makino, 270
Chorispora syriaca Boiss.
var. *minuta* Parsa, 350
Chromosome counts in primitive angiosperms: II, 143
Chrozophora tinctoria (L.) A. Juss., 12
Cionura erecta (L.) Griseb., 72
Citharelóma gedrosiacum Rech. f. & Esfand., 356
lehmannii Bge.
var. *gedrosiacum* (Rech. f. & Esfand.) Parsa, 356
Cleome komia Parsa, 350
Clermontia carinifera Lévl., 250
clermontioides (Gaudich) Heller, 250
fauriei Lévl., 250
fulva Lévl., 250
gaudichaudii Hillebr., 250
parviflora [Gaudich ex] A. Gray, 250
Clethra bodinieri Lévl., 256
brammeriana Hand.-Mazz., 257
cavaleriei Lévl., 256
esquirolii Lévl., 256
kaipoensis Lévl., 257
kwangsiensis Hu, 257
lineata Lévl., 256
longebracteata Sleumer, 256
pinfaensis Lévl., 257
polyneura Li, 257
sinica Hao, 256
Codonopsis accrescenticalyx Lévl., 251
bodinieri Lévl., 251
bulleyana [Forest ex] Diels, 250
convolvulacea Kurz, 251
forrestii Diels, 251
graminifolia Lévl., 251
lanceolata (Sieb. & Zucc.) Trautv., 251
macrocalyx Diels
var. *coerulescens* Hand.-Mazz., 251
micrantha Chipp, 251
pilosa Chipp, 251
tubulosa Kom., 251
Coleosporium tussilaginus (Pers.) Lévl., 408
Conocybe
sect. *Gigantae* Singer, 281, 293
hebelomatoides Middlehoek & Reijnders, 289
intrusa (Peck) Singer, 289
Cornus oblonga Wall., 270
Coprinus bisporiger [Buller ex] P. D. Orton, 147
heterosetulosus [Locquin ex] Watling, 153
pseudoradiatus [Kühner & Josserand ex] Watling, 154
triplex P. D. Orton, 147
xenobius P. D. Orton, 148
Cortinarius intrusus Peck, 289
Corylus avellana L., 70
Cotoneaster coreanus Lévl., 278
horizontalis Decne, 275
Crambe gracillima Rech. f., 357
Crambe hispanica L.
var. *gracillima* (Rech. f.) Parsa, 357
Crataegus biloba Lévl., 278
lyi Lévl., 278
Crocus, some observations on Turkish, 61
Crocus aerius Herb.
var. *nubigenus* Herb., 65
biflorus Miller
var. *leichtlinii* D. Dewar, 62
var. *pestalozzae* (Boiss.) Boiss., 65
boissieri Maw, 65
dispathaceus Bowles, 63
flavus Weston
subsp. *dissectus* T. Baytop & B. Mathew, 64
fleischeri J. Gay, 61
karduchorum [Kotschy ex] Maw, 66
leichtlinii (D. Dewar) Bowles, 62
mouradii Whittall, 64
parviflorus Baker, 61
pestalozzae Boiss., 65
CULLEN, J.
The Anthyllis vulneraria complex: a résumé, 1
Curcuma domestica Val., 213
longa L., 209
Cyananthus albiflorus Chamberlain, 252
mairei Lévl., 250
mairei (Lévl.) Cowan, 252
Cyanea blinii Lévl., 250
coriacea (Gray) Hillebr.
var. *fauriei* (Lévl.) Wimmer, 252
var. *spathulata* Hillebr., 252
fauriei Lévl., 252
feddei Lévl., 252
multispicata Lévl., 252
salicina Lévl., 252
spathulata (Hillebr.) Heller, 252
sylvestris Heller, 252
var. *sylvestris*, 252
Cyathodes imbricata Stschegl.
var. *volcanica* Lévl., 263
Cyperus glaber L., 74
serotinus Rottb., 74

Cyrtandra acuminata Kurz, 118
Cyrtandra and Cyrtandromoea on the Nicobar Islands, India, 115
Cyrtandra burttii Balakr., 115
Cyrtandromoea on the Nicobar Islands, India. Cyrtandra and, 115.
Cyrtandromoea decurrens C. B. Cl., 118
nicobarica Balakr., 118

Dadjoua Parsa, 351
pteranthoidea Parsa, 351
DAMBOLDT, J.
Materials for a Flora of Turkey XXXII: Campanulaceae, 39
DAVIS, P. H.
North African and other itineraries: 1961-1975, 121
Materials for a Flora of Turkey XXXIV: Boraginaceae, Gentianaceae, Solanaceae (compiled by), 297
DAVIS, P. H. & KHAN, M. S.
A new Aristolochia from SW Turkey, 319
Delissea clermontioides Gaudich, 250
fauriei Lévl., 252
Deutzia esquirolii (Lévl.) Rehder, 276
Dianthus fallax Rech. f. & Esfand., 357
orientalis Adams
var. *fallax* (Rech. f. & Esfand.) Parsa, 357
Didissandra rufa C. B. Cl., 373
synaptica B. L. Burtt, 374
Didymocarpus tonkinensis (Kraenzlin) Handel-Mazzetti, 373
Dionysia I: foliar sclereids, anatomy of, 131
Diosphaera Buser, 42
tubulosa (Boiss.) Bornm., 47
Diospyros argyi Lévl., 275
bodinieri Lévl., 275
chaffanjoni Lévl., 275
dumetorum W. W. Sm., 275
esquirolii Lévl., 275
kaki L. f.
var. *silvestris* Makino, 27
mairei Lévl., 275
mollifolia Rehder & Wils., 275
navillei Lévl., 275, 276
Doraena japonica Thunb., 272
Drusa glandulosa (Poir.) Bornm., 184

Echinops, in Palestine, the genus, 235
Echinops adenocaulos Boiss., 242
blancheanus Boiss., 241
gaillardotii Boiss., 242
glaberrimus DC., 240
lasioclinius Boiss., 241
macrochaetus Boiss., 242
philistaeus Feinbr. & Zohary, 240
polyceras Boiss., 241
viscosus DC.
subsp. *macrolepis* (Boiss.) Feinbr., 244
var. *macrolepis* Boiss., 244
Echium angustifolium Miller, 73
diffusum Sibth. & Sm., 73
EDMONDSON, J. R.
Omphalodes, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 300
Rochelia, *op. cit.*, 308
Plant conservation in the USSR (review), 246
EDMONDSON, J. R. & LACK, H. W.
The Turkish and Caucasian collections of C. Koch I: Turkey, 321
Embelia blinii Lévl., 271
bodinieri Lévl., 271
cavaleriei Lévl., 271
dielsii Lévl., 271
esquirolii Lévl., 271
kapoensis Lévl., 271
oblongifolia Hemsl., 271
pauciflora Diels, 271
var. *blinii* (Lévl.) Walker, 271
rubrinervis Lévl., 271
rubro-violacea Lévl., 271
schlechteri Lévl., 271
valbrayi Lévl., 271
vaniotii Lévl., 257, 271
Enkianthus cavaleriei Lévl., 257
cerasiflora (Lévl.) Lévl., 257
chinensis Franch., 257
dunnii Lévl., 257
leveilleanus Craib, 257
xanthoxantha Lévl., 257
Ensete Horan., 80
calospermum (F. Muell.) Cheesman, 80
edule (Gmel.) Horan., 80
glaucum (Roxb.) Cheesman, 80
ventricosum (Welw.) Cheesman, 80
Eriobotrya seguinii (Lévl.) Card. ex Guillaum., 279
Erodium acaule (L.) Bercherer & Thell., 72
Erophila verna (L.) Chevall.
subsp. *verna*, 72
Erysimum persepolitanum Boiss.
var. *abbreviatum* Parsa, 350
Erythrochlamys Gürke, 184
cufodontii Lanza, 189
kelleri Briq., 187
leucosphaera Briq., 187
niveus Chiov., 189
nummularia (S. Moore) Hedge, 189
spectabilis Gürke, 187
Euphrasia, Materials for a Flora of Turkey XXXIII, 53
Euphrasia campestris Jord., 53
drosocalyx Freyn, 53
macrodonta Juz., 58
minima Jacq. ex DC., 54
subsp. *davisii* P. F. Yeo, 54

Euphrasia—continued
ossica Juz., 59
rostkoviana Hayne
subsp. *rostkoviana*, 58
salisburgensis Funck, 54
wilkommii Freyn, 54
Eurya aurea (Lévl.) Hu & L. K. Ling, 273
cavaleriei Lévl., 277
groffii Merrill, 272

FAVARGER, CLAUDE
Cerastium ligusticum and C. dominici in Turkey, 315
FEINBRUN, NAOMI
The genus Echinops in Palestine, 235
Ferula assa-foetida L., the identity of, 229
Ferula assa-foetida L., 231
erubescens Boiss., 232
foetida (Bunge) Regel, 232
jaeschkeana Vatke
subsp. *taenioloba* Rech. f. & Riedl, 233
koelzii Rech. f. & Riedl, 232
narthex Boiss., 233
pseudalliacea Rech. f., 232
reza-dadjoua Parsa, 355
rubricaulis Boiss., 231
Flora of European Turkey, Notes on the, 69
Fumaria kralikii Jordan, 71
Fungi of Greece VII: new records of rust fungi, 407

Galiumglaucum L., 73
Gaultheria laxiflora Diels, 257
leucocarpa Blume, 257, 271
yunnanensis (Franch.) Rehder, 257
Gentiana angulosa Bieb., 312
blepharophora E. Bordz., 310
longicarpa Gilli, 311
pontica Soltok., 312
verna L.
subsp. *balcanica* Pritchard, 312
subsp. *pontica* (Soltok.) Hayek, 312
var. *pontica* (Soltok.) Kuzn., 312
Gentianella ciliata (L.) Borkh.
subsp. *blepharophora* (E. Bordz.) Pritchard, 310
holosteoides [Schott & Kotschy ex] Pritchard, 310
umbellata (Bieb.) Holub, 311
subsp. *longicarpa* (Gilli) Pritchard, 311
Geranium molle L.
subsp. *molle*, 72
Gesneriaceae of the Old World, studies in the, XLI: Notes on Boeica and Didissandra, 369; XLII: Aeschynanthus in the Solomon Islands, 375
Globularia trichosantha Fischer & C. A. Meyer, 73
Glumicalyx Hiern., 155
Glumicalyx alpestris (Diels) Hilliard & Burtt, 169
x *goseloides*, 171
apiculatus (E. Mey.) Hilliard & Burtt, 164
flanaganii (Hiern) Hilliard & Burtt, 168
goseloides (Diels) Hilliard & Burtt, 172
lesuticus Hilliard & Burtt, 166
montanus Hiern., 164
Gratiola officinalis L., 73
GRIERSON, A. J. C.
Compositae Terrae Natalis (review), 317
Gymnosporangium tremelloides Hartig, 408
Gypsophila honigbergeri (Fenzl) Boiss.
var. *porphyrantha* (Rech. f. & Aell.) Parsa, 357
lurorum Rech. f., 357
polyclada Fenzl
var. *lurorum* (Rech. f.) Parsa, 357
var. *xanthochlora* (Rech. f.) Parsa, 357
porphyrantha Rech. f. & Aell., 357
xanthochlora Rech. f., 357

Handeliodendron bodinierei (Lévl.) Rehder, 275
Haplophyllum affine (Aitch. & Hemsl.) Eug. Kor.
var. *khorassanicum* (Rech. f., Aell. & Esfand.) Parsa, 358
khorassanicum Rech. f., Aell. & Esfand., 358
suaveolens (DC.) G. Don, 72
HEDGE, I. C.
Botanical publications in Iran (review), 234
South Australian Botany (review), 390
HEDGE, I. C. & BOKHARI, M. H.
Anatomical observations on a desert group of Salvia species, 377
HEDGE, I. C. & MILLER, A. G.
New and interesting taxa from NE tropical Africa, 179
Hedysarum ahilum Parsa, 354
callithrix Bge.
var. *stenophyllum* (Rech. f. & Esfand.) Parsa, 362
ecbatanum Beck., 362
farinosum Parsa
var. *elongatum* Parsa, 354
kurdicum Rech. f., 362
stenophyllum Rech. f. & Esfand., 362
Helianthemum cinereoflavescens Rech. f., Aell. & Esfand., 357
sessiliflorum (Desf.) Pers., 357
Hellenia allughas (Retz.) Willd., 213

HENDERSON, D. M. & PANTIDUO, M.
Fungi, of Greece VII: new records of rust fungi, 407
HENDERSON, D. M. & PRENTICE, H. T.
The morphology of fungal spores: Milesina blechni, 415
Heritiera ɒllughas Retz., 213
Hesperis khorasanica Rech. f. & Aell., 356
matronalis L., 356
HILLIARD, O. M. & BURTT, B. L.
Notes on some plants of Southern Africa chiefly from Natal: VI, 155
Hippocrepis bornmuelleri Hausskn., 358
constricta Kunze
var. *bornmuelleri* (Hausskn.) Parsa, 358
Holosteum umbellatum L., 71
Hopea lucida Thunb., 278
Hormuzakia Guşul., 298
HUBER-MORATH, A.
Alkanna, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 297
Hugeria vaccinioidea (Lévl.) Hara, 255
Hyacinthus racemosus L., 74
Hyperaspis nummularia S. Moore, 189

Identity of Ferula assa-foetida, the, 229
Ilex chinensis Sims, 271, 277
macrocarpa Oliv., 275
metabaptista Loes.
var. *myrsinoides* (Lévl.) Rehder, 271, 272
Illicium verum Hook. f., 144
Isatis pachycarpa Rech. f., Aell. & Esfand., 356
tinctoria L.
var. *pachycarpa* (Rech. f., Aell. & Esfand.) Parsa, 356

JALAS, JAAKKO & KUKKONEN, ILKKA & UOTILA, PERTTI
Notes on the flora of European Turkey, 69
Jasione L., 50
pontica (Boiss.) Hand.-Mazz., 51
supina Sieber, 50
subsp. *akmanii* Damboldt, 51
subsp. *pontica* (Boiss.) Damboldt, 51
subsp. *tmolea* (Stoj.) Damboldt, 51
var. *pontica* Boiss., 51
tmolea Stoj., 51
Juncellus serotinus (Rottb.) C. B. Clarke, 74

KAM, YEE KIEW
The sequence of flower-opening in two species of Zingiberaceae, 221
KHAN, M. S. & DAVIS, P. H.
A new Aristolochia from SW Turkey, 319
KIEW, KAM YEE
The sequence of flower-opening in two species of Zingiberaceae, 221
Kickxia spuria (L.) Dumort., 73
Koch, C., The Turkish and Caucasian collections of, I: Turkey, 321
Kua domestica Medik., 213
KUKKONEN, ILKKA & UOTILA, PERTTI & JALAS, JAAKKO
Notes on the flora of European Turkey, 69

LACK, H. W. & EDMONDSON, J. R.
The Turkish and Caucasian collections of C. Koch I: Turkey, 321
Lamium amplexicaule L., 73
LAMOND, J. M.
Notes on Parsa's Flore de l'Iran vols. 8 and 9
Languas allughas (Retz.) Burkill, 213
LAUENER, L. A.
Catalogue of the names published by Hector Léveillé: XI, 265
Frank Kingdon Ward (review), 280
Flora of Bangladesh (review), 320
Lavatera thuringiaca L.
var. *abbreviata* Parsa, 351
Legousia Durande, 50
Leucothoë griffithiana Clarke, 257
Léveillé, Hector, catalogue of the names published by: X, 247; XI, 265
Lindelofia cerinthoides (Boiss.) Brand, 309
kurdica (Boiss.) Brand, 309
Linum gallicum L., 72
trigynum L., 72
Litsea chaffanjoni Lévl., 279
Lobelia cavaleriei Lévl., 253
esquirolii Lévl., 253
frutescens Miller, 247
seguinii Lévl. & Van., 253
Lotus laricus Rech. f., Aell. & Esfand., 358
makranicus Rech. f. & Esfand., 358
schimperi Steud., 358
stocksii Boiss., 358
Luzula forsteri (Sm.) DC., 74
Lycium anatolicum A. Baytop & R. Mill, 313
Lycopus europaeus L., 73
Lyonia ovalifolia (Wall.) Drude, 258
var. *lanceolata* (Wall.) Hand.-Mazz., 258
villosa (Wall.) Rehder
var. *pubescens* (Franch.) Rehder, 258
Lysimachia atropurpurea L., 72
capillipes Hemsl.
var. *cavaleriei* (Lévl.) Hand.-Mazz., 266
christinae Hance, 266
daphnoides (A. Gray) Hillebr.
var. *fauriei* Lévl., 266

Lysimachia—continued
esquirolii (Lévl.) Lauener, 266, 270
franchetiana Lévl., 267
franchetii R. Knuth, 267
hemsleyi Franch., 267
japonica Thunb.
var. *courtoisii* Lévl., 266
lancifolia Craib, 266
latronum Lévl. & Van., 266
mairei Lévl., 267
millietii (Lévl.) Hand.-Mazz., 267
navillei (Lévl.) Hand.-Mazz., 267, 275
solanoides Hand.-Mazz., 267
sutchuenensis Bonati, 266

Maesa aurea Lévl., 271, 277
bodinieri Lévl. & Blin., 277
cavaleriei Lévl., 272
dunniana Lévl., 272
esquirolii Lévl., 272
japonica (Thunb.) Moritzi, 258, 272
labordei Lévl., 272
martini Lévl., 272
myrsinoides Lévl., 272
scandens Lévl., 272
sinensis DC., 272
singuliflora Lévl., 272
tenera Mez, 272
Malabaila sedov Parsa, 355
Malcolmia glaberrima Rech. f. & Esfand., 356
karelinii Lipsky
var. *glaberrima* (Rech. f. & Esfand.) Parsa, 356
Manulea, 160
Marsdenia erecta (L.) R. Br., 72
Materials for a Flora of Turkey XXXII: Campanulaceae, 39; XXXIII: Euphrasia, 53; XXXIV: Boraginaceae, Gentianaceae, Solanaceae, 313
MATHEW, B. & BAYTOP, T.
Some observations on Turkish Crocus, 61
Matthiola chenopodiifolia F. & M.
var. *porphyrantha* (Rech. f., Aell. & Esfand.) Parsa, 356
deserticola Rech. f., Aell. & Esfand., 356
dimolehensis Bak. f., 183
dumulosa Boiss. & Buhse
var. *deserticola* (Rech. f., Aell. & Esfand.) Parsa, 356
elliptica DC., 183
erlangerana Engl., 183
porphyrantha Rech. f., Aell. & Esfand., 356
puntensis Hedge & Miller, 182
rivae Engl., 183
smithii Bak. f., 183

Mattiastrum (Boiss.) Brand, 303
subgen. *Modestomattiastrum* (Brand) H. Riedl, 305
sect. *Macromattiastrum* Brand, 303
sect. *Modestomattiastrum* Brand, 305
amani Rech. f., 305
kurdistanicum Brand, 306
paphlagonicum Bornm., 304
polycarpum Rech. f., 308
scabridum Rech. f., 304
Mazus pumilus (Burm. f.) van Steenis, 253
Medicago lupulina L.
var. *lupulina*, 72
MEIKLE, R. D.
Flora Europaea vol. 4 (review), 194
Melilotus elegans Salzmann, 351
Melothria violifolia Lévl., 251
Michauxia l'Hérit., 50
Micromeria myrtifolia Boiss. & Hohen., 73
Microtropis fokienensis Dunn, 272
Milesina blechni, the morphology of fungal spores, 415
Milesina blechni (Syd.) Syd., 415
MILL, R. R.
Paracaryum, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 303; Solenanthus, op. cit., 308; Trachelanthus, op. cit., 309
MILL, R. R. & BAYTOP, A.
Lycium, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 313
MILLER, A. G. & HEDGE, I. C.
New and interesting taxa from NE tropical Africa, 179
MILNE, C. & RATTER, J. A.
Chromosome counts in primitive angiosperms: II, 143
Mitrasacme mairei Lévl., 265
Morina persica L., 73
Morphology of fungal spores: Milesina blechni, the, 415
Musa L., 83
subgen. *Eumusa* Baker, 84
sect. *Australimusa* Cheesman, 93
sect. *Eumusa* (Baker) Cheesman, 84
sect. *Ingentimusa* Argent, 111
sect. *Musa*, 84
acuminata Colla
subsp. *banksii* (F. Muell.) Simmonds, 87
angustigemma Simmonds, 106
balbisiana Colla, 84
banksii F. Muell., 87
x *schizocarpa*, 92
boman Argent, 108
bukensis Argent, 101
calosperma F. Muell., 80
ensete Gmel., 80
erecta Simmonds, 97
glauca Roxb., 80
ingens Simmonds, 111

Musa—continued
lolodensis Cheesman, 106
x *boman*, 110
maclayi F. Muell. ex Miklouho-Maclay, 93
subsp. *ailuluai* Argent, 101
subsp. *maclayi*
var. *erecta* (Simmons) Argent, 97
var. *maclayi*, 96
var. *namatani* Argent, 97
paradisiaca L., 84
peekelii Lauterbach, 104
subsp. *angustigemma* (Simmonds) Argent, 106
subsp. *peekelii*, 104
schizocarpa Simmons, 89
textilis Née, 93
Muscari neglectum Guss., 74
Myriophyllum spicatum L., 72
Myrsine africana L., 272
cavaleriei Lévl., 272
chaffanjoni Lévl., 272
chevalieri Lévl., 272
esquirolii Lévl., 272
fauriei Lévl., 273
feddei Lévl., 272
lessertiana A. DC., 273
molokaiensis Lévl., 272, 275
neriifolia Sieb. & Zucc., 273
pukooensis (Lévl.) Hosaka, 274
sandwicensis A. DC. 274
var. *mauiensis* Lévl., 274
var. *punctata* Lévl., 274
seguinii Lévl., 273
semiserrata Wall., 273
vanioti Lévl., 274
Myrtus laurinus Retz., 277

Naias minor All., 74
Narthex polakii Stapf & Wettst., 232
assa-foetida (L.) Falconer, 233
Natal, notes on some plants of southern Africa chiefly from: VI, 155
New and interesting taxa from NE tropical Africa, 179
New Aristolochia from SW Turkey, 319
New Genus of Zingiberaceae from S India, 365
New Thymelaea from Morocco, 345
Nomenclature of turmeric and other Ceylon Zingiberaceae, 209
Note on closed leaf-sheaths in Zingiberaceae-Zingiberoideae, 217
Nonea macrantha (H. Riedl) A. Baytop, 299
pulla (L.) DC.
subsp. *macrantha* H. Riedl, 299
subsp. *scabrisquamata* A. Baytop, 299
pulmonarioides Bornm., 299
North African and other itineraries: 1961-1975, 121
Notes on British Agarics: VI, 147
Notes on Parsa's Flore de l'Iran vols 8 & 9, 349
Notes on some plants of southern Africa chiefly from Natal: VI, 155
Notes on the Flora of European Turkey, 69

Observations on Blysmus and Blysmopsis, 399
Observations on the Bolbitiaceae 16: Conocybe sect. Gigantae, 281
Observations on the genus Ascolepis, 391
Ocimum tomentosum Oliv., 190
Odontites verna (Bellardi) Dumort.
subsp. *serotina* (Dumort.) Corb., 73
Omphalodes cariensis Boiss., 307
luciliae Boiss., 300
subsp. *cilicica* (Brand) Bornm., 301
subsp. *kurdica* Rech. f. & H. Riedl, 302
subsp. *luciliae*, 300
subsp. *scopulorum* Edmondson, 300
var. *cilicica*, 301
ripleyana Davis, 302
Onobrychis alyassinicus Parsa, 355
gaubae Bornm., 362
var. *kalakensis* Širj. & Rech. f., 362
lahidjanicus Parsa, 355
sirdjanicus Parsa, 355
subacaulis Boiss., 362
var. *grandiflora* Širj. & Rech. f., 362
Ononis pubescens L., 72
Onosma pulchrum H. Riedl, 302
Oreocharis tonkinensis Kraenzlin, 373
ORTON, P. D.
Notes on British Agarics: VI, 147
OTENG-YEBOAH, A. A.
Observations on the genus Ascolepis, 391
Observations on Blysmus and Blysmopsis, 399
Oxalis corniculata L.
var. *longepetiolata* Parsa, 351
Oxycoccoides japonicus (Miq.) Nakai
var. *sinica* Nakai, 255

Palura coreana (Lévl.) Nakai, 278
PANTIDOU, M. & HENDERSON, D. M.
Fungi of Greece VII: new records of rust fungi, 407
Paracaryum (DC.) Boiss.
subgen. *Mattiastrum* (Boiss.) R. Mill, 303
subgen. *Modestomattiastrum* (Brand) R. Mill, 305
sect. *Laxiflora* R. Mill, 304
sect. *Macromattiastrum* (Brand) M. Popov, 304
sect. *Mattiastrum* Boiss., 303
sect. *Modestomattiastrum* (Brand) M. Popov, 304

Paracaryum—continued
amani (Rech. f.) R. Mill, 305
artvinense R. Mill, 305
calycinum Boiss. & Bal., 304
cariense (Boiss.) Boiss., 307
cristatum (Schreb.) Boiss.
subsp. *carduchorum* R. Mill, 306
kurdistanicum (Brand) R. Mill, 306
lithospermifolium (Lam.) Grande, 306
subsp. *cariense* (Boiss.) R. Mill
var. *cariense*, 307
var. *erectum* R. Mill, 307
myosotoides (Labill.) Boiss., 307
paphlagonicum (Bornm.) R. Mill, 304
polycarpum (Rech. f.) R. Mill, 308
racemosum (Schreb.) Britten
var. *scabridum* (Rech. f.) R. Mill, 304
Paracautleya R. M. Smith, 367
bhatii R. M. Smith, 368
Paradombeya sinensis Dunn, 267
Parsa's Flore de l'Iran vols 8 and 9, notes on, 349
Paspalum distichum auct. non L., 74
paspaloides (Michx.) Scribner, 74
Phyllocara Guşul., 298
Phyllopodium, 160
Pieris bodinieri Lévl., 258
buxifolia Lévl. & Van., 256
cavaleriei Lévl. & Van., 257
coreana Lévl., 254
declouxii Lévl., 255
divaricata Lévl., 253
esquirolii Lévl. & Van., 256
var. *discolor* Lévl. & Van., 256
var. *leucocalyx* Lévl., 255
fauriei Lévl., 254
formosa (Wall.) D. Don, 258
fortunati Lévl., 257
gagnepainiana Lévl., 254
henryi Lévl., 258
kouyagensis Lévl., 258
longicornu Lévl. & Van., 255
lucida Lévl., 254
mairei Lévl., 258
martini Lévl., 254
oligodonta Lévl., 258, 272
ovalifolia (Wall.) D. Don, 258
var. *denticulata* Lévl., 253
repens Lévl., 254
ulbrichii Lévl., 258
vaccinium Lévl., 257
Pilosella hoppeana (Schultes) C. H. & F. W. Schultz
subsp. *troica* (Zahn) Sell & West, 74
Pinus brutia Ten., 70
Planchonella sandwicensis (A. Gray) Pierre
var. *spathulata* (Hillebr.) H. J. Lam, 272, 274, 275
Platylepis Kunth, 396
Plumbago esquirolii Lévl., 265
Polycarena, 161
Polygonum aviculare L., 71
heterophyllum Lindman, 71
pulchellum Lois., 71
Potamogeton crispus L., 74
panormitanus Biv., 74
pectinatus L., 74
Prangos haussknechtii Boiss.
var. *puberula* Parsa, 355
PRENTICE, H. T. & HENDERSON, D. M. The morphology of fungal spores: Milesina blechni, 415
Primula balfourii Lévl., 269
blinii Lévl., 267
celsiiformis Balf. f., 267
cephalantha Balf. f., 268
delicata Forrest, 269
delicatula Dunn, 269
incisa Franch., 267
leimonophila Balf. f., 269
mairei Lévl., 268
nemoralis Balf. f., 269
obconica Hance, 268
var. *cavaleriei* Lévl., 268
oresbia Balf. f., 267
petrophyes Balf. f., 269
pirolaefolia Lévl., 268
racemosa Lévl., 267
ragotiana Lévl., 269
sinuata Franch., 269
spicata Franch., 269
veitchiana Petitm., 268
virginus Lévl., 269
PRITCHARD, N. M. Gentianaceae, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 310
Prunus lyi Blin ex Lévl., 278
mairei Lévl., 278
paniculatus Thunb., 278
Psoralea bituminosa L., 72
Pterostyrax cavaleriei (Lévl.) Guillaumin, 276
hispidus auct., 276
leveillei (Fedde ex Lévl.) Chun, 276
psilophyllus Diels ex Perkins
var. *leveillei* (Fedde) Hara, 276
Puccinia aristolochiae (DC.) Winter, 408
calcitrapae DC., 408
carthami Corda, 408
eryngii DC., 409
hieracii Mart., 409
jackyana Gaum., 409
langenophorae Cooke, 409
melitellae Pantidou & Henderson, 409
opopanacis Ces., 410
pimpinellae (Str.) Rohl, 410
podospermi DC., 410
verruca Thum., 410
Pycreus glaber (L.) Hayek, 74
Pyrola corbieri Lévl., 258
decorata Andres, 258

Pyrus bulgarica Kuthath. & Sachok., 72
communis L.,
subsp. *caucasica* (Fedorov) Browicz, 72
elaeagrifolia auct., 72
syriaca Boiss.
var. *inerma* Parsa, 355

Quercus frainetto Ten., 71
phillyreoides Gray, 272
pubescens Willd., 71
trojana Webb, 71
Quinquelocularia C. Koch, 40

Ranunculus ficaria L.
subsp. *calthifolius* (Reichb.) Arc., 71
subsp. *ficariformis* Rouy & Fouc., 71
macropus Boiss. & Buhse
var. *papyrocarpus* (Rech. f., Aell & Esfand.) Parsa, 355
papyrocarpus Rech. f., Aell. & Esfand., 355
sphaerospermus Boiss. & Blanche, 71
trichophyllus Chaix, 71
zaghei Parsa, 350
Rapanea aurea Lévl., 273
lessertiana (A.DC.) Degener & Hosaka, 273
neriifolia (Sieb. & Zucc.) Mez, 273
pukooensis (Lévl.) Degener & Degener, 274
sandwicensis (A.DC.) Degener & Hosaka, 274
var. *mauiensis* (Lévl.) Degener & Degener, 274
rugosum (L.) All., 72
Rapunculus Fourr., 44
RATTER, J. A. & MILNE, C.
Chromosome counts in primitive angiosperms: II, 143
Reevesia esquirolii Lévl., 259
Rhamnella rubrinervis (Lévl.) Rehder, 271
Rhamnus coriaceifolius Lévl., 275
myrtillus Lévl., 272
Rhododendron albicaule Lévl., 259
argyi Lévl., 261
bachii Lévl., 259
blinii Lévl., 261
bodinieri Franch., 263
bureavii Franch., 259
caeruleum Lévl., 262
cavaleriei Lévl., 259
var. *chaffanjonii* Lévl., 263
chaffanjonii Lévl., 263
chrysocalyx Lévl., & Van., 259
cordatum Lévl., 262
crenatum Lévl., 262
dauricum L.
var. *mucronulatum* (Turcz.) Maxim., 261
decorum Franch., 259
denudatum Lévl., 260
duclouxii Lévl., 262
emarginatum Hemsl. & Wilson, 260
eriandrum Lévl., 262
esquirolii Lévl., 260
euonymifolium Lévl., 260
farinosum Lévl., 260
fastigiatum Franch., 260
feddei Lévl., 260
franchetianum Lévl., 259
fuchsiaeflora Lévl., 262
fuchsiifolium Lévl., 260
giraudiasii Lévl., 259
hallaisanense Lévl., 263
irroratum Franch., 261
jahandiezii Lévl., 262
koutychense Lévl., 259
lacteum Franch., 261
leclerei Lévl., 262
lemeei Lévl., 261
leucandrum Lévl., 262
liliiflorum Lévl., 261
lutescens Franch., 261
lyi Lévl., 261
mairei Lévl., 261
maximowiczianum Lévl., 261
missioniarium Lévl., 261
moutsouense Lévl., 262
mucronatum (Bl.) G. Don, 261
mucronulatum Turcz., 261
nanum Lévl., 260
poukhanense Lévl., 263
racemosum Franch., 262
rarosquameum Balf. f., 262
rex Lévl., 262
rigidum Franch., 262
rubiginosum Franch., 262
rubro-punctatum Lévl. & Van., 263
seguinii Lévl., 263
siderophyllum Franch., 262
souliei Franch., 262
spinigerum Lévl., 259
spinuliferum Franch., 262
stamineum Franch., 263
tapelouense Lévl., 263
taquetii Lévl., 261
tatsienense Franch., 263
umbelliferum Lévl., 263
vaniotii Lévl., 260
yedoense Maxim.
var. *poukhanense* (Lévl.) Nakai, 263
yunnanense Franch., 263
RIEDL, H.
Onosma, in Davis, P. H., Materials for a Flora of Turkey XXXIV, 302
Robinia pseudacacia L., 72

Rochelia disperma (L. fil.) Koch
var. *microcalycina* (Bornm.) Edmondson, 308
karsensis M. Popov, 308
microcalycina Bornm., 308
Rollandia fauriei Lévl., 252
Roucela Dumort., 43
Rubus kutchekiniaeus Parsa, 355
sotudehae Parsa, 355
zandjanicus Parsa, 355
Rust fungi, fungi of Greece VII: new records of, 407

Salix alba L., 70
Salvia species, anatomical observations on a desert group of, 377
Salvia aegyptiaca L., 378
deserti Dcne., 378
eremophila Boiss., 378
lacei Mukerjee, 378
macilenta Boiss., 378
santolinifolia Boiss., 378
tebesana Bge., 378
trichocalycina Benth., 378
Salvinia natans (L.) All., 70
Sarcococca hookeriana Baill.
var. *humilis* Redher & Wilson, 272
Saxifraga cartilaginea Willd.
var. *mazanderanica* (Rech. f.) Parsa, 362
mazanderanica Rech. f., 362
Scabiosa atropurpurea L., 74
Scaevola x *hlinii* Lévl., 248
chamissoniana Gaudich.
var. *caerulescens* Lévl., 247
fauriei Lévl., 247
frutescens (Miller) Krause, 247
procera Hillebr., 248
Scaphochlamys kunstleri (Bak.) Holtt., 224
Schisandra propinqua Hook f. & Thoms.
var. *sinensis* Oliv., 271
rubriflora Rehder & Wilson, 144
Schoepfia jasminodora Sieb. & Zucc., 254
Scorodosma foetidum Bunge, 232
Scutellaria africana Hochst., 190
peregrina L., 190
Selago aggregata Rolfe, 177
apiculata E. Mey., 164
longituba Rolfe, 176
natalensis Rolfe, 176
nelsonii Rolfe, 176
nutans Rolfe, 169
wilmsii Rolfe, 177
Sequence of flower-opening in two species of Zingiberaceae, the, 221
Sherardia arvensis L., 73
Sicyodon Feer, 43
Sideritis montana L.
subsp. *montana*, 73
Sideroxylon bodinieri Lévl., 275
spathulatum Hillebr., 275
var. *molokaiense* (Lévl.) Rock, 275
wightianum Hook. & Arn., 275
Silene austro-iranica Rech. f., Aell. & Esfand., 357
behboudiana Rech. f. & Esfand., 358
chaetodontoidea Parsa, 351
commelinifolia Boiss.
var. *pravitziana* (Rech. f. & Esfand. Parsa, 357
dictyoneura Rech. f. & Esfand., 357
koelzii Rech. f., 358
kotschyi Boiss.
var. *effusissima* Boiss., 357
marschallii C. A. Mey.
var. *behboudiana* (Rech. f. & Esfand.) Parsa, 358
var. *koelzii* (Rech. f.) Parsa, 358
nurensis Boiss. & Hausskn.
var. *dictyoneura* (Rech. f. & Esfand.) Parsa, 357
pravitziana Rech. f., 357
Sinowilsonia henryi Hemsl., 144
Sisymbrium brassiciforme C. A. Meyer
var. *integerrimum* (Rech. f. & Aell.) Parsa, 358
integerrimum Rech. f. & Aell., 358
SMITH, R. M.
Additional notes on Alpinia sect. Myriocrater, 195
A new genus of Zingiberaceae from S India, 365
Smyrnium creticum Miller, 72
orphanidis Boiss., 72
Solanaceae, materials for a Flora of Turkey XXXIV, 313
Solanum luteum Miller
subsp. *alatum* (Moench) Dostál, 73
Solenanthus cerinthoides Boiss., 309
var. *kurdicus* (Boiss.) Post, 309
formosus R. Mill, 308
kurdicus (Boiss.) Gürke, 309
Solomon Islands, studies in the Gesneriaceae of the Old World XLII: Aeschynanthus in the, 375
Some observations on Turkish Crocus, 61
Spartium junceum L., 72
SPEARING, J. K.
A note on closed leaf-sheaths in Zingiberaceae-Zingiberoideae, 217
Spirodela polyrhiza (L.) Schleiden, 74
Stachys annua (L.) L., 73
thirkei C. Koch, 73
Stellaria media (L.) Vill.,
subsp. *media*, 71
subsp. *pallida* (Dumort.) Aschers. & Graebn., 71
Stissera curcuma Giseke, 213
Strobilopsis Hilliard & Burtt, 172
wrightii Hilliard & Burtt, 173

Stropharia aeruginosa, 151
albocyanea (Fr.) Quélet, 152
cyanea (Bolt. ex Secr.) Toumikoski, 151
inuncta, 150
pseudocyanea (Desm.) P. D. Orton, 149, 152
STUART, D. C.
British botanical literature before 1800 (review), 68
Studies in the Gesneriaceae of the Old World XLI: notes on Boeica and Didissandra, 369; XLII: Aeschynanthus in the Solomon Islands, 375
Stylidium tenellum Swartz, 247
Styrax argyi Lévl., 276
bodinieri Lévl., 276
cavaleriei Lévl., 276
esquirolii Lévl., 276
grandiflorus Griff., 276
japonicus Sieb. & Zucc., 276
leveillei Fedde ex Lévl., 276
touchanensis Lévl., 276
Survey of the work of the Royal Botanic Garden Edinburgh in 1976, a, 419
Sutera, 161
Suttonia apodocarpa Lévl., 274
cuneata Lévl. & Faurie, 273
fauriei (Lévl.) Lévl., 273
flavida Lévl., 273
lessertiana (A. DC.) Mez, 273
mauiensis (Lévl.) Lévl., 274
meziana Lévl., 273
molokaiensis (Lévl.) Lévl., 274, 275
pukooensis Lévl., 273, 274
punctata (Lévl.) Lévl., 274
sandwicensis (A. DC.) Mez, 274
vanioti (Lévl.) Lévl., 274
Symphyandra A. DC., 41, 49
Symplocos adenopus Hance, 277
anomala Brand, 277
aurea Lévl., 278
balfourii Lévl., 277
bodinieri Brand, 277
bodinieri Lévl., 279
botryantha Franch., 279
caerulea Lévl., 279
caudata [Wall. ex] G. Don
var. *macrantha* Hand.-Mazz., 279
cavaleriei Lévl., 279
cochinchinensis (Lour.) S. Moore
subsp. *laurina* (Retz.) Noot., 271
var. *laurina*, 277
coreana (Lévl.) Ohwi, 278
coronigera Lévl., 278
courtoisii Lévl., 277
dielsii Lévl., 277
dunniana Lévl., 279
ernestii Dunn, 278
esquirolii Lévl., 277
fasciculata Zoll.
var. *chinensis* Brand, 279
glomerata [King ex] C.B. Cl., 277
subsp. *glomerata*
var. *adenopus* (Hance) Noot., 277
lancifolia Sieb. & Zucc., 278
laurina [Wall. ex] G. Don, 277
var. *bodinieri* (Brand) Hand.-Mazz., 277
lucida (Thunb.) Sieb. & Zucc., 278
mairei Lévl., 277, 279
martini Lévl., 279
paniculata (Lévl.) Rehder, 278
paniculata (Thunb.) Miq., 278
pinfaensis Lévl., 277
prainii Lévl., 277
punctata Brand, 279
ramosissima [Wall. ex] G. Don, 279
seguinii Lévl., 279
setchuensis Brand, 278
splendens Lévl., 279
stapfiana Lévl., 279
stellaris Brand, 279
sumuntia [Buch.-Ham. ex] D. Don, 279
vinoso-dentata Lévl., 277
xanthoxantha Lévl., 278

TAN, H. K.
A new Thymelaea from Morocco, 345
Tetracentron sinense Oliv., 144
Tetraselago Junell, 175
longituba (Rolfe) Hilliard & Burtt, 176
natalensis (Rolfe) Junell, 176
nelsonii (Rolfe) Hilliard & Burtt, 176
wilmsii (Rolfe) Hilliard & Burtt, 177
Teucrium spicastrum Hedge & Miller, 191
Thymelaea from Morocco, a new, 345
Thymelaea gattefossei H. K. Tan, 345
lanuginosa (Lam.) Brecher, 345
Thymus atticus Čelak., 73
striatus Vahl, 73
Trachelanthus cerinthoides (Boiss.) Kunze, 309
foliosum Tristram, 309
kurdicus Boiss., 309
Tracheliopsis Buser, 42
fruticulosa Schwarz & Davis, 49
pubicalyx Davis, 47
tubulosa (Boiss.) Buser, 47
Trachelium tubulosum Boiss., 47
Trachelospermum axillare Hook. f., 272
Turkey, notes on the flora of European, 69
Turkish and Caucasian collections of C. Koch: I, Turkey, 321
Turkish Crocus, some observations on, 61
Turmeric and other Ceylon Zingiberaceae, the nomenclature of, 209
Typha angustata Bory & Chaub., 74
australis Schum. & Thonn., 74

Ulmus minor Miller, 71
UOTILA, PERTTI & JALAS, JAAKKO & KUKKONEN, ILKKA
Notes on the flora of European Turkey, 69
Uredo ebeni Pantidou & Henderson, 411
Uromyces anthyllidis Schroet., 411
doricus Maire, 411
muscari (Duby) Lévl., 411
ornithogali Lévl., 412
proeminens (DC.) Lévl., 412
punctatus Schroet., 412
trifolii (DC.) Lévl., 413
Utricularia australis R. Br., 73

Vaccinium albidens Lévl. & Van., 253
bracteatum Thunb., 253
buxifolium (Lévl. & Van.) Lévl., 256
calycinum Smith, 264
cavaleriei Lévl. & Van., 254
duclouxii (Lévl.) Hand.-Mazz., 256
dunalianum Wight
var. *urophyllum* Rehder & Wilson, 254
fauriei Lévl., 254, 255, 264
fragile Franch., 254
foetidissimum Lévl. & Van., 254
hamatidens Lévl., 255, 264
japonicum Miq.
var. *fauriei* (Lévl.) Sleumer, 255
var. *japonicum*, 254
var. *sinicum* (Nakai) Rehder, 255
koreanum Nakai, 255
mairei Lévl., 258
malaccense Wight, 253
mandarinorum Diels, 255
var. *austrosinense* (Hand.-Mazz.) Metcalf, 256
oligodontum Lévl., 272
penduliflorum Gaud., 255
pubicalyx Franch., 255
var. *leucocalyx* (Lévl.) Rehder, 255
repens (Lévl.) Rehder, 254
siccum Lévl. & Van., 255
sprengelii (G. Don) Sleumer, 255
taquetii Lévl., 254
triflorum Rehder, 256
yunnanense Franch., 257
var. *franchetiana* Lévl., 257
Valerianella carinata Loisel., 73
Veronica cymbalaria Bodard, 73
hederifolia L.
subsp. *triloba* (Opiz) Čelak, 73
Vicia lathyroides L., 72
Viola behboudiana Rech. f. & Esfand., 357
stocksii Boiss.
var. *behboudiana* (Rech. f. & Esfand.) Parsa, 357
Viscum album L.
subsp. *album*, 71

Wahlenbergia mairei Lévl., 252
Walafrida apiculata (E. Mey.) Rolfe, 164
WATLING, ROY
Observations on the Bolbitiaceae 16: Conocybe sect. Gigantae, 281
WENDELBO, P. & BOKHARI, M. H.
Anatomy of Dionysia 1: foliar sclereids, 131
WILCOCK, C. C.
Chemotaxonomy of plants (review), 177
Wild bananas of Papua New Guinea, 77
WOODS, P. J. B.
Studies in the Gesneriaceae of the Old World XLII: Aeschynanthus in the Solomon Islands, 375

Xanthium strumarium L.
subsp. *cavanillesii* (Schouw) D. Löve & Dansereau, 74
Xolisma ovalifolia (Wall.) Rehder, 258
villosa (Wall.) Rehder
var. *pubescens* (Franch.) Rehder, 258

YEO, P. F.
Materials for a Flora of Turkey XXXIII: Euphrasia, 53

Zaluzianskya, 160
alpestris Diels, 169
flanaganii Hiern, 168
goseloides Diels, 172
Zenobia cerasiflora Lévl., 257
Zingiber spectabile Griff., 221
sylvestre Gaertn., 214
Zingiberaceae from S India, a new genus of, 365
Zingiberaceae, the nomenclature of turmeric and other Ceylon, 209
Zingiberaceae, the sequence of flower-opening in two species of, 221
Zingiberaceae-Zingiberoideae, a note on closed leaf-sheaths in, 217