

GENERAL INDEX TO VOLUME 38

- Abelia graebneriana* Rehder
var. *deutzifolia* (Lévl.) Lauener, 478
myrtilloides Rehder, 478
- Acanthopale labordei* (Lévl.) Hand.-Mazz., 475
- Achasma australasicum* R. M. Smith, 517
- nasutum* (K. Schum.) Loesen., 20
- Aconitum cordatum*, 128
heterophyllum [Wall. ex] Royle, 127, 128
laeve, 128
multifidum Royle, 127, 128
- Actaea acuminata* [Wall. ex] Royle, 127, 128
- Adenosma affinis* Griff., 479
- Adiantum capillus-veneris* L., 276
- Adonis inglesii*, 128
- Aechmanthera gossypina* (Nees) Nees, 474
- Aeginetia mairei* Lévl., 462
- Aeschynanthus dunnii* Lévl., 463, 478
esquirolii Lévl., 463
- Agapetes similis* & *A. griffithii*, A note on the first flowering collections of, 137
- Agapetes griffithii* Clarke, 140
similis Airy Shaw, 137
- Agarics: VII, Notes on British, 315
- Agaricus arrhenii* Fries, 335
- Ajuga* L., 23
arabica P. H. Davis, 443
chamaepitys (L.) Schreber, 24
subsp. *chamaepitys*, 24
subsp. *chia* (Schreber) Arcangeli, 26
var. *chia*, 26
var. *ciliata* Briquet, 26
subsp. *ciliata* (Briquet) Smejkal, 26
subsp. *cuneatifolia* (Stapf) P. H. Davis, 30
subsp. *cypria* P. H. Davis, 30
subsp. *euphratica* P. H. Davis, 29
subsp. *glareosa* P. H. Davis, 28
subsp. *laevigata* (Banks & Sol.) P. H. Davis, 27
subsp. *libanotica* P. H. Davis, 28
subsp. *martinensis* P. H. Davis, 31
subsp. *mesogitana* Bornm., 30
subsp. *palaestina* (Boiss.) Bornm., 27
subsp. *rechingeri* (M. Bilik) P. H. Davis, 31
subsp. *tridactylites* (Gingins ex Benth.) P. H. Davis, 29
- chia* Schreber, 26
var. *suffrutescens* Boiss., 27, 28, 30
var. *tridactylites* (Gingins ex Benth.) Boiss., 29
- comata* Stapf, 26
- cuneatifolia* Stapf, 30
- glabra* Benth., 27
- laevigata* (Banks & Sol.) Boiss., 27
- mesogitana* Boiss., 30
- palaestina* Boiss., 27
- pseudochia* Shost., 26
- rechingeri* M. Bilik, 31
- relicta* P. H. Davis, 444
- tridactylites* (Gingins ex) Benth., 29
- ALAVA, R.
New taxa of Umbelliferae (Apiaceae) from SW Asia, 259
- Alectra avensis* (Benth.) Merrill, 455
indica Benth., 455
- ALI, S. I.
The subspecies of *Calotropis procera*, 287
- Allium, New and interesting Turkish records of, 417
- Allium ampeloprasum* L.
subsp. *bimetricale* (Gand.) Hayek, 418
var. *commutatum* (Guss.) Fiori, 418
var. *lussinense* Haracic, 418
atropurpureum Waldst. & Kit.
var. *hirtellum* Regel, 421
bimetricale Gand., 418
calypttratum Boiss., 417
capitellatum Boiss., 419
cardiostemon Fisch. & C. A. Mey., 420
commutatum Guss., 418
fuscoviolaceum Fomin, 419
glumaceum [Boiss. & Hausskn. ex] Boiss., 419
hirtifolium Boiss., 421
jajlae Vved., 418
longicuspis Regel, 417
oreophilum C. A. Mey., 420
ostrowskianum Regel, 420
platystemon Kar. & Kir., 420
rotundum L.
subsp. *commutatum* (Guss.) Nyman, 418
scorodoprasum L.
subsp. *jajlae* (Vved.) Stearn, 418
trilophostemon Bornm., 420
- Alpinia hylandii* R. M. Smith, 523
- Alrawia bellii* (Baker) K. Perss. & Wendelbo, 433
- Ammi thracicum* Velenovsky, 271
- Amomum lycostomum* Lauterb. & K. Schum., 20
nasutum K. Schum., 20
queenslandicum R. M. Smith, 521
- Amygdalus* from Israel, A new, 283
- Amygdalus ramonensis* Danin, 283
- Anatolia, Six new species from, 435
- Ancylostemon mairei* (Lévl.) Craib, 463
notochlaena (Lévl. & Van.) Craib, 463
saxatilis (Hemsl.) Craib, 463
- Androsace erecta* Maxim, 454
- Anemone discolor* Royle, 126, 128
tetrasepala, 128
villosa Royle, 126, 128
wallichiana Royle, 126, 128
- Anna ophiorrhizoides* (Hemsl.) Burt & Davidson, 463
- Anogramma leptophylla* (L.) Link, 276
- Anthriscus boissieuvi* Lévl., 255

- Apotaemia capnoides* (Dcne.) Kos.-Pol., 252
Aquilegia moorcroftiana [Wall. ex] Royle, 127, 128
pubiflora [Wall. ex] Royle, 127, 128
var. *mussooriensis*, 128
- ARGENT, G. C. G.,
An Adventive Flora of New Zealand (review), 344
The Euphorbiaceae of New Guinea (review), 416
- ARGENT, G., BENNET, S. S. R. & NAITHANI, H. B.,
A note on the first flowering collections of
Agapetes similis & *A. griffithii*, 137
- Aristolochia krausei* P. H. Davis, 444
Armeria icarica Edmondson, 59
Armillaria nigrifulva P. D. Orton, 316
Arthronia punctella Nyl. apud Carroll, 165
Arthrospora ascaridiella (Nyl.) H. Olivier, 175
Asclepias procera Ait., 290
Asplenium adiantum-nigrum L., 276
adiantum-nigrum x *woronowii*, 276, 280
aegaeum Lovis, Reichst. & Greuter, 277
x *alternifolium* Wulf., 277
bourgaei Milde, 276
ceterach L.
subsp. *ceterach*, 277
subsp. *ceterach* x *bivalens* (D. E. Meyer) ined., 277, 280
cuneifolium Viv., 276
haussknechtii Godot & Reuter, 277
x *heufleri* Reich., 277, 280
lepidum C. Presl.
subsp. *haussknechtii* (Godot & Reuter) Brownsey, 277
subsp. *haussknechtii* x *trichomanes* subsp. *quadrivalens*, 277
nigrum Lam., 276
obovatum Viv., 276
onopteris L., 276
onopteris x *adiantum-nigrum*, 276, 279
x *reuteri* Milde, 277
ruta-muraria L.
subsp. *ruta-muraria*, 277
sagittatum (DC.) A. J. Bange, 277
scolopendrium L.
subsp. *scolopendrium*, 277
septentrionale (L.) Hoffm.
subsp. *caucasicum* Fraser-Jenkins & Lovis, 277, 280, 281
subsp. *septentrionale*, 277, 280
subsp. *septentrionale* x *trichomanes* subsp. *trichomanes*, 277
trichomanes L.
subsp. *quadrivalens* D. E. Meyer, 276, 279
subsp. *trichomanes*, 276, 279
viride Hudson, 276
woronowii Christ, 276
sp., nr. *A. creticum* Lovis, Reichstein & Zaffran, 276, 279
- Asteriscus schultzei* (Bolle) Pitard & Proust, 446
Astragalus aydosensis Peşmen & Erik, 439
tatlii Peşmen, 440
Athyrium distentifolium [Tausch ex.] Opiz, 277
filix-femina (L.) Roth, 277
- Bacidia ascaridiella* (Nyl.) A. L. Sm., 175
Bacopa monnieri (L.) Pennell, 455
Ballota latibracteolata P. H. Davis & A. Doroszenko, 32
Barleria cavaleriei Lévl., 474
cristata L., 474
var. *mairei* (Lévl.) Lévl., 474
crotalaria Lévl., 474
mairei Lévl., 474
Barthea, A revision of, 489
Barthea Hook.f., 489
barthei (Hance ex Benth.) Krasser, 489
var. *barthei*, 491
var. *valdealata* C. Hansen, 492
blinii Lévl., 493
cavaleriei Lévl., 493
chinensis Hook.f., 491
esquirolii Lévl., 493
formosana Hayata, 492
- BAYTOP, ASUMAN & MELZHEIMER, VOLKER
A new *Silene* from Turkey, 449
- Bellevia (Liliaceae) in Turkey and Iran, Notes on *Hyacinthus* and, 423
- Bellevia* sect. *Oxydonta* A. Loz., 426
acutifolia (Boiss.) Deloney, 428
assadii Wendelbo, 428, 432
brevipedicellata Turrill, 432
crassa Wendelbo, 424, 432
cyanopoda Wendelbo, 432
dichroa [Hauskn. ex] Bornm., 433
douinii Pabot & Mouterde, 432
elwendica [Hauskn. ex] Bornm., 428
feinbrunae Freitag & Wendelbo, 432
forniculata (Fomin) Deloney, 427, 432
hermonis Mouterde, 432
hyacinthoides (Bertol.) K. Perss. & Wendelbo, 432
inconspicua Vved., 432
koeiei Rech.f., 432
modesta Wendelbo, 425, 432
multicolor Wendelbo, 429, 432
paradoxa (Fisch. & Mey), Boiss., 428, 432
parva Wendelbo, 432
pseudomuscari Boiss. & Buhse, 433
pyncnantha (C. Koch) A. Loz., 428, 433
rixii Wendelbo, 431, 433
salah-eidii Täckholm & Boulos, 433
schirazana Parsa, 433
tabriziana Turrill, 433
tristis Bornm., 432
validicarpa Ponert, 433
- BENNET, A. P. & HENDERSON, D. M.
Supplement to British Rust Fungi: additions and corrections, 22

- BENNET, S. S. R., NAITHANI, H. B. & ARGENT, G.
A note on the first flowering collections of
Agapetes similis & *A. griffithii*, 137
- Betonica* L., 95
- BHATTACHARJEE, R.
Taxonomic studies in *Stachys*: II, 65
- Blechnum spicant* (L.) Roth, 278
- Bloxamia sanctae-insulae* Coppins & Minter, 363
- Boea cavaleriei* Lévl. & Van., 472
- chaffanjoni* Lévl., 471
- clarkeana* Hemsl., 472
- darrissii* Lévl., 470
- esquirolii* Lévl. & Van., 463
- feddei* Lévl., 470
- mairei* Lévl., 472
- martini* (Lévl.) Lévl., 470
- rubicunda* Lévl., 472
- rufescens* Franch., 471
- var. *seguini* (Lévl.) Lévl., 471
- thirionii* Lévl., 471
- Boesenbergia oligosperma* (K. Schum.) R. M. Smith, 19
- ornata* (N. E. Br.) R. M. Smith, 19
- BOOK REVIEWS
- Atlas of the Netherlands Flora I. Extinct and very rare species, by J. Mennema, A. J. Quene-Boterenbrood & C. L. Plate (eds), 296
- Conspectus Florae Orientalis: An Annotated Catalogue of the Flora of Middle East. Fasc. 1. Papaverales: Papaveraceae — Moringaceae. Rosales: Platanaceae — Neuradaceae, by M. Zohary, C. C. Heyn & D. Heller, 486
- Douglas of the Forests, by John Davies, 258
- Draft index of author abbreviations compiled at the herbarium, Royal Botanic Gardens, Kew, 286
- Euphorbiaceae of New Guinea, by H. K. Airy Shaw, 416
- Flora of Kintyre, by M. H. Cunningham & A. G. Kenneth, 188
- Flora of New Zealand Vol. III. Adventive cyperaceous, petalous & spathaceous monocotyledons, by A. J. Healy & Elizabeth Edgar, 344
- Flora Palaestina Part 3, Ericaceae to Compositae, by Naomi Feinbrun-Dothan, 184
- Ivies, by Peter Q. Rose, 386
- Les Hyménomycètes agaricoides (Agaricales, Tricholomatales, Pluteales, Russulales). Etude générale et classification, by R. Kühner, 366
- Rhododendron Handbook 1980. Rhododendron species in cultivation, by Alan Leslie, 356
- Umbellifers of the British Isles, by T. G. Tutin, 282
- Botrychium lunaria* (L.) Sw., 275
- Brachychilum tenellum* K. Schum., 19
- Brandisia racemosa* Hemsl., 456
- Briggsia beauverdiana* (Lévl.) Craib, 464
- cavaleriei* (Lévl. & Van.) Craib, 469
- elegantissima* (Lévl.) Craib, 464
- fritschii* (Lévl. & Van.) Craib, 464
- mihieri* (Franch.) Craib, 464
- pinfaensis* (Lévl.) Craib, 464
- speciosa* (Hemsl.) Craib, 465
- BRIGHTON, C. A.
Cytology of *Crocus vallicola* and its allies (Iridaceae), 399
- British Rust Fungi: additions and corrections, Supplement to, 22
- Bryonia helleri* Lévl., 495
- Buddleja asiatica* Lour., 453, 485
- acutifolia* C. H. Wright, 454
- f. *albiflora* (Lévl.) Rehder, 454
- crispa* Benth., 453
- mairei* Lévl., 454
- f. *albiflora* Lévl., 454
- officinalis* Maxim.
- f. *albiflora* (Lévl.) Rehder, 454
- paniculata* Wall., 454
- plectranthoidea* Lévl., 454
- tibetica* W. W. Sm.
- var. *truncatifolia* (Lévl.) Marquand, 454
- truncatifolia* Lévl., 453
- Bulbocastanum daucoides* (Boiss.) Nym., 271
- Bunium daucoides* (Boiss.) Hausskn., 271
- BURTT, B. L. & HILLIARD, O. M.
Helichrysum fruticosum: its correct name and taxonomic status, 145
- Butinia capnoides* Dcne., 252
- Callicarpa bodinieri* Lévl., 481
- var. *giraldii* (Hesse ex Rehder) Rehder, 481
- var. *lyi* (Lévl.) Rehder, 481
- cavaleriei* Lévl., 481
- dichotoma* (Lour.) K. Koch, 481
- dielsii* (Lévl.) P'ei, 482
- dunniana* Lévl., 482
- esquirolii* Lévl., 482, 483
- feddei* Lévl., 481
- giraldiana* Hess
- var. *subcanescens* Rehder, 481
- giraldii* [Hess ex] Rehder, 481
- japonica* Thunb.
- var. *taquetii* (Lévl.) Nakai, 481
- longipes* Dunn, 482
- lyi* Lévl., 481
- macrophylla* Vahl, 482
- var. *kouytchensis* Lévl., 482
- mairei* Lévl., 481
- martini* Lévl., 483
- panduriformis* Lévl., 482
- rubella* Lindl.
- var. *dielsii* (Lévl.) Li, 482
- var. *hemsleyana* Diels, 482
- sequinii* Lévl., 481
- taquetii* Lévl., 481
- Calorhabdos cauloptera* Hance, 461
- Caltha govaniana* [Wall. ex] Royle, 126, 128
- Calotropis procera*, The subspecies of, 287

- Calotropis hamiltonii* Wight, 289
procera (Ait.) Ait. f.
 subsp. *hamiltonii* (Wight) S.I. Ali, 289
 subsp. *procera*, 290
- Campanula odontosepala* Boiss., 447
- Campanulaceae from Iran: a new species and a transfer, 447
- Campylanthus*, A revision of, 373
- Campylanthus* Roth, 375
benthamii [Webb ex] Hook., 375
chascaniflorus A. G. Miller, 380
glaber Benth., 375
incanus A. G. Miller, 376
junceus Edgew., 381
pungens O. Schwartz, 377
ramosissimus Wight, 384
salsoloides (L.f.) Roth, 375
salsoloides (Stocks ex) Boiss., 384
sedoides A. G. Miller, 382
spathulatus A. Cheval., 375
spinosus Balf. f., 379
 var. *kuriensis* A. R. Smith, 380
 var. *spinosus*, 380
yemenensis A. G. Miller, 378
- Canscora diffusa* (Vahl) R. Br., 460
- Capraria crustacea* L., 456
- Carum daucooides* Boiss., 271
- Caryopteris divaricata* (Sieb. & Zucc.) Maxim., 483
esquirolii Lévl., 483
fluminis Lévl., 483
mairii Lévl., 483
paniculata (Kurz) C.B. Cl., 483
terniflora Maxim., 483
- Catalogue of the names published by Hector Léveillé: XIII, 453
- Celastrus yunnanensis* Lévl., 484
- Celsia coromandeliana* Vahl, 460
coromandelianum Vahl
 var. *chinensis* Murb., 460
- Cephalanthera kotschyana*: a new orchid from Turkey, 97
- Cephalanthera caucasica* Kränzl., 101
damasonium (Miller) Druce, 101
kotschyana Renz & Taubenheim, 97, 101
longifolia (L.) Fritsch, 101
pallens auct., 97
- Ceterach officinarum* DC.
 subsp. *officinarum*, 277
- Chaerophyllum acuminatum* Lindl., 254
aquilegifolium Rech. f. & Riedl, 252
cachemirica C. B. Cl.
 var. *dissecta* C. B. Cl., 254
cachemiricum C. B. Cl., 253
capnoides (Dcne.) Benth., 252
laserooides Hedge & Lamond, 252
nivale Hedge & Lamond, 251
nuristanicum Rech. f. & Riedl, 256
reflexum Lindl., 253
 var. *acuminatum* (Lindl.) Hedge & Lamond, 254
- var. *dissectum* (C. B. Cl.) Hedge & Lamond, 254
 var. *occidentale* Hedge & Lamond, 255
 var. *orientalis* C. B. Clarke, 256
 var. *reflexum*, 253
 var. *tuberosum* Hedge & Lamond, 255
villosum [Wall. ex] DC., 255
villosum auctt., 253
- Chamaepitys* Hill, 23
- Championella coreana* (Lévl.) E. Hossain, 475
japonica (Thunb.) Brem., 475
labordei (Lévl.) E. Hossain, 475
- Cheilanthes catanensis* (Cos.) Fuchs, 276
corsica Reichst. & Vida, 275
duriensis Mendonça & Vasc., 275
fragrans (L. fil.) Swartz, 275
marantae (L.) Domin
 subsp. *marantae*, 276
persica (Bory) Mett. ex Kuhn, 275
pteridioides (Reich.) C. Chr., 275
vellea (Aiton) F. v. Mueller, 276
- Cheirodendron fauriei* Hochr., 495
trigynum (Gaud.) Heller, 495
 var. *hawaiensis* Lévl., 495
 var. *kauaiensis* Lévl., 495
 var. *mauiense* Lévl., 495
- Chiliandra obovata* Griff., 472
- Chirita anachoreta* Hance, 465
chaneti Lévl., 460, 465
cortusifolia Hance, 465
eburnea Hance, 465
fauriei Franch., 465
juliae Hance, 465
macrosiphon Hance, 468
obtus C. B. Cl., 465
pumila D. Don, 465
sericea Lévl. & Van., 470
sinensis Lindl., 466
 var. *bodinieri* Lévl., 466
sphagnicola Lévl. & Van., 465
- Chlamydanthus* C. A. Meyer, 200, 207
argenteus (Sm.) C. A. Meyer, 217
canescens (Schousboe) C. A. Meyer, 211
hirsutus (L.) Griseb., 209
nitidus (Vahl) C. A. Meyer, 212
tartonnaira (L.) C. A. Meyer
 var. *angustifolia* (d'Urv.) Raulin, 217
- Chlamydotheca sinensis* (Oliv.) Stapf, 471
- Chromosome count for *Eremurus olgae* (Liliaceae), 18
- Cienkowskia* Schweinfurth, 8
aethiopica Schweinfurth, 10
kirkii Hooker, 11
- Cienkowskiella* Kam, 8
aethiopica (Schweinfurth) Kam, 8, 10
brachystemon (K. Schum.) Kam, 10
evae (Briq.) Kam, 10
kilimanensis (Gapnep.) Kam, 11
kirkii (Hooker) Kam, 11
nigerica (Hepper) Kam, 10
- Cimicifuga frigida* Royle, 127, 128

- Cirsium arvense* (L.) Scop., 495
- Clematis cordata*, 128
- globosa*, 128
- nutans* Royle, 126, 128
- tenuifolia*, 128
- venosa* Royle, 126, 128
- Clermontia clermontioides* (Gaud.) Heller, 495
- fauriei* Lév., 495
- Clerodendrum(on) bodinieri* Lév., 484
- var. *cavaleriei* (Lév.) Lév., 484
- bungei* Steud., 483
- cavaleriei* Lév., 484
- darrisii* Lév., 484
- divaricatum* Sieb. & Zucc., 483
- esquirolii* Lév., 484
- foetidum* Bge., 483
- japonicum* (Thunb.) Sweet, 484
- leveillei* [Fedde ex] Lév., 484
- mandarinorum* Diels, 484
- Clypeococcum hypocenomyceae* D. Hawksw., 167
- Cnicus hawaiiensis* Lév., 495
- Colquhounia sequinii* Van., 483
- Conida punctella* (Nyl.) Arnold, 165
- Conocybe, Observations on the Bolbitiaceae: 19,
- Validation of some species of, 331
- Conocybe, Observations on the Bolbitiaceae: 20,
- New British species of, 345
- Conocybe abruptibulbosa* Watling, 345
- ? *ambigua* Kühner, 331
- ambigua* [Kühner ex] Watling, 331
- aporos* Kits van Waveren, 335
- appendiculata* Lange & Kühner
- f. *macrospora* Kühner, 333
- arrhenii* (Fries) Kits van Waveren, 335
- var. *hadrocystis* Kits van Waveren, 354
- blattaria* (Fries) Kühner, 335
- blattaria* (Fries) Kühner
- f. *exannulata* Kühner, 334
- brunneola* Kühner & Watling, 333
- dentatmarginata* Watling, 333
- exannulata* Kühner & Watling, 334
- hadrocystis* (Kits van Waveren) Watling, 354
- inocybeoides* Watling, 350
- lenticulospora* Watling, 351
- macrocephala* Kühner & Watling, 335
- mesospora* Kühner & Watling, 336
- mesospora* Kühner
- var. *brunneola* Kühner, 333
- var. *typica* Kühner, 336
- moseri* Watling, 342
- murinacea* Watling, 352
- pseudopilosella* Kühner & Watling, 336
- pubescens* (Gillet) Kühner
- var. *pseudopilosella* Kühner, 336
- rubiginosa* Watling, 353
- semiglobata* Kühner & Watling, 337
- siliginea* (Fries) Kühner, 341
- var. *ambigua* Kühner, 331
- sordida* Kühner & Watling, 339
- spicula* (Lasch) Kühner
- var. *spiculoides* Kühner, 339
- f. *sordida* Kühner, 339
- spiculoides* Kühner & Watling, 339
- subovalis* Kühner & Watling, 340
- tenera* (Schaeff. ex Fries) Fayod
- var. *subovalis* Kühner, 340
- tenera* (Schaeff. ex Fries) Fayod
- f. *macrocephala* Kühner, 335
- f. *semiglobata* Kühner, 337
- togularis* (Bull. ex Fries) Kühner, 335
- vexans* Orton, 335
- Conopodium capnoides* (Dcne.) Kos.-Pol., 252
- COPPINS, B. J. & MINTER, D. W.
- A new hyphomycete from Northumberland, 363
- COPPINS, BRIAN J. & SHERWOOD, MARTHA A.
- Xerotrema*, a new genus of odontotremoid fungus from Scotland, 367
- Coprosma fauriei* Lév., 495
- parvifolia* Lév., 495
- stephanocarpa* Hillebr., 495
- Cortinarius from Kashmir, A hypogeous, 357
- Cortinarius*
- (*Phlegmacium*) *kashmiriensis* Watling, 357
- (*Telamonina*) *lilacinopusillus* P. D. Orton, 318
- (*Telamonina*) *umbrinolens* P. D. Orton, 319
- COX, PETER A.
- The *Rhododendron* Green Book (review), 356
- CRAVEN, L. A.,
- A new *Rhododendron* (Ericaceae) from New Guinea, 141
- Crepis molokaiensis* Lév., 495
- Crocus vallicola* and its allies, 387
- Crocus vallicola* and its allies (Iridaceae), Cytology of, 399
- Crocus autranii* Albov, 390, 404
- gilanicus* Mathew, 395, 405
- karduchorum* [Kotschy ex] Maw, 394, 404
- karsianus* Fomin, 394
- kotschyanus* C. Koch, 391
- subsp. *cappadocicus* Mathew, 393, 401
- subsp. *hakkariensis* Mathew, 393, 401
- subsp. *kotschyanus*, 392, 400
- var. *kotschyanus*, 392
- var. *leucopharynx* B. L. Burtt, 392
- subsp. *suwarowianus* (C. Koch) Mathew, 393, 402
- lazicus* (Boiss. & Bal.) Boiss., 390
- ochroleucus* Boiss. & Gaill., 395, 404
- ponticus* Siehe, 392
- scharojanii* Ruprecht, 390, 406
- scharojanii* x *vallicola*, 408
- suwarowianus* C. Koch, 393
- vallicola* Herb., 389, 406
- var. *lilacinus* Maw, 393
- var. *suwarowianus* (C. Koch) Maw, 393
- zonatus* [Gay ex] Klatt, 392
- Cryptodiscus tinctus* Fuckel, 170
- Cryptogramma crispa* (L.) R. Br. ex Hooker, 275
- Cupressus corneyana* Carr., The weeping cypress, Notes relating to the Flora of Bhutan: IV, 311

- Cupressus cashmeriana* sensu Camus, 313
corneyana Carr., 313
funnebris sensu Hook. f., 313
pendula Griff., 313
torulosus Griff., 313
Cyanea coriacea (A. Gray) Rock
 var. *fauriei* (Lévl.) E. Wimm., 495
 var. *hardyi* (Rock) E. Wimm., 495
fauriei Lévl., 495
feddei Lévl., 495
multispicata Lévl., 495
salicina Lévl., 496
spathulata (Hillebr.) Heller, 497
sylvestris Heller, 495
Cybbanthera connata [Buch.-Ham. ex] D. Don, 456
Cynoctonum pedicellatum (Benth.) B. L. Rob., 455
Cyrtandra asarioides Lévl., 466, 496
 fauriei Lévl., 466, 496
 grayana Hillebr., 466, 496
 hillii Lévl., 472
 kamoloensis Lévl., 466, 496
 lysiosepala (A. Gray) C. B. Cl.
 var. *fauriei* (Lévl.) Rock, 466, 496
 oahuensis Lévl., 466, 496
 oenobarba Mann, 466, 496
 var. *petiolaris* Wawra, 466, 496
 sandwicensis (Lévl.) St. John & Storey, 466
 vaniotii Lévl., 467
 wainihaensis Lévl., 467, 496
Cystacanthus yangtsekiangensis (Lévl.) Rehder, 475
Cystopteris dickieana Sim., 277, 280
 dickieana x *fragilis*, 277, 280
 fragilis (L.) Bernh., 277
 fragilis 4x x *fragilis* 6x, 277, 280
 fragilis x *regia*, 277, 280
 regia (L.) Desv., 277, 280
Cytology of *Crocus vallicola* and its allies (Iridaceae), 399
- DANIN, A.
 A new *Amygdalus* from Israel, 283
Daphne L., 200
 argentata Lam., 212
 argentea Sm., 217
 calicina Berger, 222
 calycina Lam., 224
 calycina Lapeyr., 226
 candicans Lam., 216
 coridifolia Lam., 226
 dioica Gouan, 222
 ericaefolia Vahl, 226
 humilis Vahl, 231
 lanuginosa Lam., 211
 myrtifolia Poir., 219
 nitida Vahl, 212
 osyroides [Vahl ex] Wikst., 216
 pubescens L., 231
 tartonnaira L., 216
 var. *angustifolia* d'Urv., 217
 thesioides Lam., 231
 thomasii (Duby) Boullu, 220
 thymelaea L., 233
 tomentosa Lam., 219
 vermiculata Vahl, 223
 villosa L., 229
Dasydesmus bodinieri (Lévl.) Craib, 467
- DAVIS, P. H.
 Ajuga in Materials for a Flora of Turkey XXXVII, 23
 Flora Palaestina Part 3 (review), 184
 Materials for a Flora of Turkey XXXVII (compiler), 23
 Micromeria in Materials for a Flora of Turkey XXXVII, 39
 New species from Turkey, Arabia and Morocco, 443
 Satureja in Materials for a Flora of Turkey XXXVII, 49
 Thymbra in Materials for a Flora of Turkey XXXVII, 59
- DAVIS, P. H. & HEDGE, I. C.
 A synopsis of the Middle East flora (review), 486
- DAVIS, P. H. & ROBSON, N. K. B.
 A new Turkish species of *Hypericum* sect. *Arthrophyllum*, 103
Delphinium brunonianum, 128
 cashmerianum, 128
 incanum, 128
 pyramidale, 128
 rectivenium Royle, 127, 128
 vestitum [Wall. ex] Royle, 127, 128
Dermoloma (J. Lange) Singer, 324
 atrocinereum (Pers. ex Pers.) P. D. Orton, 324
 cuneifolium (Fr. ex Fr.) Sing., 325
 fuscobrunneum P. D. Orton, 325, 326
 josserandii Dennis & P. D. Orton, 325
 phaeopodium P. D. Orton, 325, 327
 pseudocuneifolium Herink, 325, 328
Deutzia funnebris Lévl., 456
Dichroa febrifuga Lour., 482
Didissandra beauverdiana Lévl., 464
 begoniifolia Lévl., 467
 cavaleriei Lévl., 468
 elegantissima Lévl. & Van., 464
 fritschii Lévl. & Van., 464
 mihieri Franch., 464
 notochlaena Lévl. & Van., 463
 pinfaensis Lévl., 464
 saxatilis Hemsl., 463
 sesquifolia C. B. Cl., 467
 sinoophiorrhizoides W. T. Wang, 463
 speciosa Hemsl., 465
 stolonifera Lévl. & Van., 457, 467
Didymocarpus anachoreta (Hance) Lévl., 465
 cavaleriei Lévl., 463
 cavaleriei (Lévl. & Van.) Lévl., 469
 clarkei Lévl., 465
 cortusifolia (Hance) Lévl., 465

- Didymocarpus*—continued
eburnea (Hance) Lév., 465
elegantissima (Lév. & Van.) Lév., 464
esquirolii Lév., 469
fauriei (Franch.) Lév., 465
fritschii (Lév. & Van.) Lév., 464
hemsleyanus Lév., 468
juliae (Hance) Lév., 465
macrosiphon (Hance) Lév., 468
mairei Lév., 463
martini Lév. & Van., 470
mihieri (Franch.) Lév., 464
nigrescens Lév. & Van., 471
notochlaena (Lév. & Van.) Lév., 463
saxatilis (Hemsl.) Lév., 463
seguini Lév. & Van., 471
sericeus Lév., 470
sesquifolia (C. B. Cl.) Lév., 467
sinensis (Lindl.) Lév., 466
speciosa (Hemsl.) Lév., 465
stenanthos C. B. Cl., 468
violaceus Lév., 468
Digitalis glutinosa Gaertn., 460
Dionysia, *Kickxia* and *Onobrychis*, new species from Iran, 105
Dionysia lurorum Wendelbo, 105
Diphasiastrum alpinum (L.) Holub, 275
Dipterygium — *Cruciferae* or *Capparaceae*?, 247
Dissochaeta sensu Benth., 489
barthei [Hance ex] Benth., 491
Dracocephalum multicaule Benth.
var. *setigerum* (Boiss. & Huet) Edmondson, 32
setigerum Boiss. & Huet, 32
Dryopteris abbreviata auct., 277
aemula (Aiton) Kunze, 278
affinis (Lowe) Fraser-Jenkins
subsp. *borreri* (Newman) Fraser-Jenkins, 278
subsp. *coriacea* Fraser-Jenkins, 278, 281
x ambroseae Fraser-Jenkins & Jermy, 278
assimilis S. Walker, 278
austriaca (Jacq.) Woyнар, 278
borreri Newman, 278
carthusiana (Vill.) H. P. Fuchs, 278
carthusiana x dilatata, 278
caucasica (A. Br.) Fraser-Jenkins & Corley, 277
caucasica x oreades, 277
x deweveri (Jansen) Jansen & Wachter, 278, 281
dilatata (Hoffm.) A. Gray, 278
dilatata x expansa, 278
x euxinensis Fraser-Jenkins & Corley, 277
expansa (C. Presl) Fraser-Jenkins & Jermy, 278
filix-mas (L.) Schott, 277
x initialis Fraser-Jenkins & Corley, 277, 281
liliana Goligin, 278
oreades Fomin, 277
pallida (Bory) Fomin, 278
subsp. *libanotica* (Rosenst.) Nardi, 278
subsp. *pallida*, 278
pseudomas (Wollaston) Holub & Pouzar, 278
remota (A. Br.) Druce, 278, 281
spinulosa (Müll.) Watt, 278
submontana (Fraser-Jenkins & Jermy) Fraser-Jenkins, 278, 281
thelypteris (L.) A. Gray, 276
Dubautia ciliolata (DC.) Keck
var. *laxiflora* (DC.) Keck, 497
Ducrosia assadii Alava, 265
EDMONDSON, J. R.
A chromosome count for *Eremurus olgae* (Liliaceae), 18
Armeria in Materials for a Flora of Turkey XXXVII, 59
Dracocephalum in Materials for a Flora of Turkey XXXVII, 32
Scutellaria in Materials for a Flora of Turkey XXXVII, 52
EDMONDSON, J. R., MILLER, A. G. & PARRIS, B. S.
Plants of the Khahr va Ruchoun protected area, S Iran, 111
EKIM, T.
Teucrium in Materials for a Flora of Turkey XXXVII, 58
Elettaria scottiana F. Muell., 20
Elsholtzia fruticosa (Rehder) Marquand, 454
Endocarpon crombiei Mudd, 178
Ephedra, Notes on, 291
Ephedra altissima Desf., 293
distachya L., 294
macedonica Kosanin, 294
major Host, 294
sinaica H. Riedl, 291
wettsteinii Buxbaum, 293
Equisetum arvense L., 275
fluviale L., 275
hyemale L., 275
palustre L., 275
ramosissimum Desf., 275
telmateia Ehrh., 275
variegatum [Schleider ex] Weber & Mohr, 275
Eranthemum salsoloides L. f., 375
Eremurus olgae (Liliaceae), A chromosome count for, 18
Eriostomum Hoffmanns & Link, 74
ESFANDIARI, ESFANDIAR
Campanulaceae from Iran: a new species and a transfer, 447
Exbucklandia populnea (R. Br. ex Griff.) R. W. Brown, 463
Faurie's Hawaiian types at the British Museum, 495
FRASER-JENKINS, C. R. & PARRIS, B. S.
A provisional checklist of Turkish pteridophyta, 273
Galeopsis sensu Moench, 74
Gardneria multiflora Makino, 454

- Gastrilia* Rafin., 200
Gastrochilus ornatus (N. E. Br.) Val., 19
Geanthus sanguineus (Winkler) R. M. Smith, 19
Geranium davisianum Peşmen & Güner, 436
Giardia Gerber, 200
Glossostylis avensis Benth., 455
Gnaphalium fruticosum, 146
japonicum Thunb., 496
Goldfussia chaffanjonii (Lévl.) E. Hossain, 475
equitans (Lévl.) E. Hossain, 476
feddei (Lévl.) E. Hossain, 476
mahongensis (Lévl.) E. Hossain, 476
pentstemonoides Nees, 476
Gouldia cirrhopetiolata Lévl., 496
GRIERSON, A. J. C., LONG, D. G. & PAGE, C. N.
Notes relating to the Flora of Bhutan: III,
Pinus bhutanica: a new 5-needle pine from
Bhutan and India, 297
GÜNER, ADIL
New Irises from southeast Anatolia, 413
Gutzlaffia aprica Hance, 477
dielsiana (W. W. Smith) S. Moore, 477
lyi (Lévl.) E. Hossain, 477
Gyalecta ascaridiella (Nyl.) Zahlbr., 175
Gymnocarpium dryopteris (L.) Newman, 277
HANSEN, CARLO
A revision of *Barthea*, 489
Haplochorema oligosperma K. Schum., 19
HARLEY, R. M.
Mentha in Materials for a Flora of Turkey
XXXVII, 38
HAWKSWORTH, D. L.
Notes on British lichenicolous fungi: III, 165
HEDGE, I. C.
Salvia in Materials for a Flora of Turkey
XXXVII, 47
What's in a name? (review), 286
HEDGE, I. C. & DAVIS, P. H.
A synopsis of the Middle East flora (review),
486
HEDGE, I. C., KJAER, A. & MALVER, O.
Diptyrygium — *Cruciferae* or *Capparaceae*?
247
HEDGE, I. C. & LAMOND, J. M.
Nepeta in Materials for a Flora of Turkey
XXXVII, 41
Notes on *Umbelliferae*: some Asiatic Scandi-
ceae, 251
Hedychium
subgen. *Siphonium* Wall., 6
scaposum Nimmo, 6
tenellum (K. Schum.) R. M. Smith, 19
Hedyotis cookiana Steud.
var. *herbacea* (Lévl.) Fosb., 496
Helichrysum fruticosum: its correct name and
taxonomic status, 145
Helichrysum cymosum (L.) D. Don.
subsp. *fruticosum* Hedberg, 146
forskahlil (J. F. Gmel.) Hilliard & Burt, 146
fruticosum Vatke, 146
Hemiboea cavaleriei Lévl., 468
esquirolil Lévl., 468
himalayensis Lévl., 468
marmorata Lévl., 468
subcapitata C. B. Cl., 468
HENDERSON, D. M. & BENNELL, A. P.
Supplement to British Rust Fungi: additions
and corrections, 22
Herpestis fauriei Lévl., 455
monniera (L.) H. B. K., 455
Hibiscus fauriei Lévl., 496
schizopetalus (Dyer) Hook. f., 496
HILLIARD, O. M. & BURTT, B. L.
Helichrysum fruticosum: its correct name and
taxonomic status, 145
Hornstedtia hewittii Ridl., 20
licmeres Ridl., 20
lycstoma (Lauterb. & K. Schum.) K. Schum.,
20
sanguinea (Ridl. ex) Winkler, 19
scottiana (F. Muell.) K. Schum., 20
Huperzia selago (L.) Bernh. ex Schrank. &
Mart., 275
Hyacinthella tristis (Bornm.) Feinbr., 432
Hyacinthus and *Bellevalia* (Liliaceae) in Turkey
and Iran, Notes on, 423
Hyacinthus orientalis L.
subsp. *chionophilus* Wendelbo, 423
paradoxus Fisch. & Mey., 428
tristis Bornm., 432
Hydrangea aspera D. Don
subsp. *robusta* (Hook f. & Thoms.)
McClintock, 484
Hygrocybe ochraceopallida P. D. Orton, 329
Hymenophyllum tunbrigense (L.) Sm., 276
Hypericum sect. *Arthrophyllum*, A new Turkish
species of, 103
Hypericum cardiophyllum, 104
malatyanum Peşmen, 436
nanum, 104
pamphylicum Robson & Davis, 103, 104
rupestre, 103
vacciniifolium, 104
Hyphomycete from Northumberland, A new, 363
Hypöestes bodinieri Lévl., 478
Hypochaeris glabra L., 495
Hypogeous Cortinarius from Kashmir, 357
IETSWAART, J. H.
Origanum in Materials for a Flora of Turkey
XXXVII, 46
Ilex anomala Hook. & Arn., 495
chinensis Sims, 481
Incarvillea argyi Lévl., 473
mairei (Lévl.) Grierson
var. *mairei*, 473
Ipomoea fauriei Lévl., 496
quamoclit L., 473
stolonifera (Cyrill.) J. F. Gmel., 496
Irises from southeast Anatolia, New, 413

- Iris nectarifera* A. Güner, 413
 var. *ardinensis* A. Güner, 415
 var. *nectarifera*, 413
Isoetes durieui Bory, 275
histris Bory
 var. *histris*, 275
 var. *subinermis* Durieu, 275
olympica A. Br., 275
Isopyrum microphyllum Royle, 127, 128
- Justicia bivalvis* L., 478
kouytcheensis (Lévl.) E. Hossain, 477
- Kadua herbacea* Lévl., 496
 Kaempferia (Zingiberaceae), Taxonomic studies in the genus, 1
Kaempferia
 Group A, *Soncorus* [Rumph. ex] Horan., 5
 subgen. *Cienkowskia* (Schweinfurth) K. Schum., 3, 8
 subgen. *Cienkowskia* K. Schum., 8
 subgen. *Monolophus* (Wall.) Baker, 3
 subgen. *Monolophus* (Endl.) Baker, 6
 subgen. *Protanthium* (Horan.) Baker, 3
 subgen. *Soncorus* (Horan.) Baker, 3
 subgen. *Stachyanthesis* (Benth.) Baker, 3, 6
 sect. *Kaempferia*, 2, 5
 sect. *Protanthium* (Horan.) Benth., 2, 6
 sect. *Soncorus* (Horan.) Benth., 2, 6
 sect. *Stachyanthesis* Benth., 2, 6
aethiopica (Schweinfurth) Benth., 10
brachystemon K. Schum., 10
carsonii Baker, 11
ceciliae N. E. Brown, 11
decora van Druten, 11
dewevrei de Wild & Th. Dur., 10
ethelae Wood, 10
evae Briq., 10
galanga L., 6
homblei de Wild, 10
kilimanensis Gagnep., 11
kirkii (Hooker) Wittmack & Perring, 11
macrosiphon Baker, 10
montagui Leighton, 11
nigerica (Hutch. ex) Hepper, 10
ornata N. E. Br., 19
pallida de Wild, 11
pleiantha K. Schum., 11
puncticulata Gagnep., 10
rhodesica T. Fries, 10
rosea Schweinfurth, 11
rotunda L., 6
scaposa (Dalz.) Benth., 6
stenopetala K. Schum., 11
zambesiaca Gagnep., 10
- KAM, YEE KIEW
 Taxonomic studies in the genus *Kaempferia* (Zingiberaceae), 1
 Kickxia, Onobrychis and Dionysia, New species from Iran, 105
Kickxia chasmophytica Wendelbo, 109
- KING, ROSE A.
 Umbells for everyman (review), 282
 KJAER, A., MALVER, O. & HEDGE, I. C.
 Dipterygium — Cruciferae or Capparaceae?, 247
 KLUYKOV, E. V. & PIMENOV, M. G.
 Notes on Muretia and Stefanoffia, 267
 KOYUNCU, M.
 New and interesting Turkish records of Allium, 417
- Labiatae, Plumbaginaceae, Plantaginaceae,
 Materials for a Flora of Turkey XXXVII, 23
Labordea fauriei Lévl., 454, 496
Lamium armenum Boiss.
 subsp. *sintenisii* R. Mill, 35
cariense R. Mill, 33
eriocephalum Bentham
 subsp. *glandulosidens* (Hub.-Mor.) R. Mill, 36
garganicum L., 34
 subsp. *lasioclades* (Stapf) R. Mill, 35
 subsp. *nepetifolium* (Boiss.) R. Mill, 34
 subsp. *pulchrum* R. Mill, 35
 subsp. *rectum* (Schenk) R. Mill, 35
 subsp. *reniforme* (Montbret & Aucher ex Bentham) R. Mill, 34
glandulosidens Hub.-Mor., 36
hakkiarense Náb., 37
lasioclades Stapf, 35
leucolophum [Hausskn. ex] R. Mill, 37
maculatum L.
 var. *villosifolium* R. Mill, 36
moschatum Miller
 var. *rhodium* (Gand.) R. Mill, 37
pisidicum R. Mill, 33
rectum Schenk, 35
reniforme [Montbret & Aucher ex] Bentham, 34
rhodium Gand., 37
striatum Sm.
 var. *nepetaefolium* Boiss., 34
 var. *reniforme* (Montbret & Aucher ex Bentham) Boiss., 34
sulfureum [Hausskn. & Sint. ex] R. Mill, 36
tenuiflorum sensu Boiss., 33
tomentosum Willd.
 var. *hakkiarense* (Náb.) R. Mill, 37
- LAMOND, J. M.
 More on David Douglas (review), 258
 LAMOND, J. M. & HEDGE, I. C.
 Nepeta in Materials for a Flora of Turkey XXXVII, 41
 Notes on Umbelliferae: some Asiatic Scandiceae, 251
Lastrea limbosperma (All.) Holub & Pouzar, 276
- LAUENER, L. A.
 Catalogue of the names published by Hector Léveillé: XIII, 453
 Faurie's Hawaiian types at the British Museum, 495

- LAUENER, L. A.—continued
 The typification of Royle's Ranunculaceae:
 II, 125
- LAUENER, L. A. & WANG, W. T.
 A new *Mallotus* from China, 487
- Lecidea ascaridiella* Nyl., 175
- Leontopodium japonicum* Thunb.
 var. *sandwicense* Lévl., 496
- Léveillé, Hector. Catalogue of the names published by: XIII, 453
- ?*Lichenopeltella cetrariae* (Bresadola) Höhnelt, 180
- Ligia* Fasano, 200, 208
mesopotamica Jeffrey, 239
passerina (L.) Fasano, 236
- Limnophila cavalieriei* Van., 456
connata (Buch.-Ham. ex D. Don) Hand.-Mazz., 456
hypericifolia (Benth.) Benth., 456
- Lindenbergia muraria* (Roxb.) Brühl., 456
philippensis (Cham.) Benth., 456
urticifolia Lehm.
 var. *cavalieriei* [Lévl. ex] Bonati, 456
- Lindernia anagallis* (Burm. f.) Pennell, 456
crustacea (L.) F. Muell., 456
setulosa (Maxim.) Tuyama ex. Hara, 457
- Linum cavalieriei* Lévl. & Van., 460
- Lipochaeta fauriei* Lévl., 496
succulenta (Hook. & Arn.) D. C., 496
variolosa Lévl., 496
- Lobelia esquirolii* Lévl., 457
pumila Burm., 457
- LONG, D. G.
 Notes relating to the Flora of Bhutan: IV, The weeping cypress, *Cupressus corneyana* Carr., 311
- LONG, D. G., PAGE, C. N. & GRIERSON, A. J. C.
 Notes relating to the Flora of Bhutan: III, *Pinus bhutanica*: a new 5-needle pine from Bhutan and India, 297
- Lonicera menelii* Lévl., 478
- Loxostigma begoniifolia* (Lévl.) Anth., 467
cavalieriei (Lévl. & Van.) B. L. Burtt, 468
- Lycopodium alpinum* L., 275
clavatum L., 275
complanatum L.
 subsp. *chamaecyparissus* (A. Br.) Döll, 275
selago L., 275
- Lygia amani* Kotschy, 235
aucheri (Meissn.) Boiss., 235
cilicica (Meissn.) Boiss., 233
multicaulis Schott & Kotschy, 233
- Lysimachia monnieri* L., 455
- Lysionotus cavalieriei* Lévl., 469
ophiorrhizoides Hemsl., 463
pauciflorus Maxim.
 var. *linearis* Rehder, 469
serratus D. Don, 469
- Mairella yunnanensis* Lévl., 462
- Malabaila isfahanica* Alava, 265
- Mallotus* from China, A new, 487
- Mallotus kweichowensis* Lauener & W. T. Wang, 487
- Malva hawaiiensis* Lévl., 496
moschata L., 496
- Malvastrum coromandelianum* (L.) Garcke, 497
- MALVER, O., HEDGE, I. C. & KJAER, A.
Dipterygium — Cruciferae or Capparaceae?, 247
- Mandragora caulescens* C. B. Cl., 462
- Marlea cavalieriei* Lévl., 454
- Materials for a Flora of Turkey, XXXVII:
 Labiatae, Plumbaginaceae, Plantaginaceae, 23
- MATHEW, Brian
Crocus vallicola and its allies, 387
- Matteucia struthiopteris* (L.) Tod., 277
- MATTHEWS, V. A.
 Ivies (review), 386
- Mazus bodinieri* Bonati, 457
longipes Bonati, 457, 467
pumilus (Burm. f.) Steen., 457
rugosus Lour.
 var. *rotundifolia* Franch. & Sav., 457
spicatus Van., 457
- Melampyrum esquirolii* (Lévl. & Van.) Hand.-Mazz., 457
- Melasma arvense* (Benth.) Hand.-Mazz., 455
- Melaspilea vermifera* Leighton, 175
vermiformis Leighton, 175
- Meliosma dilleniifolia* (Wall. ex Wight & Arn.) Walp. subsp. *cuneifolia* (Franch.) Beus.
 var. *multinervia* Beus., 484
- MELZHEIMER, Volker & BAYTOP, Asuman
 A new *Silene* from Turkey, 449
- Mentha canescens* Sieber, 39
longifolia (L.) Hudson
 subsp. *typhoides* (Briq.) Harley, 38
microphylla sensu Hayek, 39
microphylla C. Koch
 subsp. *illyrica* (Borb. & H. Braun) Hayek, 39
sieberi C. Koch, 39
 var. *illyrica* Borb. & H. Braun, 39
sofiana Trautn., 39
spicata L.
 subsp. *tomentosa* (Briq.) Harley, 38
sylvestris L.
 subsp. *typhoides* Briq., 38
 var. *stenostachya* Boiss., 39
tomentosa d'Urv., 38
- Metasphaeria cetrariicola* (Nyl.) Sacc., 180
- Metrosideros collina* (J. R. & G. Forst.) A. Gray
 subsp. *polymorpha* (Gaud.) Rock
 var. *fauriei* (Lévl.) Rock, 496
 var. *glaberrima* (Lévl.) Rock, 496
 var. *incana* (Lévl.) Rock, 496
tremuloides (Heller) P. Knuth, 496

McKEAN, D. R.
 A new vice county checklist (review), 188

- Micromeria amana* Rech. fil., 40
cremnophila Boiss. & Hohen.
 subsp. *amana* (Rech. fil.) P. H. Davis, 40
 subsp. *anatolica* P. H. Davis, 40
cristata (Hampe) Griseb.
 subsp. *orientalis* P. H. Davis, 41
 subsp. *phrygia* P. H. Davis, 40
elliptica C. Koch
 var. *pubescens* [Boiss. & Kotschy ex] Boiss., 41
fruticosa (L.) Druce
 subsp. *giresunica* P. H. Davis, 39
Micropeltopsis cetraricola (Nyl.) Vainio, 180
Microtaena ? *coreana* Lév., 483
Microthelia dissepta (Nyl.) A. L. Sm., 168
 ? *Microthyrium cetrariae* Bresadola, 180
 MILL, R. R.
 Dutch comfort — a declining flora portrayed (review), 296
 Lamium in Materials for a Flora of Turkey XXXVII, 32
 Stachys in Materials for a Flora of Turkey XXXVII, 56
 MILL, R. R., TAN, K. & TUTEL, B.
 Plantago in Materials for a Flora of Turkey XXXVII, 60
 MILLER, A. G.
 A revision of Campylanthus, 373
 MILLER, A. G., PARRIS, B. S. & EDMONDSON, J. R.
 Plants of the Khabr va Ruchoun protected area, S Iran, 111
Mimulus bodinieri Van., 458
nepalensis Benth.
 subsp. *bodinieri* (Van.) McKean, 458
tenellus Bge. f. *bodinieri* [Van. ex.] Bonati, 458
 MINTER, D. W. & COPPINS, B. J.
 A new hyphomycete from Northumberland, 363
Mitrasacme lutea Lév., 454
mairei Lév., 454
malaccensis Wight, 454
pygmaea R. Br.
 var. *malaccensis* (Wight) Hara, 454
Mitreola bodinieri (Lév.) Lév., 454
darrisii (Lév.) Lév., 455
pedicellata Benth., 454
Mollisia thallophila (P. Karsten) P. Karsten, 170
Momordica charantia L., 497
Monolophus [Wall. ex] Endl., 5
scaposus Dalz., 6
Morina delavayi Franch., 474
Muretia and *Stefanoffia*, Notes on, 267
Muretia aurea Boiss., 271
Muscari acutifolium Boiss., 428
chalusicum Stuart, 433
forniculatum Fomin, 427
paradoxum (Fisch. & Mey.) C. Koch, 428
pseudomuscari (Boiss. & Buhse) Wendelbo, 433
pycnanthum C. Koch, 428
Mycobacidia vermifera (Leighton) Vouaux, 175
Myoporum fauriei Lév., 481, 496
sandwicense A. Gray
 var. *fauriei* (Lév.) Kraenzl., 480, 496
Myrsine fauriei Lév., 496
molokaiensis Lév., 496
sandwicensis A. DC.
 var. *mauiensis* Lév., 496
 var. *punctata* Lév., 496
vanioti Lév., 496
 NAITHANI, H. B., ARGENT, G. & BENNET, S. S. R.
 A note on the first flowering collections of
 Agapetes similis & A. griffithii, 137
 x *Nania fauriei* Lév., 496
 x *Nania feddei* Lév., 496
Nania polymorpha Gaud.
 var. *glaberrima* Lév., 496
Nectriella coccinea Fuckel, 170
tincta (Fuckel) R. Sant. apud Eriksson, 170
Nepeta baytopii Hedge & Lamond, 41
beltranii Pau, 45
betonicifolia C. A. Meyer, 46
calvertii Boiss., 46
calycina Fenzl., 45
conferta Hedge & Lamond, 42
congesta Fisch. & Mey, 42, 45
 var. *congesta*, 42
 var. *cryptantha* (Boiss.) Hedge & Lamond, 43
cryptantha [Boiss. & Hausskn. ex] Boiss., 43
curvidens Boiss. & Bal., 45
cyrenaica Quézel & Zaffran, 45
erivanensis Grossh., 43
glabrescens Boiss., 46
grossheimii Pojark., 46
heliotropifolia Lam., 45
hispanica Boiss. & Reuter, 45
involutrata (Bunge) Bornm., 43
kopetdagensis Pojark, 45
kronenburgii Freyn, 46
mardinensis Post, 56
marifolia Boiss. & Huet, 43
mussinii Sprengel, 43
parviflora M. Bieb., 46
racemosa Lam., 43
reichenbachiana Fisch. & Mey., 43
schischkinii Pojark, 46
scordiifolia Bornm., 46
sorgerae Hedge & Lamond, 44
speciosa Boiss. & Noë, 46
stricta (Banks & Sol.) Hedge & Lamond, 45, 46
 var. *curvidens* (Boiss. & Bal.) Hedge & Lamond, 45
 var. *stricta*, 45
strictifolia Pojark., 46
ucranica L., 46
Nesolechia vermicularis Arnold, 178
 New Amygdalus from Israel, 283

- New and interesting Turkish records of *Allium*, 417
- New genus of Zingiberaceae from N Burma, 13
- New hyphomycete from Northumberland, 363
- New Irises from southeast Anatolia, 413
- New *Mallotus* from China, 487
- New orchid from Turkey, *Cephalanthera kotschyana*, 97
- New record for Turkey: *Viburnum tinus* L., 102
- New *Rhododendron* (Ericaceae) from New Guinea, 141
- New *Silene* from Turkey, 449
- New species from Turkey, Arabia and Morocco, 443
- New species of *Dionysia*, *Kickxia* and *Onobrychis* from Iran, 105
- New *Sporidesmium* from Inverness-shire, 185
- New taxa of Umbelliferae (Apiaceae) from SW Asia, 259
- New Turkish species of *Hypericum* sect. *Arthrophyllum*, 103
- Note on the first flowering collections of *Agapetes similis* & *A. griffithii*, 137
- Notes on British Agarics: VII, 315
- Notes on British lichenicolous fungi: 111, 165
- Notes on *Ephedra*, 291
- Notes on *Hyacinthus* and *Bellevia* (Liliaceae) in Turkey and Iran, 423
- Notes on *Muretia* and *Stefanoffia*, 267
- Notes on Umbelliferae: some Asiatic Scandiceae, 251
- Notes on Zingiberaceae, 19
- Notes relating to the Flora of Bhutan: III, *Pinus bhutanica*: a new 5-needle pine from Bhutan and India, 297
- Notes relating to the Flora of Bhutan: IV, The weeping cypress, *Cupressus corneyana* Carr., 311
- Nothocestrum longifolium* A. Gray, 497
- Notholaena lanuginosa* (Desf.) Desv. ex Poiret, 276
- marantae* (L.) Desv.
- subsp. *marantae*, 276
- Observations on the Bolbitiaceae: 19, Validation of some species of *Conocybe*, 331
- Observations on the Bolbitiaceae: 20, New British species of *Conocybe*, 345
- Ocimum aureoglandulosum* Van., 483
- Odontospermum schultzei* Bolle, 446
- Odontotremoid fungus from Scotland, *Xerotrema*, a new genus of, 367
- OLATUNJI, O. A.
- The structure and development of stomata in some Zingiberales, 499
- Omphalodes bodinieri* Lévl., 455
- Onobrychis*, *Dionysia* and *Kickxia*, New species from Iran, 105
- Onobrychis rechingerorum* Wendelbo, 110
- Ophioglossum lusitanicum* L., 275
- vulgatum* L., 275
- Ophiorrhiza darrisii* Lévl., 455
- marchandii* Lévl., 455
- Opithandra primuloides* (Miquel) B. L. Burtt, 469
- Oreocharis bodinieri* Lévl., 467
- cavaleriei* Lévl., 469
- esquirolii* Lévl., 469, 470
- henryana* Oliv., 469
- leveilleana* Fedde, 470
- ? *mairei* Lévl., 473
- micrantha* Lévl., 468
- notochlaena* (Lévl. & Van.) Lévl., 463
- primuloides* (Miq.) C. B. Cl., 469
- sericea* (Lévl.) Lévl., 470
- squamigera* Lévl., 469
- Oreopteris limbosperma* (All.) Holub, 276
- Organum*
- sect. *Brevifilamentum* Ietswaart, 46
- sect. *Longitubus* Ietswaart, 47
- sect. *Prolaticorolla* Ietswaart, 47
- amanum* Post., 47
- laevigatum* Boiss., 47
- rotundifolium* Boiss., 46
- Ornithoboea darrisii* (Lévl.) Craib, 470
- feddei* (Lévl.) B. L. Burtt, 470
- Orobanche bodinieri* Lévl., 462
- coerulescens* Steph., 462
- feddei* Lévl., 462
- mairei* Lévl., 462
- pyncnostachya* Hance
- var. *yunnanensis* G. Beck, 462
- ORTON, P. D.
- Notes on British Agarics: VII, 315
- Osmunda regalis* L., 275
- Oxygraphis polypetalis*, 128
- Oxynepea involucreata* Bunge, 43
- Paederia bodinieri* Lévl., 454
- Paeonia emodi* [Wall. ex] Royle, 127, 128
- PAGE, C. N., GRIERSON, A. J. C. & LONG, D. G.
- Notes relating to the Flora of Bhutan: III, *Pinus bhutanica*: a new 5-needle pine from Bhutan and India, 297
- PAGE, C. N. & RUSHFORTH, K. D.
- Picea farreri*, a new temperate conifer from Upper Burma, 129
- Paraboea martinii* (Lévl.) B. L. Burtt, 470
- rufescens* (Franch.) B. L. Burtt, 471
- sinensis* (Oliv.) B. L. Burtt, 471
- thirionii* (Lévl.) B. L. Burtt, 471
- Pararuellia cavaleriei* (Lévl.) E. Hossain, 477
- delavayana* (Baill.) E. Hossain, 478
- PARRIS, B. S., EDMONDSON, J. R. & MILLER, A. G.
- Plants of the Khabr va Ruchoun protected area, S Iran, 111
- PARRIS, B. S. & FRASER-JENKINS, C. R.
- A provisional checklist of Turkish pteridophyta, 273

- Passerina* L., 200
annua Aucher, 235
annua (Salisb.) Wikstr.
 var. *algeriensis* Chab., 237
 var. *pubescens* (Guss.) Ten., 237
 var. *salsa* Munby, 238
argentata (Lam.) Pau, 212
broteriana (Coutinho) Sampaio, 227
calycina (Lapeyr.) DC., 226
canescens Schousboe, 211
cantabrica Pourret, 226
coridifolia (Lam.) Wikst., 226
corsica [J. Gay ex] R. Lit., 220
dioica (Gouan) Ramond, 222
elliptica Boiss., 231
empetrifolia Lapeyr., 222
 'geminiflora Ramond', 222
granatensis Pau, 223
hirsuta Asso, 223
hirsuta Brot., 227
hirsuta L., 209
 var. *vestita* Gren., 209
imbricata Sennen, 223
incana Pourret, 221
kalifolia Pourret, 211
lanuginosa (Lam.) Pau, 211
linariaefolia Pourret, 231
metnân Forsskål, 209
microphylla Cosson & Dur., 214
nitida (Vahl) Desf., 212
nivalis Ramond, 224
orientalis Willd., 223
polygalaefolia Lapeyr., 209
pubescens (L.) Wikst., 231
pubescens (L.) Loscos
 var. *virgata* Pau, 231
ruizii (Loscos) Font-Quer, 225
sanamunda (All.) Bub., 233
segobricensis Pau, 212
 'spicata' L., 223
stellera [Raymond ex] Lam. & DC., 236
tartonnaira (L.) DC.
 var. *angustifolia* Boiss., 218
 var. *angustifolia* d'Urv. f. *valentina* Pau, 219
 var. *calvescens* Gren., 220
 var. *genuina* Lange f. *virescens* Pau, 219
tartonnaira (L.) Schrader
 var. *valentina* Pau, 219
thomasii Duby, 220
thymelaea (L.) DC., 233
tinctoria Pourret, 223
 var. *angustifolia* Boiss., 226
tingitana Salzm. apud Meissn., 229
tomentosa (Lam.) Wikstr., 219
velutina Boiss., 231
velutina [Pourret ex] Camb., 221
 f. *panifolia* Knoche, 221
virescens Cosson & Dur., 213
virgata Desf., 228
Pausia Rafin., 200
- Pedicularis collettii* Prain
 var. *nigra* [Van. ex] Bonati, 459
bodinieri [Van. ex] Bonati, 458
crassicaulis [Van. ex] Bonati, 459
ganpinensis [Van. ex] Bonati, 458
henryi Maxim., 458
labordei [Van. ex] Bonati, 458
lachnoglossa Hook f., 458
 var. *macrantha* Bonati, 458
macrantha (Bonati) Lévl., 459
nigra (Van. ex Bonati) Bonati, 459
resupinata L.
 subsp. *crassicaulis* (Van. ex Bonati) Tsoong, 459
 var. *crassicaulis* (Van. ex Bonati) Limpr., 459
rex C. B. Cl.,
 subsp. *pseudocyathus* (Van. ex Bonati) Tsoong, 459
 var. *pseudocyathus* [Van. ex] Bonati, 459
tongchouanensis Bonati, 459
tsangchanensis [Franch. ex] Maxim., 460
- Pelea acutivalvata* Lévl., 496
anisata Mann, 496
clusiifolia A. Gray
 var. *fauriei* (Lévl.) St. John & Hume, 496
fauriei Lévl., 496
foetida Lévl., 496
hillebrandii Lévl., 496
macropus Hillebr., 496
molokaiensis Hillebr., 496
parvifolia Hillebr., 496
 var. *sessilis* (Lévl.) B. C. Stone, 496
peduncularis Lévl., 496
sessilis Lévl., 496
singuliflora Lévl., 496
- Peperomia cookiana* C. DC., 496
fauriei Lévl., 496
helleri Lévl., 496
mapulehuana Yuncker, 496
refractifolia Lévl., 496
Peristrophe bivalvis (L.) Merr., 478
- PEŞMEN, H.
 Six new species from Anatolia, 435
- Petrocodon* sp., 471
Petrocosmea cavaleriei Lévl., 471, 472
mairei Lévl., 471
martinii (Lévl.) Lévl., 462
Phegopteris connectilis (Michx) Watt, 276
Philydrum cavaleriei Lévl., 462
Phlebophyllum apricum (Hance) Benth., 477
Phlogacanthus pubinervis T. Anders, 463, 478
Pholiota blattaria (Fries) Quélet, 335
 teneroides J. Lange, 335
 togularis (Bull. ex Fries) Kummer, 335
Pholiotina aporos (Kits van Waveren) Clemenson, 335
 blattaria (Fries) Fayod, 335
 togularis (Bull. ex Fries) Fayod, 335
Phracidia crombiei (Mudd) Sacc. & D. Sacc., 178
Phragmothyrium cetrariicola (Nyl.) Keissler, 180

- Phyrma asiatica* (Hara) Degener & Degener, 485
esquirolii Lév., 485
leptostachya L.
 subsp. *asiatica* (Hara) Kitamura, 485
 var. *asiatica* Hara, 485
 var. *oblongifolia* (Koidz.) Honda, 485
oblongifolia Koidz., 485
Phyllitis sagittata (DC.) Guinea & Heywood, 277
scolopendrium (L.) Newman, 277
Phylloboea sinensis Oliv., 471
Phytolacca esquirolii Lév., 487
Picea farreri, a new temperate conifer from
 Upper Burma, 129
Picea farreri Page & Rushforth, 130
PIMENOV, M. G. & KLUYKOV, E. V.
 Notes on Muretia and Stefanoffia, 267
Pimpinella kuramensis Kiram., 261
 sikkimensis C. B. Cl., 256
 tripartita Aitch. & Hemsl., 260
Pinus bhutanica: a new 5-needle pine from
 Bhutan and India, Notes relating to the
 Flora of Bhutan: III, 297
Pinus bhutanica Grierson, Long & Page, 299
Piptochlamys C. A. Meyer, 200, 206
 hirsuta (L.) C. A. Meyer, 209
Pipturus hawaiiensis Lév., 496
Pisonia umbellifera (Forst.) Seem., 454, 496
Pittosporum fauriei Lév., 496
 glabrum Hook. & Arn., 496
Planchonella sandwicensis (A. Gray) Pierre
 var. *molokaiense* (Lév.) Lauener, 496
 var. *spathulata* (Hillebr.) H. J. Lam., 496
Plantaginaceae, Labiatae, Plumbaginaceae,
 Materials for a Flora of Turkey, XXXVII, 23
Plantago anatolica Tutel & R. Mill, 61
 gaudichaudiana Lév., 496
 princeps Cham. & Schlechtend., 496
Plants of the Khabr va Ruchoun protected area,
 S Iran, 111
Platydesma fauriei Lév., 497
 oahuensis Lév., 497
 spathulatum (A. Gray) B. C. Stone, 497
Platytaenia kuramensis (Kitam.) E. Nasir, 261
 tripartita (Aitch. & Hemsl.) Rech. f. & Riedl,
 261
Plumbaginaceae, Plantaginaceae, Labiatae,
 Materials for a Flora of Turkey, XXXVII, 23
Pogostemon glaber Benth., 483
Polygala inexpectata Peşmen & Erik, 435
Polypodium australe Fée, 276
 cambricum L., 276, 279
 cambricum x *interjectum*, 276
 interjectum Shivas, 276
 x *mantoniae* Rothm., 276, 279
 x *shivasiae* Rothm., 276
 vulgare L., 276
 subsp. *prionodes* (Ascherson) Rothm., 276
 subsp. *vulgare*, 276
 vulgare x *interjectum*, 276
Polystichum aculeatum (L.) Roth, 277
 aculeatum x *braunii*, 277
 aculeatum x *setiferum*, 277
 x *bicknellii* (Christ) Hahne, 277, 281
 braunii (Spencer) Fée, 277
 lonchitis (L.) Roth, 277
 x *luerssenii* (Dörfler) Hahne, 277, 280
 setiferum (Forsk.) Woyнар, 277
 woronowii Fomin, 277
Porphyra dichotoma Lour., 481
Potentilla tauricola Peşmen, 440
Premna bodinieri Lév., 485
 cavaleriei Lév., 484
 esquirolii Lév., 484
 mairei Lév., 484
 martini Lév., 484
 merinoi Lév., 484
 parvilimba P'ei, 484
 puberula Pamp., 484
 valbrayi Lév., 485
Provisional checklist of Turkish pteridophyta,
 273
Psilosphaeria cetrariicola (Nyl.) Stevenson, 180
Psychotria fauriei (Lév.) Fosberg, 497
Pteridium aquilinum (L.) Kuhn, 276
 lanuginosum (Bory ex Willd.) Clute, 276
Pteris cretica L., 276
 dentata Forsk.
 subsp. *dentata*, 276
 vittata L., 276
Puccinia holcina Eriks., 22
 schismi Bub., 22
 sessilis Schroet., 22
 sorghi Schw., 22
 striiformis West., 22
Pulicaria burchardii Hutchison, 446
Pyrenopeziza thallophila (P. Karsten) Sacc., 170
Raillardia fauriei Lév., 497
Ramularia peltigericola D. Hawksw., 172
Ranunculus attenuatus D. Don., 126, 128
 choorensis, 128
 distans D. Don., 126, 128
 glabellus, 128
 hirtellus, 128
 laetus [Wall. ex] Royle, 126, 128
 membranaceus D. Don., 126, 128
 mollis [Wall. ex] Royle, 126, 128
 nervosus, 128
 pimpinelloides D. Don., 126, 128
 polypetalus D. Don., 126, 128
 vitifolius, 128
Rapanea fosbergii (Hosaka) Degener & Degener,
 497
 lessertiana (DC.) Degener & Hosaka, 496, 497
 pukooensis (Lév.) Degener & Degener, 497
 sandwicensis (A. DC.) Degener & Hosaka, 496
 var. *mauiensis* (Lév.) Degener & Degener,
 496
Rehmannia chaneti (Lév.) Degener & Degener,
 460
 glutinosa (Gaertn.) Libosch. ex Frisch. &
 Mey., 460, 465

- RENZ, J. & TAUBENHEIM, G.
Cephalanthera kotschyana: a new orchid from Turkey, 97
Revision of *Barthea*, 489
Revision of *Campylanthus*, 373
Rhabdothermopsis chinensis (Franch.) Hand.-Mazz., 472
sinensis Hemsl., 472
Rhagadostoma lichenicola (de Not.) Keissler, 174
Rhamnus pasteurii Lév., 454
Rhododendron rubineiflorum Craven, 142
Rhopalosciadium stereocalyx Rech. f., 257
Rhynchothecum obovatum (Griff.) B. L. Burtt, 472
RIEDL, Harald
Notes on *Ephedra*, 291
ROBSON, N. K. B. & DAVIS, P. H.
A new Turkish species of *Hypericum* sect. *Arthrophyllum*, 103
Rollandia fauriei Lév., 497
Royle's *Ranunculaceae*: II, The typification of, 125
Rubus hawaiiensis A. Gray, 497
hillebrandii Lév., 497
koehnei Lév., 497
Ruellia anagallis Burm. f., 456
cavaleriei Lév., 477
delavayana Baill., 478
esquirolii Lév., 478
gossypina Nees, 474
japonica Thunb., 475
lyi Lév., 477
repens L.
var. *kouycheensis* Lév., 477
RUSHFORTH, K. D. & PAGE, C. N.
Picea farreri, a new temperate conifer from Upper Burma, 129
Sabia esquirolii Lév., 454
Salvia candidissima Vahl
subsp. *occidentalis* Hedge, 48
quezeli Hedge & Afzal-Rafii, 47
tobeyi Hedge, 49
Salvinia natans (L.) All., 278
Sanamunda Adanson, 200
Sanamunda Necker, 200
Satureja aintabensis P. H. Davis, 50
amani P. H. Davis, 50
cilicica P. H. Davis, 51
cuneifolia Ten.
var. *tenuis* Boiss., 51
icarica P. H. Davis, 51
parnassica [Heldr. & Sart. ex] Boiss.
subsp. *sipylea* P. H. Davis, 52
stricta Banks & Sol., 45
x *Scaevola blinii* Lév., 497
chamissoniana Gaud.
var. *coerulescens* Lév., 497
fauriei Lév., 497
gaudichaudiana Cham., 497
procera Hillebr., 497
taccada (Gaertn.) Roxb.
var. *fauriei* (Lév.) Rock, 497
Scritthacola Alava, 260
kurramensis (Kitam.) Alava, 260
Scrofularia tsangchanensis (Franch.) Lév., 460
Scutellaria L.
sect. *Salviifoliae* Edmondson, 55
sect. *Valgares* 1. *Salviaefoliae* Boiss., 55
albida L.
subsp. *colchica* (Rech. fil.) Edmondson, 52
subsp. *condensata* (Rech. fil.) Edmondson, 52
bicolor Hochst., 53
bornmuelleri [Hausskn. ex] Bornm., 53
brevibracteata Stapf, 52
condensata Rech. fil., 52
cretacea Boiss. & Hausskn., 54
esquirolii Lév. & Van., 457
haussknechtii Boiss., 54
macrostegia [Hausskn. ex] Bornm., 54
orientalis L., 53
subsp. *bicolor* (Hochst.) Edmondson, 53
subsp. *bornmuelleri* (Hausskn. ex Bornm.) Edmondson, 53
subsp. *carica* Edmondson, 53
subsp. *cretacea* (Boiss. & Hausskn.) Edmondson, 54
subsp. *haussknechtii* (Boiss.) Edmondson, 54
subsp. *macrostegia* (Hausskn. ex Bornm.) Edmondson, 54
subsp. *pectinata* (Benth.) Edmondson, 54
subsp. *pichleri* (Stapf) Edmondson, 54
subsp. *pinnatifida* Edmondson, 54
subsp. *porphyrostegia* Edmondson, 55
subsp. *santolinoides* (Hausskn. ex Bornm.) Edmondson, 55
subsp. *sintenisii* (Hausskn. ex Bornm.) Edmondson, 55
subsp. *virens* (Boiss. & Kotschy) Edmondson, 55
var. *genuina* Boiss., 54
var. *pinnatifida* Boiss., 54
pannosula Rech. fil., 52
pectinata Benth., 54
pichleri Stapf, 54
rubicunda Hornem.
subsp. *brevibracteata* (Stapf) Edmondson, 52
subsp. *pannosula* (Rech. fil.) Edmondson, 52
subsp. *subvelutina* (Rech. fil.) Edmondson, 53
santolinoides [Hausskn. ex] Bornm., 55
sintenisii [Hausskn. ex] Bornm., 55
subvelutina Rech. fil., 53
tauricola Hand.-Mazz., 55
vacillans Rech. fil.
subsp. *colchica* Rech. fil., 52
virens Boiss. & Kotschy, 55
woronowii Juz., 52

- Secoliga ascaridiella* (Nyl.) Arnold, 175
Selaginella denticulata (L.) Link, 275
Senecio maroccanus P. H. Davis, 445
Sesamum indicum L., 473, 478
 SHERWOOD, MARTHA A. & COPPINS, BRIAN J.
Xerotrema, a new genus of odontotremoid fungus from Scotland, 367
Sicyos fauriei Lévl., 497
Sida cavaleriei Lévl., 455
oahuensis Lévl., 497
Sideroxylon spatulatum Hillebr.
 var. *molokaiense* (Lévl.) Rock, 496
Silene from Turkey, A new, 449
Silene anatolica Melzheimer & A. Baytop, 449
 Six new species from Anatolia, 435
 SMITH, R. M.
 A new genus of Zingiberaceae from N Burma, 13
 Notes on Zingiberaceae, 19
 Three new species of Zingiberaceae from Australia, 517
Solanum fauriei Lévl., 497
nigrum L., 497
Solenostemon scutellarioides (L.) Codd, 497
Soncorus Rumph., 5
Sopubia trifida [Buch.-Ham. ex] D. Don, 460
Sphaeria cetrariicola Nyl., 180
Sphaerulina cetrariicola (Nyl.) Karsten, 180
Spilomela ascaridiella (Nyl.) D. Hawksw., 175
vermifera (Leighton) Keissler, 175
Sporidesmium hourniense B. C. Sutton, 185
Stachys, Taxonomic studies in: II, 65
Stachys L., 71
 subgen. *Betonica* (L.) Bhattacharjee, 70, 95
 subgen. *Stachys*, 69, 74
 sect. *Alopecuros* Benthams, 95
 sect. *Ambleia* Benthams, 70, 94
 sect. *Aucheriana* Bhattacharjee, 70, 92
 sect. *Betonica*, 70, 95
 sect. *Campanistrum* (Habl.) Reichb., 70, 88
 sect. *Candida* Bhattacharjee, 80, 81
 sect. *Chaemaesideritis* Benthams, 83, 85
 sect. *Corsica* Bhattacharjee, 70, 89
 sect. *Dasystoma* C. Koch, 76
 sect. *Eriostachys* Benthams, 74, 79
 sect. *Eriostomum* (Hoffmanns. & Link) Briq., 74
 sect. *Eriostomum* (Hoffmanns. & Link) Dum., 69, 74
 sect. *Eustachys* Briq., 80
 sect. *Fragilicaulis* Bhattacharjee, 70, 83
 sect. *Infrasolaris* Bhattacharjee, 70, 77
 sect. *Macrostachya* Bhattacharjee, 70, 96
 sect. *Mucronata* Bhattacharjee, 70, 77
 sect. *Neurocalyx* Bhattacharjee, 70, 90
 sect. *Olisia* Dum., 70, 84
 sect. *Olisia* sensu Benthams, 88, 91
 sect. *Olisia* sensu Boiss., 88, 90
 sect. *Pontostachys* Koeva, 86
 sect. *Pseudosideritis* W. Koch, 84, 85
 sect. *Roseostachys* Bhattacharjee, 70, 78
 sect. *Satureoides* Bhattacharjee, 70, 91
 sect. *Setifolia* Bhattacharjee, 70, 79
 sect. *Sideritopsis* Bhattacharjee, 70, 90
 sect. *Stachyotypus* Benthams, 83
 sect. *Stachyotypus* Dum., 80
 sect. *Stachys*, 70, 80
 sect. *Swainsoniana* Bhattacharjee, 70, 81
 sect. *Thamnostachys* Kapeller, 70, 91
 sect. *Zietenia* Benthams, 70, 77, 81, 91, 92
 sect. *Zietenia* (Gled.) Benthams, 77, 87, 93, 94
 subject. *Annuae* Bhattacharjee, 70, 86
 subject. *Arvenses* Bhattacharjee, 70, 89
 subject. *Circinatae* Bhattacharjee, 70, 80
 subject. *Creticae* Bhattacharjee, 70, 76
 subject. *Decumbentes* Bhattacharjee, 70, 82
 subject. *Distantes* Bhattacharjee, 70, 86
 subject. *Fragiles* [Boiss. ex] Rech. fil., 70, 84
 subject. *Fruticulosae* Bhattacharjee, 70, 92
 subject. *Germanicae* Bhattacharjee, 69, 75
 subject. *Multibracteolatae* Bhattacharjee, 70, 83
 subject. *Ocymastrum* Bhattacharjee, 70, 88
 subject. *Paulinae* Bhattacharjee, 70, 92
 subject. *Rectae* Bhattacharjee, 70, 85
 subject. *Rosulatae* Bhattacharjee, 70, 87
 subject. *Spectabiles* Bhattacharjee, 70, 76
 subject. *Spinosa* Bhattacharjee, 70, 87
 subject. *Swainsonianae* Bhattarjee, 70, 82
 subject. *Sylvaticae* (Knorr. ex Omel'chuk-M'yakushko) Bhattacharjee, 70, 80
 ser. *Fruticulosae* (Boiss.) Knorr., 91, 92
 ser. *Inflatae* Knorr., 95
 ser. *Lanatae* [Knorr. ex] Omel'chuk-M'yakushko, 75, 76
 ser. *Lavandulifoliae* Knorr., 93
 ser. *Maritimae* Knorr., 86
 ser. *Palustres* [Knorr. ex] Omel'chuk-M'yakushko, 80
 ser. *Rectae* [Knorr. ex] Omel'chuk-M'yakushko, 85
 ser. *Setiferae* Knorr., 79
 ser. *Spectabiles* Knorr., 76
 ser. *Sylvaticae* [Knorr ex] Omel'chuk-M'yakushko, 80
 ser. *Zappanioides* Knorr., 92
 § *Agrestes* Benthams, 88, 89
 § *Ambleia* Boiss., 81, 94
 § *Ambleiae* (Boiss.) Briq., 81, 94
 § *Biflorae* Briq., 78
 § *Fragiles* Boiss., 84
 § *Fruticulosae* Boiss., 77, 81, 87, 91, 92
 § *Fruticulosae* (Boiss.) Briq., 77, 81, 91, 92
 § *Genuinae* Benthams, 80
 § *Germanicae* Boiss., 75, 76
 § *Germanicae* (Boiss.) Briq., 75
 § *Infrasolares* Boiss., 78, 86, 93
 § *Infrasolares* (Boiss.) Briq., 78, 93
 § *Micrantheae* Boiss., 76, 78, 79
 § *Micrantheae* (Boiss.) Briq., 79
 § *Oligantheae* Benthams, 89

Stachys—continued

- § *Olisiae* Briq., 89, 90, 91
- § *Rectae* Boiss., 83, 84, 85, 86
- § *Ruderales* Benth., 80, 81, 86
- § *Sylvaticae* Boiss., 79, 80
- acerosa*, 70
- acutifolia*, 69
- aegyptiaca*, 70
- albanica*, 70
- aleurites*, 70
- alopecuros*, 70
- alpina*, 69
- amanica*, 70
- angustifolia*, 70
- anisochila*, 70
- annua*, 70
- arabica*, 70
- araxina*, 70
- arenaria*, 70
- arvensis*, 70
- asterocalyx*, 70
- atherocalyx*, 70
- aucheri*, 70
- balansae*, 69
- ballotiformis*, 70
- bayburtensis*, 70
- beckeana*, 70
- benthamiana*, 70
- betonicifolia*, 70
- bombycina*, 70
- brachyclada*, 70
- brantii*, 70
- burgsdorffioides*, 70
- butleri* R. Mill, 56, 70
- byzantina*, 70
- candida*, 70
- canescens*, 70
- cataonica*, 70
- chrysantha*, 70
- circinata*, 70
- citrina*, 70
- corsica*, 70
- cretica*, 70
- decumbens*, 70
- demawendica*, 70
- discolor*, 70
- distans*, 70
- diversifolia*, 70
- durandiana*, 70
- duriaei*, 70
- ehrenbergii*, 69
- euadenia*, 70
- euboica*, 70
- floccosa*, 69
- fontqueri*, 70
- fragillima*, 70
- fruticulosa*, 70
- germanica*, 69
- glechomifolia* Nábelek, 56
- glutinosa*, 70
- graveolens*, 70
- grossheimii*, 70
- guyoniana*, 70
- heraclea*, 69
- hissarica*, 69
- huber-morathii*, 69
- huetii*, 70
- hydrophila*, 70
- iberica*, 70
- inanis*, 70
- inflata*, 70
- ionica*, 70
- iraqensis*, 70
- iva*, 70
- ixodes*, 70
- kotschyi*, 70
- kurdica*, 70
- laetivirens*, 70
- lanigera*, 70
- lavandulifolia*, 70
- laxa*, 70
- leucoglossa*, 70
- libanotica*, 69
- longiflora*, 70
- longispicata*, 70
- macrantha*, 70
- macrostachya*, 70
- macrotricha*, 70
- mardinensis* (Post) R. Mill, 56
- mardinensis*, 70
- maritima*, 70
- marrubifolia*, 70
- maweana*, 70
- megalodonta*, 70
- melampyroides*, 70
- menthifolia*, 70
- menthoides*, 70
- mialhesii*, 70
- milanii*, 70
- monieri*, 70
- mouretii*, 70
- mucronata*, 70
- multicaulis*, 70
- munzurdagensis*, 70
- neurocalycina*, 70
- nivea*, 70
- obliqua*, 69
- obscura*, 70
- obtusirena*, 70
- ocymastrum*, 70
- officinalis*, 70
- palaestina*, 70
- palustris*, 70
- panagaea*, 70
- parolinii*, 70
- paulii*, 70
- persica*, 69
- petrokosmos*, 70
- pilifera*, 70
- pinardii*, 70
- pinetorum*, 69
- plumosa*, 70

- Stachys*—continued
pseudopinardii, 70
pseudosideritis, 70
pumila, 70
ramosissima, 70
recta, 70
rizeënsis, 69
rosea, 70
rupestris, 70
satureoides, 70
saxicola, 70
scardica, 70
serbica, 70
sericantha, 69
sericophylla, 69
setifera, 70
sibirica, 69
sosnowskyi, 70
sparsipilosa, 70
spectabilis, 70
spinosa, 70
spinulosa, 70
spreitzenhoferi, 70
spruneri, 70
subnuda, 70
swainsonii, 70
sylvatica, 70
talyschensis, 70
tetragona, 70
thirkei, 70
tmolea, 70
tomentosa, 70
tournefortii, 69
trinervis, 70
tschatkalensis, 69
turcomanica, 70
virgata, 70
viscosa, 70
viticina, 70
zoharyana, 70
Stadiochilus R. M. Smith, 15
burmanicus R. M. Smith, 15
Staphylea holocarpa Hemsl., 473
Stefanoffia, Notes on Muretia and, 267
Stefanoffia aurea (Boiss.) M. Pimen. & Kluykov, 271
daucoides (Boiss.) H. Wolff, 271
Stegia vermicularis (Arnold) Keissler, 178
Stellera L., 200
annua Salisb., 236
dioica (Gouan) Kuntze, 222
hedyotis Ehrenb., 235
microphylla (Cosson & Dur.) Kuntze, 214
nitida (Vahl) Kuntze, 212
passerina L., 236
pubescens Guss., 237
velutina (Pourret ex Camb.) Kuntze, 221
virescens (Meissn.) Kuntze, 213
Stemodia bodinieri Van., 456
muraria [Roxb. ex] D. Don, 456
philippensis Cham., 456
Stenogyne fauriei Lévl., 497
Straussia fauriei Lévl., 497
Streptocarpus chinensis Franch., 472
clarkeanus (Hemsl.) Hilliard & Burt, 472
Striga esquirolii Lévl., 460
Strobilanthes acrocephalus T. Anders., 479
aprica (Hance) T. Anders., 477
blinii Lévl., 474
bodinieri Lévl., 474
bonatianus Lévl., 475
cavaleriei Lévl., 474, 477
var. angustifolia Lévl., 477
chaffonjonii Lévl., 475, 476
coreanus Lévl., 475
darrisii Lévl., 480
deutziaefolius Lévl., 478
dielsiana W. W. Sm., 477
? equitans Lévl., 476
esquirolii Lévl., 480
feddei Lévl., 476
forrestii Diels, 478
gentiliana Lévl., 473, 478
hypericifolius Lévl., 478
japonicus (Thunb.) Miq., 475
labordei Lévl., 475
lactucifolia Lévl., 479
lofouensis Lévl., 479
mairei Lévl., 477
'makongensis' Lévl., 476
marchandii Lévl., 476
martinii Lévl., 479
panpientkaiensis Lévl., 478
pentstemonoides (Nees) T. Anders., 476
radicans Anders., 475
seguinii Lévl., 479
thirionni Lévl., 479
yangtsekiangensis Lévl., 475
Structure and development of stomata in some Zingiberales, 499
Strychnos esquirolii Lévl., 455
Studies in the Thymelaeaceae I: Germination, seedlings, fruits and seeds, 149
Studies in the Thymelaeaceae, II, 189
Subspecies of *Calotropis procera*, 287
Supplement to British Rust Fungi: additions and corrections, 22
Survey of the work of the Royal Botanic Garden Edinburgh in 1979, 527
SUTTON, B. C.
A new *Sporidesmium* from Inverness-shire, 185
Suttonia cuneata Lévl. & Faurie, 497
fauriei (Lévl.) Lévl., 497
mauiensis (Lévl.) Lévl., 497
meziana Lévl., 497
molokaiensis (Lévl.) Lévl., 497
pukooensis Lévl., 497
punctata (Lévl.) Lévl., 497
Symphandra odontosepala (Boiss.) Esfand., 447

Tacca chantrieri André, 484

TAN, K.

Studies in the Thymelaeaceae I: Germination, seedlings, fruits and seeds, 149

Studies in the Thymelaeaceae II, 189

TAN, K., TUTEL, B. & MILL, R. R.

Plantago in Materials for a Flora of Turkey XXXVII, 60

Tarphochlamys affinis (Griff.) Brem., 479

darrisii (Lévl.) E. Hossain, 480

Tartonia Rafin., 200

cuneifolia Rafin., 217

obovata Rafin., 216

ovatifolia Rafin., 209

Tartonnaira C. A. Meyer, 207

TAUBENHEIM, G. & RENZ, J.

Cephalanthera kotschyana: a new orchid from Turkey, 97

Taxonomic studies in Stachys: II, 65

Taxonomic studies in the genus Kaempferia (Zingiberaceae), 1

Tecoma cavaleriei Lévl., 473

mairei Lévl., 473

Tetragoga esquirolii (Lévl.) E. Hossain, 480

Tetrahitum Hoffmanns. & Link, 74

Teucrium

sect. *Isotriodon* Boiss., 58

antitauricum T. Ekim, 58

chamaepitys L., 24

laevigatum Banks & Sol., 27

lamiifolium d'Urv., 59

subsp. *lamiifolium*, 59

subsp. *stachyophyllum* (P. H. Davis) Hedge & Ekim, 59

orientale L.

var. *puberulens* T. Ekim, 58

palmatum Benth., 483

stachyophyllum P. H. Davis, 59

Thalictrum elegans [Wall. ex] Royle, 126, 128

marginatum, 128

maxwellii, 128

microphyllum Royle, 126, 128

neurocarpum, 128

pauciflorum, 128

radiatum Royle, 126, 128

vaginatum, 128

Thamnogalla D. Hawksw., 176

crombiei (Mudd) D. Hawksw., 178

Thelypteris dryopteris (L.) Slosson, 277

limbosperma (All.) Fuchs, 276

palustris Schott, 276

pheopteris (L.) Slosson, 276

thelypteroides Michx.

subsp. *glabra* Holub, 276

Three new species of Zingiberaceae from Australia, 517

Thymbra sintenisii Bornm. & Azn.

subsp. *isaurica* P. H. Davis, 59

Thunbergia bodinieri Lévl., 480

fragrans Roxb., 480

Thymelaea Miller, 199

sect. *Chlamydanthus* (C. A. Meyer) Endl., 206, 207, 215

sect. *Ligia* (Fasano) Meissn., 208, 233

sect. *Piptochlamys* (C. A. Meyer) Endl., 206

sect. *Sanamunda* Lange, 208

sect. *Thymelaea*, 207, 227

subsect. *Antiatlanticae* K. Tan, 208, 227

subsect. *Argentatae* K. Tan, 207, 212

subsect. *Coridifoliae* K. Tan, 207, 223

subsect. *Euthymelaea* Endl., 207

subsect. *Euthymelaea* (Lange) Brecher, 207

subsect. *Fruticulosae* Meissn., 207

subsect. *Hirsutae* K. Tan, 206, 208

subsect. *Sanamunda* (Lange) Brecher, 207, 208, 229

subsect. *Sempervirentes* K. Tan, 207, 214

subsect. *Suffrutescentes* Meissn., 207

subsect. *Tartonnaira* (C. A. Meyer) Endl., 207, 215

algeriensis (Chab.) Murb., 238

antiatlantica Maire, 227

argentata (Lam.) Pau, 212

argentea (Sm.) Endl., 217

arvensis Lam., 236

var. *pubescens* (Guss.) Meissn., 239

aucherii Meissn., 235

bauhinii Endl., 233

broteriana Coutinho, 227

calycina (Lapeyr.) Meissn., 226

subsp. *ruizii* (Loscos) Malag., 225

var. *pilosa* Lange, 225

canescens (Schousboe) Endl., 211

ciliata Gasav., 225

cilicica Meissn., 233

cneorum Reichb., 233

coridifolia (Lam.) Endl., 226

subsp. *broteriana* (Coutinho) Malag., 227

subsp. *dendrobryum* (Rothm.) Malag., 226

subsp. *procumbens* (A. & R. Fernandes) Malag., 224

coridifolia sensu Henriques, 227

dendrobryum Rothm., 226

dioica (Gouan) All., 222

subsp. *dioica*, 222

subsp. *granatensis* (Pau) Fernández Casas, 223

subsp. *granatensis* (Pau) Malag., 222

elliptica (Boiss.) Endl., 231

floribunda Boiss., 225

gattefossei K. Tan, 211

granatensis [Pau ex] Lacaita, 223

gussonei Boreau, 237

hirsuta (L.) Endl., 209

var. *angustifolia* Meissn., 209

var. *microphylla* Reynier, 209

var. *polygalaeifolia* (Lapeyr.) Endl., 209

var. *rotundifolia* Meissn., 209

var. *vulgaris* Meissn., 209

lanuginosa (Lam.) Ceballos & Vicioso, 211

linifolia Andr., 227

lythroides Barr. & Murb., 208

Thymelaea—continued

- mesopotamica* (Jeffrey) Peterson, 239
microphylla Cosson & Dur., 214
microphylla Meissn., 214
myrtifolia (Poir.) D. A. Webb
 subsp. *montana* Malag., 221
nitida (Vahl) Endl., 212
 var. *segobricensis* Pau, 212
nivalis (Ramond) Meissn., 224
passerina (L.) Cosson & Germ., 236
 var. *pilifera* (Rohlena) Rohlena, 238
 var. *salsa* Munby, 238
 var. *sericea* Coutinho, 237
procumbens A. & R. Fernandes, 224
puberula Hand.-Mazz., 237
pubescens (L.) Meissn., 229
 subsp. *elliptica* (Boiss.) K. Tan, 231
 subsp. *pubescens*, 231
 subsp. *thesioides* (Lam.) K. Tan, 231
pubescens (L.) Endl.
 var. *thesioides* (Lam.) D. A. Webb & Ferguson, 231
putorioides Emb. & Maire, 213
 var. *chlorantha* Emb. & Maire, 213
 var. *putorioides*, 213
 var. *rhodantha* Emb. & Maire, 213
ruizii [Loscov ex] Casav., 225
salsa Murb., 238
sanamunda All., 233
 subsp. *elliptica* (Boiss.) Sagr. & Malag., 231
 subsp. *pubescens* (L.) Sagr. & Malag., 231
 subsp. *thesioides* (Lam.) Sagr. & Malag., 231
 var. *pubescens* Meissn., 233
sempervirens Murb., 214
subrepens Lange, 224
tartonnaira (L.) All., 215
 subsp. *angustifolia* (Boiss.) Goday & Chueca, 218
 var. *angustifolia* (d'Urv.) Meissn., 217
 subsp. *argentea* (Sm.) Holmboe
 var. *linearifolia* K. Tan, 218
 subsp. *linnaei* Briq.
 var. *genuina* Lange emend. R. Lit.
 subvar. *normalis* R. Lit., 216
 var. *genuina* Lange emend. R. Lit.
 subvar. *transiens* Briq., 217
 var. *genuina* Lange emend. R. Lit. subvar. *valentina* (Pau) R. Lit., 219
 subsp. *tartonnaira*
 f. *foliis angustioribus* Font-Quer, 217
 var. *argentea* (Sm.) Shaw & Turrill, 217
 var. *tartonnaira*, 216
 var. *transiens* (Briq.) K. Tan, 217
 subsp. *thomasi* (Duby) Briq., 220
 subsp. *valentina* (Pau) O. Bolós & Vigo, 219
 var. *angustifolia* (d'Urv.) Boiss., 217
 var. *angustifolia* (d'Urv.) Lange, 218
 var. *angustifolia* R. Lit. & Maire, 217
 var. *calvescens* (Gren.) Meissn., 220
 var. *candiliana* Beauv. & Top., 217
 var. *genuina* Lange subvar. *angustifolia* Reynier, 217
 var. *thomasi* (Duby) Reichb., 220
thesioides (Lam.) Endl., 231
 subsp. *elliptica* (Boiss.) Brecher, 231
thomasi (Duby) Endl., 220
tinctoria (Pourret) Endl., 223
 subsp. *nivalis* (Raymond) K. Tan, 224
 subsp. *tinctoria*, 223
 var. *calycina* (Lapeyr.) Endl., 221
 var. *nivalis* (Ramond) Lange, 224
villosa (L.) Endl., 229
velutina (Pourret ex Camb.) Endl., 221
 subsp. *montana* (Malag.) Malag., 221
 var. *angustifolia* Willk., 221
velutina (Pourret ex Camb.) Meissn., 221
virescens Lit. & Maire, 213
 var. *glaberrima* Batt., 213
 var. *virescens*, 213
virescens Meissn., 212
virgata (Desf.) Endl., 228
 subsp. *broussonetii* (Ball) K. Tan, 228
 subsp. *virgata*, 228
 var. *broussonetii* Ball, 228
 var. *microphylla* Willk., 212
 var. *typica* Maire, 228
 Thymelaeaceae I, Studies in the, 149
 Thymelaeaceae II, Studies in the, 189
Togaria blattaria (Fries) W. G. Smith, 335
togularis (Bull. ex Fries) W. G. Smith, 335
Torenia concolor Lindl., 460
radicans Van., 460
setulosa Maxim., 457
Trapa antennifer Lévl., 474
Trapella antennifer (Lévl.) Glück., 474
sinensis Oliver, 473
 f. *antennifera* (Lévl.) Kitagawa, 474
 var. *antennifera* (Lévl.) Hara, 474
Tremacron mairei Craig, 473
Tricholoma atrocinereum (Pers. ex Pers.) Quél., 324
cuneifolium (Fr. ex Fr.) Kummer, 325
 ? *hygrophorus* Jossierand, 325
Trichothyria cetrariicola (Nyl.) D. Hawksw., 180
Trigonotis bodinieri (Lévl.) Lévl., 455
Tritophus Lestib., 5
Trixago Haller, 74
Trixella Fourr., 74
Trochila thallophila P. Karsten, 170
 Turkish pteridophyta, A provisional checklist of, 273
 TUTEL, B., MILL, R. R. & TAN, K.
 Plantago in Materials for a Flora of Turkey XXXVII, 60
 Typification of Royle's Ranunculaceae: II, 125
 Umbelliferae (Apiaceae) from SW Asia, New taxa of, 259

- Umbelliferae: some Asiatic Scandiceae, Notes on, 251
Urticularia bifida L., 462
- Vaccinium calycinum* Sm., 497
dentatum Sm., 497
fauriei Lévl., 497
hamatidens Lévl., 497
- Vandellia bodinieri* Lévl., 457
callitrichifolia Lévl., 456
cavaleriei Lévl., 457
- Vaniota martini* Lévl., 472
- Verbascum coromandelianum* (Vahl) O. Kuntze subsp. *sinense* (Lévl. & Giraud.) McKean, 460
minus Lévl. & Giraud., 461
sinense Lévl. & Giraud., 460
- Verbena officinalis* L., 485
var. *ramosa* Lévl., 485
- Veronica arvensis* L., 461, 497
hawaiensis Lévl., 461, 497
martinii Lévl., 461
- Veronicastrum caulopterum* (Hance) Yamazaki, 461
- Verrucaria dissepta* Nyl., 168
- Viburnum tinus* L., A new record for Turkey, 102
- Viburnum congestum* Rehder, 484
dielsii Lévl., 482
foetidum Wall.
var. *ceanothoides* (Wight) Hand.-Mazz., 485
- Vicatia coniiifolia* DC., 256
- Viola sandwicensis* Lévl., 467
- Vitex esquirolii* Lévl., 453, 485
- WANG, W. T. & LAUENER, L. A.
A new *Mallotus* from China, 487
- WATLING, Roy
A hypogeous *Cortinarius* from Kashmir, 357
A Life's Work (review), 366
Observations on the Bolbitiaceae: 19, Validation of some species of *Conocybe*, 331
Observations on the Bolbitiaceae: 20, New British species of *Conocybe*, 345
- WENDELBO, P.
New species of *Dionysia*, *Kickxia* and *Onobrychis* from Iran, 105
Notes on *Hyacinthus* and *Bellevallia* (Liliaceae) in Turkey and Iran, 423
- Wickstroemia fauriei* Lévl., 497
sandwicensis Meisn., 497
- Woodsia alpina* (Bolton) S. F. Gray, 277, 280
- Xerotrema*, a new genus of odontotremoid fungus from Scotland, 367
- Xerotrema* Sherw. & Coppins, 368
megalospora Sherw. & Coppins, 368
- YALTIRIK, F.
A new record for Turkey: *Viburnum tinus* L., 102
- Zeugandra iranshahrii* Esfand., 447
- Zietenia* Gled., 74, 93
- Zingiberaceae from Australia, Three new species of, 517
- Zingiberaceae from N Burma, A new genus of, 13
- Zingiberaceae, Notes on, 19
- Zingiberales, The structure and development of stomato in some, 499
- Zizyphus pubinervis* Rehder, 455