GENERAL INDEX TO VOLUME 44

Aerides, 250
flavescens Schltr., 253
inflexa Teijsm. & Binn., 250
Agaricus limonius Fr.: Fr., 486
obscurus Pers., 470
obscurus Schaeffer, 470
ovoideus Bull.: Fr., 509
polymyces Pers., 471
purpureofuscus Peck, 490
vittadinii Moretti, 518
Agrostemma gracilis Boiss., 354
Allium species from Turkey, Two new, 147
Allium eldivanense N. Özhatay, 147
ilgazense N. Özhatay, 147
Alyssum aurantiacum Boiss., 353
umbellatum Desv., 353
Amanita alnicola Rouzeau & Massart, 504
argentea Huijs., 507
var. *supravolvata* (Lanne) Contu, 507
battarae (Boud.) Bon, 515
bertaultii Contu, 507
friabilis (Karsten) Bas, 503
inaurata
var. *umbrinolutea* Gillet, 515
inopinata Reid & Bas, 506
mairei Foley, 507
var. *argentea* (Huijs.) Bon & Contu, 507
ovoidea (Bull.: Fr.) Quélet, 509
pachyvolvata (Bon) Reid, 511
sternbergii Velen., 504
sternbergii (Velen.) Vesely, 504
submembranacea (Bon) Gröger, 513
var. *bispora* Reid, 514
var. *griseoargentata* Contu, 513
supravolvata Lanne, 507
umbrinolutea Secr., 515
umbrinolutea (Gillet) Bataille, 515
var. *flaccida* Reid, 517
vaginata
var. *battarae* (Boud.) Konrad & Maubl., 515
var. *umbrinolutea* (Secr.) Gilb., 515
vittadinii (Moretti) Vitt., 518
Amanitopsis battarae Boud., 515
friabilis (Karsten) Sacc., 504
pachyvolvata Bon, 511
sternbergii (Velen.) J. Favre, 504
submembranacea Bon, 513
umbrinolutea (Secr.) Gilb., 515
vaginata
var. *friabilis* Karsten, 503
var. *sternbergii* (Velen.) J. Favre, 504
Amidella ovoidea (Bull.: Fr.) Gilb., 509
Amomum kinabaluense R. M. Smith, 233
Anthemis cretica L.
cf. subsp. *anatolica* (Boiss.) Grierson, 351
cf. subsp. *leucanthemoides* (Boiss.) Grierson, 351
Armillaria species in northern Britain. The occurrence of annulate, 459
Armillaria borealis, 480
bulbosa (Barla) Velen., 460
cepistipes, 481
gallica Marxmüller & Romagnesi, 460
lutea Gillet, 460
mellea, 480
obscura (Schaeffer) Bon, 474
ostoyae (Romagnesi) Herink, 474
vittadinii (Moretti) Locq., 518
Armillariella obscura (Pers. ex Secretan) Romagnesi, 474
ostoyae Romagnesi, 474
Arnebia densiflora (Nordm.) Ledeb., 352
purpurea S. Erik & H. Sümbül, 151
Ascocentrum, 250
himalaicum (Deb, Sengupta & Malick) E. A. Christenson, 256
Aspidella vittadinii (Moretti) Gilb., 518
Astragalus seydishehiricus Kit Tan & Ocakverdi, 157
Azalea myrtifolia Champion, 5
ovata Lindley, 4
semibarbata (Mazim.) Kuntze, 17
Azaleastrum (Planchon) Rydberg, 2, 17
albiflorum (Hooker) Rydberg, 18
semibarbatum (Maxim.) Makino, 17
warrenii A. Nelson, 18

BAILEY, D. K.
A study of Pinus section Cembroides I: The single-needle Pinyons of the Californias and the Great Basin, 275
Baliospermum densiflorum Long, 171
Beatrix Potter, naturalist & mycologist and Charles McIntosh, the 'Perthshire Naturalist', 607
Belamcanda chinensis (L.) DC., 177
pampaninii Lévl., 177
BENNELL, A. P.
A note on the occurrence of internal sori in rust fungi, 427
Blyxa bulbosa Lévl., 175
Blodgettia Harvey, 549
Blodgettia Wright, 549
bornetii Wright, 549
confervoides Harvey, 549
Blodgettiomyces Feldmann, 549
bornetii (Wright) Feldmann, 549
Boesenbergia O. Kuntze, 215
anomala (Hall. f.) Schlechter, 210, 232
apiculata (Val.) Loesen., 227
aurantiaca R. M. Smith, 226
bractescens (Ridley) Merr., 208, 232
burttiana R. M. Smith, 225
cordata R. M. Smith, 220

flavoalba R. M. Smith, 218
flavoruba R. M. Smith, 219
gracilipes (K. Schum.) R. M. Smith, 214, 221
grandiflora (Val.) Merr., 221
grandis R. M. Smith, 221
hirta (Ridley) Merr., 227
hutchinsoniana Burtt & Smith, 225
kerbyi R. M. Smith, 219
laxiflora (Val.) Loesen., 208, 232
oligospermum (K. Schum.) R. M. Smith, 214, 227
orbiculata R. M. Smith, 218
ornata (N. E. Br.) R. M. Smith, 226
parva (Ridley) Merr., 230
pulchella (Ridley) Merr., 222
var. *attenuata* R. M. Smith, 225
reticosa (Ridley) Merr., 210, 232
stenophylla R. M. Smith, 230
striata Val., 231
variegata R. M. Smith, 220
Bootia acuminata Gagnep., 175
bodinieri (Lévl. & Van.) Lévl. & Van., 175
esquirolii Lévl. & Van., 175
mairei Lévl., 175
sinensis Lévl. & Van., 176

Camptandra Ridley, 205
angustifolia (Ridley) Ridley, 207
gracillima (K. Schum.) Val., 207
parvula Ridley
var. *angustifolia* Ridley, 207
Catalogue of the names published by Hector Léveillé: XIX, 175
Centaurea cyanus L., 352
Chaerophyllum karsianum Kit Tan & Ocakverdi, 160
CHRISTENSON, ERIC A.
An Infrageneric Classification of Holcoglossum Schltr. (Orchidaceae: Sarcanthinae) with a Key to the Genera of the Aerides-Vanda Alliance, 249
Chromosome numbers of Turkish mountain plants. An annotated list of 34 taxa, 351
Cladonia pileata Mont., 571
Cladothamnus campanulatus Greene, 18
Clerodendron esquirolii Lévl., 178
Closterandra minor Boiv., 39
COPPINS, B. J.
Two new lichenicolous species of Opegrapha from western Scotland, 601
Cordia subgenus Varronia (Boraginaceae), A revision of the Brazilian species of, 105
Cordia
subgen *Varronia* (Browne) Cham., 106
sect. *Dasycephalae* H. B. K., 106
sect. *Myxa*
subsect. *Dasycephalae* (H.B.K.) DC., 106
subsect. *Spicaeformes* DC., 106
subsect. *Subcapitatae* DC., 106
sect. *Sebestena*
subsect. Varronia Endl., 106
sect. *Varronia* Brown, 106
acutifolia Fresen., 138
affinis Fresen., 117
axillaris Johnston, 129
var. *gymnocarpa* Johnston, 129
bahiensis DC., 109
bracelinae Johnston, 122
buddleioides Rusby, 131
caaguazuensis Chodat, 121
calocephala Cham., 123
campestris Warm., 114
caput- medusae Taub., 124
corchorifolia A. DC., 124
corymbosa (Desv.) Don., 136
corymbosa (L.) Urban, 132
crenatifolia Rizzini, 138
curassavica (Jacq.) Roem. & Schultes, 112
dardani Taroda, 111
discolor Cham., 135
globosa (Jacq.) H. B. K., 124
grandiflora (Desv.) H. B. K., 117
guazumaefolia (Desv.) Roem. & Schultes, 129
harleyi Taroda, 128
hermanniifolia Cham., 135
var. *calycina* Cham., 135
hirsuta Fresen., 112
intermedia Fresen., 138
intonsa Johnston, 112
leucocalyx Fresen., 117
leucocephala Moricand, 117
leucomalla Taub., 125
leucomalloides Taroda, 125
longifolia A. DC., 118
macrostachya (Jacq.) Roem. & Schultes, 112
mayoi Taroda, 129
monosperma (Jacq.) Roem. & Schultes, 136
multispicata Cham., 109
nivea Fresen., 117
neowediana DC., 138
patens
var. *monocephala* Cham., 129
var. *polycephala* Cham., 129
paucidentata Fresen., 115
poliophylla Fresen., 118
polycephala (Lam.) Johnston, 132
salicinia DC., 112
salzmannii DC., 135
var. lanceolata Fresen., 135
schomburgkii DC., 111
schottiana Fresen., 138
sessilifolia Cham., 121
var. *macrantha* Cham., 115
var. *micrantha* Cham., 121

var. *tomentosa* (Chodat & Hassler) Johnston, 121
setigera Johnston, 119
truncata Fresen., 122
urticifolia Cham., 137
verbenacea DC., 112
villicaulis Fresen., 119
var. *tomentosa* Chodat & Hassler, 119
Cortinarius (*Telamonia*) *limonius* (Fr.: Fr.) Fr., 486
Crataegus cuspidata Spach, 263
Crinum esquirolii Lévl., 177
latifolium L., 177
Croton himalaicus Long, 170, 171
tiglium, 171
Crucianella in Saudi Arabia. Studies in the Flora of Arabia XVIII, 141
Crucianella arabica Schönb.-Tem. & Ehrend., 141
Curculigo capitulata (Lour.) O. Kuntze, 177
Cyathophylla chlorifolia (Poiret) Bocquet & Strid, 354

Dendrogaster Bucholtz, 441
DORE, W. G. & NELSON, E. C.
James McNab's collections from Eastern North America, 1834. Notes on nomenclature and type specimens in the National Botanic Gardens, Glasnevin, Ireland, 343
Dorystoechas hastata Boiss. & Heldr. ex Bentham, 355
Draba bruniifolia Steven
subsp. *bruniifolia*, 353
DURRIEU, G.
The Rosaceae and their rust fungi: some aspects of their coevolution, 421

EHRENDORFER, F. & SCHÖNBECK-TEMESY, E.
Studies in the Flora of Arabia XVIII: Crucianella in Saudi Arabia, 141
ERIK, S. & SÜMBÜL, H.
Three new taxa from Turkey, 151
Euphorbia griffithii Hook. f.
var. *bhutanica* (Fischer) Long, 167
herniariifolia Willd
var. *glaberrima* Hal., 355
var. *herniariifolia*, 355
himalayensis (Klotzsch) Boissier, 163, 166, 167
luteo-viridis Long, 163, 166
sikkimensis Boissier
subsp. *bhutanica* Fischer, 167
wallichii, 166

Ferulago humilis Boiss., 351
Flemingia bhutanica Grierson, 257
Flueggea virosa (Willd.) Voigt
subsp. *himalaica* Long, 167
Funkia argyi Lévl., 177

GALLOWAY, D. J. & JAMES, P. W.
Metus, a new austral lichen genus and notes on an australasian species of Pycnothelia, 561
Gastrochilus anomalus (Hall. f.) K. Schum., 210
apiculatus Val., 227
bractescens Ridley, 208
grandifolius Val., 221
hallieri Ridley, 210, 232
hirtus Ridley, 227
latilabrus Val., 231
laxiflorus Val., 208
ornatus (N. E. Br.) Val., 226
parvus Ridley, 230
pulchellus Ridley, 222
reticosus Ridley, 210
striatus Val., 231
Gentiana angustifolia
var. *nana* J. McNab, 347
autumnalis L., 347
barbata Froel.
β var. *browniana* Hooker ex J. McNab, 347
Gentianopsis virgata (Raf.) Holub, 347
Geographical distribution of microcyclic species of the three rust genera, Puccinia, Uromyces and Phragmidium in Hokkaido, Japan, 415
GIBBS, P. E. & MONTEIRO, R.
A taxonomic revision of the unifoliate species of Lupinus (Leguminosae) in Brazil, 71
—— & TARODA, NEUSA
A revision of the Brazilian species of Cordia subgenus Varronia (Boraginaceae), 105
Gingers from Sabah, Two new, 233
GJÆRUM, H. B.
Rust fungi from Socotra and Abd-al-Kuri, 411
Globba bulbosa Gagnep., 176
mairei Lévl., 176
Glochidion bhutanicum Long, 169
GRAY. ELIZABETH G. & SHIEL, ROBERT S.
Narcissus smoulder. A review of the disease and its association with bulb scale mite infestation, 541
GRIERSON, A. J. C. & LONG, D. G.
Notes relating to the Flora of Bhutan: XII Leguminosae and Rosaceae, 257

HAWKSWORTH, D. L.
Observations on three algicolous microfungi, 549
Haplochorema K. Schum., 211
decus-sylvae (Hall. f.) Val., 212
extensum K. Schum., 214
gracilipes K. Schum., 214, 221
magnum R. M. Smith, 214

oligospermum K. Schum., 214, 227
pauciflorum R. M. Smith, 213
var. *bullatum* R. M. Smith, 213
petiolatum K. Schum., 214
polyphyllum K. Schum., 208, 214
uniflorum K. Schum., 212
Hebeloma cylindrosporum Romagnesi, 488
Hedychium König, 204
cylindricum Ridley, 205
mjobergii Merr., 205
muluense R. M. Smith, 204
HELFER, STEPHAN
Taxonomic studies of the leaf rusts of temperate cereals, 377
Helwigia argyi Lévl. & Van., 178
HIRATSUKA, N.
Geographical distribution of microcyclic species of the three rust genera, Puccinia, Uromyces and Phragmidium in Hokkaido, Japan, 415
Holcoglossum Schltr. (Orchidaceae: Sarcanthinae) with a key to the genera of the Aerides-Vanda alliance. An infragenic classification of, 249
Holcoglossum Schltr., 251, 253
sect. *Holcoglossum*, 253
sect. *Kimballianum* E. A. Christenson, 255
amesianum (Reichb. f.) E. A. Christenson, 255
falcatum (Thumb.) Garay, 255
flavescens (Schltr.) Tsi, 253
junceum Tsi, 256
kimballianum (Reichb. f.) Garay, 255
quasipinifolium (Hayata) Schltr., 253
rupestre (Hand.-Mazz.) Garay, 255
saprophyticum (Gagnep.) E. A. Christenson, 255
sinicum E. A. Christendon, 255
subulifolium (Reichb. f.) E. A. Christenson, 255
HOLM, L.
The terminology of rusts: suggestions for a compromise, 433
Hornstedtia
subgen. *Elettariostemon*, 233
gracilis R. M. Smith, 233
Hosta argyi (Lévl.) Lévl., 177
Hydrocharis bodinieri Lévl. & Van., 175
Hydrolirion coreanum Lévl., 175
Hygrocybe canescens (Smith & Hesler) P. D. Orton, 489
Hygrophorus canescens Smith & Hesler, 489
Hymenangium album Klotzsch, 451
Hymenogaster (Basidiomycota: Cortinariales). A reassessment of the British species of, 437
Hymenogaster Vittad., 441
subgen. *Dendrogaster* (Bucholtz) A. H. Smith, 441
sect. *Hymenogaster*, 443
sect. *Involuti* Soehner, 448
sect. *Lutei* Svrček, 443
sect. *Vulgares* Svrček, 448
albus (Bull.: Fr.) Fr., 448
albus (Klotzsch) Berk., 452
arenarius Tul., 447
argenteus Tul., 446
australis (Speg.) Speg., 448
calosporus Tul., 444
campester Becker, 448
citrinus Vittad., 443
citrus Tul., 443
decorus Tul., 443
griseus Tul., 448
griseus Vittad., 450
hessei Soehner, 451
klotzschii Tul., 452
lilacinus Tul., 446
limosus Hesse, 448
luteus Vittad., 443
muticus Berk. & Br., 449
olivaceus Vittad., 444
var. *modestus* Berk. & Br., 444
pallidus Berk. & Br., 444
pisomyces Fr., 443
pusillus Berk. & Br., 447
sulcatus Hesse, 445
tener Berk. & Br., 446
var. *arbuticola* P. Henn., 448
thwaitesii Berk. & Br., 450
tomentellus Hesse, 443
vulgaris Tul., 448
var. *hessei* Soehner, 451
Hysterangium australe Speg., 448
Hysterogaster luteus (Vittad.) Dodge, 443

Infrageneric Classification of Holcoglossum Schltr. (Orchidaceae: Sarcanthinae) with a Key to the Genera of the Aerides-Vanda Alliance, 249
Inula sechmenii Hartvig & Strid, 352
Iris cavaleriei Lévl., 177
decora Wall., 177
duclouxii Lévl., 177
grijsi Maxim., 177
nepalensis D. Don, 177
yunnanensis Lévl., 177
Ixia chinensis L., 177

JAHNS, H. M. & JØRGENSEN, P. M.
Muhria, a remarkable new lichen genus from Scandinavia, 581
James McNab's Collections from Eastern North America, 1934. Notes on nomenclature, and type specimens in the National Botanic Gardens, Glasnevin, Ireland, 343

JAMES, P. W. & GALLOWAY, D. J.
Metus, a new austral lichen genus and notes on an australasian species of Pycnothelia, 561
JØRGENSEN, P. M. & JAHNS, H. M.
Muhria, a remarkable new lichen genus from Scandinavia, 581

KADEREIT, J. W.
A revision of Papaver section Argemonidium, 25
Kaempferia L., 214
anomala Hall. f., 210
atrovirens N. E. Br., 214
decus-sylvae Hall. f., 212
gracillima K. Schum., 207
ornata N. E. Br., 226
KAPSANAKI-GOTSI, E. & PANTIDOU, M.
Species of Puccinia on Cichorioideae from Kriti, 391
Key to the woody genera of dicotyledons of the Brazilian cerrado, 45
Knautia integrifolia (L.) Bertol.
var. *bidens* (Sm.) Borbás, 354

Lepidella vittadinii (Moretti) Gilb., 518
Lepiota vittadinii (Moretti) Quélet, 518
Leptosphaeria fluviatilis (Phillips & Plowright) Sacc., 551
lemaneae (Cohn ex Woronin) Sacc., 551
Léveillé, Hector. Catalogue of the names published by XIX, 175
Liatris borealis Nuttall ex J. McNab, 345
cylindracea Michaux, 345
striata J. McNab, 345
Lobelia cardinalis
var. *alba* J. McNab, 346
LONG, D. G.
Notes relating to the Flora of Bhutan: XI. Euphorbiaceae, 163
—— & GRIERSON, A. J. C.
Notes relating to the Flora of Bhutan: XII. Leguminosae and Rosaceae, 257
Lupinus (Leguminosae) in Brazil, A taxonomic revision of the unifoliolate species of, 71
Lupinus aliattenuatus C. P. Smith, 103
amabayensis C. P. Smith, 102
arenarius Gardner, 96
attenuatus Gardner, 89
var. *guaranticus* Hassler, 91
chrysomelas Casaretto, 96
coriaceus Bentham, 89
crotalarioides [Martius ex] Bentham, 95
decurrens Gardner, 84
glaziouanus C. P. Smith, 98
guaranticus (Hassler) C. P. Smith, 91
insignis Glaziou, 101
insignis [Glaziou ex] C. P. Smith, 101
laevigatus Bentham, 87
luetzelburgianus C. P. Smith, 96
missionum (Hassler) C. P. Smith, 102
nitidissimus Bunbury, 98
ovalifolius Bentham, 81
paraguariensis Chodat & Hassler, 102
var. *missionum* Hassler, 102
parvifolius Gardner, 81
prouvensalanus C. P. Smith, 84
schwackeanus C. P. Smith
sellowianus Harms, 93
spectabilis (Hassler) C. P. Smith, 102
subsessilis Bentham, 100
var. *lanata* Bentham, 84
succisaefolius [Martius ex] C. P. Smith, 91
vaginans Bentham, 96
velutinus Bentham, 98
var. *spectabilis* Hassler, 102

MAAS, H. & MAAS, P. J. M.
Notes on New World Zingiberaceae: III. Some new species in Renealmia, 237
MAAS, P. J. M. & MAAS, H.
Notes on New World Zingiberaceae: III. Some new species in Renealmia, 237
Malabaila secacul Banks & Sol., 351
MARKOVÁ, J. & URBAN, Z.
Puccinia poarum in Czechoslovakia and Europe, 359
MCKEAN, D. R.
Catalogue of the names published by Hector Léveillé: XIX, 175
Metus, a new austral lichen genus and notes on an australasian species of Pycnothelia, 561
Metus D. J. Galloway & P. James, 562
conglomeratus (F. Wilson) D. Galloway & P. James, 566
efflorescens D. Galloway & P. James, 569
pileatus (Mont.) D. Galloway & P. James, 571
Michauxia tchihatchewii Fischer & C. A. Meyer, 353
MILL, R. R.
A new Solenanthus (Boraginaceae) from China, 271
Monochoria vaginalis (Burm. f.) C. B. Presl., 175
MONTEIRO, R. & GIBBS, P.E.
A taxonomic revision of the unifoliolate species of Lupinus (Leguminosae) in Brazil, 71
Muhria, a remarkable new lichen genus from Scandinavia, 581
Muhria urceolata P. M. Jørg., 583, 597
Mycena atromarginata (Lasch) Kummer, 490
purpureofusca (Peck) Saccardo, 490

Narcissus smoulder. A review of the disease and its association with bulb scale mite infestation, 541

NELSON, E. C. & DORE, W. G.
James McNab's Collections from Eastern North America. Notes on nomenclature and type specimens in the National Botanic Gardens, Glasnevin, Ireland, 343
Neofinetia falcata (Thunb.) Hu, 255
New or interesting records of British Hymenomycetes VII, 503
New Solenanthus (Boraginaceae) from China, 271
NOBLE, MARY
Beatrix Potter, naturalist & mycologist and Charles McIntosh, the 'Perthshire Naturalist', 607
Note on the occurrence of internal sori in rust fungi, 427
Notes on New World Zingiberaceae: III. Some New Species in Renealmia, 237
Notes on some agarics from Scotland, 485
Notes on the Vegetation of the Parque Nacional do Araguaia (Brazil), 311
Notes relating to the Flora of Bhutan: XI. Euphorbiaceae, 163; XII. Leguminosae and Rosaceae, 257

Observations on three algicolous microfungi, 549
OCAKVERDI, H. & TAN, KIT
Taxa new to Turkey, 157
Occurrence of annulate Armillaria species in northern Britain, 459
Oligolobus triflorus Gagnep., 175, 176
Omphalodes luciliae Boiss.
subsp. *cilicia* (Brand) Bornm., 352
Onopordum bracteatum Boiss. & Heldr.
var. *arachnoideum* S. Erik & H. Sümbül, 155
Opegrapha from western Scotland. Two new lichenicolous species of, 601
Opegrapha brevis Coppins, 601
thelotrematis Coppins, 603
Orchis chusua D. Don, 176
mairei Lévl., 176
ORTON, P. D.
Notes on some agarics from Scotland, 485
Ottelia acuminata (Gagnep.) Dandy
var. *acuminata* Dandy, 175
alismoides (L.) Persoon, 175
bodinieri (Lévl. & Van.) Dandy, 175
esquirolii (Lévl. & Van.) Dandy, 175
sinensis (Lévl. & Van.) Lévl. ex Dandy, 176
ÖZHATAY, N.
Two new Allium species from Turkey, 147

PANTIDOU, M. & KAPSANAKI-GOTSI, E.
Species of Puccinia on Cichorioideae from Kriti, 391
Papaver section Argemonidium, A revision of, 25
Papaver
sect. *Argemonidium* Spach, 26
sect. *Argemonorhoeades* Fedde, 26
apulum Ten., 33
argemone L., 35
subsp. *argemone*, 36
subsp. *davisii* Kadereit, 38
subsp. *meiklii* Kadereit, 38
subsp. *minus* (Boiv.) Kaderait, 39
subsp. *nigrotinctum* (Fedde) Kadereit, 37
argemonoides Cesati, 33
belangeri Boiss., 39
cornigerum Stocks, 27
desertorum Grossh., 39
hispidum Lam., 30
hybridum L., 30
micranthum Bor., 33
nigrotinctum Fedde, 37
ocellatum Woron, 30
pavoninum Fischer & C. A. Meyer, 27
subsp. *ocellatum* (Woron) Kadereit, 30
subsp. *pavoninum*, 27
siculum Guss., 30
Papilionanthe, 250
flavescens (Schltr.) Garay, 253
Paracaryum lithospermifolium (Lam.) Grande
subsp. *cariense* (Boiss.) R. Mill, 353
Patrinia longifolia J. McNab, 344
PEGLER, D. N. & YOUNG, T. W. K.
A reassessment of the British species of Hymenogaster (Basidiomycota: Cortinariales), 437
Phaeospora lemaneae (Cohn ex Woronin) D. Hawksw., 551
PHILIPSON, M. N. & PHILIPSON, W. R.
A revision of Rhododendron III. Subgenera Azaleastrum, Mumeazalea, Candidastrum and Therorhodion, 1
PHILIPSON, W. R. & PHILIPSON, M. N.
A revision of Rhododendron III. Subgenera Azaleastrum, Mumeazalea, Candidastrum and Therorhodion, 1
Pholiota pinicola Jacobson, 492
Phragmidium, Puccinia and Uromyces in Hokkaido, Japan. Geographical distribution of microcyclic species of the three rust genera, 415
Phragmidium alpinum Hirats. f., 417
kamtschatkae (F. W. Anderson) Arthur & Cummins, 417
miyabeanum S. Ito & Hirats. f., 417
rosae-pimpinellifoliae, 430
Pilophoron cariosum Hue, 567
conglomeratum F. Wilson, 566
pileatum (Mont.) Zahlbr., 571
Pinus section Cembroides I. A study of, 275
Pinus californiarum D. K. Bailey, 278
subsp. *fallax* (Little) D. K. Bailey, 279

edulis
var. *fallax* Little, 279
var. *monophylla* Torrey, 279
monophylla Torr. & Frém., 278
var. *tenuis* Tidestrom, 279
Polianthes tuberosa L., 177
Ponerorchis chusua (D. Don) Soó, 176
Pseudofarinaceus friabilis (Karsten) O. Kuntze, 504
Ptilotrichum cyclocarpum Boiss., 353
Puccinia on Cichorioideae from Kriti, Species of, 391
Puccinia poarum in Czechoslovakia and Europe, 359
Puccinia, Uromyces and Phragmidium in Hokkaido, Japan. Geographical distribution of microcyclic species of the three rust genera, 415
Puccinia adenophorae Dietel, 415
adoxae Hedwig f., 415
alpina Fuckel, 415
anemones-raddeanae S. Ito, 415
arenariae (Schum.) Winter, 415
aristidae Tracy
var. *chaetariae* Cumm. & Husain, 411
artemisiae-keiskeanae Miura, 415
asarina Kunze, 415
austroberingiana (Savile) Savile, 415
baldensis Gäum., 370
campanulae Berk., 415
canariensis P. & H. Syd, 393
caricina, 430
chondrillina Bub. & Syd., 395
chrysosplenii Grev., 415
cichorii Bell ex Kickx., 398
circaeae Pers., 415
cnici-oleracei Pers., 415
conglomerata (Strauss) Röhling, 415
coronata, 380
crepidicola Syd., 396
epilobii DC., 415
eritraeensis Paz., 411
exhausta Dietel, 415
fergussoni Berk. & Broome, 415
fusispora P. & H. Sydow, 415
glechomatis DC., 415
glomerata Grev., 415
graminis, 430
hakkodensis Hirats. f., 415
haleniae Arthur & Holway, 417
heterospora, 412
heucherae (Schw.) Dietel
var. *japonica* Savile, 417
var. *minor* Savile, 417
hieracii Mart., 398
var. *hypochoeridis* (Oud.) Jørstad, 401
hordei, 380
horiana Henn., 417
hyoseridis-radiatae Maire, 400
hyoseridis-scabrae Maire, 400
hypochoeridis Oud., 401
kummeri Gäum., 368
lactucarum Syd., 402
lantanae Farlow, 417
lycii Kalchbr., 412
majanthemi Dietel, 417
melanoplaca P. & H. Sydow, 417
melitellae Pantidou & Henderson, 404
ornata Arthur & Holway, 417
parkerae Dietel & Holway, 417
patriniae Henn., 417
petasiti-melicae Gäum., 368
petasiti-poarum Gäum. & Eichh., 370
petasiti-pulchellae Ludi, 368
poarum Nielsen
var. *poarum*, 364
polemonii Dietel & Holway, 417
porphyrogenita Curtis, 417
recondita, 380
rhagadioli (Pass.) P. & H. Syd., 405
rhagadioli Thuem., 405
ribis DC., 417
saxifragae-micranthae Barclay, 417
schizonepetae Tranzschel, 417
scolymi P. & H. Syd, 405
singularis Magnus, 417
striiformis, 380
taminensis Gäum., 368
tiarellaecola Hirats. f., 417
togashiana Hirats. f., 417
tokubuchii S. Ito, 417
trachyderma Syd., 407
triticina, 384
trollii Karsten, 417
umbilici Guepin, 417
ustalis Berk., 417
veronicae Schröter, 417
veronicarum DC., 417
vesiculosa Schlechtendal, 417
virgae-aureae (DC.) Lib., 417
waldsteiniae Curtis, 417
Pycnothelia. Metus, a new austral lichen genus and notes on an australasian species of, 561
Pycnothelia caliginosa
D. Galloway & P. James, 573
Pyrus foliolosa Wall., 267
ursina Wall. ex G. Don, 266, 267
vestita Wall. ex G. Don, 263
wallichii Hook, f., 267

RATTER, J. A.
A key to the woody genera of dicotyledons of the Brazilian cerrado, 45
Notes on the Vegetation of the Parque Nacional do Araguaia (Brazil), 311
Reassessment of the British species of Hymenogaster (Basidiomycota: Cortinariales), 437

REID, DEREK A.
New or interesting records of British Hymenomycetes VII, 503
Renealmia, some new species in. Notes on New World Zingiberaceae, 237
Renealmia cylindrica Maas & Maas, 242
foliifera Standley, 238
pirrensis Maas & Maas, 237
purpurea Maas & Maas, 247
variegata Maas & Maas, 241
Review of Bornean Zingiberaceae: III (Hedychieae), 203
Revision of the Brazilian species of Cordia subgenus Varronia (Boraginaceae), 105
Revision of Papaver section Argemonidium, 25
Revision of Rhododendron III. Subgenera Azaleastrum, Mumeazalea, Candidastrum and Therorhodion, 1
Rhizopogon albus Bull.: Fr., 448
Rhizopogon albus Berk., 451
Rhododendron, A revision of, III. Subgenera Azaleastrum, Mumeazalea, Candidastrum and Therorhodion, 1
Rhododendron
subgen. *Azaleastrum* Planchon, 2
subgen. *Candidastrum* (Sleumer) Philipson & Philipson, 17
subgen. *Choniastrum* (Franchet) Drude, 8
subgen. *Mumeazalea* (Sleumer) Philipson & Philipson, 16
subgen. *Therorhodion* (Maxim.) Gray, 18
sect. *Azaleastrum* (Planchon) Maxim., 2, 16
sect. *Candidastrum* Sleumer, 17
sect. *Choniastrum* Franchet, 8
sect. *Euazaleastrum* Sleumer, 2
sect. *Mumeazalea* Sleumer, 16
sect. *Therorhodion* Maxim., 18
ser. *Albiflorum* sensu Rehder, 17
ser. *Camtschaticum* sensu Tagg, 18
ser. *Ovatum* sensu Rehder, 2
ser. *Semibarbatum* sensu Rehder, 16
ser. *Stamineum* sensu Hutchinson, 8
albiflorum W. J. Hooker, 17
amamiense Ohwi, 11
aucubaefolium Hemsley, 14
australe Balf. f. & Forrest, 5
bachii Léveillé, 4
camtschaticum Pallas, 19
subsp. *camtschaticum* 19
subsp. *glandulosum* (Small) Hultén, 20
subsp. *typicum* Hultén, 19
cavaleriei Léveillé, 12
var. *chaffanjonii* Léveillé, 14
championae Hooker f., 9
ciliato-pedunculatum Hayata, 12
detampullum [Chun ex] Tam, 15
dunnii Wilson, 12
ellipticum Maxim., 13
esquirolii Léveillé, 10
feddei Léveillé, 9
glandulosum (Small) Hutchinson, 20
hancockii Hemsley, 10
hangzhouense Fang & M. Y. He, 7
henryi Hance, 12
hongkongense Hutchinson, 5
huguangense Tam, 15
kaliense Fang & M. Y. He, 15
klossii Ridley, 13
lamprophyllum Hayata, 4
laoticum Dop, 14
latoucheae Franchet, 11
leiopodum Hayata, 13
leptosanthum Hayata, 13
leptothrium Balfour f. & Forrest, 5
leucobotrys Ridley, 13
linearicupulare Tam, 15
mackensianum Forrest, 13
medoense Fang & M. Y. He, 7
var. *adenostylum* Fang & M. Y. He, 6
mitriforme Tam, 7
var. *setaceum* Tam, 7
moulmainense Hooker f., 13
nematocalyx Balf. f. & W. W. Sm., 13
ngawchangense Philipson & Philipson, 6
ovatum (Lindley) Maxim., 4
var. *prismaticum* Tam, 4
oxyphyllum Franchet, 13
pectinatum Hutchinson, 14
pittosporaefolium Hemsley, 14
redowskianum Maxim., 20
sanidodeum Tam, 7
semibarbatum Maxim., 17
shiwandashanense Tam, 16
siamensis Diels, 13
stamineum Franchet, 14
stenaulum Balf. f. & Forrest, 13
subestipitatum Tam, 16
tainse Hutchinson, 13
tanakai Hayata, 13
tianlinense Tam, 7
tutcherae Hemsley & Wilson, 10
vaniotii Léveillé, 10
vialii Delavay & Franchet, 6
warrenii (A. Nelson) Macbride, 18
westlandii Hemsley, 13
wilsonae Hemsley & Wilson, 11
xinganense G. Z. Li, 8
Rhodothamnus camtschaticus (Pallas) Lindley, 19
Rhyncostylis, 250
Rosaceae and their rust fungi: some aspects of their coevolution, 421
Roxburghia japonica Bl., 178
Rubus cooperi Long, 259
sikkimensis Hook. f.
var. *canescens* Hara ex Long, 262
Rust fungi from Socotra and Abd-al-Kuri, 411

Rust fungi. A note on the occurrence of internal sori in, 427
Rusts. The terminology of: suggestions for a compromise, 433

Saccolabium himalaicum Deb, Sengupta & Malick, 256
quasipinifolium Hayata, 253
yunpeense Tang & Wang, 253
Sagittaria pygmaea Miq., 175
Scaphochlamys Bak., 207
argentea R. M. Smith, 209
petiolata (K. Schum.) R. M. Smith, 210, 214
polyphylla (K. Schum.) Burtt & Smith, 208, 214, 232
reticosa (Ridley) R. M. Smith, 209, 232
aff. *breviscapa* Holtt., 210
SCHÖNBECK-TEMESY, F. & EHRENDORFER, F.
Studies in the Flora of Arabia XVIII: Crucianella in Saudi Arabia, 141
Scorzonera cana (C. A. Meyer) Hoffm.
var. *alpina* (Boiss.) Chamberlain, 352
Scrophularia kotschyana Bentham, 355
rimarum Bornm., 355
Secale montanum Guss., 355
Seidenfadenia, 250
Seseli grandivittatum (Samm. & Lev.) Schischkin, 161
varium Trev.
var. *grandivittatum* Samm. & Lev., 161
SHIEL, ROBERT S. & GRAY, ELIZABETH G.
Narcissus smoulder. A review of the disease and its association with bulb scale mite infestation, 541
Silene bupleuroides L., 354
flavescens Waldst. & Kit., 354
rhyncocarpa Boiss., 354
supina Bieb.
subsp. *pruinosa* (Boiss.) Chowdh., 354
SMITH, R. M.
A review of Bornean Zingiberaceae: III (Hedychieae), 203
Two New Gingers from Sabah, 233
Solenanthus (Boraginaceae) from China, A new, 271
Solenanthus hupehensis R. Mill, 271
Sorbus arachnoidea Koehne, 267, 268
cuspidata (Spach) Hedlund, 203
foliolosa (Wall.) Spach, 265, 267, 268
himalaica Gabrielian, 268, 269
ursina (Wall. ex G. Don) Schauer, 267
var. *wenzigiana* Schneider, 267
vestita (Wall. ex G. Don) Loddiges, 263
wallichii (Hook, f.) Yu, 264, 267, 269
wenzigiana (Schneider) Koehne, 266, 267
Species of Puccinia on Cichorioideae from Kriti, 391
Sphaeria fluviatilis Phillips & Plowright, 551
lemaneae Cohn ex Woronin, 551
Spiraea hemicryptophyta Grierson, 262
Splanchnomyces albus (Klotzsch) Zobel, 452
berkeleyanus Corda, 443
broomeanus Corda, 444
citrinus (Vittad.) Corda, 443
citrus (Tul.) Corda, 443
cordaeanus Zobel, 444
luteus (Vittad.) Corda, 443
olivaceus (Vittad.) Corda, 444
tener (Berk. & Br.) Corda, 446
tulasneanus Zobel, 448
Stemona japonica (Bl.) Miq., 178
Stereocaulon dactylophyllum
f. *sessile* Lamb, 597
leucophaeopsis (Nyl.) James & Purvis, 597
tornensis (H. Magn.) James & Purvis, 597
vesuvianum
f. sessile (H. Magn.) Lamb, 597
Stipa holosericea Trin., 355
Stratiotes alismoides L., 175
STRID, A.
Chromosome numbers of Turkish mountain plants. An annotated list of 34 taxa, 351
Studies in the Flora of Arabia XVIII: Crucianella in Saudi Arabia, 141
Study of Pinus section Cembroides I: The single-needle Pinyons of the Californias and the Great Basin, 275
SÜMBÜL, H. & ERIK, S.
Three new taxa from Turkey, 151

Tacca chantrieri André, 178
esquirolii (Lévl.) Rehder, 178
TAN, KIT & OCAKVERDI, H.
Taxa new to Turkey, 157
Tanacetum praeteritum (Horwood) Heywood
subsp. *massicyticum* Heywood, 352
TARODA, NEUSA & GIBBS, P. E.
A revision of the Brazilian species of Cordia subgenus Varronia (Boraginaceae), 105
Taxa new to Turkey, 157
Taxonomic revision of the unifoliolate species of Lupinus (Leguminosae) in Brazil, 71
Taxonomic studies of the leaf rusts of temperate cereals, 377
Telephium imperati L.
subsp. *orientale* (Boiss.) Nyman, 354
Terminology of rusts: suggestions for a compromise, 433
Therorhodion (Maxim.) Small, 18
camtschaticum (Pallas) Small, 19
glandulosum Small, 20
redowskianum (Maxim.) Hutchinson, 20
Three new taxa from Turkey, 151
Tithymalus himalayensis Klotzsch, 167

Tricholoma fucatum Fr.
var. *lutescens* Moser, 500
sejunctoides P. D. Orton, 495
sejunctum (Sow.: Fr.) Quél., 495
subsejunctum Peck, 501
vinaceogriseum P. D. Orton, 497
viridilutescens Moser, 500
Tripleurospermum decipiens (Fischer & C. A. Meyer) Bornm., 352
Tupistra bambusifolia Lévl. & Van., 176
var. *rubro-maculosa* Lévl. & Van., 176
esquirolii Lévl. & Van., 177
Two new Allium species from Turkey, 147
Two new Gingers from Sabah, 233
Two new lichenicolous species of Opegrapha from western Scotland, 601

URBAN, Z. & MARKOVÁ, J.
Puccinia poarum in Czechoslovakia and Europe, 359
Uredo socotrae H. & P. Sydow, 412
Uromyces, Phragmidium and Puccinia in Hokkaido, Japan. Geographical distribution of microcyclic species of the three rust genera, 415
Uromyces bidenticola Arthur, 412
cacaliae (DC.) Unger, 417
flectens Lagerh., 417
gageae G. Beck, 417
miurae P. & H. Sydow, 417
peracarpae S. Ito & Tochinai, 417
rudbeckiae Arthur & Holway, 417
sommerfeltii Hylander, Jørstad & Nannfeldt, 417

Vaginata friabilis (Karsten) O. Kuntze, 504
Valeriana edulis Torrey & Gray, 344
Vanda p.p., 250
kimballiana Reichb. f., 255
rupestris Hand.-Mazz., 255
saprophytica Gagnep., 255
spathulata, 250
subulifolia Reichb. f., 255
watsoni Rolfe, 255
Varronia Browne, 106
caput-medusae (Taub.) Fresen., 124
corymbosa Desv., 136
curassavica Jacq., 112
globosa Jacq., 124
grandiflora Desv., 117
guazumaefolia Desv., 129
macrocephala Nees & Mart., 138
macrostachya Jacq., 112
monosperma Jacq., 136
polycephala Lam., 132
Velutipila D. Hawksw., 555
poeltii D. Hawksw., 556
Veratrum mairei Lévl., 177
Verbascum pestalozzae Boiss., 356
Veronica antalyensis
M. A. Fischer, S. Erik & H. Sümbül, 153

WATLING, ROY
The occurrence of annulate Armillaria species in northern Britain, 459

Xystrolobos yunnanensis Gagnep.
var. *calospatha* Lévl., 175

YOUNG, T. W. K. & PEGLER, D.N.
A reassessment of the British species of Hymenogaster (Basidiomycota: Cortinariales), 437

Zingiber
sect. *Cryptanthium*
aff. *pleiostachyum* K. Schum., 176
Zingiberaceae: III. Notes on New World, 237