


542 OK
34 1
W44Z
Bot

6/1/93 - All of v. 18 missing

WATSONIA

THE JOURNAL OF
THE BOTANICAL SOCIETY
OF THE BRITISH ISLES

VOLUME 18



EDITED BY

J. R. AKEROYD, J. R. EDMONDSON, R. J. GORNALL

C. D. PRESTON AND B. S. RUSHTON

1990-91

PRINTED FOR THE SOCIETY BY
Eaton Press Limited, Wallasey, Merseyside

PUBLISHED AND SOLD BY THE BOTANICAL SOCIETY OF THE BRITISH ISLES,
C/O DEPARTMENT OF BOTANY, BRITISH MUSEUM (NATURAL HISTORY), LONDON SW7 5BD

DATES OF PUBLICATION

Part 1, pp. 1–118, 26nd February 1990
Part 2, pp. 119–246, 21st August 1990
Part 3, pp. 247–332, 27th February 1991
Part 4, pp. 333–452, 20th August 1991

Errata

p. 23, line 19 up.	For: <i>ALBONIS</i>	read: <i>ALBIONIS</i>
p. 71, line 26.	For: <i>bella-donna</i>	read: <i>belladonna</i>
p. 71, line 15 up.	For: <i>viridus</i>	read: <i>viridis</i>
p. 75, line 14 up.	For: <i>viridus</i>	read: <i>viridis</i>
p. 76, line 23 up.	For: <i>viridus</i>	read: <i>viridis</i>
p. 79, line 6.	For: <i>Hippurus</i>	read: <i>Hippuris</i>
p. 79, line 3 up.	For: <i>officinalis</i>	read: <i>sagittifolia</i>
p. 97, line 20.	For: <i>americanum</i>	read: <i>americanus</i>
p. 181, line 12.	For: <i>Sinapsis</i>	read: <i>Sinapis</i>
p. 271, line 3.	For: <i>greyii</i>	read: <i>grayi</i>

INDEX

WATSONIA VOLUME 18 (1990-91)

Prepared by C. R. Boon

- Abbott, P. P. – Rev. of *Flora of the East Riding of Yorkshire* 323–324
- Abies* 325
- Acacia* 328
- Acer campestre* 364, 388; *pseudoplatanus* L.) from infructescences, Detection of protandry and protogyny in Sycamore (, 17–20, (illus.) 19, 388
- Aceras anthropophorum* 45
- Achillea millefolium* 258, 261; *ptarmica* 66
- Acinos arvensis* 76, 79
- Aconitum napellus* 326, subsp. *lusitanicum* 326, subsp. *napellus* 326; *napellus* × *variegatum* (v.c. 49) 420
- Aconogonon* 357
- Acorus calamus* (v.c. 8) 227
- Actaea* 76; *spicata* 74, 79
- Adenostyles* 274
- Adiantum capillus-veneris* 231
- Adonis* 252
- Aeschimann, D. & Burdet, H. M. – *Flore de la Suisse et des territoires limitrophes* (Bk Rev.) 229
- Aesculus hippocastanum* 181
- Aethusa cynapium* 329
- Aglaophyton* 100
- Agropyron* 249; *caninum* 186
- Agrostemma githago* 205, 329
- Agrostis curtisii* 349; *gigantea* (v.c. 81) 436; *scabra* (v.c. 46) 436; *vinealis* (v.c. 43) 228
- Aiolon* 252
- Aira caryophyllea* subsp. *multiculmis* 187, (v.c. 67, 68) 228, (v.c. 77) 436
- Akeroyd, J. R. – *Anthyllis vulneraria* L. subsp. *polyphylla* (DC.) Nyman, an alien kidney-vetch in Britain 401–403
- Akeroyd, J. R. – Obit. of Richard Pearse Libbey (1911–1987) 451–452
- Al-Bermani, A.-K. K. A. & Stace, C. A. – A new subspecies of *Fesiuca rubra* L. 315–316
- Alchemilla alpina* 182; *filicaulis* subsp. *vestita* (v.c. 46) 218; *glomerulans* (v.c. 68) 425; *mollis* (v.c. 35, 49, 69, 73) 425; *vestita* 87; *wichurae* (v.c. 72) 425
- Aleksandrova, V. D., with D. Löve (trans.) – *Vegetation of the Soviet polar deserts* (Bk. Rev.) 229–230
- Alexander, J. C. M., with S. M. Walters *et al.* – *The European garden flora. A manual for the identification of plants cultivated in Europe, both out-of-doors and under glass*. Vol. III, Dicotyledons (Part I) (Bk Rev.) 235–236
- Alisma* 97
- Allen, D. E. – Micromorphy in New Forest Rubi 81
- Allen, D. E. – The *Rubus* flora of the Isle of Wight 21–31
- Allen, D. E. – Obit. of John Frederick Gustav Chapple (1911–1990) 447–448
- Alliaria petiolata* 84
- Allium* 381, 383, 384; *carinatum* L., *A. roseum* L. and *Nectaroscordum siculum* (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol, *Allium sphaerocephalon* L. and introduced, 381–385, (v.c. 77) 226, (v.c. 49) 433; *nigrum* (v.c. 5) 226; *oleraceum* 79, 381, (v.c. 26) 433; *paradoxum* (v.c. 69) 433; *roseum* L. and *Nectaroscordum siculum* (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol, *Allium sphaerocephalon* L. and introduced *A. carinatum* L., 381–385; *schoenoprasum* (v.c. 77, 80) 226, (v.c. 39) 433; *scorodoprasum* 79; *siculum* 381–383; *sphaerocephalon* L. and introduced *A. carinatum* L., *A. roseum* L. and *Nectaroscordum siculum* (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol 381–385; *triquetrum* (v.c. 25) 433; *ursinum* 117, 185; *vineale* 381, 384
- Alnus incana* 179, 184, (v.c. 35) 428
- Aloe* 328
- Alopecurus aequalis* (v.c. 5) 436; *aequalis* × *geniculatus* (v.c. 24) 436; *alpinus* (v.c. 72) 436; *bulbosus* Gouan in Dorset 206–207; *bulbosus* × *geniculatus* 206, (v.c. 5, 54) 436; *geniculatus* × *pratensis* (v.c. 14, 29) 228; × *pletkei* 206; *pratensis* 187
- Althaea officinalis* (v.c. 69) 422
- Amaranthus blitoides* (v.c. 25) 422; *retroflexus* (v.c. 4) 216
- Ammania boraei* 254; *borysthénica* 254
- × *Ammocalamagrostis baltica* 369
- Ammophila arenaria* 370, 374–378, 415, var. *arundinacea* 369; *arenaria* × *Calamagrostis*

- epigejos* 369
Amphibromus neesii 413
Amsinckia calycina 329; *micrantha* 329
Anacamptis pyramidalis 79
Anagallis arvensis 184; *minima* (v.c. **H36**) 221; *tenella* 184
Anchusa barrelieri 329
Anemonanthea 252
Anemone 252; *blanda* (v.c. **69**) 420; *nemorosa* 66, 117
Angelica 245
 Anon – Biological collections UK. A report on the findings of the Museums Association Working Party on natural science collections based on a study of biological collections in the United Kingdom (Bk Rev.) 108–109
Antennaria dioica 75, 80, (v.c. **72**) 430
 × *Anthemimatricaria maleolens* 212
Anthemis arvensis (v.c. **33**) 224
Anthoxanthum odoratum 87
Anthriscus caucalis (v.c. **47**) 427; *sylvestris* 84, 183, 415
Anthyllis vulneraria 39, 401, 402, subsp. *carpatica* 401, 402, subsp. *carpatica* var. *pseudovulneraria* 401, 402, subsp. *corbieri* 401, subsp. *lapponica* 401, 402, subsp. *polyphylla* (DC.) Nyman, an alien kidney-vetch in Britain 401–403, (v.c. **29**) 217, subsp. *vulneraria* 401, 402
Apera spica-venti (v.c. **7, 8**) 228
Aphanes 249
Apium repens 102
Aquilegia 76; *vulgaris* 79
Arabidopsis thaliana 181
Arabis glabra 205
Arcteranthis 252
Arctium minus 415, subsp. *nemorosum* 185; *pubens* (v.c. **67, 68**) 431
Arctostaphylos uva-ursi 184, (v.c. **73**) 428
Arenaria balearica (v.c. **73**) 216; *leptoclados* 181; *serpyllifolia* subsp. *macrocarpa* (v.c. **46**) 422
Arisaema triphylla 340
Armeria maritima 116
Armoracia 248; *rusticana* (v.c. **73**) 421
 Arnett, R. (ed), with E. Crackles – *Flora of the East Riding of Yorkshire* (Bk Rev.) 323–324
Arrhenatherum elatius 364, subsp. *bulbosum* (v.c. **67, 68**) 228
Artemisia 261; *vulgaris* 325, 360
Arum 111, 333, 337, 341; *hygrophilum* 337; *italicum* 111; *maculatum* L. – a historical review and new observations. The pollination of, 333–342, 186, 388, (illus.) 334; *nigrum* 111, 335; *pictum* 111
Aruncus dioicus (v.c. **69**) 423
Asarina 107
Asclepias syriaca 337
Asparagus officinalis subsp. *prostratus* 97, (v.c. **2**) 226
Aspidophyllum 252
Asplenium 442; *adiantum-nigrum* 180; *billotii* 319; *marinum* 104; *ruta-muraria* 180; *scolopendrium* 388; *trichomanes* 13, 231, subsp. *quadrivalens* 180, (v.c. **109**) 419
 × *Asplenophyllitis microdon* (T. Moore) Alston in Edinburgh, Herbarium sheets of the rare fern, 319
Aster laevis × *novi-belgii* (v.c. **39**) 224
Astragalus danicus 80
Astrantia major (v.c. **26**) 427
Atriplex glabriuscula 181, 206, 320; *glabriuscula* × *longipes* 320; × *gustafssoniana* 320; *halimius* (v.c. **5**) 216; *longipes* 320, (v.c. **35**) 216, (v.c. **68**) 422; *longipes* × *prostrata* 320, (v.c. **67, 68**) 422; *praecox* (v.c. **108**) 216, (v.c. **68**) 422; × *taschereaui* Stace, *hyb. nov.* 320
Atropa belladonna 71, 79, 415
Avenula pubescens 66, 87
Azolla 231; *filiculoides* (v.c. **26, H36**) 215
 Bailey, J. P., with J. E. Wentworth & R. J. Gornall – Contributions to a cytological catalogue of the British and Irish flora 415–417
 Baker, A. J. M. – Plants of metalliferous mine workings in the British Isles (Talk) 116–117
Baldellia ranunculoides 97, (v.c. **21**) 225
 Banks, R. E. R. – Rev. of *John Lightfoot: his work and travels, with a biographical introduction and a catalogue of the Lightfoot herbarium* 437–438
Barbarea stricta (v.c. **25**) 216; *vulgaris* 180, 181; *intermedia* (v.c. **94**) 421
Barbula unguiculata 364
Barneoudia 252
Bartsia alpina 87
Batrachium bachi 144, 412
 Beckett, A., with L. C. Frost, L. Houston, L. & C. M. Lovatt – *Allium sphaerocephalon* L. and introduced *A. carinatum* L., *A. roseum* L. and *Nectaroscordum siculum* (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol 381–385
 Beckett, G. – Obit. of Eric Lister Swann (1904–1989) 112–113
Beckwithia 252
 Bell, P. R. – Rev. of *Guide des fougères et plantes alliées* 442
Bellis perennis 325
 Benham, P. E. M., with A. J. Gray (eds) – *Spartina anglica* – a research review (Bk Rev.) 324–325
Berberis 235, 236, 258, 294; *aggregata* (v.c. **12**) 215; *darwinii* 329
 Berg, R., with L. Ryvarde (ed.) & K. Faegri – *Norges ville blomster – fra bier og blomster til frø og frukt* [Norway's wild flowers – from bees and flowers to seeds and fruits] (Bk Rev.) 234
Berula 249; *erecta* 73, 75, 79

- Beta vulgaris* subsp. *maritima* 181
Betula 231, 298; *pendula* 329; *pubescens* 13, 329
 Bevan, D. & Rich, T. C. G. – Bevan's bittercress: the small, white-flowered variant of *Cardamine* × *fringsii* Wirtgen also present in Britain 403–405
 Bevan, J. – *Hieracium britannicum* F. J. Hanb. in Wales 199–200
Biarum davisii 440
Bidens cernua 71, 73, 80
 Binggeli, P. – Detection of protandry and protogyny in Sycamore (*Acer pseudoplatanus* L.) from infructescences 17–20
 Birks, H. J. B. – Rev. of *Norges ville blomster – fra bier og blomster til frø og frukt* [Norway's wild flowers – from bees and flowers to seeds and fruits] 234
 Blackmore, S., with W. Punt & G. C. S. Clarke (eds) – *The northwest European pollen flora*. Vol. 5 (Bk Rev.) 105
Blackstonia perfoliata 39, 66, 415, (v.c. 67) 221
 Blamey, M. & Grey-Wilson, C. – *The illustrated flora of Britain and northern Europe* (Bk Rev.) 97
Blepharis 328; *ciliaris* 328; *dhofarensis* 328; *linariaefolia* 328
Blysmus compressus (v.c. 42) 434; *rufus* 186, (v.c. 44) 227
 Book Reviews 97–109, 229–237, 323–329, 437–445
 Booth, Evelyn Mary (1897–1988) (Obit.) 238–239
Borago officinalis 184
Boswellia sacra 328
Botrychium lunaria 117, 180
 Bowden, J. K. – *John Lightfoot: his work and travels, with a biographical introduction and a catalogue of the Lightfoot herbarium* (Bk Rev.) 437–438
Brachyglottis c.v. *Sunshine* (v.c. 77) 430
Brachypodium sylvaticum 388
Brachythecium rutabulum 388
 Braithwaite, M. E. & Long, D. C. – *The botanist in Berwickshire* (Bk Rev.) 438–439
Brassica juncea (v.c. 38) 215; *napus* 181; *oleracea* 272; *rapa* 181, (v.c. 94) 215; *tournefortii* (v.c. 38) 215
 Brewis, A. – Yellow Ivy Broomrape 81–82
 Bridson, D., with L. Forman (eds) – *The herbarium handbook* (Bk Rev.) 324
 Briggs, M. – Annual General Meeting (1989) (Rpt) 115–116, (1990) (Rpt) 331–332
 Briggs, M. – Obit. of Oliver Buckle (1903–1989) 111
 Briggs, M. – Rev. of *Flowering plants of Seychelles* 105–106
 Briggs, M. – Rev. of *The illustrated flora of Britain and northern Europe* 97
 Briggs, M. – *Sussex plant atlas: selected supplement* (Bk Rev.) 439
Briza maxima (v.c. 75) 435; *media* 87
Bromus arvensis (v.c. 33) 228; *benekenii* 443; *carinatus* (v.c. 5, 12) 228, (v.c. 28, 51) 436; *diandrus* (v.c. 77, 93) 435; *erectus* 66, 364; *hordeaceus* subsp. *feronii* 272, subsp. *hordeaceus* 186; *inermis* (v.c. 5) 228, (v.c. 67) 435; *ramosus* 186; *stamineus* 413; *sterilis* (v.c. 93) 228; *tectorum* (v.c. 11, 42) 435; *valdivianus* 413
Bryum 364; *pseudotriquetrum* 201
 Buckle, Oliver (1903–1989) (Obit.) 111
Buddleja davidii 329
Bunias orientalis (v.c. 77) 421
Bunium bulbocastanum 443
Bupleurum falcatum (v.c. 35, 64) 427; *rotundifolium* 75, 76, 80
 Burdet, H. M., with D. Aeschmann – *Flore de la Suisse et des territoires limitrophes* (Bk Rev.) 229
 Burges, N. A. – Rev. of *The contented botanist. Letters of W. H. Harvey about Australia and the Pacific* 98–99
 Burkhardt, F. & Smith, S. (eds) – *The correspondence of Charles Darwin*. Vol. 4, 1847–1850 (Bk Rev.) 98
 Burton, R. M. – Rev. of *Biological collections UK. A report on the findings of the Museums Association Working Party on natural science collections based on a study of biological collections in the United Kingdom* 108–109
Butomus umbellatus 80
Buxus sempervirens 182
Caesalpina sappan 326
Calamagrostis epigejos 187, 369, 370, 374–376; *stricta* (v.c. 75) 436
Calamintha ascendens 75, 80
 × *Calammophila baltica* (Flügge) Brand, in the British Isles, The distribution of hybrid Marram Grass, 369–379, (map) 371, (map) 373, var. *subarenaria* 369
Calla palustris (v.c. 39) 227
Callitriche autumnalis 73; *brutia* 415, (v.c. 46) 427; *hamulata* 183; *hermaphroditica* 80, (v.c. 53) 220, (v.c. 38) 426; *intermedia* subsp. *hamulata* 183; *obtusangula* (v.c. 73) 426; *platycarpa* 415; *stagnalis* 183; *truncata* (v.c. 53) 220
Calluna 214, 217, 441; *vulgaris* 89, 407
Caloplaca 113
Caltha 248; *palustris* 34
Calystegia 249; *pulchra* 184; *pulchra* × *sepium* (v.c. 54) 429; *sepium* 184; *sylvatica* 329; *soldanella* 270
Campanula glomerata 39; *lactiflora* (v.c. 79) 223; *latifolia* 74, 185; *patula* (v.c. 39) 223; *trachelium* 415, (v.c. 73) 223
 Camus, J. M. – Rev. of *Ferns: their habitats in the British and Irish landscape. (A natural history*

- of Britain's ferns.) 103–104
Cannabis sativa 260
Capethia 252
Capsella bursa-pastoris 181
Cardamine 201, 403, 404; *amara* L.: its occurrence in montane habitats in Britain 200–201; *flexuosa* 403, 404; *flexuosa* × *pratensis* 404, (v.c. 38) 216; × *fringsii* Wirtgen also present in Britain, Bevan's bittercress: the small, white-flowered variant of, 403–405; × *hausssknechtiana* 404; *hirsuta* 181; *pratensis* 201, 403, 404
Cardaria draba (v.c. 93) 421
Carduus acanthoides 415; *nutans* 271, (v.c. 103) 224
Carex 233, 246, 407; *acuta* 221; *acuta* × *acutiformis* (v.c. 25) 434; *acuta* × *elata* (v.c. 6) 227; *acutiformis* × *riparia* (v.c. 25) 434; *appropinquata* Schumacher (*C. paradoxa* Willd.) in Great Britain and Ireland, The distribution of, 201–204, (v.c. 45) 227; *arenaria* (v.c. 47) 435; *bigelowii* 186, 233, (v.c. 47, 72) 434; *capillaris* 87; *curta* 186; *curta* × *paniculata* (v.c. 45) 227; *demissa* 233; *diandra* 202, 203, 227; *dioica* 407; *dioica* × *echinata* 406; *distans* 233; *disticha* 203; *divisa* 207; *echinata* 407; *elongata* (v.c. 47) 227, (v.c. 12) 435; *extensa* 186; *flacca* 87; × *gaudiniana* Guthnick – a rarity? 406–407; *hostiana* 233; *lepidocarpa* 154, 186, 234; *limosa* (v.c. 50, 81) 227, (v.c. 50) 434; *microglochin* 234; *muricata* 233, subsp. *muricata* 234; *ornithopoda* 87; *otrubae* (v.c. 77) 435; *pallescens* (v.c. 81) 434; *paniculata* 186, 201–203, 323; *paniculata* × *remota* (v.c. 35, 47, 96) 435; *paradoxa* Willd.) in Great Britain and Ireland, The distribution of *Carex appropinquata* Schumacher (, 201–204; *pendula* (v.c. 80) 227; *pilulifera* 233; *pseudoparadoxa* 202; *remota* 186; *rostrata* 201, 434; *rostrata* × *vesicaria* (v.c. 46) 227, (v.c. 47) 434; *serotina* 186; *spicata* 66, 233; *stellulata* 407; *strigosa* (v.c. 69) 434; *sylvatica* 186, 388; *tomentosa* (v.c. 7) 227; *vesicaria* 186; *viridula* subsp. *viridula* 186, (v.c. 39) 227; *vulpinoidea* (v.c. 77) 435
Carum carvi (v.c. 38) 427; *verticillatum* (v.c. 35, 96) 427
Castanospermum australe 440
Catabrosa aquatica (v.c. 76, 80) 228, subsp. *aquatica* (v.c. 75) 435, subsp. *minor* 186, (v.c. 75) 435
Caulis platycarpus 75, 80
Cedrus atlantica var. *glauca* 92; *libani* subsp. *atlantica* f. *glauca* P. D. Sell. **nom. nov.** 92, subsp. *deodara* (P. D. Don) P. D. Sell. **comb. nov.** 92, var. *glauca* 92
Centaurea 229, 253, 258, 267; *cyanus* 325; *montana* 205, (v.c. 99, 109) 431; *nigra* 87, 267, 364, 415; *scabiosa* 248, 362, 364
Centaureum capitatum 272; *littorale* 205; *pulchellum* (v.c. 68) 221
Cephalanthera longifolia 73, 80, 186
Cerastium arvense (v.c. 70) 422
Ceratochloa staminea (E. Desv.) Stace, **comb. nov.** 413
Ceratophyllum demersum (v.c. 83, H36) 215; *submersum* (v.c. 33) 420
Ceterach 442; *officinatum* (v.c. 62) 419
Chaloner, W. G., with E. M. Friis & P. R. Crane (eds) – *The origins of Angiosperms and their biological significance* (Bk Rev.) 99
Chamaemelum nobile 80, 415
Chamerion angustifolium 183
Chapman, G. T. L., & M. N. Tweddle (eds), W. Turner – *A New Herbal* (Bk Rev.) 107–108
Chapple, John Frederick Gustav (1911–1990) (Obit.) 447–448
Chater, A. O. – Rev. of *Colour identification guide to the grasses, sedges, rushes and ferns of the British Isles and north-western Europe* 233–234
Chatters, C. – The status of *Pulicaria vulgaris* Gaertner in Britain in 1990 405–406
Chenopodium 248; *album* 181; *botrys* (v.c. 6) 422; *ficifolium* (v.c. 38) 422; *rubrum* 329, (v.c. 43) 422
Chernov, Y. I., with D. Löve (trans.) – *The living tundra* (Bk Rev.) 229–230
Chrysanthemum leucanthemum 325; *maximum* 89; *segetum* 325; × *superbum* 89
Chrysosplenium oppositifolium 183, 201
Circaea alpina 80; × *intermedia* 80; *lutetiana* 183, 388, (v.c. 94) 220
Cirsium 249; *arvense* 265; *dissectum* 243, 443; *erophorum* 79, 265; *helenioides* 185; *heterophyllum* 185, 265; *vulgare* 360, 364
Clapham, Arthur Roy (1904–1990) (Obit.) 448–450, (plate) 449
Clark, J. W. & Jermy, A. C. – Additions to the flora of Mull and adjacent small islands 179–187
Clarke, G. C. S., with W. Punt & S. Blackmore (eds) – *The northwest European pollen flora*. Vol. 5 (Bk Rev.) 105
Clematis 248, 252; *vitalba* 360, 364, 384, 415
Clematopsis 252
Clinopodium vulgare 364
Cochlearia (Cruciferae), A new combination in, 82; *danica* 181, 444; *officinalis* 201, subsp. *officinalis* 181, *alpina* 82; *pyrenaica* 82, 116, subsp. *alpina* (Babington) Dalby, **comb. nov.** 82
Coeloglossum viride 39, 72, 79, 232, (v.c. 79) 226, (v.c. 25) 433
Colchicum autumnale 79
Commiphora 328
Conium maculatum 183
Conolly, A. P. – *Polygonum lichiangense* W.

- Smith: rejected as a naturalized British species 351–358
- Convallaria majalis* 71, 79
- Convolvulus* 249
- Conyza albida* 329; *bilbaoana* 329; *canadensis* 329; *parva* 329; *sumatrensis* 329
- Cooksonia* 100
- Corallorhiza trifida* 307
- Corner, R. W. M. – *Cardamine amara* L.: its occurrence in montane habitats in Britain 200–201
- Cornus alba* 33; *sanguinea* 33, 360; *sericea* L. in Ireland: an incipient weed of wetlands 33–36, (v.c. 73) 427, var. *flaviramea* 35; *stolonifera* 33
- Coronopus squamatus* 181
- Corydalis claviculata* 181, (v.c. 77) 215
- Corylus* 388; *avellana* 231, 388
- Cotoneaster*, Two new species of, 311–313; Section *Cotoneaster* Subsection *Adpressi* Series *Adpressi* 312, 313; *ascendens* 312; *atropurpureus* Flinck & Hylmö, sp. nov. 311, 312; *bullatus* (v.c. 77) 218; *dielsianus* (v.c. 12, 77) 218; *divaricatus* (v.c. 29, 77) 219; *franchetii* (v.c. 77) 219; *frigidus* (v.c. 35) 426; *hjelmqvistii* Flinck & Hylmö, sp. nov. 312, 313; *horizontalis* 311–313, (v.c. 77, 79) 218, (v.c. 81) 426, var. *perpusilla* 312, var. *perpusillus* 311, var. *prostratus* 311, var. *wilsonii* 312, cv. *Coralie* 312, cv. *Robusta* 312; *microphyllus* 182, (v.c. 39) 218; *perpusillus* 311; *Prostratus* 311; *racemiflorus* 312; *rehderi* (v.c. 70) 426; *sanguineus* (v.c. 77) 219; *simonsii* (v.c. 77) 218; *sternianus* (v.c. 70) 426; × *watereri* (v.c. 12, 77) 219
- Cotula coronopifolia* (v.c. 39) 224
- Crackles, E., with R. Arnett (ed.) – *Flora of the East Riding of Yorkshire* (Bk Rev.) 323–324
- Crackles, F. E. – *Hypericum* × *desetangii* Lamotte nm. *desetangii* in Yorkshire, with special reference to its spread along railways 63–67
- Crambe* 248; *maritima* (v.c. 45) 216
- Crane, P. R., with E. M. Friis & W. G. Chaloner (eds) – *The origins of Angiosperms and their biological significance* (Bk Rev.) 99
- Crassula helmsii* 439, (v.c. 46, 47, 53, 54) 219, (v.c. 28) 426; *tillaea* (v.c. 2) 219, (v.c. 12) 426
- Crataegus* 49–51, 56, 57, 60, 61; *laevigata* (Poirot) DC. in the Upper Thames Valley, England, Introgressive hybridization between *Crataegus monogyna* Jacq. and, 49–62, subsp. *laevigata* 49; *monogyna* Jacq. and *C. laevigata* (Poirot) DC. in the Upper Thames Valley, England, Introgressive hybridization between, 49–62, 360, 364, 388, 443, subsp. *nordica* 49
- Cratoneuron commutatum* 201; *filicinum* 201
- Crepis* 85, 259, 268, 269; *biennis* (v.c. 2) 225; *capillaris* 185; *foetida* 329; *mollis* 85; *paludosa* 74, 79, (v.c. 35) 432; *praemorsa* (L.) Tausch, new to western Europe 85–87, (illus.) 86, subsp. *praemorsa* 85; *setosa* (v.c. 5, 11, 77) 432; *virens* 271
- Cribb, P. J. – Obit. of Barbara Mary Steyning Everard (1910–1990) 450–451
- Crithmum maritimum* 206
- Crocsmia pottsii* (v.c. 73) 433
- Crocus nudiflorus* (v.c. 73) 433
- Cronk, Q. C. B. – Rev. of *Plant names of medieval England* 325–326
- Cronk, Q. C. B. – Rev. of *Popular medicine in thirteenth century England* 325–326
- Cryptogramma crispa* 180
- Cryptomeria japonica* subsp. *sinensis* (Miq.) P. D. Sell, stat. nov. 92, var. *sinensis* 92
- Cuscuta europaea* (v.c. 12) 222
- Cynodon dactylon* 415
- Cynoglossum officinale* 79
- Cynoglossis barrelieri* 329
- Cynorkis kirkii* 105
- Cynosurus cristatus* 87
- Cyperus longus* (v.c. 25) 227, (v.c. 35) 434
- Cystopteris dickieana* 104; *fragilis* 180, (v.c. 7) 214
- Cytisus* 274; *scoparius* 263, subsp. *maritimus* 263, subsp. *scoparius* 182, 263; *striatus* (v.c. 25) 423
- Dactylis glomerata* 87
- Dactylorchis traunsteineri* 170; *traunsteinerioides* 170
- Dactylorhiza*, Two new varieties of British, 307–309, 243, 396; × *dinglensis* 396, nothosubsp. *dinglensis* 396, nothosubsp. *robertsii* F. Horsman, **nov. subsp.** 395–397, (illus.) 398; *francis-drucei* 243; *fuchsii* (Druce) Soó, Differential pollination efficiency within a hybrid swarm between *Dactylorhiza purpurella* (T. & T. A. Stephenson) Soó and, 391–393, 39, 66, 154, 155, 186, 307, 308, 395, subsp. *fuchsii* 396, var. *rhodochila* D. M. T. Ettlinger, **var. nov.** 308; *fuchsii* × *incarnata* (v.c. 41) 433; *fuchsii* × *incarnata* subsp. *incarnata* (v.c. 64) 226; *fuchsii* × *incarnata* subsp. *pulchella* (v.c. 64) 226; *fuchsii* × *incarnata* subsp. *pulchella* × *traunsteineri* (v.c. 62) 433; *fuchsii* × *praetermissa* (v.c. 46) 433; *incarnata* 79, 155, 170, 307, subsp. *coccinea* 186, subsp. *coccinea* × *purpurella* subsp. *majaliformis* (v.c. 110) 434, subsp. *cruenta* 160–162, 164, 168–170, 243, subsp. *incarnata* 154, 186, subsp. *pulchella* 154, 160–162, 164, 168–170, 186, subsp. *pulchella* × *majalis* subsp. *cambrensis* (v.c. 46) 226, subsp. *pulchella* × *praetermissa* (v.c. 46) 226; *insularis* var. *bartonii* 307; *lapponica* 103, 163, 243; *maculata* 154, 155, 396, subsp. *ericetorum* 307, 395, 396, (illus.) 398, subsp. *ericetorum*

- × *praetermissa* (v.c. 42) 433, subsp. *ericetorum* × *purpurella* subsp. *majaliformis* (v.c. 110) 433, var. *concolor* 307, 308; *maculata* × *praetermissa* 396; *majalis* 154, 164, 170, 391, 395, 396, subsp. *alpestris* 396, subsp. *cambrensis* 395–397, (illus.) 398, subsp. *cambrensis* × *maculata* subsp. *ericetorum* 395–397, subsp. *occidentalis* 154, 156, 160–162, 164, 168, 169, 396, 434, subsp. *occidentalis* var. *cambrensis* 396, subsp. *occidentalis* × *maculata* subsp. *ericetorum* 396, subsp. *praetermissa* 154, 155, 160–162, 164, 166–169, 307, 308, 391, subsp. *purpurella* var. *atrata* A. J. Richards, var. nov. 308, subsp. *scotica* 396, subsp. *traunsteinerioides* 154, 170, subsp. *traunsteinerioides* var. *eborensis* 162, 170, subsp. *traunsteinerioides* var. *francis-drucei* 170, subsp. *traunsteinerioides* var. *traunsteinerioides* 170; *praetermissa* 395; *praetermissa* × *purpurella* (v.c. 64) 434; *purpurella* (T. & T. A. Stephenson) Soó and D. fuchsii (Druce) Soó, Differential pollination efficiency within a hybrid swarm between, 391–393, 327, 395, 396, (v.c. 43) 226, (v.c. 41) 434, subsp. *majaliformis* (v.c. 105, 110) 434; *purpurella* × *Gymnadenia conopsea* (v.c. 105) 434; *russowii* 163; *sambucina* 307, var. *rubra* 307; × *townsendiana* 396; *traunsteineri* (Sauter) Soó in the British Isles and a comparison with others from Continental Europe. An assessment of populations of, 153–172, 243, 395, (map) 155, (v.c. 45) 434, subsp. *curvifolia* 164, subsp. *francis-drucei* 170, subsp. *hibernica* 170, subsp. *traunsteinerioides* 170; *traunsteinerioides* 164, 170
- Dalby, D. H. – A new combination in *Cochlearia* (Cruciferae) 82
- Daphne laureola* 79, (v.c. 43) 219; *mezereum* (v.c. 43, 44) 219
- Darmera peltata* (v.c. 77) 426
- Daucus* 274; *carota* subsp. *gummifer* 270, 272
- David, R. W. – *Carex* × *gaudiniana* Guthnick – a rarity? 406–407
- David, R. W. – The distribution of *Carex appropinquata* Schumacher (*C. paradoxa* Willd.) in Great Britain and Ireland 201–204
- Dawson, H. J. – Chromosome numbers in two *Limonium* species 82–84
- Deschampsia cespitosa* 186, 388
- Desmazeria marina* (v.c. 47) 435; *rigida* (v.c. 47) 228
- Desmond, R. – Rev. of *A New Herball* 107–108
- Dianthus deltoideus* 80, (v.c. 75) 422
- Diaz, A., with A. J. Lack – The pollination of *Arum maculatum* L. – a historical review and new observations 333–342
- Dicentra formosa* 181
- Dietrich, W. – The status of *Oenothera cambrica* Rostański and *O. novae-scotiae* Gates (Onagraceae) 407–408
- Digitalis purpurea* 415
- Diphasiastrum alpinum* 180, (v.c. 81) 419; *complanatum* (v.c. 96) 214, subsp. *issleri* 243
- Diplachne muelleri* 413
- Diploxys erucoides* (v.c. 28) 421; *tenuifolia* (v.c. 38) 421
- Dipsacus fullonum* 185, subsp. *sylvestris* 360; *pilosus* (v.c. 41) 224
- Dony, J. G. – Obit. of John Campbell Gardiner (1905–1989) 239–240
- Doronicum columnae* × *pardalianches* × *plantagineum* 321; × *excelsum* (N. E. Br.) Stace, comb. et stat. nov. 321; *plantagineum* var. *excelsum* 321
- Draba muralis* (v.c. 67) 421
- Drosera anglica* 73, 80, (v.c. 72) 426; *intermedia* 73, 79; *rotundifolia* 73, 79, 164
- Dryopteris* 231; *aemula* (v.c. 11) 419; *affinis* 104, 231, 442, (v.c. 53) 214, subsp. *affinis* 442, (v.c. 75) 214, subsp. *affinis* × *filix-mas* (v.c. 11) 419, subsp. *borreri* (v.c. 75) 214, subsp. *cambrensis* (v.c. 41, 75) 214, (v.c. 41) 419; *assimilis* 13; *carthusiana* 231, (v.c. 93) 214; *caucasica* 442; *dilatata* 13, 231; *expansa* 13; *filix-mas* 11, 180, 388; *oreades* 442
- Ducker, S. C. (ed.) – *The contented botanist. Letters of W. H. Harvey about Australia and the Pacific* (Bk Rev.) 98–99
- Dudman, A. – Obit. of Christopher C. Haworth (1934–1989) 240–242
- Dunn, A. J. – Further observations on *Stachys germanica* L. 359–367
- Dunster, C. W., with G. I. C. Ingram – A nonresupinate abnormality in *Orchis purpurea* Hudson 317–319
- Echinops exaltatus* (v.c. 25, 26) 431
- Edmondson, J. R. – Rev. of *Flore de la Suisse et des territoires limitrophes* 229
- Edmondson, J. R. – Rev. of *Honey identification* 106
- Edmondson, J. R. – Rev. of *The Davis & Hedge Festschrift* 439–440
- Edmondson, J. R., with H. Hofmann & G. Halliday – The Cumbrian herbarium of W. H. Youdale 204–206
- Elatine hexandra* (v.c. 47) 422
- Eleocharis* 248; *uniglumis* 186
- Eleogiton fluitans* (v.c. 61) 434
- Elias, T. S., with K. Tan (ed.) & R. R. Mill – *The Davis & Hedge Festschrift* (Bk Rev.) 439–440
- Elkington, T. T. – Obit. of Arthur Roy Clapham (1904–1990) 448–450
- Elkington, T. T. – Rev. of *Comparative plant ecology. A functional approach to common British species* 230–231
- Elkington, T. T. – Rose End Meadows Nature

- Reserve, Derbyshire (Fld Mtg Rpt) 117
 Ellis, R. G. & Perry, A. R. – Obit. of Arthur Edward Wade (1895–1989) 113–114
Elodea 176; *canadensis* Michx by *Elodea nuttallii* (Planch.) H. St John in the British Isles, Displacement of, 173–177; *nuttallii* (Planch.) H. St John in the British Isles, Displacement of *Elodea canadensis* Michx by, 173–177, 439, (v.c. **26**, **46**, **67**, **H36**) 225
Elymus 249; *caninus* 186; *fartus* 270; *pycnanthus* × *repens* (v.c. **46**) 436
Empetrum hermaphroditum 184, (v.c. **73**) 428; *nigrum* 71, 75, 79
Epilobium alsinifolium 201; *anagallidifolium* 201; *angustifolium* 183; *ciliatum* 179, 183, 329; *hirsutum* 183; *obscurum* 183; *obscurum* × *roseum* (v.c. **67**) 220; *parviflorum* 183; *tetragonum* subsp. *tetragonum* (v.c. **67**) 219
Epipactis leptochila (v.c. **8**) 226; *palustris* 87, 154, 163, 164; *phyllanthos* (v.c. **6**) 226; *purpurata* 261; *youngiana* 103
Epipogium aphyllum 103
Equisetum fluviatile 180; *fluviatile* × *palustre* (v.c. **73**) 419; *hyemale* 180, (v.c. **39**) 214; *palustre* × *telmateia* (v.c. **52**, **72**) 214; *pratense* 327
Erica biformis 93; *ciliaris* 14, subsp. *mackaiana* 93; *cinerea* 14; *lusitanica* 329; *mackaiana* Bab., The typification and nomenclature of, 92–93, 14; *mackaii* 93; *tetralix* 164, subsp. *mackaiana* 93, subsp. *mackaii* 93; *tetralix* × *ciliaris* 441; *vagans* 14, 329; × *watsonii* 441
Erigeron mucronatus 111
Erinus alpinus (v.c. **39**) 429
Eriophorum gracile (v.c. **41**) 434; *latifolium* 164, (v.c. **44**, **50**) 227, (v.c. **50**) 434
Erodium cicutarium subsp. *cutarium* 415
Erucastrum gallicum (v.c. **69**) 420
Eryngium maritimum 183, 270
Erysimum cheiranthoides 76, 79
 Ettlinger, D. M. T. – Two new varieties of British *Dactylorhiza* 307–309
Eucalyptus 329
Eulophia guineensis 328
Euonymus europaeus 74, 79, 360, 415
Eupatorium cannabinum 185
Euphorbia amygdaloides subsp. *robbiae* (v.c. **39**) 427; *corallioides* (v.c. **35**) 427; *cyparissias* × *esula* (v.c. **26**) 427; *dulcis* 183; *esula* × *waldsteinii* (v.c. **39**) 220; *lathyrus* 205; *peplus* 97; *platyphyllos* (v.c. **38**) 220; *serrulata* (v.c. **5**) 220; *waldsteinii* (v.c. **77**) 427
Euphrasia 97, 249, 348, 429; Section *Euphrasia* Subsection *Euphrasia* Series *Euphrasia* 350; Section *Semicalcaratae* 349; Section *Semicalcaratae* Subsection *Ciliatae* Series *Grandiflorae* 350; Section *Semicalcaratae* Subsection *Ciliatae* Series *Hirtellae* 350; Series *Euphrasia* 349; *anglica* 344, 348, 349, var. *graciliscens* 348; *arctica* subsp. *borealis* (v.c. **12**) 222, subsp. *borealis* × *nemorosa* (v.c. **12**) 223, (v.c. **35**) 429, subsp. *tenuis* 347; *brevipila* 347; *campestris* 349; *confusa* (v.c. **25**) 222; *confusa* × *micrantha* (v.c. **73**) 429; *confusa* × *nemorosa* (v.c. **35**) 429; *confusa* × *scottica* (v.c. **77**) 222; *curta* 343–345, var. *glabrescens* 345; *fennica* 344, 346, 347; *foulaensis* (v.c. **98**) 222; *frigida* 346; *hirtella* 344, 350; *micrantha* 349; *micrantha* × *nemorosa* (v.c. **12**) 222; *micrantha* × *scottica* (v.c. **42**) 429; *montana* 347, 348; *nemorosa* 343–345, 349, var. *calcareia* 349, var. *curta* 345; *officinalis* L. and its nomenclatural implications. The identity of, 343–350, subsp. *anglica* (Pugs.) Silverside, **comb. et stat. nov.** 348, 349, subsp. *monticola* Silverside, **nom. nov.** 347, subsp. *officinalis* 346, subsp. *rostkoviana* 347–349, var. *montana* 347, 348; *officinalis* × *nemorosa* 349; *officinarum* 347; *onegensis* 344, 346; *ostenfeldii* 345; *pratensis* 347, 348; *pseudokernerii* (v.c. **46**) 429; *rivularis* 349; *rostkoviana* 343–350, subsp. *fennica* 346, 347, subsp. *montana* 346, 348, subsp. *rostkoviana* 344, 346, var. *fennica* 347, subvar. *montana* 348; *scottica* 350, (v.c. **35**) 222, (v.c. **83**) 429; *stricta* 343, 345, 347, 349; *tricuspidata* 343; *uliginosa* 348; *vigursii* 349
Eurhynchium praelongum 364; *swartzii* 388
 Everard, Barbara Mary Steyning (1910–1990) (Obit.) 450–451
Fallopia aubertii (v.c. **42**, **51**) 427
 Farrell, L. – Rev. of *A guide to the wild orchids of Great Britain and Ireland* 103
 × *Fatsia* 273
Fatsia 273
Festuca 249, 250; *arundinacea* 186, 414, Schreb. var. *strictior* (Hack.) K. Richt. 414–415, subvar. *strictior* 414; *arundinacea* × *gigantea* (v.c. **42**) 435; *arundinacea* × *pratensis* (v.c. **38**) 435; *diffusa* 315; *filiformis* (v.c. **75**) 228; *gigantea* 388; *guesifalica* (v.c. **54**) 228; *heteromalla* 315; *heterophylla* (v.c. **35**, **73**) 435; *juncifolia* 315; *nigrescens* 315, (v.c. **77**) 227, subsp. *nigrescens* (v.c. **2**) 435; *ovina* 87; *richardsonii* 315; *rubra* L., A new subspecies of, 315–316, 87, subsp. *arctica* 315, subsp. *multiflora* 315, subsp. *scotica* S. Cunn. ex Al-Bermani, **subsp. nov.** 315, var. *commutata* 315; *tenuifolia* 186; *vivipara* 234
Ficus 236; *carica* 84, 117, 179, 184
Filago lutescens (v.c. **29**) 430
Filipendula 249; *ulmaria* 11, 66, 415; *vulgaris* 66, 79, (v.c. **75**) 217
Fissidens taxifolius 364
 Fitter, R. S. R. – Rev. of *Wild flower habitats of Hertfordshire; past, present and future* 443
 FitzGerald, R. – Obit. of Evelyn Mary Booth (1897–1988) 238–239

- Flinck, K. E. & Hylmö, B. – Two new species of *Cotoneaster* 311–313
- Foley, M. J. Y. – An assessment of populations of *Dactylorhiza traunsteineri* (Sauter) Soó in the British Isles and a comparison with others from Continental Europe 153–172
- Foley, M. J. Y. – The current distribution and abundance of *Orchis ustulata* L. in southern England 37–48
- Forman, L. & Bridson, D. (eds) – *The herbarium handbook* (Bk Rev.) 324
- Foster, A. S., with E. M. Gifford – *Morphology and evolution of vascular plants* (Bk Rev.) 100
- Fragaria vesca* 414
- Frangula alnus* 79
- Frankenia laevis* 415
- Fraxinus excelsior* 387, 388
- Friis, E. M., Chaloner, W. G. & Crane, P. R. (eds) – *The origins of Angiosperms and their biological significance* (Bk Rev.) 99
- Frost, L. C., Houston, L., Lovatt, C. M. & Beckett, A. – *Allium sphaerocephalon* L. and introduced *A. carinatum* L., *A. roseum* L. and *Nectaroscordum siculum* (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol 381–385
- Fuchsia* 248; *excorticata* 248; *procumbens* 248
- Fumaria bastardii* 181, (v.c. 73) 420, var. *major* 92; *capreolata* 80, (v.c. 11) 420; *muralis* subsp. *boraei* 181, (v.c. 38) 215; subsp. *boraei* var. *major* (Boreau) P. D. Sell, **comb. nov.** 92; *officinalis* 181; *magellanica* 183
- Futter, K. & Raynes, P. – *The flora of Derby* (Bk Rev.) 99–100
- Fægri, K., with L. Ryvarde (ed.) & R. Berg – *Norges ville blomster – fra bier og blomster til frø og frukt [Norway's wild flowers – from bees and flowers to seeds and fruits]* (Bk Rev.) 234
- Gagea lutea* 71, 75, 79, (v.c. 75) 432
- Gale, B. A. – Langham Ponds, Surrey (Fld Mtg Rpt) 332
- Gale, B. A. – London University Botanic Gardens, Surrey (Fld Mtg Rpt) 332
- Gale, B. A. – Silwood Park, Berkshire (Fld Mtg Rpt) 332
- Galeobdolon argentatum* 329; *luteum* cv. *Variegatum* 329
- Galeopsis bifida* (v.c. 109) 430; *ladanum* 80
- Galinsoga parviflora* 329
- Galium album* 185; *aparine* 416; *cruciata* (v.c. 93) 430; *debile* 329, (v.c. 8) 223; *elongatum* 13; *mollugo* 266, 364, 416, (v.c. 79) 223; *palustre* 13; *spurium* 75, 76, 80; *uliginosum* 73, 79, 185; *verum* 266, 364
- Gampsoceras* 252
- Gardiner, John Campbell (1905–1989) (Obit.) 239–240
- Garnock-Jones, P. J., with C. J. Webb & W. R. Sykes – *Flora of New Zealand*, Volume IV. Naturalised Pteridophytes, Gymnosperms, Dicotyledons (Bk Rev.) 328–329
- Gaultheria shallon* (v.c. 70) 428
- Genista* 274; *anglica* (v.c. 80) 217; *tinctoria* 263, (v.c. 45) 217, subsp. *tinctoria* (v.c. 45) 423
- Gentiana* 247; *lutea* 247; *nivalis* 247; *pneumonanthe* 73, 80; *verna* 327
- Gentianella* 39, 247; *amarella* 247; subsp. *septentrionalis* (v.c. 64) 428; *anglica* (v.c. 5) 221; *campestris* 73, 80, 184, (v.c. 12) 221
- Geranium macrorrhizum* (v.c. 39) 216; *pyrenaicum* 79, (v.c. 72) 422; *robertianum* 388, subsp. *celticum* (v.c. 99) 422; *rotundifolium* (v.c. 50) 422; *sanguineum* 80, 87
- Geum* 248; *urbanum* 182, 416
- Gifford, E. M. & Foster, A. S. – *Morphology and evolution of vascular plants* (Bk Rev.) 100
- Gilbert, O. L. – Wild figs by the River Don, Sheffield 84–85
- Gilbert, O. L. – The vegetation of the River Don, Sheffield (Talk) 117
- Gledhill, D. – *The names of plants*. 2nd ed. (Bk Rev.) 100–101
- Glyceria* 203; *declinata* 186; *plicata* (v.c. 2) 227
- Gornall, R. J. – Rev. of *A revision of the tribe Antirrhineae* 107
- Gornall, R. J., with J. E. Wentworth & J. P. Bailey – Contributions to a cytological catalogue of the British and Irish flora 415–417
- Gosler, A. G. – Introgressive hybridization between *Crataegus monogyna* Jacq. and *C. laevigata* (Poiret) DC. in the Upper Thames Valley, England 49–62
- Graham, G. G. & Primavesi, A. L. – Notes on some *Rosa* taxa recorded as occurring in the British Isles 119–124
- Grange, W. – Rev. of *The flora of Derby* 99–100
- Gray, A. J. & Benham, P. E. M. (eds) – *Spartina anglica – a research review* (Bk Rev.) 324–425
- Gray, A. J., with A. F. Raybould, M. J. Lawrence & D. F. Marshall – The origin and taxonomy of *Spartina* × *neyrautii* Foucaud 207–209
- Gray, A. J., with J. R. Rihan – The distribution of hybrid Marram Grass, × *Calammophila baltica* (Flügge) Brand, in the British Isles 369–379
- Grey-Wilson, C., with M. Blamey – *The Illustrated flora of Britain and northern Europe* (Bk Rev.) 97
- Grime, J. P., Hodgson, J. G. & Hunt, R. – *Comparative plant ecology. A functional approach to common British species* (Bk Rev.) 230–231
- Gulliver, R. L. – The rare plants of the Howar-

- dian Hills, North Yorkshire, 1794–1988 69–80
- Gymnadenia* 317; *conopsea* (L.) R.Br., A new subspecies of, 319–320, 39, 79, 87, 317, subsp. *borealis* (Druce) F. Rose, **comb. et stat. nov.** 319, (L.) R.Br. subsp. *conopsea*, Abnormal flowers in *Platanthera chlorantha* (Custer) Reichenb. and, 316–317, 320, subsp. *densiflora* 317, (v.c. 105) 433, var. *borealis* 320, var. *densiflora* 44, var. *insulicola* 320; *odoratissima* 320
- Gymnocarpium dryopteris* 214, 245, (v.c. 28) 419; *robertianum* (v.c. 96) 214
- Habenaria gymnenadenia* var. *borealis* 319
- Haeupler, H. & Schönfelder, P. – *Atlas der Farn- und Blütenpflanzen der Bundesrepublik Deutschland* (Bk Rev.) 101–102
- Halerpestes* 252
- Halliday, G. – *Crepis praemorsa* (L.) Tausch, new to western Europe 85–87
- Halliday, G. – C. C. Haworth's contribution to the Flora of Cumbria 242
- Halliday, G. – Rev. of *The living tundra* 229–230
- Halliday, G. – Rev. of *Vegetation of the Soviet polar deserts* 229–230
- Halliday, G., with H. Hofmann & J. R. Edmondson – The Cumbrian herbarium of W. H. Youdale 204–206
- Hamadryas* 252
- Hammarbya* 238; *paludosa* 102
- Harrison, C. M. – Rev. of *The biogeography of the British Isles – an introduction* 444–445
- Hastorf, C. A. & Popper, V. S. (eds) – *Current Paleoethnobotany: analytical methods and cultural interpretations of archaeological plant remains* (Bk Rev.) 102
- Haufler, C. H., with F. J. Rumsey & E. Sheffield – A re-assessment of *Pteridium aquilinum* (L.) Kuhn in Britain 297–301
- Haworth, C. C. – Six native species of *Taraxacum* new to the British Isles 131–138
- Haworth, C. C. & Richards, A. J. – The lectotypification and revision of Dahlstedt's species of *Taraxacum* Weber based on British or Irish plants 125–130
- Haworth, Christopher C. (1934–1989) (Obit.) 240–242
- Haworth, C. C., contribution to the Flora of Cumbria 242
- Hazeldon, E., Naisbitt, T. & Richards, A. J. – Differential pollination efficiency within a hybrid swarm between *Dactylorhiza purpurella* (T. & T. A. Stephenson) Soó and *D. fuchsii* (Druce) Soó 391–393
- Heath, J., with T. Tarpey – *Wild flowers of north-east Essex* (Bk Rev.) 443–444
- Hedera* 9, 13–15, 223, 258, 273; *algeriensis* 7; *azorica* 14; *canariensis* 'Azorica' 14; *colchica* 7; *helix* L. and *H. hibernica* (Kirchner) Bean (Araliaceae) in the British Isles 7–15, 82, 388, (map) 8, (plate) 10, subsp. *hibernica* 7, 13, 14, var. *hibernica* 13, 14; *hibernica* (Kirchner) Bean (Araliaceae) in the British Isles, *Hedera helix* L. and, 7–15, 82, 273, (map) 8, (plate) 10, 'Albany' 13, 'Deltoidea' 13, 'Digitata' 13, 'Hamilton' 13, 'Helford River' 13, 'Hibernica' 13, 82, 'Maculata' 13, 'Variegata' 13
- Helictotrichon neesii* (Steudel) Stace, **comb. nov.** 413
- Helleborus viridis* 71, 75, 76, 79
- Hemerocallis fulva* (v.c. 49) 432; *lilioasphodelus* (v.c. 70) 432
- Heracleum mantegazzianum* 329; *mantegazzianum* × *sphondylium* (v.c. 75, 99) 220; *sphondylium* 183, 362, var. *angustifolium* 183
- Hesperis matronalis* 181, 205
- Hieracium* 71, 214, 243, 244, 419, 431, 441, 450; Section *Alpina* 243, 431; Series *Alpestris* 244; *britanniciforme* 199, 200; *britannicum* F. J. Hanb. in Wales 199–200; *brunneocroceum* (v.c. 94) 432; *calenduliflorum* (v.c. 90) 431; *cymbifolium* (v.c. 77) 431; *dasythrix* (v.c. 77) 431; *duriceps* (v.c. 93) 224; *flocculosum* (v.c. 77) 431; *graniticola* (v.c. 94, 96) 431; *hamburyi* (v.c. 87) 431; *holophyllum* 199, var. *dentulum* 199; *holosericeum* (v.c. 87, 89) 431; *insigne* (v.c. 92) 432; *macrocarpum* (v.c. 92) 431; *magyaricum* subsp. *thaunassium* 92; *marginatum* (v.c. 97) 432; *memorabile* (v.c. 92) 432; *peleterianum* subsp. *subpeleterianum* 92; *pilosella* 185; *placerothyloides* (v.c. 73) 224; *reticulatum* (v.c. 93) 224; *rigens* (v.c. 35) 224; *rubiginosum* 185; *sabaudum* (v.c. 81, 94) 431; *salticola* (v.c. 35) 224; *sanguineum* (v.c. 77) 431; *shoobredii* (v.c. 77) 431; *solum* 244; *sparsifolium* (v.c. 75) 224; *stenolepis* 199; *strictiforme* (v.c. 93) 224; *subbritannicum* 199; *subcrassum* (v.c. 76) 432; *tenuifrons* (v.c. 88, 92) 432
- Hierochloa odorata* (v.c. 109) 436
- Hill-Cottingham, P. – *Somerset ferns, a field guide* (Bk Rev.) 231–232
- Hippophae rhamnoides* (v.c. 73) 426
- Hippuris vulgaris* 79, (v.c. 45) 220
- Hirschfeldia incana* (v.c. 38) 215, (v.c. 46, 77) 420
- Hobson, D. D. – The status of *Populus nigra* L. in the Republic of Ireland 303–305
- Hodgson, J. G., with J. P. Grime & R. Hunt – *Comparative plant ecology. A functional approach to common British species* (Bk Rev.) 230–231
- Hofmann, H. – Rev. of *The herbarium handbook* 324
- Hofman, H., Edmondson, J. R. & Halliday, G. – The Cumbrian herbarium of W. H. Youdale 204–206

- Holcus lanatus* 87
Honkenya peploides 270
Hordelymus europaeus (v.c. 53) 228
Hordeum jubatum (v.c. 72) 228
Horsman, F. – A new dactylorchid hybrid 395–399
Horsman F. – Abnormal flowers in *Platanthera chlorantha* (Custer) Reichenb. and *Gymnadenia conopsea* (L.) R.Br. subsp. *conopsea* 316–317
Horsman, F. – The first record for *Vaccinium uliginosum* L. var. *pubescens* (Wormsk.) Hornem. from the British Isles 87–88
Horsman, F. – Rev. of *Plants of Upper Teesdale* 327
Hottonia 248; *palustris* 71, 79
Houston, L., with L. C. Frost, C. M. Lovatt & A. Beckett – *Allium sphaerocephalon* L. and introduced *A. carinatum* L., *A. roseum* L. and *Nectaroscordum siculum* (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol 381–385
Hulthemia 247
Humulus lupulus 184
Hunt, A. – *Plant names of medieval England* (Bk Rev.) 325–326
Hunt, A. – *Popular medicine in thirteenth century England* (Bk Rev.) 325–326
Hunt, R., with J. P. Grime & J. G. Hodgson – *Comparative plant ecology. A functional approach to common British species* (Bk Rev.) 230–231
Hyacinthoides hispanica × *non-scripta* (v.c. 39) 226; *non-scripta* 117, 388
Hydrilla verticillata 176
Hydrocharis morsus-ranae (v.c. 67) 225
Hydrocotyle (Apiaceae) naturalised in Britain and Ireland, New Zealand species of, 93–95, (key) 94; *microphylla* 94; *moschata* 94; *novae-zeelandiae* 94, var. *montana* 94, var. *novae-zeelandiae* 94; *sibthorpioides* 94; *vulgaris* 73, 94
Hylmö, B., with K. E. Flinck – Two new species of *Cotoneaster* 311–313
Hymenophyllum tunbrigense (v.c. 67) 419
Hypericum 441; *androsaemum* 441, (v.c. 77) 421; × *desetangsii* Lamotte nm. *desetangsii* in Yorkshire, with special reference to its spread along railways 63–67; *elodes* 73, 80; *hirsutum* 416; *humifusum* 181, 416; *maculatum* 63–66, subsp. *maculatum* 180, 181, (v.c. 69) 421, subsp. *obtusiusculum* 64, (v.c. 25) 216, subsp. *obtusiusculum* × *perforatum* 63, (v.c. 4, 11) 421; *maculatum* × *perforatum* (v.c. 38, 67, 68) 216; *montanum* 80; *perforatum* 63–66
Hypochaeris 259; *radicata* 269, 271
Iberis amara 80, (v.c. 12) 216
Ifloga 253
Ilex aquifolium 14, 231
Impatiens capensis (v.c. 25) 423; *glandulifera* 84, 117; *parviflora* (v.c. 35) 217, (v.c. 42, 94) 423
Ingram, G. I. C. & Dunster, C. W. – A nonre-supinate abnormality in *Orchis purpurea* Hudson 317–319
Inula conyza 416; *helenium* 79, 185
Ipomoea pes-caprae 328
Iris foetidissima 416, (v.c. 69) 433; *sibirica* (v.c. 83) 226; *spuria* (v.c. 6) 226
Isoetes echinospora 234; *hystrix* 234; *lacustris* (v.c. 72) 419
Jalas, J. & Suominen, J. (eds) – *Atlas Florae Europaeae*. Volume VIII: Nymphaeaceae to Ranunculaceae (Bk Rev.) 326–327
Jasione montana 76, 80, (v.c. 38, 53) 223
Jermey, A. C., with J. W. Clark – Additions to the flora of Mull and adjacent small islands 179–187
Juncus 441, 448; *acutiflorus* 164; *ambiguus* (v.c. 108) 226, (v.c. 46) 433; *bufonius* 441; *capitatus* 441; *compressus* (v.c. 5, 39) 226, (v.c. 77) 432; *maritimus* 207; *planifolius* 441; *squarrosus* 185; *subulatus* 441; *tenuis* (v.c. 7) 226; *triglumis* 185
Juniperus communis subsp. *alpina* 180, subsp. *nana* 180
Jury, S. L. – Rev. of *Atlas of the British flora*. Repr. of 3rd ed. 441–442
Jury, S. L., with F. J. Rumsey – An account of *Orobancha* L. in Britain and Ireland 257–295
Kaplopanax 273
Kay, G. M. – Rev. of *A guide to some difficult plants* 441
Kelly, D. L. – *Cornus sericea* L. in Ireland: an incipient weed of wetlands 33–36
Kenneth, A. G. – an appreciation 244
Kenneth, Archibald Graham (1915–1989) (Obit.) 242–244
Kent, D. H. – The Shasta Daisy 89
Kent, D. H. – Rev. of *Flora of New Zealand*, Volume IV. Naturalised Pteridophytes, Gymnosperms, Dicotyledons 328–329
Kingdonia 252
Kirengeshoma 101
Knautia 249; *arvensis* 66
Knowltonia 252
Koeleria macrantha 87
Kumlienia 252
Kwasnik, E. I. – Rev. of *Plants for people* 440–441
Laburnum anagyroides 205
Laccopetalum 252
Lack, A. J. & Diaz, A. – The pollination of *Arum maculatum* L. – a historical review and new observations 333–342

- Lactuca serriola* 444
Lagarosiphon major (v.c. 29) 432
Lamiastrum galeobdolon 117, subsp. *argentatum* 329, (v.c. 67, 79) 223, (v.c. 77) 430
Lamium album 185; *amplexicaule* 185; *hybridum* 185, (v.c. 11) 223
 Lancaster, R. – *Travels in China. A plantsman's paradise* (Bk Rev.) 102–103
 Lang, D. C. – A new variant of *Ophrys apifera* Hudson in Britain 408–410
 Lang, D. – *A guide to the wild orchids of Great Britain and Ireland* (Bk Rev.) 103
Larix 298; *kaempferi* 179
Lathraea clandestina (v.c. 4, 35) 223; *squamaria* 79, 388
Lathyrus aphaca 80; *montanus* 66; *nissolia* (v.c. 64, 69, 99) 423; *palustris* 243; *sylvestris* (v.c. 43) 217
Lavandula 440
 Lawrence, M. J., with A. F. Raybould, A. J. Gray & D. F. Marshall – The origin and taxonomy of *Spartina* × *neyrautii* Foucaud 207–209
Legousia hybrida 80
Lemna minuscula 439, (v.c. 38) 227; *polyrhiza* 80; *trisulca* (v.c. 73) 227
Leontodon hispidus 87; *taraxacoides* 185
Lepidium heterophyllum 181, 416; *latifolium* (v.c. 38) 216; *ruderales* 329
Leptochloa muelleri (Benth.) Stace, **comb. nov.** 413
Leucanthemum lacustre 89; *maximum* 89; × **superbum** (Bergmans ex J. Ingram) Kent, **comb. nov.** 89; *vulgare* 87
Leucocoma 252
Leucojum vernum 185
 Lewington, A. – *Plants for people* (Bk Rev.) 440–441
Leymus arenarius 372, 416
 Libbey, Richard Pearse (1911–1987) (Obit.) 451–452
Lilium martagon (v.c. 99) 226
Limodorum abortivum 261
Limonium species, Chromosome numbers in two, 82–84; *humile* 82, 83; *vulgare* 82, 83
Linaria 107; *purpurea* (v.c. 72) 429; *purpurea* × *repens* (v.c. 46) 429; *repens* × *vulgaris* (v.c. 99) 222, (v.c. 77) 429
Linum perenne 80
Liparis loeselii 102
Listera cordata 80; *ovata* 154, 186
Lithospermum arvense (v.c. 61) 428; *officinale* 74
Littorella uniflora 73, 79
Logfia 253
Lolium 401, 402
 Long, D. G., with M. E. Braithwaite – *The botanist in Berwickshire* (Bk Rev.) 438–439
Lonicera caerulea (v.c. 57) 224; *caprifolium* (v.c. 79) 224; *grata* 264; *involucrata* 224, (v.c. 70) 430; *nitida* (v.c. 77) 430; *xylosteum* (v.c. 50) 223, (v.c. 50, 95, 99) 430
Lotus angustissimus 272; *corniculatus* 39, 87, 402; *subbiflorus* 272; *uliginosus* 66
 Lovatt, C. M., with L. C. Frost, L. Houston and A. Beckett – *Allium sphaerocephalon* L. and introduced *A. carinatum* L., *A. roseum* L. and *Nectaroscordum siculum* (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol 381–385
 Lowe, C., with M. Lowe & G. Ward – *Plants of Upper Teesdale* (Bk Rev.) 327
 Lowes, M., with C. Lowe & G. Ward – *Plants of Upper Teesdale* (Bk Rev.) 327
Ludwigia palustris 102
Luzula 441; *campestris* 441; *multiflora* 441
Lycium barbarum (v.c. 75) 222, (v.c. 73) 429; *chinense* (v.c. 12, 77) 222
Lycopodium clavatum 180, (v.c. 52) 214
Lycopus europaeus 184, 416
Lysichiton americanus 97, 179, 186, (v.c. 35) 434
Lysimachia nemorum 416; *vulgaris* 75
Lythropsis 254; *peploides* 254
Lythrum 249, 253, 254; *biflorum* 254; *boraei* 254; *borysthenicum* 253; *hispidulum* 254; *loiseleurii* 254; *nummulariifolium* 253; *portula* 71, 80; *salicaria* 183, 254
 Löve, D. (trans.), with V. D. Aleksandrova – *Vegetation of the Soviet polar deserts* (Bk Rev.) 229–230
 Löve, D. (trans.), with Y. I. Chernov – *The living tundra* (Bk Rev.) 229–230
Magnolia 100
Mahonia aquifolium 320, (v.c. 94) 215; *aquifolium* × *repens* 320; × **decumbens** Stace, **hyb. nov.** 320; *repens* 320
Malus domestica 85
Malva alcea 80; *sylvestris* 180, 181
Mamillaria 236
 Marshall, D. F., with A. F. Raybould, A. J. Gray & M. J. Lawrence – The origin and taxonomy of *Spartina* × *neyrautii* Foucaud 207–209
 Martin, M. H., with A. J. Willis & K. B. Taylor – *Orchis purpurea* Hudson in the Avon Gorge, Bristol 387–390
Matricaria matricarioides 185
 McAllister, H. A. & Rutherford, A. – *Hedera helix* L. and *H. hibernica* (Kirchner) Bean (Araliaceae) in the British Isles 7–15
 McNeill, J. – *Rev. of Plant taxonomy and biosystematics*. 2nd ed. 106–107
Meconopsis cambrica 180
Medicago arabica 416, (v.c. 51) 423; *falcata* × *sativa* (v.c. 77) 217; *minima* (v.c. 12) 217; *sativa* 260, subsp. *falcata* 402, subsp. *sativa* 402
 Meikle, R. D. – *Salix* × *seminigracans* A. & G.

- Camus: a willow hybrid new to the British Isles 410–412
- Melampyrum pratense* (v.c. **29**, **61**) 429
- Melanium* 247
- Melica nutans* 76, (v.c. **43**) 228, (v.c. **93**) 435; *uniflora* 388
- Mentha* 187; *arvensis* 184; *arvensis* × *spicata* (v.c. **42**) 430; *nicholsoniana* 212; × *piperata* 184; *pulegium* 75, 80, (v.c. **12**, **25**) 430; *spicata* × *suaveolens* 212; *suaveolens* 184; × *villosa* nm. *alopecuroides* 184, (v.c. **75**) 430, var. *nicholsoniana* (Strail) R. Harley, **comb. nov.** 212
- Menyanthes trifoliata* 154
- Mercurialis perennis* 11, 364, 388, 416
- Mertensia maritima* 184, (v.c. **73**) 428
- Middendorfia* 254; *borysthenica* 254; *hamulosa* 254
- Milium effusum* (v.c. **81**) 228
- Mill, R. R., with K. Tan (ed.) & T. S. Elias – *The Davis & Hedge Festschrift* (Bk Rev.) 439–440
- Miller, A. G. & Morris, M. – *Plants of Dhofar* (Bk Rev.) 327–328
- Millward, D. – *A flora of Wensleydale. A centennial review of the plants of the Dale* (Bk Rev.) 232
- Milne-Readhead – The B.S.B.I. Black Poplar survey 1–5
- Mimulus* L., A new hybrid binomial in, 210–212, 327; ‘A. T. Johnson’ 211; *cupreus* × *luteus* var. *rivularis* 211; *guttatus* 210–212; *guttatus* × *luteus* var. *rivularis* 211; *luteus* 210, 211, var. *rivularis* 211, 212; × *maculosus* 211; *moschatus* 184, (v.c. **77**) 222; × *robertsii* Silverside, **hybr. nov.** 211, 212; *variegatus* 211
- Minuartia hybrida* 80; *verna* 116, 117, 327
- Molinia* 217; *caerulea* subsp. *altissima* (v.c. **35**) 227
- Monotropa hypopitys* (v.c. **39**) 221
- Montia* 248; *fontana* 201, subsp. *fontana* 181; *perfoliata* 179, 181, 416; *sibirica* 181
- Moore, D. M. – Rev. of *The correspondence of Charles Darwin*. Vol. 4, 1847–1850 98
- Morris, M., with A. G. Miller – *Plants of Dhofar* (Bk Rev.) 327–328
- Myosotis* 97, 113, *arvensis* subsp. *umbrata* (v.c. **67**, **68**) 222, (v.c. **99**) 428; *ramosissima* subsp. *globularis* (v.c. **68**) 222; *sylvatica* 416
- Myosurus* 252; *minimus* 76, 80, (v.c. **54**) 420
- Myriophyllum* 248; *aquaticum* (v.c. **25**, **39**, **67**) 426; *spicatum* 79; *verticillatum* 80
- Myrrhis odorata* 327
- Naisbitt, T., with E. Hazeldon & A. J. Richards – Differential pollination efficiency within a hybrid swarm between *Dactylorhiza purpurella* (T. & T. A. Stephenson) Soó and *D. fuchsii* (Druce) Soó 391–393
- Najalis flexilis* (v.c. **97**, **103**) 225
- Naravelia* 252
- Nectaroscordum* 382; *siculum* (Ucria) Lindley on St Vincent’s Rocks, Avon Gorge, Bristol, *Allium sphaerocephalon* L. and introduced *A. carinatum* L., *A. roseum* L. and, 381–385, subsp. *bulgaricum* 382, 383, subsp. *siculum* 382, 383
- Nelson, George A. (1903–1989) (Obit.) 111–112
- Neottia nidus-avis* 73, 80, 186
- Nepeta cataria* 75, 80
- Newton, A. – *Rubus stenophyllus* Lef. & Muell. in Britain 89–90
- Newton, A. & Porter, M. – Five brambles from Wales 189–198
- Newton, J. M. – Rev. of *The Macmillan field guide to British wildflowers* 104–105
- Norman, E. (ed.) – *A guide to some difficult plants* (Bk Rev.) 441
- Nymphoides peltata* 75, 79, (v.c. **80**) 221
- Obituaries 111–114, 238–246, 447–452
- Odontites verna* 184
- Oenanthe aquatica* 79; *pimpinelloides* (v.c. **7**) 220; *silifolia* (v.c. **54**) 427
- Oenothera* 408; Subsection *Oenothera* 407; *bienis* 407, 408, (v.c. **75**) 426; *cambrica* Rostański and *O. novae-scotiae* Gates (Onagraceae), The status of, 407–408; *erythrosepala* (v.c. **80**) 220, (v.c. **43**) 426; *fallax* (v.c. **25**) 220; *novae-scotiae* Gates (Onagraceae), The status of *Oenothera cambrica* Rostański and, 407–408; *parviflora* 408; *stricta* (v.c. **38**) 220
- Onobrychis vicifolia* 402
- Onoclea sensibilis* (v.c. **12**, **99**) 419
- Ononis repens* 270; *spinosa* 66, 416
- Onopordon acanthium* (v.c. **50**) 431
- Ophioglossum azoricum* (v.c. **11**) 215; *vulgatum* 117, 180
- Ophrys* 391; *apifera* Hudson in Britain, A new variant of, 408–410, 75, 79, (illus.) 409, subsp. *jurana* 409, var. *bicolor* 410, var. *botteronii* 409, var. *chlorantha* 410, var. *flavescens* 410, var. *friburgensis* 409, var. *immaculata* 410, var. *trollii* 410; *insectifera* 80, 154; *sphegodes* 43, 45
- Orchis* 307, 391; *anatolica* 307; × *braunii* var. *townsendianus* 396; *coriophora* 307; *erictorum* 395; *francis-drucei* 170; *latifolia* 395, 409, var. *eborensis* 162, 170; *latifolia-maculata* 396; *majalis* subsp. *traunsteinerioides* 170, subsp. *traunsteinerioides* var. *eborensis* 170; *mascula* 39, 47, 186, (v.c. **72**) 433; *morio* 39, 44, 45, 47, 79, 307; *praetermissa* 395; *purpurea* Hudson, A nonresupinate abnormality in, 317–319, Hudson in the Avon Gorge, Bristol 387–390, (illus.) 318; *traunsteineri* 153; *traunsteinerioides* 153, 170; *ustulata* L. in southern England, The current distribution and abundance of, 37–48, 73, 80,

- 102, (map) 38, var. *albiflora* 40
Oreopteris limbosperma 231, 232
Origanum vulgare 66, 416
Ornithogalum pyrenaicum (v.c. 51) 432; *umbellatum* 79
Ornithopus perpusillus (v.c. 98) 423
Orobanch L. in Britain and Ireland, An account of, 257–295, (key) 258–259; Section *Orobanch* 258; Section *Trionychon* 258; *aegyptiaca* 258–260, (illus.) 275, (illus.) 278; *alba* 184, 258, 259, 263, 264, (illus.) 275, (illus.) 278, (map) 285; *amethystea* 270, 272; *arenaria* 261; *barbata* 272; *caerulea* 261; *caryophyllacea* 258, 259, 263, 265, 266, 273, 294, (illus.) 275, (illus.) 279, (map) 287; *crenata* 258, 259, 263, 267, 270, 273, 274, (illus.) 276, (illus.) 280, (map) 293; *elatior* 79, 248, 259, 263, 266, 267, 269–271, 273, 294, (illus.) 276, (illus.) 279, (map) 288, f. *citrina* 267; *epithymum* 263; *flava* 258, 273, 294, (illus.) 276; *hederae* 81, 82, 258, 259, 264, 268, 270, 272, 273, (v.c. 12) 223, (v.c. 12, 42) 429, (illus.) 277, (illus.) 281, (map) 292, f. *monochroma* 82, 223; *leucorum* 266; *loricata* 259, 265, 267, 268, 272, 273, (illus.) 277, (illus.) 280, (map) 289; *lucorum* 258, 273, 294, (illus.) 276; *major* 262, 265–267; *maritima* 271, 272; *minor* 257, 259, 261, 264, 265, 267–270, 272, 273, (key) 269–270, var. *compositarum* 267, 269, 270, (illus.) 277, (illus.) 280, var. *flava* 269, 271, (illus.) 277, (illus.) 281, var. *lutea* 271, var. *maritima* 268, 270–272, (illus.) 277, (illus.) 281, (map) 291, var. *minor* 270–272, (illus.) 277, (illus.) 280, (map) 290; *pallidiflora* 264; *picridis* 265, 267, 268, var. *carotae* 274; *pruinosa* 273; *purpurea* 258–261, (illus.) 275, (illus.) 278, (map) 283; *ramosa* 258–261, 273, (illus.) 275, (illus.) 278, (map) 282, subsp. *ramosa* 258, 260; *rapum* 262; *rapum-genistae* 258, 259, 262, 263, 266, 267, 274, 294, (v.c. 12) 223, (illus.) 276, (illus.) 279, (map) 284; *reticulata* 259, 264, 265, 273, (illus.) 275, (illus.) 279, (map) 286, var. *pallidiflora* 265, var. *procera* 265; *ritro* f. *hypochaeroides* 271; *rubra* 263, 264; *speciosa* 273; *vulgaris* 265
Orthilia secunda 184
Oxalis 452; *articulata* (v.c. 75) 217; *corniculata* (v.c. 73) 423; *exilis* (v.c. 38, 81) 217
Oxygraphis 252
Paeonia officinalis (v.c. 77) 215, (v.c. 69) 420
Page, C. N. – Herbarium sheets of the rare fern × *Asplenophyllitis microdon* (T. Moore) Alston in Edinburgh 319
Page, C. N. – *Ferns: their habitats in the British and Irish landscape. (A natural history of Britain's ferns.)* (Bk Rev.) 103–104
Pankhurst, R. J. (trans.), with F. Weberling – *Morphology of flowers and inflorescences* (Bk Rev.) 236–237
Papaver argemone 76, 79, (v.c. 50) 420; *hybridum* 80; *lecoqii* (v.c. 28, 35) 420; *orientale* (v.c. 69) 420; *somniferum* 180
Paphiopedilum charlesworthii 451
Parapholis incurva 323, (v.c. 5, 54) 436
Parentucellia viscosa (v.c. 8) 223, (v.c. 95) 429
Parietaria diffusa 183; *judaica* 183
Paris quadrifolia 71, 79
Parnassia palustris 73, 79
Parnell, J. – Rev. of *Morphology and evolution of vascular plants* 100
Paroxygraphis 252
Parthenocissus quinquefolia (v.c. 73) 423
Pastinaca sativa 416
Payne, R. M. – Rev. of *Somerset ferns, a field guide* 231–232
Pearman, D. – *Alopecurus bulbosus* Gouan in Dorset 206–207
Pelargonium 273, 274
Pentaglottis sempervirens 184
Peplis 249, 253, 254; *australis* 254; *biflora* 254; *boraei* 254; *borysthénica* 253; *erecta* 254; *hispidula* 254; *nummulariifolia* 254; *portula* 254; *timeroyi* 254; *tithymaloides* 254
Perring, F. H. – Rev. of *Atlas der Farn- und Blütenpflanzen der Bundesrepublik Deutschland* 101–102
Perring, F. H. & Walters, S. M. (eds) – *Atlas of the British flora*. Repr. of 3rd ed. (Bk Rev.) 441–442
Perring, F. H. & Walters, S. M. – *The Macmillan field guide to British wildflowers* (Bk Rev.) 104–105
Perry, A. R., with R. G. Ellis – Obit. of Arthur Edward Wade (1895–1989) 113–114
Petasites 258, 274; *fragrans* (v.c. 77) 224; *japonicus* (v.c. 35, 73) 430
Peucedanum officinale 444; *ostruthium* 327, (v.c. 79) 220
Phacelia tanacetifolia (v.c. 12) 221
Phalaris arundinacea 187
Phasium cuspidatum 364
Phelipaea ramosa 260
Phelypaea aegyptiaca 260; *caerulea* 261
Philonotis fontana 201
Phragmites 203, 207, 422
Phyllitis 442; *scolopendrium* 319
Physocarpus opulifolius (v.c. H36) 217
Picea abies 179
Pickard, R. S. (ed.), with R. Sawyer – *Honey identification* (Bk Rev.) 106
Picris 259; *hieracioides* 80, 268
Pilosella officinarum 268, subsp. *euronota* (v.c. 75) 225, subsp. *officinarum* 185, (v.c. 75) 225; *peleteriana* subsp. *subpeleteriana* (Nae-geli & Peter) P. D. Sell, **comb. nov.** 92; *praealta* subsp. *thaumasia* (Peter) P. D. Sell,

- comb. nov.** 92
Pilularia globulifera 416, (v.c. **53**, **75**) 215
Pimpinella major 66; *saxifraga* 66, 87
Pinguicula vulgaris 87, 154
Pinus contorta 179; *deodara* 92; *devdara* 92; *sylvestris* 180
Piuttia 252
Plagiomnium undulatum 388
Plant Records 214–228, 419–436
Plantago coronopus 416; *lanceolata* 87, 364, 416; *major* subsp. *intermedia* 416, 444, (v.c. **67**, **68**) 223, (v.c. **39**, **73**) 430, subsp. *major* 416; *media* (v.c. **42**, **94**) 430
Platanthera 316, 317; *bifolia* 39, 43, 79, 316; *chlorantha* (Custer) Reichenb. and *Gymnadenia conopsea* (L.) R.Br. subsp. *conopsea*, Abnormal flowers in, 316–317, 186; *chlorantha* × *Pseudorchis albida* 316
Poa angustifolia 186, 234; *chaixii* 179, 186; *pratensis* 11, 87, 364; *subcaerulea* 186, 234, 444; *trivialis* 84
Polemonium caeruleum 77
Polycarpon tetraphyllum 272
Polygala 39; *amara* 87; *vulgaris* 181
Polygonatum multiflorum 185
Polygonum 250, 251, 351, 357; Section *Aconogonon* 356, 357; *alpinum* 356; *amphibium* 183; *arenastrum* (v.c. **50**) 427; *aviculare* 183; *bistorta* 180, 183; *boreale* (v.c. **103**) 220; (plate) 355, (plate) 356; *campanulatum* 183, 351, 353, 354, 357, (v.c. **70**) 428, var. *campanulatum* 353, var. *fulvidum* 353, var. *lichiangense* 351, 354; *cuspidatum* 183; *hydropiper* 183; *lichiangense* W. Smith: rejected as a naturalized British species 351–358, (plate) 352, (plate) 355, (plate) 356; *maritimum* (v.c. **1**, **11**) 427; *minus* (v.c. **34**) 427; *mite* (v.c. **50**) 427; *molle* 357; *polystachyum* 351, 353, 354, 356, 357, var. *pubescens* 351, 353, 354, 357, (plate) 355, (plate) 356; *rurivagum* (v.c. **7**, **46**, **73**) 220, (v.c. **46**) 427; *sachalinense* 183; *weyrichii* 354, 356
Polypodium 231; *cambricum* 234, (v.c. **11**) 420; *interjectum* 234, (v.c. **77**) 420; *interjectum* × *vulgare* (v.c. **77**) 420
Polystichum 231; *aculeatum* 180; *setiferum* 180
Popper, V. S., with C. A. Hastorf (eds) – *Current Paleoethnobotany: analytical methods and cultural interpretations of archaeological plant remains* (Bk Rev.) 102
Populus 44; × *canadensis* 3, var. *serotina* 1; × *euramericana* 305; *nigra* L. in the Republic of Ireland, The status of, 303–305, 1–3, 5, 184, (plate) 2, (map) 4, (map) 304; *tremula* 184
Porter, M., with A. Newton – Five brambles from Wales 189–198
Potamogeton 91, 246; Subgen. *Coleogeton* 90; *alpinus* × *praelongus* (v.c. **H35**) 225; *compressus* 80; *crispus* × *friesii* (v.c. **73**) 225; *crispus* × *perfoliatus* (v.c. **73**) 225; *filiformis* Pers. in Anglesey 90–91, (v.c. **80**) 225; *friesii* (v.c. **7**, **H35**) 225; *gramineus* 79, (v.c. **68**) 225; *gramineus* × *natans* (v.c. **87**, **97**) 432; *lucens* × *natans* (v.c. **27**) 432; *pectinatum* 90; *pectinatus* 90, 117, (v.c. **43**) 432; *pusillus* 79, 432; *rutilus* (v.c. **103**, **108**) 225; *trichoides* (v.c. **2**, **54**) 225, (v.c. **12**) 432
Potentilla anglica (v.c. **7**, **79**) 218; *argentea* 80, (v.c. **5**, **72**) 425; *crantzii* (v.c. **72**) 425; *erecta* 87, subsp. *strictissima* (v.c. **H40**) 218; *norvegica* (v.c. **41**) 218; *reptans* (v.c. **95**) 425; *sterilis* 182, 416; *tabernaemontani* 80
Poterium sanguisorba 39
Prelli, R. – *Guide des fougères et plantes alliées* (Bk Rev.) 442
Preston, C. D. – *Potamogeton filiformis* Pers. in Anglesey 90–91
Primavesi, A. L., with G. G. Graham – Notes on some *Rosa* taxa recorded as occurring in the British Isles 119–124
Primula 248; *farinosa* 87, 154, 232; *sonchifolia* 351; *veris* 39, 117, 364, 416; *vulgaris* 416, 442
Proctor, M. C. F. – Obit. of Guy Malcolm Spooner (1907–1989) 245
Prunus armeniaca 101; *avium* 182; *domestica* × *spinosa* (v.c. **5**) 218; × *fruticans* 439; *lusitana* 205; *padus* 71, 79, 182; *serotina* (v.c. **46**) 426; *spinosa* 182, 231, 360, 364
× *Pseudanthera breadalbanensis* 316
Pseudorchis 317; *albida* 180, 186, 316
Pseudoscleropodium purum 364
Pseudotsuga glaucescens 92; *menziesii* subsp. *glaucescens* (Schwerin) P. D. Sell. **comb. nov.** 92; *taxifolia* subsp. *glaucescens* 92
Psilotum 442
Pteridium 297–300, 442; *aquilinum* (L.) Kuhn in Britain, A re-assessment of, 297–301, 11, subsp. *aquilinum* 297–300, subsp. *aquilinum* var. *aquilinum* 297, 298, subsp. *aquilinum* var. *latiusculum* 299, 300, subsp. *atlanticum* 297, 298, 300, subsp. *caudatum* 300, subsp. *latiusculum* 297–300, subsp. *latiusculum* × *aquilinum* subsp. *aquilinum* 299
Puccinellia distans 186; *rupestris* (v.c. **53**) 435
Puccinia 384; *allii* 384
Pulicaria vulgaris Gaertner in Britain in 1990, The status of, 405–406
Punt, W., Blackmore, S. & Clarke, G. C. S. (eds) – *The northwest European pollen flora*. Vol. 5 (Bk Rev.) 105
Pyrola minor 79; *rotundifolia* subsp. *maritima* (v.c. **50**) 221
Pyrus communis 85
Quercus 231, 236; *cerris* 179; *robur* 34
Radiola linoides 73, 75, 80
Raghavan, V. – *Developmental biology of fern*

- gametophytes* (Bk Rev.) 232–233
- Ranunculus* 247, 252; L. subgenus *Batrachium* (DC.) A. Gray, Three natural hybrids in, 139–146, 326, 412; *aquatilis* 145, (v.c. **94**) 215; *aquatilis* × *fluitans* 413; *aquatilis* × *trichophyllus* 139; *arvensis* (v.c. **7**) 215; *asiaticus* 247; *bachii* Wirtg., The typification of, 412–413, 142, 144, 145; × *bachii* 139, 144, 145, 413; *baudotii* 207, (v.c. **29**) 420; *bulbosus* 87; *cambricus* 145; *circinatus* (v.c. **81**) 215; *ficaria* 34, 84, 117; *fluitans* 144, 145, 413, (v.c. **4**) 420; *fluitans* × *aquatilis* 139, 144, 145; *fluitans* × *peltatus* 139, 142, 413, (plate) 143; *fluitans* × *trichophyllus* 139, 144, 145; *fluitans* β *bachii* 144; × *kelchoensis* S. Webster, **hybr. nov.** 142, 144, 413, (plate) 143; *lingua* 73, 79; *lutarius* 139; × *novae-forestae* S. Webster, **hybr. nov.** 139, (plate) 140; *omiophyllus* 141; *omiophyllus* × *peltatus* 139; *omiophyllus* × *tripartitus* 139, (plate) 140; *parviflorus* 76, 80; *peltatus* 144, (v.c. **7**) 215; *penicillatus* 144, 145, subsp. *penicillatus* 144, subsp. *pseudofluitans* 145, (v.c. **95**) 420, var. *pseudofluitans* 420; *repens* 364, 416; *sceleratus* 180; *trichophyllus* 145, 413; *tripartitus* 141
- Raphanus raphanistrum* 215; *sativus* (v.c. **50**) 215, (v.c. **50**) 421
- Rapistrum rugosum* (v.c. **12**) 421
- Raybould, A. F., Gray, A. J., Lawrence, M. J. & Marshall, D. F. – The origin and taxonomy of *Spartina* × *neyrautii* Foucaud 207–209
- Raynes, P., with K. Futter – *The flora of Derby* (Bk Rev.) 99–100
- Rechinger, K. H. – *Rumex acetosa* L. subsp. *biformis* (Lange) Valdés-Bermejo & Castroviejo in Britain 209–210
- Reports 115–117, 331–332
- Reseda alba* (v.c. **11**) 421
- Reynoutria* 250; *japonica* 117, 183; *japonica* × *sachalinensis* (v.c. **11**) 220; *sachalinensis* 183, (v.c. **49**, **94**) 428
- Rhinanthus angustifolius* 75, 76, 80; *borealis* 184; *minor* 39, 66, 117, 184, subsp. *calcareus* (v.c. **7**) 222
- Rhododendron ponticum* 36, 184
- Rhopalopodium* 252
- Rhus typhina* (v.c. **41**) 216, (v.c. **41**) 423
- Rhynchospora alba* 186
- Rhynia* 100, 442
- Ribes nigrum* 183; *rubrum* 183; *spicatum* (v.c. **67**, **68**) 219
- Rich, T. C. G., with D. Bevan – Bevan's bitter-cress: the small, white-flowered variant of *Cardamine* × *fringsii* Wirtgen also present in Britain 403–405
- Richards, A. J., with C. C. Haworth – The lectotypification and revision of Dahlstedt's species of *Taraxacum* Weber based on British or Irish plants 125–130
- Richards, A. J., with E. Hazeldon & T. Naisbitt – Differential pollination efficiency within a hybrid swarm between *Dactylorhiza purpurella* (T. & T. A. Stephenson) Soó and *D. fuchsii* (Druce) Soó 391–393
- Rihan, J. R. & Gray, A. J. – The distribution of hybrid Marram Grass, × *Calammophila ballica* (Flügge) Brand, in the British Isles 369–379
- Robertson, S. A. – *Flowering plants of Seychelles* (Bk Rev.) 105–106
- Robinia pseudacacia* (v.c. **70**) 423
- Robson, N. K. B. – Rev. of *Morphology of flowers and inflorescences* 236–237
- Robson, N. K. B. – Rev. of *The names of plants*. 2nd ed. 100–101
- Robson, N. K. B. – Rev. of *Travels in China. A plantsman's paradise* 102–103
- Rorippa amphibia* 79; *austriaca* (v.c. **77**) 421; *austriaca* × *sylvestris* (v.c. **98**) 216, (v.c. **77**) 421; *islandica* 71, 80; *palustris* × *amphibia* (v.c. **38**) 216; *sylvestris* (v.c. **94**) 421
- Rosa* taxa recorded as occurring in the British Isles, Notes on some, 119–124, 231, 247, 360; Group *Andegavenses* 120, 122; Group *Deseglisei* 123; Group *Dumales* 120, 122; Group *Lutetianae* 120; Group *Pubescentes* 120; Group *Rubiginosae* 122; Group *Scabrae* 120, 122; Group *Subcaninae* 123; Group *Subcollinae* 123; Group *Transitoriae* 120; *afzeliana* 121, 122; *agrestis* 122, 124; *andegavensis* 122; *arvensis* 122–124; *blondaeana* 122; *caesia* 121, 124, (v.c. **41**, **75**) 425, subsp. *caesia* 124, subsp. *caesia* × *canina* 123, subsp. *glauc*a (Nyman) Graham & Primavesi, **comb. nov.** 121, 122, 124, (v.c. **75**) 425, subsp. *glauc*a × *canina* 123, (v.c. **41**) 425; *caesia* × *canina* 121, (v.c. **12**) 425; *canina* 120–124, var. *squarrosa* 122; *canina* × *micrantha* (v.c. **11**) 425; *canina* × *obtusifolia* 120, (v.c. **41**) 425; *canina* × *rubiginosa* (v.c. **41**) 425; *canina* × *tomentosa* 124; *coriifolia* 121; *corymbifera* 120, 121; *deseglisei* 123; *dumalis* 121, subsp. *dumalis* 121; × *dumalis* 121; *dumetorum* 120, 121, 123, var. *deseglisei* 123; × *dumetorum* 120; *elliptica* 122; *glauc*a 121, subsp. *glauc*a 121, subsp. *hibernica* 121, subsp. *venosa* 121; *inodora* 122; *micrantha* 122, 124; *mollis* 80, 123, 124; *mollis* × *tomentosa* (v.c. **39**) 218; *multiflora* (v.c. **39**) 218; *nitidula* 122; *obtusifolia* 120, 121, 123, 124; *persica* 247; *pimpinellifolia* 79, 124; *rubiginosa* 122, 124, 182, (v.c. **35**, **79**) 426; *rugosa* (v.c. **46**, **77**) 425; *scabriuscula* 123; × *scabriuscula* 124; *sherardii* 124, (v.c. **11**, **75**) 426; *squarrosa* 122; *stylosa* 122, 124; *subcanina* 123; *subcollina* 123; *tomentosa* 123, 124, (v.c. **39**) 218; *tomentosa* × *canina* (v.c. **41**) 425; *vosagiaca* 122

- Rose, F. – A new subspecies of *Gymnadenia conopsea* (L.) R. Br. 319–320
- Rose, F. – *Colour identification guide to the grasses, sedges, rushes and ferns of the British Isles and north-western Europe* (Bk Rev.) 233–234
- Rose, F. – Rev. of *Ted Ellis: the people's naturalist* 235
- Rosmarinus officinalis* 325
- Rothwell, P. – Rev. of *Spartina anglica* – a research review 324–325
- Rubus* flora of the Isle of Wight, The, 21–31, 71, 97, 187, 214, 243, 247, 329, 360, 419; Section *Corylifolii* 26; Series *Anisacanthi* 194; Series *Hystrires* 195; Series *Micantes* 193; Series *Mucronati* 191; Series *Rhamnifolii* 189; *acclivatum* (v.c. 4) 217; *adscitus* 26, 30; *aequalidens* 26, 29, 30, (v.c. 4) 218; *albionis* 23, 30; *altiarcuratus* 24, 26; *amplificatus* 24, 30; *angusticuspis* 28, 29; *apiculatus* 27; **aquarum** Newton & Porter, **sp. nov.** 191, 192, (v.c. 42) 424, (map) 192; *armipotens* 25; *babingtonii* 29; *bartonii* (v.c. 4) 218; *bercheriensis* 30; *bertramii* 30; *biloensis* Newton & Porter, **sp. nov.** 194, (v.c. 42) 424, (map) 196; *bloxamii* 27, 30; *boraeanus* (v.c. 11) 424; *boudicca* 24, 30; *boulayi* 23, 30; *breconensis* 192; *britannicus* (v.c. 4) 217, (v.c. 26) 424; *cardiophyllus* 25, (v.c. 75) 218; *carpinifolia* 24; *chamaemorus* 97; *cinerosus* 27; *cissburiensis* 29, 30; *conjungens* 28, (v.c. 4) 217; *cordifolius* 25; *cornubiensis* 25, 29; *curvispinosus* 25, 30; *dasyphyllus* 28; *decussatus* 30; *dentatifolius* 27, 30; *divaricatus* 23; *drejeri* (v.c. 75) 218; *dumnoniensis* 25, 29, 30, 182; *echinatus* 27; *effrenatus* 27, 29, 30; *elegantispinosus* (v.c. 26, 79) 424; *errabundus* 23, 30, 81, (v.c. H30) 424; *erraticus* 29; *erythrops* (v.c. 11) 424; *euryanthemus* 30; *fissus* 23; *flexuosus* 27; *fruticosus* 21, 34, 81, 388; *furnarius* 81; *fuscoater* 22; *fuscus* 28, 193, subsp. *obscurus* 29, var. *macrostachys* 193, var. *nutans* 193; **gallofuscus** Newton & Porter, **sp. nov.** 193, (v.c. 41, 42) 424, (map) 194; *glareosus* 29, 30; *godroni* var. *foliolatus* 191; *hantonensis* 26, 30; *hirtifolius* 24; *hylophilus* 25, 89; *imbricatus* 81; *informifolius* (v.c. 12) 434; *insectifolius* 28, 193; *iuvensis* 197; *lamburnensis* 25, 30, (v.c. 4) 218; *largificus* 28, 30; *latifolius* 11, 182; *leightonii* 26, 28; *lejeunei* 29, 192; *lentiginosus* 23; *leucandrififormis* 23, 24; *leucandrus* 24; *leucostachys* var. *angustifolius* 29; *leyanus* 27, 195; *lindleianus* 23, 24, 182; *loganobaccus* (v.c. 79) 423; *longithyriger* 30, var. *bitryeros* 195; *macrophyllus* 23, 27, var. *glabratus* 24; *melanodermis* 26, 30; **merlini** Newton & Porter, **sp. nov.** 195, 197, (v.c. 43, 44) 424, (map) 197; *micans* 27, 29; *milesii* 30; *mollissimus* 24; *morganwgensis* (v.c. 4) 218; *moylei* 27, 30; *mucronatiformis* 26, 30; *mucronulatus* 182, 424; *naldretti* 30; *nemoralis* 25, 182, var. *microphyllus* 81, var. *nemoralis* 81; *nemorosus* 28; *nessensis* 23; *nitidiformis* (v.c. 11) 424; *nitidus* 23; *norvicensis* (v.c. 12) 424; *oxyanthus* 24, 30; *pallidus* 29; *parviflorus* (v.c. 98) 217; *phaeocarpus* 28; *phoenicolasius* (v.c. 5) 217; *pistoris* 81; *platyacanthus* 30; *plicatus* 23, 24, 182; *polyanthemus* 25, 182; *procerus* 329, (v.c. 77) 424, 'Himalayan Giant' 26; *prolongatus* 25; *pruinosis* 28; *pulcherrimus* × *rusticanus* 90; *pullifolius* 30; *purbeckensis* 24, 30; *pydarensis* (v.c. 4) 424; *pyramidalis* 24, 81, var. *parvifolius* 24, 81; *questieri* 30; *radula* 180, 182, var. *hystrix* 26; *raduloides* (v.c. 12) 424; *rilstonei* 28; *robii* 191, (v.c. 42) 424; *rosaceus* 22, 29; *rossensis* (v.c. 4) 218; *rubritinctus* 30; *rudis* 28; *rufescens* 28, 182; *salteri* 22, 24, 29; *saxatilis* 76, 80, (v.c. 47) 423; *schlechtendalii* 23; *scissus* (v.c. 12) 423; *selmeri* 182; *septentrionalis* 182; *spectabilis* 182, (v.c. 79) 423; *sprengelii* 25, 27; *stenophyllus* Lef. & Muell. in Britain 89–90; *suberectus* 23; *subinermoides* 25, 182; *subintegribasis* 30; *sulcatus* 23; *surrejanus* 26, (v.c. 11) 424, var. *wealdensis* 26, 30; *tamarensis* (v.c. 21, 12) 425; **tavensis** Newton & Porter, **sp. nov.** 189, (v.c. 42) 425, (map) 190; *thyrsiflorus* 29; *thyrsoides* 89; *troiensis* (v.c. 42) 425; *tuberculatus* 29, (v.c. 4) 217, (v.c. 79) 423; *ulmifolius* 26, (v.c. 67) 424; *vestitus* 24, 26; *vigorosus* 23, 30; *vigursii* (v.c. 4) 425; *viridis* 197; *wahlbergii* 28; *watsonii* (v.c. 25) 424; *winteri* 26
- Rumex* Section *Rumex* 210; *acetosa* 105, 209, 210, L. subsp. *biformis* (Lange) Valdés-Bermejo & Castroviejo in Britain 209–210; *acetosella* subsp. *angiocarpus* (v.c. 46) 220; *biformis* 210; *conglomeratus* 210; *conglomeratus* × *palustris* (v.c. 16) 221; *conglomeratus* × *pulcher* (v.c. 12) 221; *crispus* 11, subsp. *littoreus* (v.c. 75, 99) 428; *crispus* × *pulcher* (v.c. 12) 221; *longifolius* 183, (v.c. 39) 221; *obtusifolius* 183, 416; *obtusifolius* × *pulcher* (v.c. 12) 221; *palustris* (v.c. 39) 221; *rupestris* 210; *sanguineus* var. *viridis* 183
- Rumsey, F. J. & Jury, S. L. – An account of *Orobanch* L. in Britain and Ireland 257–295
- Rumsey, F. J., Sheffield, E. & Haufler, C. H. – A re-assessment of *Pteridium aquilinum* (L.) Kuhn in Britain 297–301
- Ruta graveolens* 205
- Rutherford, A., with H. A. McAllister – *Hedera helix* L. and *H. hibernica* (Kirchner) Bean (Araliaceae) in the British Isles 7–15
- Ryvarde, L. (ed.), with R. Berg & K. Fægri – *Norges ville blomster – fra bier og blomster til frø og frukt* [Norway's wild flowers – from bees and flowers to seeds and fruits] (Bk Rev.) 234

- Sagittaria sagittifolia* 75, 79
Salicornia dolichostachya (v.c. 75) 422; *nitens* (v.c. 68) 216
Salix 34, 97, 227, 231, 236, 329, 410, 419; *alba* 184, var. *alba* 149, var. *latifolia* 149, var. *vitellina* 33; *alba* × *fragilis* (v.c. 52) 428; *aurita* × *cinerea* (v.c. 94) 221; *calodendron* 179; *caprea* 231, subsp. *sericea* (v.c. 79) 428, var. *sphacelata* 428; *caprea* × *viminialis* 412, (v.c. 5, 52) 428; *cinerea* 231, subsp. *oleifolia* 34, 35; *cinerea* × *phylicifolia* (v.c. 96) 428; *cinerea* × *viminialis* 411; *herbacea* 184; *myrsinifolia* 412; *myrsinifolia* × *viminialis* 412; *nigricans* × *viminialis* 412; *repens* subsp. *repens* (v.c. 43) 428; × *seminigricans* A. & C. Camus: a willow hybrid new to the British Isles 410–412, (illus.) 411; × *sericans* 411; × *smithiana* 411; *viminialis* 412
Salvia argentea 205; *verbenaca* (v.c. 52) 223; *verticillata* 206
Sambucus ebulus (v.c. 70) 430; *nigra* 185, 388
Sanguisorba minor 416; *officinalis* 87, 117, 416
Sanmiguelia 100
Sarothamnus scoparius 182
Sawford, B. – *Wild flower habitats of Hertfordshire; past, present and future* (Bk Rev.) 443
Sawyer, R., with R. S. Pickard (ed.) – *Honey identification* (Bk Rev.) 106
Saxifraga 115, 248, 252; *aizoides* 183, 201, 248; *cymbalaria* (v.c. 35) 219; *granulata* 79, 248; *hirculus* 102; *hirsuta* 183, (v.c. 77) 426; *hypnoides* 201, 416; *oppositifolia* 183; *stellaris* 97, 183, 201, 248; *tridactylites* 183, (v.c. 75) 219; × *urbium* 183
Scabiosa columbaria 87
Scandix pecten-venensis 329
Schoenoplectus × *kuekenethalianus* (Junge) Kent, **comb. nov.** 213; × *scheuchzeri* 213; *tabernaemontani* × *triqueter* 213
Schoenus ferrugineus 164; *nigricans* 154, 164
Schultze-Motel, J. – Rev. of *The European garden flora. A manual for the identification of plants cultivated in Europe, both out-of-doors and under glass*. Vol. III, Dicotyledons (Part I) 235–236
Schönfelder, P., with H. Haeupler – *Atlas der Farn- und Blütenpflanzen der Bundesrepublik Deutschland* (Bk Rev.) 101–102
Scilla verna 185
Scirpus caespitosus 247; *fluitans* 91; × *kuekenethalianus* 213; *maritimus* 186, 422; × *scheuchzeri* 213; *tabernaemontani* 186
Scleranthus annuus 79
Scrophularia nodosa 184
Scutellaria galericulata 185; *minor* 73, 80
Sedum 248; *acre* 183; *dasyphyllum* 79, (v.c. 41) 219; *spuriatum* 179, 183, (v.c. 39) 219
Selaginella 442
Sell, P. D. – Some new combinations in the British flora 92
Sell, P. D. – The typification and nomenclature of *Erica mackaiana* Bab. 92–93
Sell, P. D. – A. G. Kenneth – an appreciation 244
Sell, P. D. & Webster, S. D. – The typification of *Ranunculus bachii* Wirtg. 412–413
Senecio 270, 329; *aquaticus* × *jacobaea* (v.c. 38) 224; *fluviatilis* 443, (v.c. 67) 224; *greyi* 271, 430; *squalidus* (v.c. 109) 430; *sylvaticus* 185; *tanguticus* (v.c. 76) 224; *viscosus* 185; *vulgaris* 185
Sequoia sempervirens 326
Serapias parviflora (v.c. 2) 227
Serratula tinctoria 66, 79
Setaria italica (v.c. 39) 228
Sheffield, E. – Rev. of *Developmental biology of fern gametophytes* 232–233
Sheffield, E., with F. J. Rumsey & C. H. Haufler – A re-assessment of *Pteridium aquilinum* (L.) Kuhn in Britain 297–301
Sherardia arvensis 185, 416
Shimwell, D. W. – Rev. of *A flora of Wensleydale. A centennial review of the plants of the Dale* 232
Short Notes 81–95, 199–213, 315–321, 401–407
Sibthorpia europaea 184, 416, (v.c. 35) 429
Silaum silaus 66, 416
Silene alba 180, 181; *coeli-rosa* (v.c. 35) 422; *dioica* 181; *latifolia* 362, 364, subsp. *alba* 181; *maritima* 329; *noctiflora* 79, (v.c. 35) 422; *otites* 75, 80; *vulgaris* 329, 362, subsp. *alpina* 329, subsp. *maritima* 116, 329
Silverside, A. J. – A new hybrid binomial in *Mimulus* L. 210–212
Silverside, A. J. – The identity of *Euphrasia officinalis* L. and its nomenclatural implications 343–350
Silverside, A. J. – The nomenclature of some hybrids of the *Spiraea salicifolia* group naturalized in Britain 147–151
Silverside, A. J. – Rev. of *Wild flowers of north east Essex* 443–444
Simpson, D. A. – Displacement of *Elodea canadensis* Michx by *Elodea nuttallii* (Planch.) H. St John in the British Isles 173–177
Sinapis 249; *alba* (v.c. 93) 215; *arvensis* 181
Sisymbrium officinale 181
Sium latifolium 71, 80
Sledge, W. A. – Obit. of George A. Nelson (1903–1989) 111–112
Smilax 247
Smith, J. E. – Rev. of *Sussex plant atlas: selected supplement* 439
Smith, S., with F. Burkhardt (eds) – *The correspondence of Charles Darwin*. Vol. 4, 1847–1850 (Bk Rev.) 98
Smyrniium olusatrum 271

- Solanum* 329; *dulcamara* 184; *sarrachoides* (v.c. 7) 222
- Soleirolia soleirolii* 179, 183
- Solidago gigantea* (v.c. 26, 39) 224, (v.c. 73) 431
- Sonchus arvensis* 185; *asper* 185
- Sorbus* 249; *croceocarpa* 183; *intermedia* 183; *latifolia* 183; *rupicola* 183; *tormalis* 364, (v.c. 47) 219, (v.c. 41) 426
- Spartina* 324; *alterniflora* 208, 209; *anglica* 207, 324; *maritima* 208, 209; *neyrautii* 208; × *neyrautii* Fucaud, The origin and taxonomy of, 207–209; × *townsendii* 207–209
- Spergularia marina* 181; *rubra* 180, 181
- Sphagnum* 184
- Spiraea* Section *Spiraea* 147; *alba* 147–149, var. *alba* 148, 151, (illus.) 150, var. *alba* × *salicifolia* 149, var. *latifolia* 148, (illus.) 150, var. *latifolia* × *salicifolia* 149; *alba* × *douglasii* 147, 148, (v.c. 73, 77) 217; *alba* × *douglasii* subsp. *douglasii* 148; × *billardii* 147, 148, (illus.) 149, var. *macrothyrsa* (illus.) 149; *californica* 148; *douglasii* 147, 148, subsp. *douglasii* 148, (v.c. 77) 423, (illus.) 150, subsp. *menziesii* 148; *douglasii* × *hypericifolia* 148; *douglasii* × *salicifolia* 148; *eximia* 148; × *eximia* 148; *latifolia* 147–149; × *macrothyrsa* 148; *media* (v.c. 69) 423; *menziesii* 148, var. *macrothyrsa* 148, var. *triumphans* 148; × *pseudosalicifolia* Silverside, **hybr. nov.** 147, 148, (illus.) 149; *rosalba* 149; × *rosalba* 149, 151, nothovar. *rosalba* 149, (illus.) 150, nothovar. **rubella** (Dippel) Silverside. **comb. et stat. nov.** 149, 151, (illus.) 150; *rubella* 149, 151; × *rubella* 151; *salicifolia* group naturalized in Britain, The nomenclature of some hybrids of the, 147–151, (illus.) 150
- Spiranthes romanzoffiana* (v.c. 103) 433; *spiralis* 80, 443, (v.c. 42) 433
- Splachnum vasculosum* 201
- Spooner, Guy Malcolm (1907–1989) (Obit.) 245
- Stace, C. A. – New names and combination for three hybrids 320–321
- Stace, C. A. – New names and combinations in the British flora 212–213
- Stace, C. A. – Three new grass combinations 413
- Stace, C. A. – *Plant taxonomy and biosystematics*. 2nd ed. (Bk Rev.) 106–107
- Stace, C. A., with A.-K. K. A. Al-Bermani – A new subspecies of *Festuca rubra* L. 315–316
- Stachys affinis* 366; × *ambigua* 185; *arvensis* (v.c. 7) 223; *byzantina* 364, 366; *germanica* L., Further observations on, 359–367; *grandiflora* 366; *lanata* 364; *officinalis* 87, 366; *palustris* 184, 366; *sylvatica* 364, 366
- Stellaria alsine* 201; *graminea* 181; *neglecta* (v.c. 109) 422; *nemorum* 74, 79, subsp. *glochidisperma* (v.c. 45) 216; *pallida* (v.c. 80) 422; *palustris* 71, 79
- Stewartia* 101
- Stipularia* 252
- Stirling, A. McG. – Obit. of Archibald Graham Kenneth (1915–1989) 242–244
- Stirling, A. McG. – Rev. of *The botanist in Berwickshire* 438–439
- Stone, E. – *Ted Ellis: the people's naturalist* (Bk Rev.) 235
- Stratiotes aloides* 75, 80
- Subularia aquatica* (v.c. 72) 421
- Succisa pratensis* 66, 327
- Sumnera* 252
- Suominen, J., with J. Jalas (eds) – *Atlas Florae Europaeae*. Volume VIII: Nymphaeaceae to Ranunculaceae (Bk Rev.) 326–327
- Sutton, D. A. – *A revision of the tribe Antirrhineae* (Bk Rev.) 107
- Swann, Eric Lister (1904–1989) (Obit.) 112–113
- Sykes, W. R., with C. J. Webb & P. J. Garnock-Jones – *Flora of New Zealand* Volume IV. Naturalised Pteridophytes, Gymnosperms, Dicotyledons (Bk Rev.) 328–329
- Symphoricarpos albus* var. *laevigatus* 185, (v.c. 99) 223; *rivularis* 185
- Symphytum* 113; *ibiricum* (v.c. 8, 67) 221, (v.c. 69) 428; *officinale* 184, 325, (v.c. 79) 221; *tuberosum* 184, (v.c. 8) 221; × *uplandicum* 184
- Syndesmon* 252
- Tamus communis* 364
- Tan, K. (ed.), with R. R. Mill & T. S. Elias – *The Davis & Hedge Festschrift* (Bk Rev.) 439–440
- Tanacetum parthenium* 185; *vulgare* 185
- Taraxacum* Weber based on British or Irish plants, The lectotypification and revision of Dahlstedt's species of, 125–130, new to the British Isles, Six native species of, 131–138, 97, 187, 241–243, 441, 444; Group *Ruderalia* 138; Section *Celtica* 135, 137; Section *Erythrosperma* 133; Section *Hamata* 127, 130, 135; *acidodontum* 126; *acrifolium* 126; *adamii* 127; *adsimile* 126, 127, 129; *aequatum* 127; *alatum* 129; *alienum* 127; *anglicum* 127; *ardisodon* 127; *ardense* 131; *argutum* 127, 133; *berthae* 242; *bipinnatifidum* 127; *brachyglossum* 130, 133; *bracteatifforme* 135; *bracteatum* 135; *britannicum* 127; *calophyllum* 127; *cherwellense* 129; *chloroleucophyllum* 127; *connexum* 127; *cophocentrum* 127; *cyanolepis* 127; *drucei* 127; *duplidentifrons* 127, 185; *edmonsonii* 131; *ekmani* 127; *eurphyllum* 134, 185; *fasciatum* 129; *fulvicarpum* 127, 130; *fulviforme* 127; *gelertii* 127; *glauciniforme* 127; *hamatifforme* 127; *hamatifrons* 127; *hamatum* 129; *hamiferum* 128; *helvicarpum* 128; *hemipolydon* 128; **hesperium** C. C. Haworth, **sp. nov.** 134, 135, (plate) 132; *hispanicum* 130; *inane* 131; **inopinatum**

- C. C. Haworth, **sp. nov.** 131, 133, (plate) 132; *johnstonii* 128; *lacerabile* 128; *lacerilobum* 128; *laciniosum* 128, 130; *lacistophyllum* 133; *laetifrons* 126, 128, 129; *lamprophyllum* 135; *landmarkii* 185; *latispina* 128; *linguatum* 128; *lingulatum* 127, 129; *longisquameum* 126, 128; *lucidum* 138; *macrolobum* 128; *maculigerum* 185; *maculosum* 134, 185; **margettsii** C. C. Haworth, **sp. nov.** 137, 138, (plate) 136; *marklundii* 128; *mucronatum* 128; *naeviferum* 128; *naevosiforme* 126–128; *naevosum* 130; *obliquilobum* 129; *oblongatum* 128, 129; *obscuratum* 128; **oellgaardii** C. C. Haworth, **sp. nov.** 135, (plate) 136; *officinale* 388; *orcadense* 128, 130; *oxoniense* 128; *pannulatiforme* 128; *perhamatum* 128; *perlaciniatum* 128; *platylobum* 128; *plicatum* 128; *polyodon* 127, 128; *porrectidens* 129; **porteri** C. C. Haworth **sp. nov.** 137, (plate) 136; *praeradiatifrons* 129; *pseudohamatum* 129; *pseudolamprophyllum* 135; *pseudolarssonii* 131; *raunkiaerii* 127, 185; *recurvilobum* 129; **richardsonianum** C. C. Haworth, **sp. nov.** 133, 134, (plate) 132; *semiprivum* 129; *serratilobum* 129; *shetlandicum* 129; *similatum* 129; *spectabile* 185; *spilophyllopsis* 124; *stenacrum* 129; *stenoglossum* 129; *stictophyllum* 127, 128, 185; *subexpallidum* 129; *sublaciniosum* 129; *sublatissimum* 129; *sublucescens* 129; *submucronatum* 129; *subpallescens* 129; *subsagittipotens* 129; *subsimile* 130; *subundulatum* 128–130; *tanylepioides* 130; *tanylepis* 130; *tanyphyllum* 130; *unguilibiforme* 130; *unguilibum* 127–130, 185; *vachellii* 130; *valdedentatum* 130
- Tarpey, T. & Heath, J. – *Wild flowers of north east Essex* (Bk Rev.) 443–444
- Taylor, G. – Obit. of Anna Younger (1901–1989) 245–246
- Taylor, K. B., with A. J. Willis & M. H. Martin – *Orchis purpurea* Hudson in the Avon Gorge, Bristol 387–390
- Tellima grandiflora* (v.c. 80) 219
- Teucrium scorodonia* 416
- Thalictrum* 252; *alpinum* 180; *flavum* 79
- Thamnobryum alopecurum* 388
- Thamnosma* 328
- Thelycrania sericea* 33; *stolonifera* 33
- Thlaspi alliaceum* (v.c. 11) 421; *alpestre* 117; *arvense* 181; *caerulescens* 116, 117
- Thomas, B. A. – Rev. of *The origins of Angiosperms and their biological significance* 99
- Thymus* 97, 258, 264, 325; *pulegium* 325; *serpyllum* 264, 325
- Tilia cordata* (v.c. 8) 216; × *vulgaris* 105
- Tomlinson, P. R. – Rev. of *Current Paleoethnobotany: analytical methods and cultural interpretations of archaeological plant remains* 102
- Torilis arvensis* (v.c. 11) 220; *japonica* 364; *nodosa* 76, 80
- Tragopogon porrifolius* 416, (v.c. 50) 431
- Trautvetteria* 252
- Trichophorum caespitosum* 247
- Trientalis europaea* 184
- Trifolium* 329; *campestre* 182; *dubium* 182; *fragiferum* (v.c. 39) 217; *hybridum* 402; *incarnatum* (v.c. 52) 423; *medium* 66, 327; *pratense* 87, 267, 271, 273, 402; *repens* 402; *striatum* 75, 80; *suffocatum* (v.c. 6) 423
- Triglochin maritima* 185
- Tripleurospermum* × *Anthemis* 212; *inodorum* 271; *inodorum* × *Anthemis cotula* 212; *maritimum* 185
- × **Tripleurothemis** Stace, **nothogenus nov.** 212; **maleolens** (P. Fourn.) Stace, **comb. nov.** 212
- Trist, P. J. O. – *Festuca arundinacea* Schreb. var. *strictior* (Hack.) K. Richt. 414–415
- Trollius europaeus* 71–73, 75, 79, 180
- Tropaeolum speciosum* 439
- Tsuga heterophylla* 179
- Turgenia latifolia* 205
- Turner, J. – Rev. of *The northwest European pollen flora*. Vol. 5 105
- Turner, W., with G. T. L. Chapman & M. N. Tweddle (ed) – *A New Herball* (Bk Rev.) 107–108
- Turritis glabra* 205
- Tussilago* 258; *farfara* 185
- Tweddle, M. N., with G. T. L. Chapman (eds) & W. Turner – *A New Herball* (Bk Rev.) 107–108
- Ulex* 274; *europaeus* 263, 329
- Ulmus* 213; *glabra* 184, 388, f. *sarniense* 212; *minor* subsp. **sarniensis** (C. Schneider) Stace, **comb. et stat. nov.** 212; *thomasi* (v.c. 50) 428
- Umbilicus rupestris* 416
- Urtica dioica* 87, 388, 416, 442
- Utricularia* 248; *minor* 71, 73, 80; *vulgaris* 73, 80
- Vaccinium oxycoccus* 73, 79, (v.c. 51) 428; *pubescens* 87; *uliginosum* 88, L. var. *pubescens* (Wormsk.) Hornem. from the British Isles, The first record for, 87–88
- Valeriana dioica* 154
- Valerianella carinata* (v.c. 7) 224; *dentata* 79; *locusta* 185
- Verbascum nigrum* × *thapsus* (v.c. 14) 222; *thapsus* 416
- Verbena officinalis* 80
- Veronica* 329; *agrestis* 184; *beccabunga* 201, 416; *filiformis* 184, 329; *hederifolia* subsp. *hederifolia* (v.c. 80, 99) 222, (v.c. 81) 429, subsp. *lucorum* (v.c. 75, 99) 222; *longifolia* (v.c. 69, 73) 429; *montana* 184; *peregrina* (v.c. 81) 429; *polita* 79, (v.c. 94) 222; *repens* 213; **reptans** Kent, **nom. nov.** 213; *scutellata* 184; *verna* 329

- Viburnum lantana* 364, 417; *opulus* 388
Vicia angustifolia 182; *bithynica* 274; *fabia* 274;
hirsuta 274; *lutea* (v.c. 7) 217; *orobus* 182;
sepium 182; *sylvatica* 73, 75, 79, 182; *tetras-*
perma 274; *villosa* subsp. *varia* (v.c. 6) 217
Victoria regina 98
 Vincent, P. – *The biogeography of the British Isles*
 – an introduction (Bk Rev.) 444–445
Viola 247; *canina* (v.c. 81) 421; *hirta* 362, 364;
lactea 23; *lutea* 116, 117, (v.c. 5) 421; *palustris*
73; reichenbachiana 417; *rinviniana* 364, 388
Viorna 252
Viticella 252
Vulpia 249, 250
 Wade, Arthur Edward (1895–1989) (Obit.) 113–
 114
Wadea 113
 Walters, S. M. – Rev. of *Atlas Florae Europaeae*.
 Volume VIII: Nymphaeaceae to Ranunculaceae
 326–327
 Walters, S. M., Alexander, J. C. M. *et al.* – *The*
European garden flora. A manual for the
identification of plants cultivated in Europe,
both out-of-doors and under glass. Vol. III,
 Dicotyledons (Part I) (Bk Rev.) 235–236
 Walters, S. M., with F. H. Perring (eds) – *Atlas of*
the British flora. Repr. of 3rd ed. (Bk Rev.)
 441–442
 Walters, S. M., with F. H. Perring – *The Macmil-*
lan field guide to British wildflowers (Bk
 Rev.) 104–105
 Ward, G., with C. Lowe & M. Lowes – *Plants of*
Upper Teesdale (Bk Rev.) 327
 Webb, C. J. – New Zealand species of *Hydroco-*
tyle (Apiaceae) naturalised in Britain and
 Ireland 93–95
 Webb, C. J., Sykes, W. R. & Garnock-Jones, P.
 J. – *Flora of New Zealand*, Volume IV.
 Naturalised Pteridophytes, Gymnosperms,
 Dicotyledons (Bk Rev.) 328–329
 Webb, D. A. – Presidential Address, 1990.
 Genera, hollow curves and boojums 247–255
 Weberling, F., with R. J. Pankhurst (trans.) –
Morphology of flowers and inflorescences
 (Bk Rev.) 236–237
 Webster, S. D. – Three natural hybrids in *Ranun-*
culus L. subgenus *Batrachium* (DC.) A.
 Gray 139–146
 Webster, S. D., with P. D. Sell – The typification
 of *Ranunculus bachii* Wirtg. 412–413
 Wentworth, J. E., Bailey, J. P. & Gornall, R. J. –
 Contributions to a cytological catalogue of
 the British and Irish flora 415–417
 Whitcombe, R. – Rev. of *Plants of Dhofar* 327–
 328
 Willis, A. J., Martin, M. H. & Taylor, K. B. –
Orchis purpurea Hudson in the Avon Gorge,
 Bristol 387–390
 Youdale, W. H., The Cumbrian herbarium of,
 204–206
 Younger, Anna (1901–1989) (Obit.) 245–246
Zannichellia palustris 79
Zostera noltii 97

CONTENTS

	PAGES
MILNE-REDHEAD, E. The B.S.B.I. Black Poplar survey, 1973-88 ...	1-5
MCALLISTER, H. A. & RUTHERFORD, A. <i>Hedera helix</i> L. and <i>H. hibernica</i> (Kirchner) Bean (Araliaceae) in the British Isles ...	7-15
BINGGELI, P. Detection of protandry and protogyny in Sycamore (<i>Acer pseudoplatanus</i> L.) from infructescences ...	17-20
ALLEN, D. E. <i>The Rubus</i> flora of the Isle of Wight ...	21-31
KELLY, D. L. <i>Cornus sericea</i> L. in Ireland: an incipient weed of wetland ...	33-36
FOLEY, M J. Y. The current distribution and abundance of <i>Orchis ustulata</i> L. in southern England ...	37-48
GOSLER, A. G. Introgressive hybridization between <i>Crataegus monogyna</i> Jacq. and <i>C. laevigata</i> (Poiret) DC. in the Upper Thames Valley, England ...	49-62
CRACKLES, F. E. <i>Hypericum</i> × <i>desetangsii</i> Lamotte nm. <i>desetangsii</i> in Yorkshire, with special reference to its spread along railways ...	63-67
GULLIVER, R. L. The rare plants of the Howardian Hills, North Yorkshire, 1794-1988 ...	69-80
SHORT NOTES	
Allen, D. E. Micromorphy in New Forest <i>Rubi</i> ...	81
Brewis, A. Yellow Ivy Broomrape ...	81-82
Dalby, D. H. A new combination in <i>Cochlearia</i> (Cruciferae) ...	83
Dawson, H. J. Chromosome numbers in two <i>Limonium</i> species ...	82-84
Gilbert, O. L. Wild figs by the River Don, Sheffield ...	84-85
Haliday, G. <i>Crepis praemorsa</i> (L.) Tausch, new to western Europe ...	85-87
Horsman, F. The first record for <i>Vaccinium uliginosum</i> L. var. <i>pubescens</i> (Wormsk.) Hornem. from the British Isles ...	87-88
Kent, D. H. The Shasta Daisy ...	89
Newton, A. <i>Rubus stenopetalus</i> Lef. & Muell. in Britain ...	89-90
Preston, C. D. <i>Potamogeton filiformis</i> Pers. in Anglesey ...	90-91
Sell, P. D. Some new combinations in the British flora ...	92
Sell, P. D. The typification and nomenclature of <i>Erica mackaiana</i> Bab. ...	92-93
Webb, C. J. New Zealand species of <i>Hydrocotyle</i> (Apiaceae) naturalised in Britain and Ireland ...	93-95
BOOK REVIEWS ...	97-109
OBITUARIES ...	111-114
REPORT	
Annual General Meeting, 6 May 1989 ...	115-117
GRAHAM, G. G. & PRIMAVESI, A. L. Notes on some <i>Rosa</i> taxa recorded as occurring in the British Isles ...	119-124
HAWORTH, C. C. & RICHARDS, A. J. The lectotypification and revision of Dahlstedt's species of <i>Taraxacum</i> Weber based on British or Irish plants ...	125-130
HAWORTH, C. C. Six native species of <i>Taraxacum</i> new to the British Isles ...	131-138
WEBSTER, S. D. Three natural hybrids in <i>Ranunculus</i> L. subgenus <i>Batrachium</i> (DC.) A. Gray ...	139-146
SILVERSIDE, A. J. The nomenclature of some hybrids of the <i>Spiraea salicifolia</i> group naturalized in Britain ...	147-151

INDEX TO WATSONIA VOLUME 18

FOLEY, M. J. Y. An assessment of populations of <i>Dactylorhiza traunsteineri</i> (Sauter) Soó in the British Isles and a comparison with others from Continental Europe	153-172
SIMPSON, D. A. Displacement of <i>Elodea canadensis</i> Michx by <i>Elodea nuttallii</i> (Planch.) H. St John in the British Isles	173-177
CLARK, J. W. & JERMY, A. C. Additions to the flora of Mull and adjacent small islands	179-187
NEWTON, A. & PORTER, M. Five brambles from Wales	189-198
SHORT NOTES	
Bevan, J. <i>Hieracium britannicum</i> F. J. Hanb. in Wales	199-200
Corner, R. W. M. <i>Cardamine amara</i> L.: its occurrence in montane habitats in Britain	200-201
David, R. W. The distribution of <i>Carex appropinquata</i> Schumacher (<i>C. paradoxa</i> Willd.) in Great Britain and Ireland	201-204
Hofmann, H., Edmondson, J. R. & Halliday, G. The Cumbrian herbarium of W. H. Youdale	204-206
Pearman, D. <i>Alopecurus bulbosus</i> Gouan in Dorset	206-207
Raybould, A. F., Gray, A. J., Lawrence, M. J. & Marshall, D. F. The origin and taxonomy of <i>Spartina</i> × <i>neyrautii</i> Foucaud	207-209
Rechinger, K. H. <i>Rumex acetosa</i> L. subsp. <i>biformis</i> (Lange) Valdés-Bermejo & Castroviejo in Britain	209-210
Silverside, A. J. A new hybrid binomial in <i>Mimulus</i> L.	210-212
Stace, C. A. New names and combinations in the British flora	212-213
PLANT RECORDS	214-228
BOOK REVIEWS	229-237
OBITUARIES	238-246
WEBB, D. A. Presidential address, 1990: Genera, hollow curves and boojums	247-255
RUMSEY, F. J. & JURY, S. L. An account of <i>Orobancha</i> L. in Britain and Ireland	257-295
RUMSEY, F. J., SHEFFIELD, E. & HAUFLE, C. H. A re-assessment of <i>Pteridium aquilinum</i> (L.) Kuhn in Britain	297-301
HOBSON, D. D. The status of <i>Populus nigra</i> L. in the Republic of Ireland	303-305
ETTLINGER, D. M. T. Two new varieties of British <i>Dactylorhiza</i>	307-309
FLINK, K. E. & HYLMÖ, B. Two new species of <i>Cotoneaster</i>	311-313
SHORT NOTES	
Al-Bermani, A.-K.K.A. & Stace, C. A. A new subspecies of <i>Festuca rubra</i> L.	315-316
Horsman, F. Abnormal flowers in <i>Platanthera chlorantha</i> (Custer) Reichenb. and <i>Gymnadenia conopsea</i> (L.) R.Br. subsp. <i>conopsea</i>	316-317
Ingram, G. I. C. & Dunster, C. W. A nonresupinate abnormality in <i>Orchis purpurea</i> Hudson	317-319
Page, C. N. Herbarium sheets of the rare fern × <i>Asplenophyllitis microdon</i> (T. Moore) Alston in Edinburgh	319
Rose, F. A new subspecies of <i>Gymnadenia conopsea</i> (L.) R. Br.	319-320
Stace, C. A. New names and combination of three hybrids	320-321
BOOK REVIEWS	323-329
REPORT	
Annual General Meeting, 12 May 1990	331-332

INDEX TO WATSONIA VOLUME 18

LACK, A. J. & DIAZ, A. The pollination of <i>Arum maculatum</i> L. – a historical review and new observations	333–342
SILVERSIDE, A. J. The identity of <i>Euphrasia officinalis</i> L. and its nomenclatural implications	343–350
CONOLLY, A. P. <i>Polygonum lichiangense</i> W. Smith: rejected as a naturalized British species	351–358
DUNN, A. J. Further observations on <i>Stachys germanica</i> L.	359–367
RIHAN, J. R. & GRAY, A. J. The distribution of hybrid Marram Grass, × <i>Calammophila baltica</i> (Flüggé) Brand, in the British Isles	369–379
FROST, L. C., HOUSTON, L., LOVATT, C. M. & BECKETT, A. <i>Allium sphaerocephalon</i> L. and introduced <i>A. carinatum</i> L., <i>A. roseum</i> L. and <i>Nectaroscordum siculum</i> (Ucria) Lindley on St Vincent's Rocks, Avon Gorge, Bristol	381–385
WILLIS, A. J., MARTIN, M. H. & TAYLOR, K. B. <i>Orchis purpurea</i> Hudson in the Avon Gorge, Bristol	387–390
HAZELDON, E., NAISBITT, T. & RICHARDS, A. J. Differential pollination efficiency within a hybrid swarm between <i>Dactylorhiza purpurella</i> (T. & T. A. Stephenson) Soó and <i>D. fuchsii</i> (Druce) Soó	391–393
HORSMAN, F. A new dactylorchid hybrid	395–399
SHORT NOTES	
Akeroyd, J. R. <i>Anthyllis vulneraria</i> L. subsp. <i>polyphylla</i> (DC.) Nyman, an alien kidney-vetch in Britain	401–403
Bevan D. & Rich, T. C. G. Bevan's Bittercress: the small, white-flowered variant of <i>Cardamine</i> × <i>fringsii</i> Wirtgen also present in Britain	403–405
Chatters, C. The status of <i>Pulicaria vulgaris</i> Gaertner in Britain in 1990	405–406
David, R. W. <i>Carex</i> × <i>gaudiniana</i> Guthnick – a rarity?	406–407
Dietrich, W. The status of <i>Oenothera cambrica</i> Rostański and <i>O. novae-scotiae</i> Gates (Onagraceae)	407–408
Lang, D. C. A new variant of <i>Ophrys apifera</i> Hudson in Britain	408–410
Meikle, R. D. <i>Salix</i> × <i>seminigrans</i> A. & G. Camus: a willow hybrid new to the British Isles	410–412
Sell, P. D. & Webster, S. D. The typification of <i>Ranunculus bachii</i> Wirg.	412–413
Stace, C. A. Three new grass combinations	413
Trist, P. J. O. <i>Festuca arundinacea</i> Schreb. var. <i>strictior</i> (Hack.) K. Richt	414–415
Wentworth, J. E., Bailey, J. P. & Gornall, R. J. Contributions to a cytological catalogue of the British and Irish flora, 1.	415–417
PLANT RECORDS	419–436
BOOK REVIEWS	437–445
OBITUARIES	447–452

