

OK
1
W44Z
Bot

4127193 - No. 1 missing

WATSONIA

THE JOURNAL OF
THE BOTANICAL SOCIETY
OF THE BRITISH ISLES

VOLUME 19

EDITED BY

J. R. AKEROYD, J. R. EDMONDSON, R. R. MILL,
E. C. NELSON, C. D. PRESTON AND B. S. RUSHTON

1992-93

PRINTED FOR THE SOCIETY BY
Eaton Press Limited, Wallasey, Merseyside

PUBLISHED AND SOLD BY THE BOTANICAL SOCIETY OF THE BRITISH ISLES,
C/O DEPARTMENT OF BOTANY, BRITISH MUSEUM (NATURAL HISTORY), LONDON SW7 5BD

DATES OF PUBLICATION

Part 1, pp. 1–72, 18th February 1992
Part 2, pp. 73–168, 29th August 1992
Part 3, pp. 169–208, 1st March 1993
Part 4, pp. 209–304, 31st August 1993

Errata

p. 136, line 10 up. For: *catharticus* read: *cathartica*

INDEX

WATSONIA VOLUME 19 (1992–93)

Prepared by C. R. Boon

- Abbott, P. P. – Obit. of William Arthur Sledge (1904–1991) 166–168
- Acaena inermis* (v.c. 77) 145; *ovalifolia* (v.c. 98) 285
- Acer pseudoplatanus* 236
- Achilleamillefolium* 114, 134, 290, ‘Cerise Queen’ 173; *ptarmica* 173
- Aconitum* × *cammarum* (v.c. 44, 50) 280; *napel-lus* × *variegatum* (v.c. 44, 50) 280
- Acorus calamus* (v.c. 50, 80) 152
- Adiantum capillus-veneris* 3, (map) 6, 40
- Adoxa moschatellina* 90, 91, 243
- Aegilops kotschy* 46
- Aegochloa pungens* 260
- Aegopodium podagraria* (v.c. 75) 288
- Aglaomorpha* 45
- Agrimonia eupatoria* 134; *procera* 134
- Agrostemma githago* (map) 75, 76, 90
- Agrostis scabra* 175, 176; *stolonifera* 189; *vinealis* 185, (v.c. 44) 154, (v.c. 43) 294
- Aira praecox*, 117, 192
- Ajuga reptans* 134, 269
- Akeroyd, J. R. – Rev. of *A colour guide to rare wild flowers* 43–44
- Akeroyd, J. R. – Rev. of *Crucifers of Great Britain and Ireland. B.S.B.I. Handbook No. 6* 48–49
- Akeroyd, J. R. – Rev. of *The Burren. A companion to the wildflowers of an Irish limestone wilderness* 159–160
- Akeroyd, J. R. & Clarke, K. – *Dianthus armeria* L. new to Ireland and other rare plants in West Cork 185–187
- Al-Bermani, A.-K. K. A., Al-Shammary, K. I. A., Bailey, J. P. & Gornall, R. J. – Contributions to a cytological catalogue of the British and Irish flora, 3 269–271
- Al-Bermani, A.-K. K. A., with C. A. Stace and M. J. Wilkinson – The distinction between the *Festuca ovina* L. and *Festuca rubra* L. aggregates in the British Isles 107–112
- Al-Shammary, K. I. A., with A.-K. K. A. Al-Bermani, J. P. Bailey & R. J. Gornall – Contributions to a cytological catalogue of the British and Irish flora, 3 269–271
- Alchemilla filicaulis* subsp. *vestita* (v.c. 46) 285; *glaucescens* 269; *mollis* 173, (v.c. 50) 145; *xanthochlora* 269
- Alisma plantago-aquatica* 170
- Allen, D. E. – John Dony and the B.S.B.I. 62–64
- Allen, D. E. – *Rubus bloxamii* (Bab.) Lees (Rosaceae) with red styles 131
- Allen, D. E. – *Rubus corbieri* Boulay (Rosaceae) in the British Isles 131–133
- Allen, D. E. – Rev. of *The botanizers. Amateur scientists in nineteenth-century America* 300–301
- Allium ampeloprasum* var. *babingtonii* 185, (v.c. 50) 295; *carinatum* (v.c. 53, 58) 295; *neapolitanum* (v.c. 27, 71) 295; *oleraceum* 295, (v.c. 26) 152, (v.c. 58) 295; *paradoxum* 207, (v.c. 73) 295; *scorodoprasum* 269, (v.c. 99) 295; *ursinum* 235, 236; *vineale* var. *vineale* 134
- Alnus glutinosa* 128, 236; *glutinosa* × *incana* (v.c. 46) 280; *incana* (v.c. 50) 280; × *pubescens* (v.c. 46) 280
- Alopecurus aequalis* 174
- Althaea hirsuta* (v.c. 11) 144; *officinalis* 186, (v.c. 28) 282
- Amaranthus blitoides* (v.c. 26) 143
- Ammophila arenaria* 115–117, 192
- Anacamptis pyramidalis* (v.c. 58) 295
- Anagallis tenella* 135, (v.c. 81) 148
- Anaphalis margaritacea* 173, var. *revoluta* 173
- Anchusa azurea* 173, 176
- Andrews, S. – Rev. of *Shamrock, botany and history of an Irish myth* 158–159
- Andromeda polifolia* 269
- Anemone nemorosa* 90, (map) 93
- Angelica archangelica* 174, 207; *sylvestris* 135, 170
- Annual General Meeting (1991) (Rpt) 67–69, (1992) (Rpt) 205–206
- Antennaria dioica* (v.c. 81) 291
- Anthemis tinctoria* 173
- Anthoceros* 161
- Anthoxanthum* 302
- Anthriscus caucalis* (v.c. 81) 288; *sylvestris* 114, 135
- Anthyllis vulneraria* 116–118, subsp. *carpatica* (v.c. 77) 286, subsp. *carpatica* var. *pseudo-vulneraria* 286, subsp. *lapponica* (v.c. 75) 286
- Apera interrupta* 172, (v.c. 77) 154

- Aphanes inexpectata* 207
Apium graveolens 135; *inundatum* 269, (v.c. 80) 147; *nodiflorum* 135
Aquilegia vulgaris 158
Arabis 48; *alpina* 51; *hirsuta* 116–118
Arctium lappa (v.c. 46) 290; *minus* subsp. *pubens* (v.c. 46) 151, (v.c. 46, 50) 290
Arenaria balearica (v.c. 43) 280; *serpyllifolia* 117
Armeria maritima 173; *maritima* cv. 173
Artemisia absinthium 173, 186; *ludoviciana* 173; *stelleriana* 173; *vulgaris* 189
Arum maculatum 90, 91, 135, 235, 236
Aruncus dioicus (v.c. 70) 145
Asplenium 1; *adiantum-nigrum* 3, (map) 6; *adiantum-nigrum* × *septrionale* 3, (map) 6; × *alternifolium* nothosubsp. *alternifolium* 3, (map) 7; *billotii* 3, (map) 6; *ceterach* 3, (map) 6; × *contrei* 3, (map) 6; *lanceolatum* 186; *marinum* 3, (map) 6; *obovatum* subsp. *lanceolatum* 185; *ruta-muraria* 3, (map) 7; *scolopendrium* 3, (map) 7; *septrionale* 3, (map) 7, (v.c. 43) 141, subsp. *septrionale* × *trichomanes* subsp. *trichomanes* 3, (map) 7; *trichomanes* 1–3, 84, nothosubsp. *lusaticum* 4, (map) 8, nothosubsp. *staufferi* 2, 3, (map) 7, subsp. *pachyrachis* 2, 3, (map) 7, (v.c. 67) 279, subsp. *pachyrachis* × *trichomanes* subsp. *quadrivalens* 3, (map) 7, subsp. *quadrivalens* 2, 3, (map) 8, subsp. *quadrivalens* × *trichomanes* subsp. *trichomanes* 4, (map) 8, subsp. *trichomanes* 2, 4, (map) 8; *trichomanes-ramosum* (v.c. 46) 279; *viride* 4, (map) 8
Aster 174; *lanceolatus* (v.c. 46) 150, (v.c. 73) 291; *linosyris* 71; *novi-belgii* × *lanceolatus* (v.c. 39, 73) 291; × *salignus* (v.c. 46) 150, (v.c. 39, 73) 291
Astilbe cf. *japonica* 173
Astragalus glycyphyllos (v.c. 35) 144
Athyrium 1; *filix-femina* 4, (map) 8
Atriplex glabriuscula 272; *glabriuscula* × *praecox* (v.c. 68) 143; *hortensis* (v.c. 58) 280; *littoralis* 272; *longipes* (v.c. 77) 280; *portulacoides* 135, 272
Atropa belladonna 207
Aubrieta deltoidea (v.c. 50) 282
Aucuba japonica (v.c. 99) 147, (v.c. 71) 287
Azalea procumbens 40
Azolla filiculoides 4, (map) 8, (v.c. 44, 49) 141
Baecker, M., with T. C. G. Rich – Additional records of *Sorbus lancestriensis* E. F. Warburg (Rosaceae) 139–140
Bailey, J. P., with A.-K. K. A. Al-Bermani, K. I. A. Al-Shammari & R. J. Gornall – Contributions to a cytological catalogue of the British and Irish flora, 3 269–271
Bailey, J. P., with P. M. Hollingsworth & R. J. Gornall – Contributions to a cytological catalogue of the British and Irish flora, 2 134–137
Ballantyne, G. H. – *Orobancha alba* Steph. ex Willd. in Fife (v.c. 85) 39–40
Barbarea stricta 207; *vulgaris* 135, 269
Barkhausia haenseleri 40
Bell, A. D. – *Plant form. An illustrated guide to flowering plant morphology* (Bk Rev.) 43
Berberis 173; *vulgaris* 157
Beta vulgaris subsp. *maritima* 272, (v.c. 75) 280
Bevan, J. – *Random-access guide to selected British Hawkweeds* (Comp. Key Rev.) 297
Bidens frondosa (v.c. 44) 150
Blackmore, S., with W. Punt (eds) – *The north-west European pollen flora. Vol. 6* (Bk Rev.) 160–161
Blackstock, T. H., with D. P. Stevens – Sexual dimorphism in *Eriophorum vaginatum* L. (Cyperaceae) 190–192
Blackstonia perfoliata 135
Blechnum cordatum (v.c. 98) 141; *spicant* 4, (map) 9
Bolboschoenus maritimus 207, (v.c. 108) 293
Book reviews 43–51, 155–164, 195–200, 297–303
Boon, C. R. (ed.), with J. G. Dony & C. M. Dony – *The wild flowers of Luton* (Bk Rev.) 155–156
Borago officinalis 173
Botrychium lunaria 4, (map) 9, (v.c. 81) 141
Boudrie, M., with R. Prelli – *Atlas écologique des fougères et plantes alliées – illustration et répartition des Ptéridophytes de France* (Bk Rev.) 302
Bowman, R. P. & Sell, P. D. – *Pilosella* × *floribunda* (Wimmer & Grab.) Arvet-Touvet (Asteraceae) in the British Isles 187–188
Brachyglottis ‘Sunshine’ 114
Brachypodium pinnatum (v.c. 52) 154, (v.c. 49, 83) 295
Brassica napus 76, (map) 81, subsp. *oleifera* 269; *nigra* 48; *oleracea* 71; *rapa* 176
Bridgewater, P. B. – Rev. of *British plant communities. Vol. 2. Mires and heaths* 198–199
Briggs, M. – Annual General Meeting (1991) (Rpt) 67–69, (1992) (Rpt) 205–206
Briggs, M. – Papers read at the Annual General Meeting, 1992 (Talks) 206
Briza minor (v.c. 13) 154
Bromopsis benekenii (v.c. 42) 294; *erecta* (v.c. 43) 154; *inermis* (v.c. 14) 154
Bromus commutatus (v.c. 42) 294; *lepidus* (v.c. 44) 154
Brough, P., with R. Gibbons – *The Hamlyn photographic guide to the wild flowers of Britain and northern Europe* (Bk Rev.) 196–197
Brummitt, R. K. & Meikle, R. D. – The correct Latin names for the Primrose and the Oxlip, *Primula vulgaris* Hudson and *P. elatior* (L.) Hill 181–184

- Buck, A. – John Dony at the Luton Museum 62
Buddleja davidii 114, 172, 189
Bupleurum falcatum 53; *tenuissimum* (v.c. **51**) 288
 Burkhardt, F. & Smith, S. (eds) – *The correspondence of Charles Darwin. Vol. 7. 1858–1859* (Bk Rev.) 195
 Butcher, M. – John Dony, historian and teacher 61–62
Butomus umbellatus (v.c. **43**) 292
- Cakile maritima* 272
Calamagrostis canescens (v.c. **24**) 294; *epigejos* (v.c. **111**) 154; *stricta* (v.c. **59**) 154
Calla palustris (v.c. **47**) 152
Callitriche obtusangula (v.c. **67**) 147; *platycarpa* (v.c. **25**) 289; *truncata* (v.c. **9**) 289
Calluna vulgaris 187, 192
Calystegia × *lucana* (v.c. **48**) 288; *pulchra* (v.c. **28**) 288; *sepium* subsp. *roseata* (v.c. **46**) 149; *sepium* × *silvatica* (v.c. **48**) 288; *soldanella* 114, 117, 269, 272
Camelina sativa 48
Campanula latifolia 290; *medium* 173; *persicifolia* 173, 176, (v.c. **80**) 150, (v.c. **51**) 290; *portenschlagiana* 114; *poscharskyana* 114; *trachelium* (v.c. **64**) 290
Cantua pungens 261
Capsella rubella (v.c. **38**) 142
Cardamine 231, 234; *amara* 231, 269; *bulbifera* (L.) Crantz (Cruciferae) in the British Isles 231–245, (map) 233, (map) 238, f. *bulbifera* 231, (drg) 232, f. *lactea* 232, f. *ptarmicifolia* 231, (drg) 232, 237, 238, 241, 243, 244; *chelidonia* 231; *flexuosa* 231; *glanduligera* 231; *heptaphylla* 231; *hirsuta* 231; *impatiens* 231; *kitaibelii* 231; *pentaphyllos* 231; *pratensis* 231; *raphanifolia* 231, (v.c. **49**) 142; *trifolia* 231
Cardaminopsis petraea 48
Cardaria 48; *draba* 84, 86
Carduus nutans 114, 248
Carex 76, 161, 163; *acutiformis* 269, (v.c. **93**) 293; *aquatilis* (v.c. **108**) 203; *arenaria* 117, 192, (v.c. **77**) 153, (v.c. **39**) 293; *buchananii* 175, 176; *capillaris* 66; *depauperata* 51; *dioica* (v.c. **43**) 153; *disticha* (v.c. **48**) 153, (v.c. **43**) 293; *divisa* (v.c. **45**) 293; *elongata* (v.c. **35**) 293; *hirta* (v.c. **108**) 293; *hostiana* × *viridula* 76, (map) 77; *laevigata* (v.c. **81**) 293; *lasiocarpa* (v.c. **26**) 293; *limosa* (v.c. **50**) 153; *magellanica* 299; *otrubae* (v.c. **108**) 293; *pau-ciflora* 299; *pendula* 173, 235, 236; *rostrata* 293; *strigosa* (v.c. **63**) 153; *sylvatica* (v.c. **108**) 293; *vesicaria* (v.c. **108**) 293; *viridula* subsp. *viridula* (v.c. **26**) 293
Carlina 302, 303; *vulgaris* 117, (v.c. **98**) 290
Carpinus betulus 128, 234, 236
Carpobrotus edulis (v.c. **25**) 143
Carum verticillatum (v.c. **22**) 288
Catabrosa aquatica (v.c. **98**) 294
Catapodium marinum 272
Centaurea 303; *cyanus* (v.c. **61**, **70**) 151; *montana* (v.c. **49**) 290; *scabiosa* 135
Centaureum erythraea 117; *littorale* (v.c. **51**) 288; *pulchellum* 186, (v.c. **67**) 148
Cerastium 196; *arcticum* 47; *diffusum* 117, 303, (v.c. **12**) 143; *fontanum* 117; *pumilum* (v.c. **50**) 280
Ceratocarpus 157
Ceratochloa carinata 207, (v.c. **2**, **11**) 154, (v.c. **2**) 294
Ceratophyllum demersum (v.c. **44**, **70**) 142
Ceterach 1
Chamerion angustifolium 86, 189
 Chater, A. O. – Rev. of *New Flora of the British Isles* 161–163
Chelidonium majus 135, 157
Chenopodium album 84; *ficifolium* 84, (map) 85; *rubrum* (v.c. **43**) 143
Chrysanthemum segetum 135
Chrysosplenium oppositifolium 90, (map) 93, 135, 269
Cichorium intybus 135, 175
Circaea lutetiana 236, 269
Cirsium 247; *arvense* 114, 248; *eriphorum* 248, 249; *heterophyllum* 248, 250; *palustre* 248; *vulgare* 114, 135, 248, 251
Cistus 248; *nummularius* 184
 Clarke, K., with J. R. Akeroyd – *Dianthus armeria* L. new to Ireland and other rare plants in West Cork 185–187
Clematis vitalba 135
 Clement, E. J., Gardner, M. F. & Knees, S. G. – Skunkweed (*Navarretia squarrosa* (Eschsch.) Hook. & Arn.) and other Polemoniaceae in Britain 259–263
Clianthus puniceus 114
Cochlearia 48; *scotica* (v.c. **81**) 142
 Codrington, John Alfred (1898–1991) (Obit.) 53–54
Coincya monensis subsp. *recurvata* 116–119, (v.c. **44**) 283
Colchicum autumnale (v.c. **73**) 151, (v.c. **73**) 295
Conyza canadensis 119, 135, 173, (v.c. **77**) 150, (v.c. **81**, **83**) 291; *sumatrensis* (v.c. **41**) 291
 Cook, R. – Rev. of *An illustrated guide to fungi on wood in New Zealand* 300
Cornus 175; *sericea* 173
Corydalis 156, 157; *cava* (v.c. **6**) 280
Corylus avellana 135, 235, 236
Corynephorus 193; *canescens* (L.) Beauv. (Poaceae) on the west coast of Scotland 192–193
Cotoneaster 51, 161, 162, 172; *affinis* 146; *atropurpureus* (v.c. **77**) 146; *conspicuus* 174; *hjelmqvistii* (v.c. **77**) 146; *horizontalis* (v.c. **12**) 146; *humifusa* 301; *integerrimus* 51, 71; *salici-*

- folius* 173; *sternianus* 175, (v.c. **11**, **83**) 286; × *suecicus* 173; *transens* (v.c. **11**) 146
Cotula squalida (v.c. **83**) 292
Crambe maritima 272
Crassula helmsii (v.c. **2**, **64**) 147, (v.c. **30**, **70**) 283
Crataegus laevigata 215, 235, 236, (v.c. **50**, **63**) 146; *laevigata* × *monogyna* (v.c. **38**) 146; × *macrocarpa* (v.c. **77**) 286; *monogyna* subsp. *nordica* 269; *monogyna* × *laevigata* (v.c. **77**) 286
Crepis L. (Asteraceae), Re-establishment of a discarded name in, 40–41; *capillaris* 115–117; *mollis* (v.c. **81**) 290; *setosa* 175; *taraxacifolia* 40; *vesicaria* 115–117; subsp. *haenseleri* 40, subsp. *taraxacifolia* 40, var. *taraxacifolia* 41
Crithmum 148; *maritimum* 269, 272, (v.c. **59**) 288
Crocsmia aurea 265; × *crocsmiiflora* 265, 267; *paniculata* (v.c. **70**) 295; *pottsii* 265, (v.c. **98**) 295
Crocus 161; *nudiflorus* (v.c. **70**, **73**) 295
Cryptogramma crispa 4, (map) 9
Cullen, J. (ed.) – *The Orchid book: a guide to the identification of cultivated orchid species* (Bk Rev.) 297–298
Cutter, E. G. – Rev. of *Plant form. An illustrated guide to flowering plant morphology* 43
Cyclamen 43
Cymbalaria pallida (v.c. **50**) 289
Cynodon dactylon (v.c. **39**) 295
Cynoglossis barrelieri (v.c. **25**) 288
Cynosurus 303; *cristatus* 185, 303
Cyperus eragrostis (v.c. **58**) 293; *longus* (v.c. **59**) 153
Cypripedium calceolus 53
Cyrtomium falcatum 4, (map) 9
Cystopteris 1; *fragilis* 4, (map) 9
Cytisus multiflorus (v.c. **81**) 287

Dactylorhiza 162, 298; *fuchsii* × *incarnata* subsp. *pulchella* (v.c. **62**) 152; *fuchsii* × *purpurella* (v.c. **46**) 152; *incarnata* subsp. *incarnata* × *maculata* subsp. *ericetorum* (v.c. **46**) 152; *incarnata* subsp. *pulchella* (v.c. **65**) 152; *incarnata* × *purpurella* (v.c. **80**) 295; × *latirella* (v.c. **80**) 295; *majalis* 298, subsp. *cambrensis* (v.c. **46**) 152, subsp. *cambrensis* × *purpurella* (v.c. **46**) 152, subsp. *traunsteinerioides* 157, subsp. *traunsteinerioides* var. *bowmanii* 157; *praetermissa* (v.c. **62**) 152; *purpurella* 269; *sambucina* 298; *traunsteineri* (v.c. **11**) 152
Damasonium alisma 51
Daphne laureola 269
Darmera peltata (v.c. **69**) 147, (v.c. **73**) 284
Daucus carota 114, subsp. *gummifer* 114, 116
Dawson, Norah (1913–1991) (Obit.) 54
Dentaria 231
Deschampsia flexuosa (v.c. **29**) 294; *setacea* 135
Descurainia sophia (v.c. **42**, **48**) 143

Deverra triradiata 46
Dianthus 185; *armeria* 158, L. new to Ireland and other rare plants in West Cork 185–187; *barbatus* cv. 173; *deltoides* (v.c. **79**) 281
Dichondra micrantha 201
Dickson, J. H. – *Wild Plants of Glasgow. Conversation in the city and countryside* (Bk Rev.) 155
Digitalis purpurea 135; *sanguinalis* (v.c. **2**) 154
Diphysastrum alpinum 4, (map) 9; *complanatum* (v.c. **67**) 141
Diplotaxis muralis 207
Dipsacus fullonum 114
Dony, C. M., with J. G. Dony & with C. R. Boon (ed.) – *The wild flowers of Luton* (Bk Rev.) 155–156
Dony, J. G. & Dony, C. M., with C. R. Boon (ed.) – *The wild flowers of Luton* (Bk. Rev.) 155–156
Dony, John George (1899–1991) (Obit.) 55–61
Dony, John, and the B.S.B.I. 62–64
Dony, John, at the Luton Museum 62
Dony, John, historian and teacher 61–62
Doronicum Sect. *Macrophylla* 297
Downingia elegans (v.c. **26**) 290
Draba aizoides 303; *muralis* (v.c. **52**) 282
Dryas octopetala 65
Dryopteris 1; *aemula* 4, (map) 10, (v.c. **93**) 141; *affinis* 1–4, (map) 10, subsp. *affinis* 2, 4, (map) 10, subsp. *borreri* 2, 4, (map) 10, subsp. *cambrensis* 4, (map) 10, (v.c. **83**) 280, var. *paleaceo-lobata* 2, var. *robusta* 2; *affinis* × *felix-mas* 4, (map) 10; × *ambroseae* 4, (map) 11; *carthusiana* 4, (map) 11; *carthusiana* × *dilatata* 4, (map) 11, (v.c. **80**) 141, (v.c. **83**) 280; × *complexa* 4, (map) 10, (v.c. **58**) 279; × *deweveri* 4, (map) 11, (v.c. **83**) 280; *dilatata* 4, (map) 11; *dilatata* × *expansa* 4, (map) 11; *expansa* 4, (map) 11; *felix-mas* 4, (map) 11, 269; *felix-mas* × *affinis* (v.c. **58**) 279; *felix-mas* × *oreades* 4, (map) 12; × *mantoniae* 4, (map) 12; *oreades* 4, (map) 12; *submontana* 4, (map) 12
Dyce, J. W. – *Fern names and their meanings. A glossary for the fern grower and collector* (Bk Rev.) 156

Echinops exaltatus (v.c. **99**) 290
Echium 182; *vulgare* (v.c. **73**) 288
Edmondson, J. R. – Bodnant Garden and the Great Orme, North Wales (1991) (Fld Mtg Rpt) 71
Edmondson, J. R. – Exhibition: some north-west botanists and their books (Annual General Meeting (1991)) (Exhb.) 70
Edmondson, J. R. – Papers read at the Annual General Meeting (1991) (Talks) 69–70
Edmondson, J. R. – The natural history book fair (Annual General Meeting (1991)) (Rpt) 70

- Edmondson, J. R. – Rev. of *Bob Press's field guide to the trees of Britain and Europe* 197
- Edmondson, J. R. – Rev. of *Flora of eastern Saudi Arabia* 45–46
- Edmondson, J. R. – Rev. of *Random-access guide to selected British Hawkweeds* 297
- Egeria densa* (v.c. **41**) 292
- Eichhorn, S. E., with P. H. Raven & R. F. Evert – *Biology of plants* (5th ed.) (Bk. Rev.) 197–198
- Eleagnus angustifolia* 173
- Eleocharis quinqueflora* (v.c. **2**) 293; *uniglumis* (v.c. **17**) 153
- Ellis, R. G. – Rev. of *List of vascular plants of the British Isles* 301–302
- Elodea canadensis* 292; *nuttallii* (v.c. **50**, **73**) 292
- Elymus atherica* 272; *farctus* 115; *pycnanthus* 272; *repens* 303
- Empetrum nigrum* subsp. *hermaphroditicum* (v.c. **73**) 283
- Epilobium* 161, 162; *ciliatum* 84; *ciliatum* × *montanum* (v.c. **42**, **46**) 147; *ciliatum* × *tetragonum* (v.c. **44**) 147; × *erroneum* (v.c. **39**, **83**) 287; *hirsutum* × *montanum* (v.c. **39**, **83**) 287; *lanceolatum* (v.c. **28**, **38**, **45**) 287; *montanum* × *ciliatum* (v.c. **64**) 287; *tetragonum* (v.c. **68**) 187
- Epipactis palustris* 157; *purpurata* 157
- Epiphyllum* 43
- Equisetum* 109; *arvense* 4, 51, (map) 12; *arvense* × *fluviatile* 4, (map) 12, (v.c. **46**) 141; *fluviatile* 4, (map) 12; × *font-queri* 4, (map) 13, (v.c. **11**) 279; *hyemale* 4, (map) 13, (v.c. **42**, **98**, **108**) 279; × *litorale* 4, (map) 12; *palustre* 4, (map) 13; *palustre* × *telmateia* 4, (map) 13, (v.c. **11**) 279; *sylvaticum* 4, (map) 13; *telmateia* 4, (map) 13, 269; *variegatum* 4, (map) 13
- Eragrostis curvula* (v.c. **11**) 153
- Erica ciliaris* 198; *vetulic* 187
- Erigeron acer* 116, 117
- Eriophorum* 192; *latifolium* (v.c. **81**) 153; *vaginitum* 172, L. (Cyperaceae), Sexual dimorphism in, 190–192
- Erodium cicutarium* 114; *maritimum* (v.c. **14**, **35**) 144; *moschatum* 161, (v.c. **11**) 144
- Erophila glabrescens* (v.c. **79**, **80**) 282
- Erucastrum gallicum* (v.c. **70**) 142, (v.c. **5**) 283
- Eryngium maritimum* 113–119, 269; *planum* 173, (v.c. **77**) 288
- Erysimum cheiranthoides* (v.c. **46**) 282
- Escallonia macrantha* (v.c. **49**) 283
- Eschscholzia californica* 157
- Euonymus europaeus* 97, 99, 101, (map) 102–104, 135, 269, (v.c. **71**) 287
- Eupatorium cannabinum* 135, 172, (v.c. **83**) 292
- Euphorbia hyberna* (v.c. **46**) 147; *lathyris* (v.c. **73**) 287; *paralias* 117; *peplus* 269; *portlandica* (v.c. **101**) 287
- Euphrasia* 47, 76, 162, 200; *arctica* subsp. *borealis* (v.c. **83**) 289; *rostkoviana* × *nemorosa* (v.c. **35**) 149; *scottica* (v.c. **81**) 289
- Evert, R. F., with P. H. Raven & S. E. Eichhorn – *Biology of plants* (5th ed.) (Bk. Rev.) 197–198
- Fagus sylvatica* 235, 236
- Falk, D. A. & Holsinger, K. E. (eds) – *Genetics and conservation of rare plants* (Bk. Rev.) 195–196
- Fallopia* × *bohemica* (v.c. **50**, **59**) 281; *japonica* × *sachalinensis* (v.c. **4**, **77**) 148, (v.c. **50**, **59**) 281
- Farrell, L., with A. J. Whitten – Rev. of *The orchids of Suffolk: an atlas and history* 50
- Faulkner, J. S. – Obit. of Norah Dawson (1913–1991) 54
- Festuca* 112, 302, 303; Sect. *Festuca* 107; Sect. *Ovinae* 107; *altissima* 84, (map) 85, (v.c. **81**) 293; *arenaria* 108, (v.c. **44**) 153, (v.c. **46**) 294; *armoricana* 108; *arundinacea* 303; *arundinacea* × *Lolium perenne* (v.c. **99**) 294; *brevipila* 107, 108, 173, (v.c. **39**) 294; *diffusa* 108; *filiformis* 108, (v.c. **47**) 153; *glauca* 108; *guestfalica* 108; *heterophylla* 108, 111; *huonii* 108; *juncifolia* 108; *lemanii* 107, 108; *longifolia* 108; *nigrescens* 108; *ophioliticola* 108; *ovina* L. and *Festuca rubra* L. aggregates in the British Isles, The distinction between the, 107–112, (drg) 110–111, subsp. *eu-ovina* var. *capillata* 108, subsp. *eu-ovina* var. *duriuscula* subvar. *trachyphylla* 108, subsp. *eu-ovina* var. *glauca* subvar. *caesia* 108, subsp. *eu-ovina* var. *supina* subvar. *vivipara* 108, subsp. *eu-ovina* var. *vulgaris* subvar. *firmula* 108, subsp. *eu-ovina* var. *vulgaris* subvar. *genuina* 108, subsp. *eu-ovina* var. *vulgaris* subvar. *guestphalica* 108, subsp. *hirtula* 108, subsp. *ophioliticola* 108, subsp. *ovina* 108; *porcii* 107; *pratensis* 112; *pratensis* × *Lolium multiflorum* (v.c. **69**) 294; *richardsonii* 108; *rubra* L. aggregates in the British Isles, The distinction between the *Festuca ovina* L. and, 107–112, (drg) 110–111, 117, subsp. *arctica* 108, subsp. *arenaria* 108, subsp. *commutata* 107, 108, 111, subsp. *dumetorum* 108, subsp. *eu-rubra* var. *fallax* 108, subsp. *eu-rubra* var. *genuina* subvar. *arenaria* 108, subsp. *eu-rubra* var. *genuina* subvar. *grandiflora* 108, subsp. *eu-rubra* var. *genuina* subvar. *junceae* 108, subsp. *eu-rubra* var. *genuina* subvar. *vulgaris* 108, subsp. *eu-rubra* var. *planifolia* 108, subsp. *heterophylla* 108, subsp. *junceae* 108, subsp. *litoralis* 108, subsp. *megastachys* 108, (v.c. **25**, **29**) 153, subsp. *pruinosa* 108, subsp. *rubra* 108, subsp. *scottica* 108; *tenuifolia* 108; *trachyphylla* 108; *vivipara* 107, 108, (v.c. **50**) 153, (v.c. **83**) 294

- × *Festulolium braunii* (v.c. 69) 294; *holmbergii* (v.c. 99) 294
Filipendula ulmaria 135
 Fisher, J. – *A colour guide to rare wild flowers* (Bk Rev.) 43–44
 Foley, M. J. Y. – *Orobanche reticulata* Wallr. populations in Yorkshire (north-east England) 247–257
 Foley, M. J. Y. – The current distribution and abundance of *Orchis ustulata* L. (Orchidaceae) in the British Isles – an updated summary 121–126
 Foley, M. J. Y. – Rev. of *The Orchid book: a guide to the identification of cultivated orchid species* 297–298
Frangula alnus 236
Fraxinus excelsior 189, 234–236, 269
Fuchsia 160
Fucus vesiculosus 272
Fumaria 156, 157; *bastardii* (v.c. 67) 142; *martinii* 157; *muralis* 157, subsp. *boraei* 157, subsp. *boroei* 157; *parviflora* 156; *reuteri* 157

Gagea bohemica 165
Galactites tomentosa 207
Galeopsis bifida 135
Galium aparine 236; *cruciata* 135; *mollugo* 135, 162; *mollugo* × *verum* (v.c. 93) 150; *odoratum* 135, 235, 236; *pumilum* (v.c. 12) 150; *uliginosum* (v.c. 46) 150
 Gardner, M. F., with E. J. Clement & S. G. Knees – Skunkweed (*Navarretia squarrosa* (Eschsch.) Hook. & Arn.) and other Polemoniaceae in Britain 259–263
Gaultheria mucronata (v.c. 46) 148; *shallon* (v.c. 44) 148
 Geltman, D. V. – *Urtica galeopsifolia* Wierzb. ex Opiz (Urticaceae) in Wicken Fen (E. England) 127–129
Genista hispanica 175, subsp. *occidentalis* 175
Gentianella amarella 299
Geranium 302; *columbinum* 114; *dissectum* 135; *endressii* × *versicolor* 173; *lucidum* 135; *macrorrhizum* 173, (v.c. 77) 288; × *magnificum* 173; *molle* 117; *pratense* 135, 299; *purpureum* (v.c. 71) 288; *pyrenaicum* 174; *robertianum* 53; 236; *rotundifolium* 114, (v.c. 46) 144; *sanguineum* 135, 173, (v.c. 46) 288
Geum 303; cv. 173; *rivale* 269; *urbanum* 135, 269
 Gibbons, R. & Brough, P. – *The Hamlyn photographic guide to the wild flowers of Britain and northern Europe* (Bk Rev.) 196–197
 Gilbert, O. L. – Regenerating Balsam Poplar (*Populus candicans* Ait.) × Black Poplar (*P. nigra* L.) (Salicaceae) at a site in Leeds 188–190
Gilia 262; *pungens* 259, 261; *squarrosa* 260, 261
Glaucium flavum 269, 272
Glaux maritima 135
Glechoma hederacea 114, 135
Glyceria 109
Gnaphalium uliginosum 259
 Gordon, V. – Rev. of *The Hamlyn photographic guide to the wild flowers of Britain and northern Europe* 196–197
 Gornall, R. J., with A.-K. K. A. Al-Bernmani, K. I. A. Al-Shammary & J. P. Bailey – Contributions to a cytological catalogue of the British and Irish flora, 3 269–271
 Gornall, R. J., with P. M. Hollingsworth & J. P. Bailey – Contributions to a cytological catalogue of the British and Irish flora, 2 134–137
 Green, P. S., with K. U. Kramer (eds) – *The families and genera of flowering plants. Vol. 1. The ferns and gymnosperms* (Bk Rev.) 44–45
 Grenfell, Adrian Leonard (1939–1991) (Obit.) 165–166
 Groenhof, A. C., with M. C. F. Proctor – Peroxidase isoenzyme and morphological variation in *Sorbus* L. in South Wales and adjacent areas, with particular reference to *S. porrigentiformis* E. F. Warb. 21–37
 Gunn, A. S. – Rev. of *Biology of plants* (5th ed.) 197–198
Gymnocarpium dryopteris 4, (map) 14, 299; *robertianum* 4, (map) 14

 Hackney, P. (ed.) – *Stewart and Corry's flora of the north-east of Ireland* (3rd ed.) (Bk Rev.) 298–299
Halimione portulacoides 272
Hammarbya paludosa 66, 157
 Harmes, P. A. & Spiers, A. – *Polygonum maritimum* L. in East Sussex (v.c. 14) 271–273
 Hartl, H., Kniely, G., Leute, G. H., Niklfeld, H. & Perko, M. – *Verbreitungsatlas das Farn- und Blütenpflanzen Kärntens* (Bk Rev.) 299
Hedera 182; *colchica* (v.c. 6, 43) 288; *helix* 235, 236, subsp. *hibernica* (v.c. 77) 147, var. *helix* 84, var. *hibernica* 84; *hibernica* 114
 Hedge, I. C. – Rev. of *Verbreitungsatlas das Farn- und Blütenpflanzen Kärntens* 299
Helianthemum 184; *canum* 71; *nummularium* 97, 184
Hemerocallis 173
 Henderson, D. M. – A new spiral variant of *Juncus effusus* L. (Juncaceae) 133–134
Heracleum mantegazzianum 176, 239; *sphondylium* 135, 236
Herniaria glabra 174, 176, (v.c. 77) 143
Hieracium 40, 47, 76, 90, 141, 162, 172, 279, 297; *auricula* 187; *britanniciforme* (v.c. 100) 291; *caesiomurorum* (v.c. 93) 151, (v.c. 93) 290; *ebudicum* (v.c. 102) 291; *eustomum* (v.c. 46)

- 291; *floribundum* 187, subsp. *helveolum* 187; $\times$ *floribundum* 187; *grandidens* (v.c. **93**) 151; *hebridense* (v.c. **102**) 291; *helveolum* 187; *iricum* (v.c. **103**) 291; *lasiophyllum* (v.c. **44**) 151; *lissolepium* (v.c. **79**) 290; *memorabile* (v.c. **88**) 151; *oistophyllum* (v.c. **48**) 291; *orimeles* (v.c. **86, 87**) 291; *perproquinquum* (map) 78; *salticola* (v.c. **41**) 151; *schoolbredii* (v.c. **72**) 291; *scoticum* (v.c. **102**) 291; *scotos-tictum* (v.c. **24**) 291; *speluncarum* (v.c. **77**) 151; *stewartii* (v.c. **93**) 290; *silvaticoides* (v.c. **89**) 291; *vagum* (v.c. **41**) 151; *vennicontium* (v.c. **86, 87, 102**) 291
- Hill, M. O., with M. G. Le Duc & T. H. Sparks – A method for predicting the probability of species occurrence using data from systematic surveys 97–105
- Hipkin, C. R. – Host range and specificity of *Orobanche minor* Sm. on Crymlyn Burrows 113–120
- Hippophae rhamnoides* 173
- Hippuris vulgaris* 135
- Hirschfeldia incana* 48, 119, (v.c. **50, 59**) 142, (v.c. **42, 71**) 283
- Hoitzia squarrosa* 259
- Holcus* 303
- Hollingsworth, P. M., Gornall, R. J. & Bailey, J. P. – Contributions to a cytological catalogue of the British and Irish flora, 2 134–137
- Holsinger, K. E., with D. A. Falk (eds) – *Genetics and conservation of rare plants* (Bk Rev.) 195–196
- Honkenya peploides* 114, 272
- Hood, I. A. – *An illustrated guide to fungi on wood in New Zealand* (Bk Rev.) 300
- Hordeum jubatum* (v.c. **49**) 154; *secalinum* 303, (v.c. **73**) 154, (v.c. **46**) 295; *vulgare* 76, (map) 81, 301
- Hornungia petraea* 71
- Hosta* 173, 175; cf. *nakaiana* 175
- Huperzia selago* 4, (map) 14
- Hutchinson, G. & Thomas, B. A. – Distribution of Pteridophyta in Wales 1–19
- Hyacinthoides hispanica* (map) 83, 84; *hispanica* $\times$ *non-scripta* 84; *non-scripta* 90, 91, 97, 99, 101, (map) 102–103, 104, 235, 236; *non-scripta* $\times$ *hispanica* (v.c. **50**) 295
- Hydrocotyle vulgaris* 135, 269
- Hymenophyllum tunbrigense* 4, (map) 14, 299; *wilsonii* 1, 4, (map) 14
- Hypericum androsaemum* 269; *elodes* 269; *hirsutum* 136; *maculatum* subsp. *obtusiusculum* (v.c. **81**) 281; *perforatum* 136; *pulchrum* (v.c. **75**) 282
- Hypochoeris maculata* 71; *radicata* 113, 115–119
- Hyssopus officinalis* 173
- Ilex* $\times$ *altaclerensis* (v.c. **46**) 287; *aquifolium* 235, 236; *aquifolium* $\times$ *perado* (v.c. **46**) 287
- Impatiens glandulifera* 84
- Iris sibirica* (v.c. **77**) 295; *versicolor* (v.c. **70**) 152, (v.c. **6**) 295
- Isoetes* 162; *echinospora* 4, (map) 14; *lacustris* 4, (map) 15
- Isolepis cernua* (v.c. **47**) 153, (v.c. **70**) 293
- Jalas, J. & Suominen, J. (eds) – *Atlas Florae Europaeae: Distribution of vascular plants in Europe. Vol. 9. Paeonaceae to Capparaceae* (Bk Rev.) 156–157
- James, T. J. – Rev. of *The wild flowers of Luton* 155–156
- Jenkinson, M. N. – *Wild orchids of Dorset* (Bk Rev.) 157–158
- Jermey, A. C. – Rev. of *The Chelsea gardener: Philip Miller 1691–1771* 158
- Johns, R. J. – Rev. of *The families and genera of flowering plants. Vol. 1. The ferns and gymnosperms* 44–45
- Juncus* 133, 152; *articulatus* $\times$ *acutiflorus* (v.c. **80**) 292; *bulbosus* 76, subsp. *bulbosus* (map) 82, subsp. *kochii* (map) 82; *castaneus* 84; *compressus* (v.c. **35, 58**) 151; *conglomeratus* 276; *effusus* L. (Juncaceae), A new spiral variant of, 133–134, 275–277, L. forma *spiralis* (J. McNab) Hegi (Juncaceae) in Ireland and Britain, Corkscrew Rush, 275–278, (drg) 276, L. var. *suberectus* D. M. Henderson, **var. nov.** 134, var. *spiralis* 275–277, ‘Spiralis’ 133, var. *suberectus* 277; *filiformis* (v.c. **59**) 152; *foliosus* (v.c. **99**) 292; $\times$ *surrejanus* (v.c. **80**) 292; *tenuis* (v.c. **67**) 151
- Juniperus communis* 84
- Keeney, E. B. – *The botanizers. Amateur scientists in nineteenth-century America* (Bk Rev.) 300–301
- Kent, D. H. – *List of vascular plants of the British Isles* (Bk Rev.) 301–302
- Kertland, Mary Patricia Happer (1902–1991) (Obit.) 64–65
- Kickxia elatine* 186, 270
- Knautia* 248
- Knees, S. G., with E. J. Clement & M. F. Gardner – Skunkweed (*Navarretia squarrosa* (Eschsch.) Hook. & Arn.) and other Polemoniaceae in Britain 259–263
- Kniely, G., with H. Hartl, G. H. Leute, H. Niklfeld & M. Perko – *Verbreitungsatlas das Farn- und Blütenpflanzen Kärntens* (Bk Rev.) 299
- Koeleria macrantha* 185, (v.c. **44, 48**) 154, (v.c. **75**) 294
- Kramer, K. U. & Green, P. S. (eds) – *The families and genera of flowering plants. Vol. 1. The ferns and gymnosperms* (Bk Rev.) 44–45

- Kubitzki, K. (ed.) – *The families and genera of flowering plants* (Bk Rev.) 44–45
- Laburnum alpinum* (v.c. 70) 144, (v.c. 44) 287
Lactuca serriola (v.c. 58) 151, (v.c. 44, 46) 290
Lagarosiphon major (map) 74, 76, (v.c. 39) 151
Lamiastrum galeobdolon 235, 236, subsp. *argentatum* 173, (v.c. 48, 71, 80) 289, subsp. *galeobdolon* 173
Lamium album 270
Lathraea squamaria 241
Lathyrus grandiflorus (v.c. 58) 286; *nissolia* 136, (v.c. 46, 59) 144, (v.c. 42, 58) 286; *pratensis* 118; *tuberosus* 118, (v.c. 58) 286
Laurus nobilis 157
Lavatera arborea (v.c. 50) 144
Le Duc, M. G., Hill, M. O. & Sparks, T. H. – A method for predicting the probability of species occurrence using data from systematic surveys 97–105
Le Rougetel, H. – *The Chelsea gardener: Philip Miller 1691–1771* (Bk Rev.) 158
Ledum 162
Leersia oryzoides 86
Lemna gibba 270, (v.c. 44) 152; *minor* 270; *minuta* (v.c. 44) 152, (v.c. 46) 292; *trisulca* (v.c. 78) 292
Leontodon autumnalis 115; *saxatilis* (v.c. 98) 290; *taraxacoides* 116, 117
Lepidium 48; *draba* 48, (v.c. 81) 283, subsp. *chalepense* (v.c. 6, 29) 283; *heterophyllum* (v.c. 26) 142, (v.c. 28) 282; *ruderales* (v.c. 70) 283; *virginicum* 173
Leucanthemella serotina (v.c. 25) 292
Leucanthemum × *superbum* 173
Leucojum aestivum 44
Leute, G. H., with H. Hartl, G. Kniely, H. Niklfeld & M. Perko – *Verbreitungsatlas das Farn- und Blütenpflanzen Kärntens* (Bk Rev.) 299
Ligustrum ovalifolium 174; *vulgare* 270
Limonium britannicum subsp. *celticum* (v.c. 69) 281; subsp. *celticum* var. *pharense* 136
Limosella aquatica (v.c. 75, 93) 149
Linaria dalmatica (v.c. 64) 149; *purpurea* (v.c. 75) 289
Linnington, S. H. – Rev. of *Genetics and conservation of rare plants* 195–196
Linton, W. D. – Obit. of Mary Patricia Happer Kertland (1902–1991) 64–65
Linum usitatissimum 174
Listera cordata (v.c. 46) 152
Lithospermum officinale 270
Littorella uniflora 270
Lloydia serotina 65
Lobularia maritima (v.c. 50) 142
Lolium 303; × *boucheanum* (v.c. 2) 294; *multiflorum* × *perenne* (v.c. 38) 153; *perenne* 303; *perenne* × *multiflorum* (v.c. 2) 294
Lotus corniculatus 114, 116–119, 136; *pedunculatus* 270; *subbiflorus* 186
Ludwigia palustris (v.c. 14) 147
Lunaria annua (map) 80
Lupinus arboreus (v.c. 75) 144
Luzula, 303; *arcuata* 84; *pilosa* 136, 270
Lychnis chalconica (v.c. 35) 143; *coronaria* 173, (v.c. 51) 281
Lycopodiella inundata 4, (map) 15
Lycopodium annotinum 4, (map) 15; *clavatum* 4, (map) 15
Lycopus europaeus 136
Lysichiton americanus (v.c. 46) 152, (v.c. 99) 292
Lysimachia ciliata (v.c. 98) 283; *nemorum* 136; *nummularia* 270; *punctata* 174, 178, (v.c. 79) 148; *terrestris* 301; *vulgaris* 170, 270
Lythrum portula 136; *salicaria* cv. 173, 174
Macpherson, P. – Presidential Address, 1992. Colonisation of the Glasgow Garden Festival site three years on: implications for recording 169–179
Mahonia aquifolium 157, (v.c. 77) 280
Malus domestica 84, (map) 89, 189; *sylvestris* 84, (map) 88
Malva alcea (v.c. 41) 282; *moschata* (v.c. 98) 282; *neglecta* (v.c. 75) 143; *pusilla* (v.c. 28) 282; *sylvestris* 270
Mandaville, J. P. – *Flora of eastern Saudi Arabia* (Bk Rev.) 45–46
Margetts, L. J. & Spurgin, K. L. – *The Cornish flora supplement 1981–1990* (Bk Rev.) 46–47
Marrubium vulgare 270, (v.c. 44) 289
Matricaria 114; *discoidea* 178
Matteuccia struthiopteris 4, (map) 15
Matthiola sinuata 117
McAllister, H. A. – Rev. of *Recovery; a proposed programme for Britain's protected species* 51
McClintock, D. – Obit. of Joselyn Mary Lewis Russell (1905–1992) 201–203
McClintock, D. – Obit. of John Alfred Codrington (1898–1991) 53–54
Medicago arabica 114; *lupulina* 114, 118, 157, 270; *sativa* 175, subsp. *falcata* 118, (v.c. 50) 287, subsp. *sativa* 136
Meikle, R. D., with R. K. Brummitt – The correct Latin names for the Primrose and the Oxlip, *Primula vulgaris* Hudson and *P. elatior* (L.) Hill 181–184
Melampyrum pratense (v.c. 29) 149
Melica 109; *uniflora* 236
Melilotus alba 118; *indicus* 174, (v.c. 12) 144; *officinalis* 118
Melissa officinalis 173
Melittis melissophyllum 44
Mentha suaveolens (v.c. 59) 289; × *villosa* 173; *villosa* 175
Menyanthes trifoliata 270
Mercurialis perennis 235, 236, 243

- Merinthosorus* 45
Milium effusum 'Aureum' 53
 Mill, R. R. – Rev. of *Fern names and their meanings. A glossary for the fern grower and collector* 156
Mimulus cupreus × *luteus* × *guttatus* (v.c. 41) 149; *cupreus* × *luteus* × *variegatus* 174; *moschatus* (v.c. 98) 289
Moenchia erecta (v.c. 41, 44) 280
Molinia 153; *caerulea* 76, 282, subsp. *arundinacea* (v.c. 58) 153
Monotropa hypopitys subsp. *hypophega* (v.c. 58) 283
 × *Montbretia aureo-pottsii* 267
Montbretia crocosmiiflora?, Who was the author of, 265–267
Montia 163; *fontana* 207, subsp. *minor* (v.c. 81) 143
 Moore, D. M. – Rev. of *The correspondence of Charles Darwin. Vol. 7. 1858–1859* 195
 Moore, P. D. – Rev. of *The northwest European pollen flora. Vol. 6* 160–161
 Mullin, J. M. – Kew Green and riverside, Surrey (v.c. 17) (1992) (Fld Mtg Rpt) 207
 Mullin, J. M., with R. J. Pankhurst – *Flora of the Outer Hebrides* (Bk Rev.) 47–48
Muscari neglectum (v.c. 70) 151
 Muscott, J. – Rev. of *Wild Plants of Glasgow. Conservation in the city and countryside* 155
Myosotis ramosissima (v.c. 73) 288; *stolonifera* 270, (v.c. 63, 80) 149; *sylvatica* 136
Myosoton aquaticum 174
Myrica gale 270
Myriophyllum alterniflorum (v.c. 61) 147, (v.c. 24) 287; *aquaticum* (v.c. 28, 44) 147, (v.c. 29) 287; *spicatum* 84

Narcissus pseudonarcissus cv. 173; *tazeta* 173
Narthecium ossifragum 158
Nasturtium 86
Navarretia 259, 262; *pungens* 260; *squarrosa* (Eschsch.) Hook. & Arn.) and other Polemoniaceae in Britain, Skunkweed), 259–263, (drg) 260
 Nelson, E. C. – Corkscrew Rush (*Juncus effusus* L. forma *spiralis* (J. McNab) Hegi) (Juncaceae) in Ireland and Britain 275–278
 Nelson, E. C. – White-blossomed *Pinguicula grandiflora* Lam. (Lentibulariaceae) in The Burren, County Clare, Ireland 273–275
 Nelson, E. C. – Who was the author of *Montbretia crocosmiiflora*? 265–267
 Nelson, E. C. – *Shamrock, botany and history of an Irish myth* (Bk Rev.) 158–159
 Nelson, E. C. & Walsh, W. – *The Burren. A companion to the wildflowers of an Irish limestone wilderness* (Bk Rev.) 159–160
Nepeta cataria 270; × *faassenii* 173, (v.c. 50) 289; *racemosa* × *nepetella* (v.c. 50) 289

Nephrolepis 45
Nicotiana cv. 114
 Niklfeld, H., with H. Hartl, G. Kniely, G. H. Leute & M. Perko – *Verbreitungsatlas das Farn- und Blütenpflanzen Kärntens* (Bk Rev.) 299
Nuphar pumila (v.c. 73) 280
Nymphoides peltata 169, 270, (v.c. 69, 98) 148, (v.c. 46) 288

 Obituaries 53–66, 165–168, 201–203
Odontites vernus subsp. *serotinus* 162
Oenanthe aquatica 84; *crocata* 136, 207, 270; *lachenalii* 136
Oenothera 162; *biennis* × *glazioviana* 174; *cambrica* 117; *fallax* (v.c. 25, 46) 287; *glazioviana* × *biennis* (v.c. 38) 147
Olea 161
Olearia macrodonta 114
Omphalodes verna (v.c. 71) 288
Onobrychis viciifolia 114, (v.c. 70) 144
Onoclea sensibilis 4, (map) 15, 175
Ononis repens 114, 116–118, subsp. *repens* 270; *spinosa* 174
Ophioglossum azoricum 3, 4, (map) 16; *vulgatum* 4, (map) 16
Ophrys sphegodes (v.c. 26) 152
Orchis morio 71, 121; *ustulata* L. (Orchidaceae) in the British Isles – an updated summary, The current distribution and abundance of, 121–126, var. *aestivalis* 121
Oreopteris limbosperma 4, (map) 16
Origanum vulgare 172
Ornithopus perpusillus 185, 207; *pinnatus* 44
Orobanche 39, 116, 247–251; *alba* Steph. ex Willd. in Fife (v.c. 85) 39–40, (v.c. 17) 149; *amethystea* 115; *elatior* 248, 250; *eu-minor* 256; *loricata* 113; *major* 39, 249–251, 255; *maritima* 113, 115, 116; *minor* Sm. on Crymlyn Burrows, Host range and specificity of, 113–120, 247–251, 256, var. *compositarum* 113, 115, var. *flava* 113, var. *maritima* 113, var. *minor* 113, 116–119; *procera* 248, 249; *purpurea* (v.c. 26, 45) 149, (v.c. 9, 17) 290; *rapum-genistae* 248–250; *reticulata* Wallr. populations in Yorkshire (north-east England) 247–257, (map) 252, (map) 253, f. *procera* 248, var. *pallidiflora* 251, var. *procera* 248; *reticulata* × *minor* 255; *rubra* 39, 40, 256
Osmunda regalis 4, (map) 16
Oxalis acetosella 159, 270; *exilis* (v.c. 46) 144, (v.c. 26) 288; *pes-caprae* 44; *stricta* (v.c. 46) 144

 Pankhurst, R. J. & Mullin, J. M. – *Flora of the Outer Hebrides* (Bk Rev.) 47–48
Papaver 156; *dubium* subsp. *lecoqii* (v.c. 44) 142; *hybridum* 157; *orientale* (v.c. 73) 280

- Parahebe catarrhactae* 114
Parapholis strigosa 272
Parietaria judaica 136, 270
Paris quadrifolia 136
Parnassia palustris 57
Pastinaca sativa 114, 117
 Paton, J. A. – Rev. of *The Cornish flora supplement 1981–1990* 46–47
Pedicularis sylvatica subsp. *sylvatica* 136
Pelargonium spp. 114
 Perko, M., with H. Hartl, G. Kniely, G. H. Leute & H. Niklfeld – *Verbreitungsatlas das Farn- und Blütenpflanzen Kärntens* (Bk Rev.) 299
 Perring, F. H. – Rev. of *Atlas Florae Europaeae: Distribution of vascular plants in Europe. Vol. 9. Paeonaceae to Capparaceae* 156–157
Persicaria amphibia 270; *amplexicaulis* (v.c. 64) 148; (v.c. 39) 281; *bistorta* 270; *campanulata* (v.c. 48) 148; × *intercedens* (v.c. 30) 281; *lapathifolia* (v.c. 80) 281; *maculosa* 270; *maculosa* × *hydropiper* (v.c. 30) 281; *minor* (v.c. 44, 58, 75) 148, (v.c. 44, 67) 281
Petasites hybridus 270; *japonicus* (v.c. 2, 49, 79) 150, (v.c. 75) 292
Phacelia tanacetifolia (v.c. 41) 148
Phalaris arundinacea 86, var. *picta* 173; *canariensis* 174
Phegopteris connectilis 1, 4, (map) 16
Phillyrea 161
Phleum arenarium 117, 136; *phleoides* (v.c. 25) 154
Phlomis russeliana (v.c. 70) 150
Phlox 262; *drummondii* 262; *paniculata* 262; *subulata* 262
Phragmites 128, 153; *australis* 293
Phytolacca acinosa 207
Picris echioides 115
Pilosella 297; *caespitosa* 187, 188; *floribunda* 187; × *floribunda* (Wimmer & Grab.) Arvet-Touvet (Asteraceae) in the British Isles 187–188; *lactucella* 187, subsp. *helveola* 187; *officinarium* 162
Pilularia globulifera 4, (map) 16, (v.c. 108) 279
Pimpinella saxifraga 270
Pinguicula grandiflora Lam. (Lentibulariaceae) in The Burren, County Clare, Ireland, White-blossomed, 273–275, Lam. forma *chionopectera* E. C. Nelson forma nov. 274, f. *pallida* 274, subsp. *rosea* 274, subvar. *albescens* 274, var. *albescens* 274; *lusitanica* 136
Plagiobothrys scouleri 259, 261
 Plant Records 141–154, 279–295
Plantago arenaria (v.c. 4) 289; *coronopus* 114, (v.c. 43) 150; *lanceolata* 116, 117, 136; *major* 114, subsp. *intermedia* (v.c. 35) 150; *maritima* 84, (map) 87, 114; *media* 136
Poa angustifolia (v.c. 2) 153, (v.c. 69, 70, 75, 83, 99) 294; *annua* 51, 189; *humilis* 162, 303; *pratensis* 303; *subcaerulea* 162, 303
 Polemoniaceae (key) 262
Polemonium 262; *caeruleum* 114, 262
 Poly Enterprises Plymouth Ltd – *FLORA: The computerised key to 786 species of British wild plants, version 1.10* (Comp. Key Rev.) 199–200
Polycarpon tetraphyllum (v.c. 9) 143
Polygonum 76; *arenastrum* (v.c. 75) 148; *bistorta* ‘Superbum’ 173; *boreale* (v.c. 73, 103) 281; *maritimum* L. in East Sussex (v.c. 14) 271–273, (v.c. 14) 281; *nodosum* (map) 75, 76; *oxyspermum* subsp. *raii* (v.c. 28) 148, 272; *rurivagum* (v.c. 25) 147; *viviparum* 65, 84
Polypodium 1, 3; *cambricum* 4, (map) 17; *cambricum* × *interjectum* 4, (map) 17, (v.c. 14) 141; *cambricum* × *vulgare* 4, (map) 17; × *fontqueri* 3, 4, (map) 17; *interjectum* 4, (map) 17, (v.c. 64) 279; *interjectum* × *vulgare* 4, (map) 17; × *mantoniae* 3, 4, (map) 17, (v.c. 64, 75) 279; × *shivasiae* 3, 4, (map) 17; *vulgare* 2–5, (map) 17, (map) 18; *vulgare* × *interjectum* (v.c. 64, 75) 279
Polypogon viridis (v.c. 52) 154
Polystichum 1; *aculeatum* 5, (map) 18, 270; *aculeatum* × *setiferum* 5, (map) 18; × *bicknellii* 5, (map) 18; *lonchitis* 5, (map) 18, 66; *setiferum* 5, (map) 18, (v.c. 59) 279
Populus 76; *balsamifera* 188; × *canadensis* 161; × *canadensis* ‘Serotina’ × *candicans* 190; × *canadensis* ‘Serotina’ × ‘Marilandica’ 190; *candicans* Ait.) × Black Poplar (*P. nigra* L.) (Salicaceae) at a site in Leeds, Regenerating Balsam Poplar, 188–190; (*deltoideus* 188; *nigra* L.) (Salicaceae) at a site in Leeds, Regenerating Balsam Poplar (*Populus candicans* Ait.) × Black Poplar, 188–190, subsp. *betulifolia* 270
Potamogeton 47, 162; × *cooperi* (v.c. 70) 292; *filiformis* × *pectinatus* (v.c. 85) 292; *friesii* (v.c. 80) 151; *lucens* × *perfoliatus* (v.c. 28) 292; *perfoliatus* × *crispus* (v.c. 70) 292; × *salicifolius* (v.c. 28) 292; × *suecicus* 254, (v.c. 85) 292; *trichoides* (v.c. 12, 36) 151
Potentilla erecta 172; *erecta* × *reptans* (v.c. 73) 285; *fruticosa* hyb. 173; × *italica* (v.c. 73) 285; *micrantha* 196; *palustris* 270, (v.c. 5) 285; *recta* 174, (v.c. 77) 145; *sterilis* 196, (v.c. 93) 145
 Prelli, R. & Boudrie, M. – *Atlas écologique des fougères et plantes alliées – illustration et répartition des Ptéridophytes de France* (Bk Rev.) 302
 Press, J. R. – *Bob Press’s field guide to the trees of Britain and Europe* (Bk Rev.) 197
 Primavesi, A. L. – *The Rosa herbarium of A. H. Wolley-Dod* 137–139
Primula 182, 183; *acaulis* 181–184; *elatior* 136, (L.) Hill, The correct Latin names for the Primrose and the Oxlip, *Primula vulgaris*

- Hudson and, 181–184, (v.c. **24**) 283; × *elator* 183; *farinosa* 184; *officinalis* 184; *veris* 136, 181, 270, (v.c. **73**) 283, var. *acaulis* 181, 183, var. *elator* 181, 184, var. *officinalis* 181; *veris* × *vulgaris* 183; *vulgaris* Hudson and *P. elator* (L.) Hill, The correct Latin names for the Primrose and the Oxlip, 181–184
- Proctor, M. C. F. & Groenhof, A. C. – Peroxidase isoenzyme and morphological variation in *Sorbus* L. in South Wales and adjacent areas, with particular reference to *S. porrigentiformis* E. F. Warb. 21–37
- Prunella vulgaris* 136, 270
- Prunus avium* 235, 236; *cerasifera* (v.c. **49**) 286; *laurocerasus* (v.c. **12**) 146, (v.c. **49**) 286; *serotina* (v.c. **26**) 286
- Pseudofumaria* 157
- Pteridium aquilinum* 5, (map) 18
- Puccinellia distans* (v.c. **48**) 153, (v.c. **50**, **80**) 294; *rupestris* (v.c. **2**) 153
- Pulicaria dysenterica* 136, (v.c. **99**) 150
- Pulmonaria officinalis* 173
- Punt, W. & Blackmore, S. (eds) – *The northwest European pollen flora*. Vol. 6 (Bk Rev.) 160–161
- Pyrola rotundifolia* (v.c. **93**) 283
- Quercus* 236; *petraea* 136; *robur* 136, 234
- Radiola linoides* 136
- Ranunculus acris* 161; *aquatilis* × *trichophyllus* (v.c. **50**) 142; *arvensis* 90; *auricomus* 136; *bulbosus* 136; *ficaria* 90, 235, 236, subsp. *bulbifer* 207; *flammula* subsp. *flammula* 136, 270; *fluitans* × *peltatus* (v.c. **68**) 142; *lingua* 172, (v.c. **98**) 142; *omiophyllus* 136, 162; *paludosus* 202; *parviflorus* (v.c. **35**) 142, (v.c. **24**) 280; *penicillatus* subsp. *pseudofluitans* var. *pseudofluitans* (v.c. **77**) 142, subsp. *pseudofluitans* var. *vertumnus* 270; *reptans* (v.c. **98**) 280; *sardous* (v.c. **46**) 142; *sceleratus* 136
- Raphanus raphanistrum* subsp. *maritimus* 272
- Raven, P. H., Evert, R. F. & Eichhorn, S. E. – *Biology of plants* (5th ed.) (Bk. Rev.) 197–198
- Reports 67–71, 205–207
- Reseda lutea* (v.c. **93**) 283
- Reveal, J. L. – Re-establishment of a discarded name in *Crepis* L. (Asteraceae) 40–41
- Rhamnus* 182; *cathartica* 136, 236
- Rhinanthus* 76; *angustifolius* (v.c. **35**) 290; *minor* 162, subsp. *minor* (map) 78
- Rhus hirta* (v.c. **70**) 144
- Rhynchospora fusca* (v.c. **108**) 203
- Ribes* 182; *alpinum* 182; *nigrum* 136, 182, 270; *odoratum* (v.c. **77**) 147; *rubrum* 182, 270; *sanguineum* (map) 80, 173, (v.c. **49**) 147, (v.c. **98**) 283; *uva-crispa* 136
- Riccia* 161
- Rich, T. C. G. & Baecker, M. – Additional records of *Sorbus lancastriensis* E. F. Warburg (Rosaceae) 139–140
- Rich, T. C. G. & Woodruff, E. R. – Recording bias in botanical surveys 73–95
- Rich, T. C. G., with A. J. Showler – *Cardamine bulbifera* (L.) Crantz (Cruciferae) in the British Isles 231–245
- Rich, T. C. G. – Rev. of *British plant communities*. Vol. 3. *Grassland and montane communities* 302–303
- Rich, T. C. G. – *Crucifers of Great Britain and Ireland*. B.S.B.I. Handbook No. 6 (Bk Rev.) 48–49
- Roberts, Evan (1906–1991) (Obit.) 65–66
- Roberts, R. H. – Obit. of Evan Roberts (1906–1991) 65–66
- Robinia pseudoacacia* 173
- Rodwell, J. S. (ed.) – *British plant communities*. Vol. 1. *Woodlands and scrub* (Bk Rev.) 49–50
- Rodwell, J. S. (ed.) – *British plant communities*. Vol. 2. *Mires and heaths* (Bk Rev.) 198–199
- Rodwell, J. S. (ed.) – *British plant communities*. Vol. 3. *Grassland and montane communities* (Bk Rev.) 302–303
- Roper, P. – The distribution of the Wild Service Tree, *Sorbus torminalis* (L.) Crantz, in the British Isles 209–229
- Rorippa* 48; *amphibia* (v.c. **44**) 142; × *armoracoides* 162; *austriaca* × *sylvestris* (v.c. **58**) 142; × *hungarica* 162; *islandica* (v.c. **46**) 142; *sylvestris* (v.c. **93**) 282
- Rosa* 47; *agrestis* 138, (v.c. **11**) 146; *agrestis* × *micrantha* (v.c. **11**) 146; *andegavensis* (v.c. **29**, **35**) 285; *arvensis* 271; *arvensis* × *canina* (v.c. **29**, **46**) 285; *arvensis* × *stylosa* (v.c. **29**) 285; *caesia* subsp. *glaucula* (v.c. **50**) 145, (v.c. **35**) 286; *caesia* subsp. *glaucula* × *canina* (v.c. **29**, **46**) 145; *canina* × *caesia* subsp. *caesia* (v.c. **46**) 285; *canina* × *caesia* subsp. *glaucula* (v.c. **28**, **35**, **47**) 285; *canina* × *micrantha* (v.c. **48**) 146; *canina* × *obtusifolia* (v.c. **29**) 286; *canina* × *rubiginosa* (v.c. **64**) 146, (v.c. **29**) 286; *canina* × *stylosa* (v.c. **46**) 145; × *dumalis* (v.c. **28**, **35**, **46**, **47**) 285; × *dumetorum* (v.c. **29**) 286; *elliptica* 138; herbarium of A. H. Wolley-Dod, The, 137–139; ‘Hollandica’ (v.c. **46**) 285; *micrantha* 138, (v.c. **69**) 146; *mollis* × *sherardii* (v.c. **46**) 146; × *nitidula* (v.c. **29**) 286; *obtusifolia* (v.c. **46**) 146; *pimpinellifolia* (v.c. **29**) 285; × *pseudorusticana* (v.c. **29**) 285; *rubiginosa* 138; *rugosa* 174; *sherardii* (v.c. **9**) 286; *sherardii* × *micrantha* (v.c. **46**) 286; *stylosa* (v.c. **35**) 285; *stylosa* × *canina* (v.c. **29**, **35**) 285; *stylosa* × *obtusifolia* (v.c. **29**) 285; × *suberectiformis* (v.c. **46**) 286; *tomentosa* (v.c. **35**) 286; *tomentosa* × *sherardii* (v.c. **46**) 286; × *verticillacantha* (v.c. **29**, **46**) 285

- Rubus* 47, 76, 131–133, 141, 162, 235, 236, 279;
 Series *Vestiti* 133; *adscitus* 132; *arrheniformis*
 (v.c. **12**, **22**) 145; *albionis* (v.c. **12**) 145;
anisacanthos (v.c. **27**) 285; *armeniacus* (v.c.
98) 284; *bloxamii* (Bab.) Lees (Rosaceae)
 with red styles 131, 133, (v.c. **42**) 285, var.
bloxamii 131, (Bab.) Lees var. **multifidus**
 (Boulay & Malbranche ex Corbière) D. E.
 Allen, **comb. et stat. nov.** 131; *bloxamii* ×
vestitus 133; *boraeanus* 132; *briggsianus* (v.c.
5) 284; *britannicus* (v.c. **29**) 145, (v.c. **11**, **27**)
 285; *chamaemorus* 136; *cinerosiformis* (v.c.
9) 145; *cissburiensis* (v.c. **4**) 145; *cockburnia-*
nus 174; *corbieri* Boulay (Rosaceae) in the
 British Isles 131–133; *crudelis* (v.c. **11**) 145,
 (v.c. **27**) 284; *curvispinosus* (v.c. **21**) 284;
fuscus subsp. *retrodentatus* 133; *glanduliger*
 (v.c. **11**) 145; *hylocharis* (v.c. **11**) 285; *hylo-*
philus (v.c. **11**) 284; *laciniatus* (v.c. **4**) 284;
leucostachys (v.c. **25**, **27**) 284; *macrophyl-*
loides 132; *menkei* 133, microgene *multifidus*
 131, subsp. *multifidus* 131; *metallorum* 47;
mucronatoides (v.c. **42**) 284; *multifidus* 131,
 133; *nemorosus* (v.c. **42**) 285; *pampinosus*
 (v.c. **12**) 145; *parviflorus* (v.c. **50**) 284; *phoe-*
nicolasius 173, (v.c. **4**, **77**) 284; *polyanthemus*
 (v.c. **75**) 284; *procerus* (v.c. **81**) 145; *rilstonei*
 (v.c. **9**) 145; *schlechtendalii* 132; *septentriona-*
lis (v.c. **11**, **75**) 284; *sylvaticus* (v.c. **12**) 145;
ulmifolius (v.c. **75**) 284; *vestitus* (map) 74, 76
- Rumex* 76, 162, 200; *acetosa* subsp. *biformis* (v.c.
46) 148; *acetosella* 192, 207, var. *tenuifolius*
 174; *conglomeratus* × *pulcher* (v.c. **2**) 148;
crispus subsp. *littoreus* (v.c. **58**, **98**) 282,
 subsp. *littoreus* × *pulcher* (v.c. **25**) 281;
crispus × *obtusifolius* (v.c. **50**) 148, (v.c. **103**)
 281; *hydrolapathum* 172; *obtusifolius* subsp.
transiens 271, var. *transiens* 172; *palustris*
 (v.c. **24**) 281; × *pratensis* (v.c. **103**) 281;
pseudopulcher (v.c. **25**) 281; *pulcher* 186, 207
- Ruppia* 90; *cirrhusa* (v.c. **69**) 151; *maritima* 271
- Russell, Jocelyn Mary Lewis (1905–1992) (Obit.)
 201–203
- Salicornia* 90; *dolichostachya* (v.c. **44**) 143; *euro-*
paea 90, 91; *fragilis* (v.c. **6**) 280; *obscura* (v.c.
6) 280; *perennis* 47
- Salix* 76, 128, 200; *alba* × *fragilis* 174, (v.c. **77**)
 148; *alba* × *pentandra* (v.c. **59**) 148; *aurita* ×
phylicifolia (v.c. **83**) 282; *caprea* 189; *caprea*
 × *aurita* (v.c. **46**) 282; × *capreola* (v.c. **46**)
 282; *daphnoides* (v.c. **44**) 282; *discolor* 174;
eriocephala (v.c. **46**) 282; *fragilis* × *alba* (v.c.
47) 282; × *fruticosa* (v.c. **47**) 282; × *ludifi-*
cans (v.c. **83**) 282; *purpurea* (v.c. **35**) 148; ×
rubens (v.c. **47**) 282; *viminalis* 271; *viminalis*
 × *aurita* (v.c. **47**) 282
- Salsola* 162; *kali* 136
- Salvia verbenaca* 114, (v.c. **75**) 289
- Sambucus nigra* 136, 189
- Samolus valerandi* 271, (v.c. **24**) 283
- Sandford, M. – *The orchids of Suffolk: an atlas*
and history (Bk. Rev.) 50
- Sanguisorba minor* subsp. *minor* 136, 271, subsp.
muricata (v.c. **44**, **50**) 145; *officinalis* 136
- Sanicula europea* 137, 271
- Santolina chamaecyparissus* (v.c. **41**) 291, subsp.
tomentosa 291
- Saponaria ocymoides* (v.c. **28**) 281
- Sasa palmata* (v.c. **83**) 293
- Saxifraga granulata* 207; *hirsuta* × *spathularis*
 (v.c. **77**) 147; *oppositifolia* 65, 66; *paniculata*
 173
- Scabiosa* 248; *columbaria* 137
- Scandix pecten-veneris* 90
- Schoenoplectus lacustris* 170
- Schoenus nigricans* 198, (v.c. **81**) 153
- Scilla* 86, 303; *autumnalis* 86; *verna* 71, 86
- Scirpus* 301; *sylvaticus* 271; *tabernaemontani* (v.c.
108) 293
- Scrophularia auriculata* (v.c. **71**) 149; *nodosa* 137
- Sedum acre* 117; *album* 146; *forsterianum* 271,
 (v.c. **39**) 146; *rupestre* (v.c. **98**) 284; *spurium*
 (v.c. **28**) 283; *telephium* 137, 162, 196, subsp.
telephium (v.c. **77**) 146; *villosum* 196
- Selaginella kraussiana* 5, (map) 19, 161; *selagi-*
noides 5, (map) 19
- Sell, P. D., with R. P. Bowman – *Pilosella* ×
floribunda (Wimmer & Grab.) Arvet-Touvet
 (Asteraceae) in the British Isles 187–188
- Senecio* × *albescens* (v.c. **50**, **99**) 292; *cineraria*
 173; *cineraria* × *jacobaea* (v.c. **50**, **99**) 292;
jacobaea 116, 117; *jacobaea* × *aquaticus* (v.c.
81) 292; × *ostenfeldii* (v.c. **81**) 292; *squalidus*
 117, 119, 176, 178, 189; *squalidus* × *viscosus*
 (v.c. **58**) 150; *squalidus* × *vulgaris* (v.c. **45**)
 150; *sylvaticus* (v.c. **111**) 150; *viscosus* 137;
vulgaris 117
- Sesleria caerulea* (v.c. **57**) 294
- Short Notes 39–41, 131–140, 185–193, 269–278
- Showler, A. J. & Rich, T. C. G. – *Cardamine*
bulbifera (L.) Crantz (Cruciferae) in the
 British Isles 231–245
- Sibthorpia europaea* (v.c. **9**) 289
- Silene acaulis* 40; *latifolia* × *dioica* (v.c. **75**) 143;
vulgaris (v.c. **93**) 143, subsp. *vulgaris* 271
- Silybum marianum* 173
- Sinacalia tangutica* 176
- Sison amomum* (v.c. **44**) 147
- Sisymbrium irio* 53; *loeselii* (v.c. **25**) 143; *strictissi-*
mum 53, 207
- Sisyrinchium striatum* 207
- Sledge, William Arthur (1904–1991) (Obit.) 166–
 168
- Smith, S., with F. Burkhardt (eds) – *The corre-*
spondence of Charles Darwin. Vol. 7. 1858–
1859 (Bk Rev.) 195
- Smyrnium perfoliatum* 53

- Solanum dulcamara* 137
Soleirolia soleirolii 207
Solidago canadensis 175, (v.c. **50**) 150; (v.c. **81**) 291; *gigantea* 174, subsp. *serotina* (v.c. **38**) 150
Sonchus oleraceus 271
Sorbus L. in South Wales and adjacent areas, with particular reference to *S. porrigentiformis* E. F. Warb., Peroxidase isoenzyme and morphological variation in, 21–37, 161, 162, 211, 218, 219, 222–224, 226; *anglica* 21–24, (ill.) 27, *aria* 21, 24, 26, 32–34, 139, 218, 225; *aria* × *aucuparia* (v.c. **59**) 146; *arranensis* 34; *aucuparia* 21, 22, 24, 225, 271; *bristolensis* 21, 23, 33, 34; *croceocarpa* 23, (v.c. **44**, **77**) 146, (v.c. **47**) 286; *devoniensis* 23, 226; *domestica* 211; *eminens* 21–24, (ill.) 29, 32, 33, (map) 34; aff. *eminens* 25; *graeca* 21, 23, 26, 33; *hibernica* 21, 25, (ill.) 29, 32, 33; *lancastriensis* E. F. Warburg (Rosaceae), Additional records of, 139–140, 225; *latifolia* 21, 23, (v.c. **25**) 286; *leptophylla* 21, 23, 24, 26, (ill.) 28, 33, 34; aff. *leptophylla* 24, (ill.) 28; *leyana* 21, 23, (ill.) 27, 33, 34; *minima* 21, 23, (ill.) 27, 33, 34; *porrigentiformis* E. F. Warb., Peroxidase isoenzyme and morphological variation in *Sorbus* L. in South Wales and adjacent areas, with particular reference to, 21–37, (ill.) 30–31, (map) 35, (map) 36; *pseudofennica* 34; *rupicola* 26, 33, 34, 139, 225, (v.c. **102**) 146; *torminalis* 21, (L.) Crantz, in the British Isles, The distribution of the Wild Service Tree, 209–229, (map) 212–213; × *vagensis* 21, 23, 33, 218; *vexans* 26; *wilmottiana* 23, 24, 26, 33
Sparganium erectum subsp. *oocarpum* (v.c. **46**) 295
Sparks, T. H., with M. G. Le Duc & M. O. Hill – A method for predicting the probability of species occurrence using data from systematic surveys 97–105
Spartina anglica 295; *maritima* × *alterniflora* (v.c. **98**) 295; × *townsendii* (v.c. **98**) 295
Spergula marina 294
Spergularia bocconii (v.c. **15**) 143; *marina* (v.c. **80**, **81**) 280; *media* 272; *rubra* 259
Sphagnum 283
Spiers, A., with P. A. Harmes – *Polygonum maritimum* L. in East Sussex (v.c. **14**) 271–273
Spiraea 173; *alba* (v.c. **70**) 284; *alba* × *douglasii* (v.c. **75**) 284; × *billardii* (v.c. **75**) 284; *canescens* (v.c. **46**) 284; *douglasii* × *salicifolia* 173; × *pseudosalicifolia* (v.c. **29**) 284; *salicifolia* × *douglasii* (v.c. **29**) 284
Spiranthes spiralis 90, 91, 137, 166
Spirodela polyrhiza 271
Spurgin, K. L., with L. J. Margetts – *The Cornish flora supplement 1981–1990* (Bk Rev.) 46–47
Stace, C. A. – *New Flora of the British Isles* (Bk Rev.) 161–163
Stace, C. A., Al-Bermani, A.-K. K. A. & Wilkinson, M. J. – The distinction between the *Festuca ovina* L. and *Festuca rubra* L. aggregates in the British Isles 107–112
Stachys alpina 51; × *ambigua* (v.c. **50**) 289; *arvensis* 271; *germanica* 51; *officinalis* 137, 271; *sylvatica* × *palustris* (v.c. **50**) 289
Stellaria holostea 137, 149; *pallida* 207, (v.c. **81**) 143
Stevens, D. P. & Blackstock, T. H. – Sexual dimorphism in *Eriophorum vaginatum* L. (Cyperaceae) 190–192
Stipagrostis 46
Stratiotes aloides (v.c. **28**) 292
Suominen, J., with J. Jalas (eds) – *Atlas Florae Europaeae: Distribution of vascular plants in Europe. Vol. 9. Paeonaceae to Capparaceae* (Bk Rev.) 156–157
Symphoricarpos albus 173, 301; × *chenaultii* (v.c. **46**) 290; cf. × *chenaultii* 173; *orbicularis* × *microphyllus* (v.c. **46**) 290
Symphytum grandiflorum (v.c. **77**) 149; *tuberosum* (v.c. **11**, **59**) 149, (v.c. **47**) 288
Synnott, D. – Rev. of *Flora of the Outer Hebrides* 47–48
Synnott, D. – Rev. of *Stewart and Corry's flora of the north-east of Ireland* (3rd ed.) 298–299
Tanacetum vulgare 137
Taraxacum 35, 47, 76, 90, 162, 279; *hamatifforme* 302; *officinale* 117, 189
Taxus baccata 137, 271
Tellima grandiflora 173, (v.c. **79**) 147
Teucrium botrys 51; *scorodonia* 137
Thalictrum aquilegiifolium (v.c. **79**, **80**) 142; *flavum* 271, (v.c. **45**) 280
Thelypteris palustris 5, (map) 19
Thomas, B. A. – Rev. of *Atlas écologique des fougères et plantes alliées – illustration et répartition des Ptéridophytes de France* 302
Thomas, B. A., with G. Hutchinson – Distribution of Pteridophyta in Wales 1–19
Thymus 149
Thysanotosia 45
Tilia cordata 285; *platyphyllos* (v.c. **50**) 282
Titchen, T. – Obit. of Adrian Leonard Grenfell (1939–1991) 165–166
Tolmiea menziesii 173, (v.c. **47**) 147
Torilis nodosa 186
Trachystemon orientalis (v.c. **49**) 288
Tragopogon porrifolius × *pratensis* subsp. *minor* (v.c. **25**) 151; *pratensis* 116, 117, subsp. *pratensis* 207
Trichomanes speciosum 3, 5, (map) 19, 299
Trientalis europaea 97, 99, 101, (map) 102–103, 104
Trifolium 115, 161, 250; *arvense* 114, 117, 118,

- 186; *aureum* 173; *campestre* 114; *dubium* 159; *fragiferum* 118; *hybridum* 113, 114, 119, cv. 'Alsike' 115, 118; *incarnatum* subsp. *incarnatum* (v.c. **52**, **80**) 287; *medium* 114, 271; *micranthum* 186; *minus* 159; *ornithopodioides* (v.c. **44**) 287; *pratense* 113–115, 118, 119, 159; *repens* 84, (map) 87, 90, 91, 114, 118; *striatum* 186; *subterraneum* 207
- Triglochin palustris* 137
- Tripleurospermum* 163; *inodorum* 114; *maritimum* 272; *maritimum* × *indorum* (v.c. **46**) 292
- Trist, P. J. O. – *Corynephorus canescens* (L.) Beauv. (Poaceae) on the west coast of Scotland 192–193
- Triticum aestivum* 76
- Tuberaria guttata* 186
- Tussilago farfara* 137
- Tutin, W. – Rev. of *Pleistocene palaeoecology of central Norfolk – a study of environments through time* 163–164
- Typha* 295; *angustifolia* × *latifolia* (v.c. **13**, **14**) 152; *latifolia* 137, 170, 292
- Ulex* 250; *europaeus* 249; *gallii* 185, (v.c. **80**) 287; *minor* (v.c. **59**) 144
- Urtica* 127; *angustifolia* 127; *dioica* 127–129, 236, f. *angustifolia* 127, subsp. *galeopsifolia* 128, var. *angustifolia* 127, var. *pubescens* 129, var. *subinermis* 127; *galeopsifolia* Wierzb. ex Opiz (Urticaceae) in Wicken Fen (E. England) 127–129; *pubescens* 129; *sondenii* 128, 129
- Utricularia australis* (v.c. **80**) 149; *stygia* (v.c. **98**) 290
- Vaccinium* 301; *microcarpum* (v.c. **93**) 283; *uliginosum* 162
- Valeriana dioica* 137, 271
- Valerianella carinata* (v.c. **50**, **81**) 150; *rimosa* (v.c. **27**) 290
- Verbascum* × *kernerii* (v.c. **29**) 289; *lychnitis* × *thapsus* (v.c. **46**) 149; *nigrum* 137, (v.c. **42**) 149; *phlomoides* (v.c. **46**) 149, (v.c. **38**) 289; *phlomoides* × *thapsus* (v.c. **29**) 289; *virgatum* (v.c. **59**) 289
- Verbena rigida* 173
- Verdcourt, B. – Obit. of John George Dony (1899–1991) 55–61
- Veronica anagallis-aquatica* 271; *anagallis-aquatica* × *catenata* (v.c. **36**) 149; *austriaca* subsp. *teucrium* (v.c. **39**) 149; *beccabunga* 271; *crista-galli* (v.c. **46**) 149; *filiformis* 84; *hederifolia* 162; *longifolia* (v.c. **73**) 289; *montana* 97, 99, 101, (map) 102–103, 104, 174; *officinalis* 271; *peregrina* (v.c. **2**) 289; *serpyllifolia* 84, 162, subsp. *serpyllifolia* 137
- Vicia cracca* 118; *faba* 114; *lathyroides* (v.c. **1**) 144; *orobus* (v.c. **75**) 286; *sativa* 118, subsp. *segetalis* (v.c. **77**) 144; *sepium* 137; *sylvatica* (v.c. **12**) 144; *villosa* 172, (v.c. **12**) 144
- Vinca* 182; *major* 173
- Viola canina* 76, (map) 83, 84, 117, (v.c. **83**) 282; *canina* × *rinviniana* (v.c. **75**) 143; *cornuta* (v.c. **77**) 143; × *intersita* (v.c. **73**) 282; *lactea* 186; *lutea* cv. 173; *palustris* subsp. *juresii* (v.c. **47**) 143; *reichenbachiana* × *rinviniana* (v.c. **44**) 143; *rinviniana* 84; *rinviniana* × *canina* (v.c. **73**) 282; *tricolor* subsp. *curtisii* 117; × *wittrockiana* (v.c. **71**) 282
- Viscum album* 90, 91
- Vitis vinifera* (v.c. **46**) 287
- Vulpia ciliata* subsp. *ambigua* (v.c. **48**) 153; *fasciculata* 117; *unilateralis* (v.c. **9**) 294
- Wahlenbergia hederacea* 137
- Walsh, W., with E. C. Nelson – *The Burren. A companion to the wildflowers of an Irish limestone wilderness* (Bk Rev.) 159–160
- Watson, M. F. – Rev. of *FLORA: The computerised key to 786 species of British wild plants, version 1.10* 199–200
- Weingaertneria canescens* 192
- West, R. G. – *Pleistocene palaeoecology of central Norfolk – a study of environments through time* (Bk Rev.) 163–164
- Whitten, A. J. – *Recovery; a proposed programme for Britain's protected species* (Bk Rev.) 51
- Whitten, A. J. & Farrell, L. – Rev. of *The orchids of Suffolk: an atlas and history* 50
- Wilkinson, M. J., with C. A. Stace and A.-K. K. A. Al-Bermani – The distinction between the *Festuca ovina* L. and *Festuca rubra* L. aggregates in the British Isles 107–112
- Willis, A. J. – Rev. of *Wild orchids of Dorset* 157–158
- Wilmanns, O. – Rev. of *British plant communities. Vol 1. Woodland and scrub* 49–50
- Wolley-Dod, A. H., *The Rosa herbarium of*, 137–139
- Woodruff, E. R., with T. C. G. Rich – Recording bias in botanical surveys 73–95
- Woodsia alpina* 5, (map) 19, 66; *ilvensis* 5, (map) 19
- Wulfenia carinthiaca* 299

CONTENTS

	PAGES
HUTCHINSON, G. & THOMAS, B. A. Distribution of Pteridophyta in Wales	1-19
PROCTOR, M. C. F. & GROENHOF, A. C. Peroxidase isoenzyme and morphological variation in <i>Sorbus</i> L. in South Wales and adjacent areas, with particular reference to <i>S. porrigentiformis</i> E. F. Warb.	21-37
SHORT NOTES	
Ballantyne, G. H. <i>Orobanché alba</i> Steph. ex Willd, in Fife (v.c. 85) ...	39-40
Reveal, J. L. Re-establishment of a discarded name in <i>Crepis</i> L. (Asteraceae) ...	40-41
BOOK REVIEWS ...	43-51
OBITUARIES ...	53-66
REPORT	
Annual General Meeting, 4 May 1991 ...	67-71
RICH, T. C. G. & WOODRUFF, E. R. Recording bias in botanical surveys	73-95
LE DUC, M. G., HILL, M. O. & SPARKS, T. H. A method for predicting the probability of species occurrence using data from systematic surveys	97-105
STACE, C. A., AL-BERMANI, A.-K. K. A. & WILKINSON, M. J. The distinction between the <i>Festuca ovina</i> L. and <i>Festuca rubra</i> L. aggregates in the British Isles ...	107-112
HIPKIN, C. R. Host range and specificity of <i>Orobanché minor</i> Sm. on Crymlyn Burrows ...	113-120
FOLEY, M. J. Y. The current distribution and abundance of <i>Orchis ustulata</i> L. (Orchidaceae) in the British Isles - an updated summary ...	121-126
GELTMAN, D. V. <i>Urtica galeopsifolia</i> Wierzb. ex Opiz (Urticaceae) in Wicken Fen (E. England) ...	127-129
SHORT NOTES	
Allen, D. E. <i>Rubus bloxamii</i> (Bab.) Lees (Rosaceae) with red styles ...	131
Allen, D. E. <i>Rubus corbieri</i> Boulay (Rosaceae) in the British Isles ...	131-133
Henderson, D. M. A new spiral variant of <i>Juncus effusus</i> L. (Juncaceae)	133-134
Hollingsworth, P. M., Gornall, R. J. & Bailey, J. P. Contributions to a cytological catalogue of the British and Irish flora, 2 ...	134-137
Primavesi, A. L. The <i>Rosa</i> herbarium of A. H. Wolley-Dod ...	137-139
Rich, T. C. G. & Baecker, M. Additional records of <i>Sorbus lancestransiens</i> E. F. Warburg (Rosaceae) ...	139-140
PLANT RECORDS ...	141-154
BOOK REVIEWS ...	155-164
OBITUARIES ...	165-168
MACPHERSON, P. Presidential Address, 1992: Colonisation of the Glasgow Garden Festival site three years on: implications for recording ...	169-179
BRUMMITT, R. K. & MEIKLE, R. D. The correct Latin names for the Primrose and the Oxlip, <i>Primula vulgaris</i> Hudson and <i>P. elatior</i> (L.) Hill ...	181-184
SHORT NOTES	
Akeroyd, J. R. & Clarke, K. <i>Dianthus armeria</i> L. new to Ireland and other rare plants in West Cork ...	185-187
Bowman, R. P. & Sell, P. D. <i>Pilosella</i> × <i>floribunda</i> (Wimmer & Grab.) Arvet-Touvet (Asteraceae) in the British Isles ...	187-188
Gilbert, O. L. Regenerating Balsam Poplar (<i>Populus candicans</i> Ait.) × Black Poplar (<i>P. nigra</i> L.) (Salicaceae) at a site in Leeds ...	188-190



3 9088 01759 0985

INDEX TO WATSONIA VOLUME 19

Stevens, D. P. & Blackstock, T. H. Sexual dimorphism in <i>Eriophorum vaginatum</i> L. (Cyperaceae)	190-192
Trist, P. J. O. <i>Corynephorus canescens</i> (L.) Beauv. (Poaceae) on the west coast of Scotland	192-193
BOOK REVIEWS	195-200
OBITUARY	201-203
REPORT	
Annual General Meeting, 9 May 1992	205-207
ROPER, P. The distribution of the Wild Service Tree, <i>Sorbus torminalis</i> (L.) Crantz, in the British Isles	209-229
SHOWLER, A. J. & RICH, T. C. G. <i>Cardamine bulbifera</i> (L.) Crantz (Cruciferae) in the British Isles	231-245
FOLEY, M. J. Y. <i>Orobancha reticulata</i> Wallr. populations in Yorkshire (north-east England)	247-257
CLEMENT, E. J., GARDNER, M. F. & KNEES, S. G. Skunkweed (<i>Navarretia squarrosa</i> (Eschsch.) Hook. & Arn.) and other Polemoniaceae in Britain	259-263
NELSON, E. C. Who was the author of <i>Montbretia crocosmiiflora</i> ?	265-267
SHORT NOTES	
Al-Bermani, A.-K. K. A., Al-Shammary, K. I. A., Bailey, J. P. & Gornall, R. J. Contributions to a cytological catalogue of the British and Irish flora, 3	269-271
Harmes, P. A. & Spiers, A. <i>Polygonum maritimum</i> L. in East Sussex (v.c. 14)	271-273
Nelson, E. C. White-blossomed <i>Pinguicula grandiflora</i> Lam. (Lentibulariaceae) in the Burren, County Clare, Ireland	273-275
Nelson, E. C. Corkscrew Rush (<i>Juncus effusus</i> L. forma <i>spiralis</i> (J. McNab) Hegi) (Juncaceae) in Ireland and Britain	275-278
PLANT RECORDS	279-295
BOOK REVIEWS	297-303