


QK
1
W442
Bot



WATSONIA

THE JOURNAL OF
THE BOTANICAL SOCIETY
OF THE BRITISH ISLES

VOLUME 25

EDITED BY

M. BRIGGS, D. L. KELLY, D. R. MCKEAN,
M. S. PORTER, C. D. PRESTON, M. N. SANFORD, D. A. SIMPSON

2004–2005

PRINTED FOR THE SOCIETY BY
PALLADIAN PRESS, UNIT E, CHANDLERS ROW, PORT LANE, COLCHESTER, ESSEX CO1 2HG

PUBLISHED AND SOLD BY THE BOTANICAL SOCIETY OF THE BRITISH ISLES,
C/O DEPARTMENT OF BOTANY, THE NATURAL HISTORY MUSEUM, LONDON SW7 5BD

LIBRARY
2000
2000

DATES OF PUBLICATION

Part 1, pp. 1-136, 25 February 2004

Part 2, pp. 137-230, 13 August 2004

Part 3, pp. 231-330, 18 February 2005

Part 4, pp. 331-444, 2 August 2005

Errata

p. 48 line 25	For: <i>littorale</i> read: <i>litorale</i>
p. 48 line 26	For: <i>montaniae</i> read: <i>mantoniae</i>
p. 53 (table) line 3 up	For: <i>Lathraea</i> read: <i>Lastrea</i>
p. 54 line 24	For: <i>hermaphroditicum</i> read: <i>hermaphroditum</i>
p. 111 line 28	For: <i>Pulicaris</i> read: <i>Pulicaria</i>
p. 128 (table) line 18	For: <i>pyrenaicum</i> read: <i>pyrenaica</i>
p. 160 line 6 up	For: <i>boreanus</i> read: <i>boraeanus</i>
p. 304 line 19 up	For: SEPULCRALIS read: × SEPULCRALIS
p. 305 line 1	For: OLEIIFOLIA read: OLEIFOLIA
p. 308 line 11	For: IRREKULARIS read: IRREGULARIS
p. 312 line 16 up	For: SYLVATICA read: SILVATICA

INDEX

WATSONIA VOLUME 25 (2004–05)

Prepared by C. R. Boon

- Abies alba* (v.c. **100**) 426; *grandis* (v.c. **100**) 426; *procera* (v.c. **100**) 426
- Acacia dealbata* 297, 298
- Acaena anserinifolia* (v.c. **95**) 432; *novae-zelandiae* (v.c. **23**) 308, (v.c. **58**, **79**) 432; *ovalifolia* (v.c. **85**) 308
- Acer macrophyllum* 297; *negundo* (v.c. **29**) 311; *pseudoplatanus* 260;
- Aceras anthropophorum* 220
- Achillea millefolium* 214, 423; *ptarmica* 128, 423
- Acorus calamus* 235, 238–241, (map) 240, 243, 247, 251
- Adonis annua* 327
- Adoxa* 265; *moschatellina* 135, L. Sexual reproduction in British populations of, 265–273; *orientalis* 265
- Aegopodium podagraria* 423
- Aesculus hippocastanum* 214, 245
- Aetheorhiza bulbosa* 297
- Agrostemma githago* (v.c. **81**) 303
- Agrostis* 315, × *bjoerkmanii* (v.c. **46**) 438; *canina* 211, subsp. *canina* 2; *capillaris* 3, 406; *capillaris* × *gigantea* (v.c. **46**) 438; *castellana* (v.c. **29**) 319; *gigantea* × *stolonifera* (v.c. **11**) 319, (v.c. **64**) 438
- Ajuga pyramidalis* (v.c. **104**) 313
- Alchemilla glabra* 128, 423; *pratensis* 56; *xanthochlora* 56
- Alisma plantago-aquatica* 247, 249
- Allen, D., with C. Pope & L. Snow - *The Isle of Wight Flora* (Bk Rev.) 216–217
- Allen, D.E. - Five new species of *Rubus* L. (Rosaceae) mostly from central south England 157–174
- Allen, D.E. - North Wales species of *Rubus* L. (Rosaceae) in the Isle of Wight 289–290
- Allen, D.E. - *Rubus radulicaulis* Sudre (Rosaceae) in the Solent region 417–419
- Allen, D.E. - The taxonomic status of *Rubus orbifolius* sensu W.C.R. Watson (Rosaceae) 208–210
- Allen, D.E., with T.C.G. Rich - *Cardamine* × *fringsii* F. Wirtgen (Brassicaceae) in the British Isles 409–412
- Allium* 149, 324; *ampeloprasum* (v.c. **113(S)**) 321, subsp. *babingtonii* (v.c. **H6**) 439; *carinatum* (v.c. **94**) 321, (v.c. **1a**) 439; *cepa* 148, (v.c. **113(S)**) 321, cv Ailsa Craig 138, 148, cv Suttons A1 138, 145, 148; *porrum* (v.c. **95**) 439; *roseum* (v.c. **49**) 321; *schoenoprasum* 134, (v.c. **106**) 439; *scorodoprasum* 245; *subhirsutum* (v.c. **29**) 321; *triquetrum* (v.c. **42**, **57**) 321
- Alnus* 283; *cordata* (v.c. **100**, **H6**) 428; *glutinosa* 260, 324, 423; *incana* (v.c. **100**) 428; *rubra* (v.c. **H6**) 428
- Alopecurus* 137–140, 142, 144, 145, 147–150, 215; *aequalis* 137, 138, 140, 143–151, (illus.) 146, (illus.) 147; *alpinus* 34; *borealis* 127, 128, 390; × *brachystylus* 150; *bulbosus* 137, 138, 140, 143–152, (illus.) 147, (v.c. **45**) 319; *bulbosus* × *geniculatus* 138; *geniculatus* L. based on 2C DNA amounts, NOR sites, RAPDs and cpDNA analysis. An assessment of the origin of, 137–155, (illus.) 146, (illus.) 147; *myosuroides* 137, 138, 140, 143–146, (illus.) 147, 148, 149, 151; × *plecktii* 151, 138; *pratensis* 137, 138, 140, 143–145, (illus.) 146, (illus.) 147, 147–151
- Alyssum saxatile* (v.c. **39**) 305
- Amaranthus blitum* (v.c. **6**) 302; *hybridus* (v.c. **70**) 302; × *ozanonii* (v.c. **29**) 302; *powellii* (v.c. **6**, **34**) 302; *retroflexus* (v.c. **85**) 302; *retroflexus* × *hybridus* (v.c. **29**) 302
- Ambrosia artemisiifolia* (v.c. **33**, **50**) 317
- Amelanchier lamarckii* (v.c. **29**) 308
- Ammi majus* (v.c. **46**) 435; *visnaga* (v.c. **79**, **80**) 435
- Amsinckia micrantha* 230, (v.c. **104**) 313, (v.c. **79**) 435
- Anagallis tenella* 2, 3
- Anaphalis margaritacea* (v.c. **89**) 436
- Anchusa arvensis* 57
- Anemone apennina* (v.c. **58**, **69**) 301; *nemorosa* 128, 423; *ranunculoides* (v.c. **68**) 427
- Anethum graveolens* (v.c. **46**) 311
- Angelica archangelica* (v.c. **29**) 311; *sylvestris* 2, 238, 247, 423
- Anisantha diandra* (v.c. **41**) 319
- Anisantha madritensis* 319; *tectorum* (v.c. **1a**) 438
- Antennaria dioica* 219
- Anthemis arvensis* 315, (v.c. **84**) 316
- Anthoxanthum odoratum* 3, 128, 211, 423
- Anthriscus caucalis* (v.c. **46**) 435; *cerefolium* (v.c. **11**) 311

- Anthyllis vulneraria* subsp. *vulneraria* (v.c. **104**) 309
Aphanes arvensis 57
Apium nodiflorum 245, 247, 249
Arabis glabra (v.c. **9**) 305; *petraea* 21, 47
Arachia 149
Araucaria araucana (v.c. **42**) 300
Arbutus unedo 296, (v.c. **H6**) 430
Arctium lappa 53, 54; *major* 53; *minus* 53; *memorosum* 53
Arctotheca calendula (v.c. **6**) 436
Arenaria ciliata subsp. *hibernica* 296; *norvegica* 23-25, 30, 32, 35, 38, 60, subsp. *norvegica* 38, 47; *serpyllifolia* subsp. *leptoclados* (v.c. **80**) 428
Armeria 329; *maritima* (v.c. **39**) 304
Arrhenatherum 345; *elatum* 234
Artemisia abrotanum (v.c. **44**); *absinthium* 54, 56; *ludoviciana* (v.c. **95**) 436
Asparagus officinalis subsp. *officinalis* (v.c. **48**) 321, (v.c. **113(S)**) 439; *prostratus* 276, 280
Asplenium 221, 332, 334, 335; *adiantum-nigrum* 331-335, subsp. *corruneense* 443, subsp. *silesianum* 443; *adiantum-nigrum* × *onopteris* 296; *billotii* × *Phyllitis scolopendrium* 332; *marinum* 332; *obovatum* 336, subsp. *lanceolatum* (v.c. **9**) 300; *obovatum* × *Phyllitis scolopendrium* 332; *onopteris* 296; *septentrionale* 21; × *ticinense* 296; *trichomanes* subsp. *quadrivalens* 216
× *Asplenophyllitis* 332, 335, 337; *jacksonii* Alston (Aspleniaceae) in the flora of Cornwall. Re-appearance of the rare intergeneric hybrid fern, 331-338, (illus.) 333; *microdon* 331, 332, 336
Aster tripolium 123, 216
Astilbe × *arendsii* (v.c. **81**) 306; *japonica* 56; *japonica* × *rosea* × *chinensis* (v.c. **81**) 306; *thunbergii* 54, 56
Athyrium filix-femina 260
Atrichum undulatum 406
Atriplex 123, 124; *glabriuscula* (v.c. **113(S)**) 302; *glabriuscula* × *longipes* (v.c. **109**) 302, (v.c. **100**) 428; *glabriuscula* × *praecox* (v.c. **100**) 428; × *gustafssoniana* 123, (v.c. **100**) 428; *hortensis* (v.c. **42**, **58**) 302; *littoralis* (v.c. **48**) 302, (v.c. **39**) 428; *longipes* 123, (v.c. **9**) 302; *patula* 59; *praecox* (v.c. **100**) 428; *prostrata* (v.c. **100**) 428; *prostrata* × *glabriuscula* (v.c. **109**) 302, (v.c. **68**) 428; *prostrata* × *longipes* (v.c. **100**) 428; × *taschereaui* (v.c. **109**) 302, (v.c. **100**) 428
Atropa belladonna (v.c. **93**) 312
Avena sativa 150, 218; *sterilis* subsp. *ludoviciana* (v.c. **39**) 319
Azolla filiculoides 238, 239, 241, 243, 250, (v.c. **77**) 426
Baldellia ranunculoides 238, 239, 243
Ballota nigra (v.c. **46**) 435
Barbarea verna (v.c. **100**) 430
Beckman, J. - Rev. of *Botaniska strövtåg. Svenska och engelska* (by M Rydén) 217
Bellis perennis 128, 218
Berberis buxifolia (v.c. **106**) 427; *wilsoniae* (v.c. **81**) 301
Berula erecta (v.c. **106**) 435
Beta vulgaris subsp. *maritima* (v.c. **104**) 302
Betula 283; *pendula* 245
Bidens cernua 239, (v.c. **80**) 436; *connata* (v.c. **39**) 317
Biggam, C.P. (ed.) - *From earth to art. The many aspects of the plant-world in Anglo-Saxon England* (Bk Rev.) 324-325
Blamey, M., Fitter, R. & Fitter, A. - *Wild flowers of Britain and Ireland* (Bk Rev.) 213
Blechnum cordatum (v.c. **46**) 426
Blidingia 122
Blysmus compressus 423
Bolboschoenus maritimus 123, (v.c. **65**, **69**, **80**) 437
Book Reviews 131-135, 213-220, 323-328
Brachiaria platyphylla (v.c. **11**) 320
Brachypodium 139, 366; *pinnatum* (v.c. **58**) 319; *pinnatum* s.s. (v.c. **29**) 319; *sylvaticum* 406
Braithwaite, M.E. - *Hierochloa odorata* (L.) Beauv. (Poaceae) - a grass new to England 423-424
Braithwaite, M.E. - *Tofieldia pusilla* (Michx.) Pers. at the Scottish border 207-208
Brassica 139
Briza media 3, 245, (v.c. **104**) 318; *minor* (v.c. **9**) 318, 324
Bromus 225, 227; *commutatus* (v.c. **39**) 438; *hordeaceus* 227, subsp. *feronii* (v.c. **52**) 319, subsp. *longipedicellatus* (v.c. **52**, **81**) 319; *interruptus* 227, 352; *racemosus* (v.c. **43**) 319, (v.c. **H6**) 438; *secalinus* (v.c. **39**, **41**) 319, (v.c. **67**) 438
Brown, N. - Obit. of R.H. Roberts (1910-2003) 221-223
Bryum imbricatum 38; *inclinatum* 38; *inclinatum?* 31

- Buddleja globosa* (v.c. **29**) 313
- Bulbine* 150
- Bull, A.L. - *Rubus cromerensis* A.L. Bull (Rosaceae) must give way to *R. neumannianus* Weber & Vannerom which has priority 212
- Bull, A.L. & Leslie, A.C. - A hitherto undescribed bramble *Rubus* sect. *Corylifolii* (Rosaceae) of chalky boulder clay in East Anglia 419-422
- Bupleurum tenuissimum* 219
- Butler, J.K. - A new site in Caithness for *Saxifraga hirculus* 210-211
- Butomus umbellatus* 238-240, (map) 240, 243, 249
- Buxus sempervirens* (v.c. **79**) 434
- Cakile maritima* 280, 397
- Calamagrostis canescens* (v.c. **9**) 319; *epigejos* (v.c. **58**) 319
- Caldas, F.B., with Rich, T.C.G. *et al.* - Distribution of the western European endemic *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
- Calliargon cuspidatum* 211
- Callitriche* 249; *hamulata* 241, 246; *hermaphroditica* 238, 239, 241, 243, 246, 247; *obtusangula* 53; *stagnalis* 53, 213, 247
- Calluna* 436; *vulgaris* 1, 3, 133, 194, 375, 431
- Caltha palustris* 128, 240, 249, 423
- Calystegia* × *howittiorum* (v.c. **39**) 312; × *lucana* (v.c. **H6**) 435; *pulchra* × *silvatica* (v.c. **39**) 312; *sepium* 57, 238, subsp. *roseata* (v.c. **39**, **52**) 312; *sepium* × *silvatica* (v.c. **H6**) 435; *silvatica* 57
- Campanula latifolia* 245, 423; *medium* (v.c. **39**) 314; *rapunculoides* (v.c. **104**) 314
- Cannabis sativa* (v.c. **43**, **52**) 301
- Cardamine* (key) 409; *amara* 247, 423; *amara* × *pratensis* 411; *bulbifera* (L.) Crantz (Brassicaceae) in the British Isles. Further observations on the ecology and distribution of, 99-106, (map) 102, 351, 352, f. *ptarmicifolia* 100, 104; *corymbosa* (v.c. **29**, **46**) 305; *flexuosa* (v.c. **104**) 305, 409, 411; *flexuosa* × *pratensis* 409, (map) 410, 411; × *fringsii* F. Wirtgen (Brassicaceae) in the British Isles 409-412, (map) 410; × *haussknechtiana* 409; *hirsuta* 245; *pratensis* 11, 128, 211, (v.c. **113(A)**) 305, 409, 411, 423, var. *hayneana* 409; *raphanifolia* (v.c. **6**, **46**) 305
- Carduus crispus* × *nutans* (v.c. **46**) 315; × *stangii* (v.c. **46**) 315
- Carex* 17; *acutiformis* 234, 247; *arenaria* 280, 397, (v.c. **64**) 437; *atrata* 34, 48-50, 55, f. *gelida* 50; *atrofusca* 34, 39, 49, 50, 55; *bicolor* 17, 19, 20, 25-27, 29-38, 48, 52, 55, 60; *bigelowii* 39, 47, 127-129, 390, 394; *binervis* 128; *bipartita* 39; *brunnea* 56; *buchananii* (v.c. **H6**) 438; *buxbaumii* 19; *capillaris* 34, 49, 50, 55; *capitata* 19, 21, 28, 30, 38, 49-52, 55, 60; *chordorrhiza* 19, 21, 22, 30, 38, 39; *curta* (v.c. **104**) 318; *depauperata* 352; *diandra* (v.c. **104**) 318; *dioica* 128, 211, 323; *divulsa* × *remota* 297; *echinata* 2; × *emmae* 297; *extensa* (v.c. **23**) 318; *filiformis* (v.c. **6**) 318; *flacca* 3, 128; *glacialis* 19, 25, 28, 30, 39, 49, 51, 55, 60; × *grossii* 297; *hirta* (v.c. **95**, **104**) 318; *hirta* × *vesicaria* 297; *hostiana* 3; *humilis* 187, 323; × *involuta* (v.c. **91**) 437; *lachenalii* 19, 21, 22, 30, 39; *laevigata* 56, (v.c. **27**) 437; *lasiocarpa* (v.c. **91**) 318; *limosa* 22, 34; *microglochin* 19, 21, 22, 30, 39; *montana* 3; *muricata* × *divulsa* 297; *nigra* 128, 211, 238, 245, 247, 249, 423; *norvegica* 34, 49, 51, 55; *otrubae* 238, 239, 247; *ovalis* 7; *pallenscens* 3; *panicea* 2, 128, 245, 247; *paniculata* 249; *pedata* 39, 51; *pilulifera* 128; *pulicaris* 3, 128; *punctata* (v.c. **9**) 318; *rariflora* 34; *recta* (v.c. **106**) 437; *remota* 423; *rigida* 21, 39, 133; *riparia* 196; *rostrata* × *vesicaria* (v.c. **91**) 437; *rupestris* 34, (v.c. **106**) 438; *saxatilis* 21; *ustulata* 21, 39; *vaginata* 34, Tausch (Cyperaceae): a sedge new to England 127-130, Tausch (Cyperaceae). Clonal diversity in two recently discovered English populations of, 389-395; *viridula* subsp. *oedocarpa* 2, 128
- Carey, J.E., with A. McVeigh & T.C.G. Rich - Chiltern Gentian, *Gentianella germanica* (Willd.) Börner (Gentianaceae) in Britain: distribution and current status 339-367
- Carlina acaulis* 297
- Carthamus tinctorius* (v.c. **70**, **95**) 317
- Carum carvi* 56; *verticillatum* 3, 5-7, (illus.) 5, (map) 6, 10, 11, 199
- Castanea sativa* (v.c. **100**) 428
- Catabrosa aquatica* 239, 245, 247
- Celosia* 149
- Centaurea cyaneus* (v.c. **84**) 315, 316; *nigra* 3, 314, 423
- Centaurium* 280; *erythraea* 111, (v.c. **89**) 435; *scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury. Distribution of the western European endemic, 275-281, (map) 278, (L.f.) Samp. (Gentianaceae), Perennial Centaury, have colonised Britain by sea? Could, 397-401, (map) 398, subsp. *massonii* 276; *tenuiflorum* (v.c. **9**) 312

- Cephalanthera longifolia* (v.c. **9**) 322
Cerastium arvense (v.c. **91**) 302; *diffusum* 245; *fontanum* 128, 211; *glomeratum* (v.c. **104**) 302; *pumilum* (v.c. **9**) 302
Ceratochloa carinata (v.c. **48**) 319, (v.c. **77**) 438; *cathartica* (v.c. **69**) 319
Ceratophyllum demersum 238, 239, 243, 244, 249, 250; *submersum* 238, 240
Cerinth major (v.c. **6**) 435
Ceterach 335; *officinarum* (v.c. **29**) 300
Chaenorhinum minus (v.c. **109**) 314
Chaerophyllum temulum 245
Chamaecyparis lawsoniana (v.c. **100**) 427; *nootkatensis* (v.c. **100**) 427
Chamaemelum nobile (v.c. **52**) 316
Chamerion 359; *angustifolium* (v.c. **104**) 310
Chater, A.O. - Rev. of *Great Natural History books and their creators* (by R. Desmond) 131
Cheffings, C. - Rev. of *Wild flowers of Britain and Ireland* (by M. Blamey, R. Fitter & A. Fitter) 213
Chelidonium majus (v.c. **91**) 427
Chenopodium album 54, 57, 132; *glaucum* (v.c. **39**) 301; *hybridum* (v.c. **5**) 302; *quinoa* (v.c. **46**) 428, 430, 435; *rubrum* (v.c. **94**) 302, (v.c. **79**) 428
Chiastophyllum oppositifolium (v.c. **46**) 431
Chionodoxa forbesii (v.c. **106**) 439; *luciliae* (v.c. **57**) 320, (v.c. **95**) 439; *sardensis* (v.c. **106**) 439
Chrysanthemum coronarium (v.c. **95**) 436; *segetum* 54, 57, 315, 316
Chrysosplenium oppositifolium 245
Cicendia filiformis 39, (v.c. **9**) 312; *pusilla* 19, 21, 28, 30, 36, 39
Cicerbita macrophylla 310, (v.c. **29**) 315; *plumieri* (v.c. **39**) 315
Cinclidium stygium 127
Circaea lutetiana 55, 58, (v.c. **104**) 310
Cirsium arvense 423; × *celakovskianum* (v.c. **80**) 436; *dissectum* 3, (map) 4, 216; *heterophyllum* 59, 423; *oleraceum* (v.c. **81**) 315; *palustre* 2, 128; *palustre* × *arvense* (v.c. **80**) 436
Cladium mariscus 199
Clarkia unguiculata (v.c. **95**) 434
Claytonia perfoliata (v.c. **100**) 428
Clematis tangutica (v.c. **95**) 427; *viticella* (v.c. **44**) 301
Clinopodium grandiflorum (v.c. **95**) 435
Cochlearia 52; *alpina* 53; *anglica* 123; *arctica* 53, 54, 60; *danica* 53, (v.c. **104**) 306, (v.c. **100**) 430; *micacea* 53, 54; *micacea* s.s. 54; *officinalis* s.l. 53; *officinalis* s.s. 52; *officinalis* subsp. *officinalis* 54, subsp. *scotica* 54, (v.c. **100**) 430; *pyrenaica* 52, 53, 128
Coeloglossum viride × *Dactylorhiza fuchsii* (v.c. **23**) 322
Colchicum autumnale (v.c. **91**) 438
Conocephalum conicum 260
Conopodium majus 423
Conringia orientalis 54, 57
Convallaria majalis 217, (v.c. **91**) 439
Conyza bilbaoana (v.c. **29**) 316; *bonariensis* (v.c. **1b**) 316; *canadensis* 111, 112; *sumatrensis* (v.c. **41**) 316
Cope, T.A. - Rev. of *Flora of North America north of Mexico. Volume 25 Magnoliophyta: Commelididae (in part): Poaceae part 2* (ed. by Flora of North America Editorial Committee) 214-216
Cordyline australis (v.c. **41**) 321
Corner, R.W.M. - *Carex vaginata* Tausch (Cyperaceae): a sedge new to England 127-130
Corner, R.W.M., with G.C. French *et al.* - Clonal diversity in two recently discovered English populations of *Carex vaginata* Tausch (Cyperaceae) 389-395
Cornus mas (v.c. **42**) 310; *sanguinea* 406
Coronopus didymus (v.c. **108**) 306; *squamatus* (v.c. **93**) 306
Cortaderia selloana (v.c. **109**) 320, (v.c. **46**) 438
Corylus 283; *avellana* 133, 260, 301
Corynephorus canescens 22
Cotoneaster 326; *ascendens* (v.c. **69**) 309; *bullatus* 308, 309; *dammeri* (v.c. **69**) 309; *dammeri* × *conspicuus* (v.c. **69**) 309, (v.c. **H6**) 433; *divaricatus* (v.c. **70**) 309; *franchetti* (v.c. **85**) 309; *henryanus* (v.c. **H6**) 433; *hjelmqvistii* (v.c. **39**) 433; *horizontalis* 406; *ignescens* (v.c. **77**) 433; *mairei* (v.c. **77**) 433; *obscurus* (v.c. **49**) 309; *obtusus* (v.c. **29**) 309; *rehderi* (v.c. **65**) 433; *simonsii* 36, 309; *splendens* (v.c. **9**) 309; *sternianus* 308, (v.c. **2**, **H6**) 433; × *suecicus* (v.c. **69**) 309, (v.c. **H6**) 433; *vilmorinianus* (v.c. **29**) 309
Cotula coronopifolia 123
Crassula helmsii (v.c. **65**, **79**, **100**) 431; *tillaea* 34, (v.c. **73**, **106**) 431

- Crataegus coccinioides* (v.c. **5**) 433; *crus-galli* (v.c. **58**) 433; *laevigata* 54; × *media* (v.c. **79**) 433; *monogyna* 233, 234, 324, 373; *monogyna* × *laevigata* (v.c. **79**) 433
- Cratoneuron filicinum* 127
- Crepis biennis* 135; *capillaris* 58; *mollis* 53, 54; *paludosa* 128, 423
- Crocsmia paniculata* (v.c. **41**, **44**) 321, (v.c. **91**) 439; *pottsii* (v.c. **77**) 439
- Crocus chrysanthus* (v.c. **39**) 321; *flavus* × *angustifolius* (v.c. **58**) 321; *nudiflorus* 133; *speciosus* (v.c. **39**) 321; × *stellaris* (v.c. **58**) 321; *vernus* (v.c. **58**) 321
- Croft, J.M. - Rev. of *The Flora of Huntingdonshire and the Soke of Peterborough* (by T.C.E. Wells) 219-220
- Cruciata laevipes* (v.c. **91**) 315
- Cryptomeria japonica* (v.c. **5**) 426
- Cucurbita pepo* (v.c. **57**) 304
- Cuscuta europaea* (v.c. **9**) 312
- Cyathea dealbata* 297
- Cyclamen coum* (v.c. **11**) 306
- Cymbalaria muralis* 245, 333
- Cynoglossum officinale* (v.c. **81**) 313
- Cynosurus cristatus* 3; *echinatus* 112
- Cyperus fuscus* 352
- Cypripedium calceolus* 218
- Cystopteris* 255-257, 259-262, (key) 259; *alpina* 257, 259; *diaphana* (Bory) Blasdell (Woodsiaceae) - an overlooked native new to the British Isles? 255-263, (illus.) 257, (illus.) 258, (v.c. **2**) 300; *dickieana* 256, 257, 259, 262; *fragilis* 47, 255-259, (illus.) 259, 261, 262, 300, (v.c. **9**) 300; *montana* 259; *regia* 257; *viridula* 255, 256
- Cytisus multiflorus* (v.c. **39**) 309; *scoparius* 314
- Daboecia cantabrica* 296
- × *Dactyloдения legrandiana* (v.c. **69**) 322; *st-quintinii* (v.c. **70**) 322; *varia* (v.c. **69**, **104**) 322; *volmannii* (v.c. **69**) 322
- × *Dactyloglossum mixtum* (v.c. **23**) 322
- Dactylorhiza* 54, 60, 221, 222; × *formosa* (v.c. **104**, **108**) 322; *fuchsii* 423; *fuchsii* × *incarnata* subsp. *coccinea* (v.c. **70**) 322; *fuchsii* × *purpurella* (v.c. **109**) 322; *incarnata* subsp. *coccinea* (v.c. **104**) 322; *incarnata* × *purpurella* 53; × *kerneriorum* (v.c. **70**) 322; *maculata* subsp. *ericetorum* 2, subsp. *rhoimensis* 53, 54; *maculata* × *purpurella* (v.c. **104**, **108**) 322; *majalis* subsp. *cambrensis* 221, subsp. *occidentalis* 53, 54; *purpurella* 322; *traunsteineri* 221, subsp. *lapponica* (v.c. **104**) 322; × *venusta* (v.c. **109**) 322
- Danthonia decumbens* 3
- Darmera peltata* (v.c. **41**) 306
- Datura stramonium* (v.c. **107**) 312
- Daucus carota* 245
- D'Ayala, R., with J.P. Sumpter *et al.* - The current status of Military (*Orchis militaris*) and Monkey (*Orchis simia*) Orchids in the Chilterns 175-183
- de Cleene, M. & Lejeune, M.C. - *Compendium of symbolic and ritual plants in Europe* (Bk Rev.) 214
- de Kort, I., with C.A. Stace & R. van der Meijden (eds) - *Interactive Flora of the British Isles*. (DVD-ROM) (Software Rev.) 326-328
- Dendranthema* × *grandiflorum* 214
- Deschampsia cespitosa* 128, 423
- Descurania sophia* (v.c. **81**) 305, (v.c. **89**) 430
- Desmond, R. - *Great Natural History books and their creators* (Bk Rev.) 131
- Deutzia scabra* (v.c. **64**) 431
- Dianthus barbatus* (v.c. **106**) 429; *deltoides* (v.c. **93**) 303; *plumarius* (v.c. **39**) 303;
- Dicentra formosa* (v.c. **100**) 427
- Digitaria* 215; *sanguinalis* (v.c. **46**) 438
- Dines, T.D. - Rev. of *The Isle of Wight Flora* (by C. Pope, L. Snow & D. Allen) 216-217
- Diphasiastrum alpinum* (v.c. **104**) 299
- Dipsacus laciniatus* (v.c. **39**) 315; *strigosus* (v.c. **33**) 315
- Dorycnium hirsutum* (v.c. **6**) 434
- Draba incana* 47, 55, 58; *norvegica* 55, 58
- Dracunculus vulgaris* (v.c. **29**, **45**) 317, (v.c. **H6**) 437
- Drosera* 115-118, 194; *anglica* 117, (illus.) 117, 118; × *belezeana* Camus confirmed for the British Isles 115-119, (illus.) 116, (illus.) 117, (v.c. **9**) 304; *intermedia* 115, 117, (illus.) 117, 118; *longifolia* × *rotundifolia* 115; × *obovata* 116-118, (illus.) 117; *rotundifolia* 115, 117, (illus.) 117, 118, 431; *rotundifolia* × *intermedia*. *Drosera* × *belezeana* Camus confirmed for the British Isles 115-119, (v.c. **9**) 304
- Dryas octopetala* 46
- Dryopteris* 221; *aemula* 47; *affinis* subsp. *affinis* (v.c. **100**) 426, subsp. *borreri* (v.c. **100**) 426, subsp. *cambrensis* (v.c. **100**) 426; *carthusiana* 53, 54; × *complexa* (v.c. **100**) 426; *expansa* 48; *filix-mas* × *affinis* (v.c. **100**) 426; *oreades* (v.c. **104**) 300; *submontana* 235, 238
- Duchesnea indica* (v.c. **46**) 307
- Dumortiera hirsuta* 261

- Echinochloa crus-galli* (v.c. **70**, **94**) 320;
esculenta (v.c. **29**) 320
- Echinops exaltatus* (v.c. **81**) 315
- Echium pininiana* 298; *plantagineum* (v.c. **58**) 435; *vulgare* (v.c. **H6**) 435; *wildpretii* 298
- Edgington, J.A. - *Sagina maritima* Don (Caryophyllaceae) and other halophytes in London 121-126
- Edwards, B. & Pearman, D.A. - *Dorset rare plant register. An account of the rare, scarce and declining plants of Dorset* (Bk Rev.) 323-324
- Egeria densa* (v.c. **49**) 317, (v.c. **73**) 437
- Egerton, F.N. - *Hewett Cottrell Watson: Victorian plant ecologist and evolutionist* (Bk Rev.) 132-134
- Elatine hexandra* (v.c. **100**) 429; *hydropiper* (v.c. **89**) 429
- Eleagnus umbellata* (v.c. **29**) 310
- Eleocharis acicularis* (v.c. **39**) 318; *palustris* 247, 249; *uniglumis* 47
- Eleogiton fluitans* 47
- Ellis, R.G., with C.A. Stace *et al.* (eds) - *The vice-county census catalogue of the vascular plants of Great Britain* (Bk Rev.) 217-219
- Elodea* 251; *callitrichoides* 437, (v.c. **73**) 437; *canadensis* 238, 239, 242, 243, (v.c. **109**) 317; *nuttallii* 235, 238, 239, 242, 243, 247-249
- Elytrigia atherica* 55, 58, 123; *juncea* 58; *juncea?* 55; *× laxa* (v.c. **104**) 319; *repens* var. *aristatum* 58; *repens* *× juncea* (v.c. **104**) 319
- Empetrum nigrum* 128, 133, 431, subsp. *hermaphroditum* 53
- Epilobium* *× aggregatum* (v.c. **49**) 310, (v.c. **39**) 434; *alpinum* 21, 28, 39; *anagallidifolium* 39, 59, 129; *× argillaceum* (v.c. **2**) 434; *ciliatum* 245, 406; *× dacicum* (v.c. **64**, **H6**) 434; *× floridulum* (v.c. **H6**) 434; *hirsutum* (v.c. **104**) 310; *hirsutum* *× ciliatum* (v.c. **46**) 310; *hirsutum* *× parviflorum* (v.c. **81**) 310; *× interjectum* (v.c. **50**, **91**) 310; *lactiflorum* 19, 25-27, 30, 34, 39, 48, 49, 51, 55; *lanceolatum* (v.c. **42**) 310; *lanceolatum* *× ciliatum* (v.c. **5**) 434; *× limosum* (v.c. **1a**) 310, (v.c. **H6**) 434; *montanum* *× ciliatum* (v.c. **50**, **91**) 310; *montanum* *× obscurum* 53, 54, (v.c. **49**) 310, (v.c. **39**) 434; *× novae-civitatensis* (v.c. **46**) 310; *obscurum* 245; *obscurum* *× ciliatum* (v.c. **39**) 310; *obscurum* *× palustre* 59; *palustre* 211, 238, 245, 247, 249; *parviflorum* 247, 249; *parviflorum* *× brunnescens* (v.c. **2**) 434; *parviflorum* *× ciliatum* (v.c. **H6**) 434; *parviflorum* *× montanum* (v.c. **1a**) 310, (v.c. **H6**) 434; *parviflorum* *× obscurum* (v.c. **64**, **H6**) 434; *parviflorum* *× palustre* (v.c. **104**) 310; *× rivulare* (v.c. **104**) 310; *× semiobscurum* (v.c. **64**) 434; *× subhirsutum* (v.c. **81**) 310; *tetragonum* *× obscurum* (v.c. **64**) 434; *× vicinum* (v.c. **39**) 310
- Epipactis* at Kenfig National Nature Reserve. *Epipactis phyllanthes* var. *cambrensis* (C.A. Thomas) P.D. Sell and other unusual, 290-295; *cambrensis* 290; *dunensis* 290, 293, 295; *helleborine* 290, 293, 295, aff. *neerlandica* 293, 294, (illus.) 294, aff. *youngiana* 293, 294, (illus.) 294, subsp. *neerlandica* 293; *palustris* 207, 208; *pendula* 291; *phyllanthes* 290, 291, 293, (v.c. **39**) 439, var. *cambrensis* (C.A. Thomas) P.D. Sell and other unusual *Epipactis* at Kenfig National Nature Reserve 290-295, (illus.) 292, var. *degenera* 293, var. *pendula* 291, 293, var. *vectensis* 291, 293; *youngiana* 295
- Equisetum* 221, 337; *arvense* 242, 423; *arvense* *× palustre* (v.c. **52**) 299; *arvense* *× telmateia* 241; *× dycei* 48, (v.c. **108**) 299, (v.c. **100**) 425; *fluviatile* 247, 249; *fluviatile* *× arvense* (v.c. **108**) 299; *fluviatile* *× palustre* (v.c. **108**) 299, (v.c. **100**) 425; *× fontqueri* 221; *hyemale* (v.c. **45**) 299; *hyemale* *× ramosissimum* 296; *× litorale* 48, 241, (v.c. **108**) 299; *× mildeanum* (v.c. **108**) 300; *× moorei* 296, 297; *palustre* 128, 249; *pratense* (v.c. **104**) 300; *pratense* *× sylvaticum* (v.c. **108**) 300; *× robertsii* 221, 241; *× rothmaleri* 48, (v.c. **52**) 299; *sylvaticum* 128; *telmateia* 56; *telmateia* *× fluviatile* 241; *× trachyodon* 48; *variegatum* 47, (v.c. **95**) 299; *× willmotii* 241
- Erica* 276, 277; *cinerea* 416; *erigena* 296; *mackaiana* 296, Bab. and *Erica* *× stuartii* (Macfarl.) Mast. (Ericaceae): two heathers new to South Kerry (v.c. **H1**), Ireland 414-417, (map) 415; *mackaiana* *× tetralix* 296; *mackaia* 133; *× praegei* 416; *× stuartii* 296, (Macfarl.) Mast. (Ericaceae): two heathers new to South Kerry (v.c. **H1**), Ireland. *Erica mackaiana* Bab. and, 414-417, (map) 415; *tetralix* 3, (map) 4, 115, 414, 416, 417
- Erigeron annuus* (v.c. **41**) 316; *glaucus* (v.c. **85**, **113(S)**) 316; *karvinskianus* (v.c. **70**) 316; *philadelphicus* (v.c. **29**) 316; *uniflorus* 30, 39; *uniflorus* 19, 25, 28, 39, 49, 51, 55, 60, subsp. *eriocephalus* 51, subsp. *uniflorus* 51

- Eriophorum angustifolium* 128, 133, 211;
gracile 443; *latifolium* (v.c. **104**) 318;
pubescens 133
- Erodium lebelii* (v.c. **5**) 434; *moschatum* (v.c. **50**) 311
- Erophila glabrescens* (v.c. **39**) 306; *majuscula* (v.c. **39**, **50**) 305
- Eryngium maritimum* 280, 397; *planum* (v.c. **11**, **29**) 311
- Erysimum orientale* 57
- Erythraea massonii* 276
- Erythronium dens-canis* (v.c. **81**) 321, (v.c. **106**) 439
- Escallonia macrantha* (v.c. **39**) 306
- Eucalyptus johnstonii* 297; *urnigera* 297
- Eupatorium cannabinum* 234
- Euphorbia cyparissias* (v.c. **113(S)**) 434; *esula* × *cyparissias* (v.c. **9**) 310; *helioscopia* 245; *hyberna* 416; *maculata* (v.c. **6**) 310; *oblongata* (v.c. **23**) 310; *portlandica* × *paralias* (v.c. **46**) 310; × *pseudoesula* (v.c. **9**) 310; *serrulata* (v.c. **11**, **69**) 310
- Euphrasia* 47, 54, 60, 213; *arctica* subsp. *arctica* 53, 54, subsp. *borealis* 53; *arctica* × *confusa* (v.c. **35**) 314; *arctica* × *salisburgensis* 296; *borealis* 53; *brevipila* 53; *curta* 54; × *electa* (v.c. **81**, **104**) 314; *eurycarpa* 54; *foulaensis* 53, 54; *micrantha* × *salisburgensis* 296; *micrantha* × *scottica* (v.c. **81**, **104**) 314; *nemorosa* × *micrantha* (v.c. **46**) 314; *nemorosa* × *pseudokerneri* (v.c. **35**) 314; *nemorosa* × *salisburgensis* 296; *occidentalis* 53; *officinalis* (v.c. **35**) 314; *rivularis* (v.c. **44**) 314; *salisburgensis* 296; *scottica* 127; *tetraquetra* 53, (v.c. **81**) 314
- Evans, A.E., with Rich, T.C.G. *et al.* - Distribution of the western European endemic *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
- Evans, S.B., with Rich, T.C.G. *et al.* - Distribution of the western European endemic *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
- Exaculum pusillum* 39
- Fagus sylvatica* 233, 406
- Fallopia* × *bohémica* (v.c. **58**) 303; *convolvulus* 54, 57; *japonica* 54, 56; *japonica* × *sachalinensis* (v.c. **58**) 303; *sachalinensis* (v.c. **91**, **100**) 429
- Fargesia spathacea* (v.c. **41**) 320
- Fatsia japonica* (v.c. **60**) 435
- Ferris, C., with J.E. Wentworth & V.K. Sieber - An assessment of the origin of *Alopecurus geniculatus* L. based on 2C DNA amounts, NOR sites, RAPDs and cpDNA analysis 137-155
- Festuca* 139, 150; *arenaria* (v.c. **2**) 318; *capillata* 58; *filiformis* 58, (v.c. **57**) 318; *lemanii* (v.c. **46**) 438; *lohiacea* 133; *ovina* 59, 128, subsp. *hirtula* (v.c. **9**) 318; *pratensis* 54, 57; *prolifera* 53, 54; *rubra* 3, 128, 211, subsp. *megastachys* (v.c. **39**) 318, (v.c. **64**) 438
- Ficus carica* (v.c. **42**) 301
- Filago gallica* 34, 49, 52, 55, 352; *lutescens* 352; *pyramidata* 352
- Filipendula ulmaria* 128, 234, 423
- Fissidens polyphyllus* 261; *serrulatus* 261
- Fitter, A., with M. Blamey & R. Fitter - *Wild flowers of Britain and Ireland* (Bk Rev.) 213
- Fitter, R., with M. Blamey & A. Fitter - *Wild flowers of Britain and Ireland* (Bk Rev.) 213
- Flora of North America Editorial Committee - *Flora of North America north of Mexico. Volume 25 Magnoliophyta: Commelididae (in part): Poaceae part 2* (Bk Rev.) 214-216
- Foeniculum vulgare* (v.c. **81**) 311, (v.c. **67**) 435
- Foley, M.J.Y. - A summary of the past and present status of *Spiranthes aestivalis* (Poir.) Rich. (Orchidaceae) (Summer Lady's-tresses) in north-west Europe 193-201
- Forsythia* × *intermedia* (v.c. **85**) 313; *suspensa* × *viridissima* (v.c. **85**) 313
- Fragaria muricata* (v.c. **93**) 307
- Frangula alnus* 324, (v.c. **106**) 434
- Frankenia laevis* (v.c. **49**) 304
- French, G.C., Hollingsworth, P.M., Corner, R.W.M., Roberts, F.J., & Taylor, I. - Clonal diversity in two recently discovered English populations of *Carex vaginata* Tausch (Cyperaceae) 389-395
- Fucus vesiculosus* 123
- Fumaria bastardii* 134, (v.c. **81**) 301; *densiflora* (v.c. **1a**) 301; *muralis* 134; *occidentalis* (v.c. **2**) 427; *purpurea* 134, (v.c. **109**) 301; *vaillantii* 351
- Galeopsis* 54; *bifida* 245, (v.c. **104**) 313; *speciosa* 57, 245, (v.c. **2**) 435; *tetrahit* 57; *tetrahit* s.s. 245

- Galium boreale* 47, 59, 423; *palustre* 2, 247, 249, 423; × *pomeranicum* (v.c. **64**) 436; *saxatile* 128; *spurium* (v.c. **70**) 314; *sternerii* 53, 54; *uliginosum* 59, 128; *verum* 423; *verum* × *mollugo* (v.c. **64**) 436
- Gaultheria mucronata* (v.c. **100**) 430; *shallon* (v.c. **100**) 430
- Gazania rigens* (v.c. **11**) 316
- Genista anglica* 3, (map) 4; *tinctoria* 3, (v.c. **77**) 433
- Gentiana germanica* 339; *pneumonanthe* 194, 199
- Gentianella* 339, 341, 350-353; *amarella* 238, 240, 339-341, (illus.) 342, (key) 343, 345-347, 350-353, 356-359, 361, 364-367, subsp. *hibernica* 296; *anglica* 339, 351; *campestris* 351-353; *ciliata* 340, 351, 356; *germanica* (Willd.) Börner (*Gentianaceae*) in Britain: distribution and current status. Chiltern Gentian, 339-367, (illus.) 342, (key) 343, (map) 344; *uliginosa* 351, 352; × *pamplinii* 339-341, (illus.) 342, (key) 343, 343-347, (map) 346, 350, 351, 356, 366
- Geranium* 54; *dissectum* 57, 245, (v.c. **104**) 311; *endressii* 326; *endressii* × *versicolor* (v.c. **65**, **H6**) 434; *macrorrhizum* (v.c. **95**) 311, (v.c. **65**, **H6**) 434; *maderense* (v.c. **113(S)**) 311; × *oxonianum* (v.c. **65**, **H6**) 434; *nodosum* (v.c. **39**) 311; *phaeum* (v.c. **106**) 434, f. *album* 434; *pratense* 57; *pusillum* (v.c. **84**) 311; *robertianum* 406; *rotundifolium* 135; *sanguineum* 21
- Geum macrophyllum* (v.c. **93**) 307; *rivale* 128
- Gladiolus communis* subsp. *byzantinus* (v.c. **45**) 321
- Glaux maritima* 123
- Glechoma hederacea* (v.c. **104**) 313, 406
- Glyceria maxima* 241; *notata* (v.c. **94**) 319
- Glycine* 149; *max* (v.c. **58**) 310
- Gnaphalium luteoalbum* 54, 57, L. at Dungeness RSPB Reserve, East Kent. Jersey Cudweed, 107-113, (maps) 108-110, (v.c. **58**) 316; *supinum* 47, 59; *sylvaticum* 55, 58
- Greenwood, E.F. - The changing flora of the Lancaster Canal in West Lancashire (v.c. **60**) 231-253
- Groenlandia densa* 235, 238, 240, 243
- Guizotia abyssinica* (v.c. **44**, **95**) 317
- Gurney, M. - Jersey Cudweed *Gnaphalium luteoalbum* L. at Dungeness RSPB Reserve, East Kent 107-113
- Gymnadenia conopsea* subsp. *borealis* 322; *conopsea* subsp. *borealis* × *Dactylorhiza incarnata* subsp. *pulchella* (v.c. **69**) 322; *conopsea* subsp. *borealis* × *Dactylorhiza maculata* (v.c. **69**) 322; *conopsea* subsp. *borealis* × *Dactylorhiza purpurella* (v.c. **69**) 322; *conopsea* subsp. *densiflora* × *Dactylorhiza fuchsii* (v.c. **70**) 322; *conopsea* × *Dactylorhiza purpurella* (v.c. **104**) 322
- Gymnocarpium dryopteris* (v.c. **2**) 300; *robertianum* (v.c. **29**) 300
- Hall, Joan Florence (1919-2004) (Obit.) 441-442, (illus.) 442
- Haloragis micrantha* 297
- Heard, M.S. - Rev. of *Arable plants - a field guide* (by P. Wilson & M. King) 131-132
- Hebe elliptica* 297; × *franciscana* 297; *salicifolia* (v.c. **46**) 314
- Hedera* 255, 444; *colchica* (v.c. **81**) 311; *helix* 373, subsp. *hibernica* 260, (v.c. **23**) 311
- Helianthemum oelandicum* subsp. *piloselloides* 296
- Helictotrichon pubescens* 245
- Helleborus argutifolius* (v.c. **95**) 427
- Heracleum sphondylium* 423; *sphondylium* × *mantegazzianum* (v.c. **64**) 435
- Herniaria ciliolata* 34
- Heslop Harrison, J.W. An examination of his unconfirmed plant records from Rum (by Pearman, D.A & Walker, K.J.) 45-63
- Heuchera sanguinea* (v.c. **58**) 306
- Hieracium* 47, 283, 284, 286, 287, 383, 406, 444, sect. *Vulgata* 404, sect. *Vulgata*, subsect. *Bifida*, ser. *Eu-bifida* 284; *angustatifforme* 287; *basalticola* 297; *cacuminatum* 403; *caesium* var. *coracinum* 284; *chloranthum* (v.c. **104**) 316; *cinderella* 405; *coracinum* 284; *diaphanum* 406; *eustomon* 287; *hartii* 297; *hibernicum* 297; *lachenalii* var. *radynense* 403; *neocoracinum* (*Asteraceae*), Craig Cerrig-gleisiad Hawkweed. Conservation of Britain's biodiversity:, 283-287, (map) 284, (illus.) 285; *paucifolium* 403; *radynense* (*Asteraceae*), Radyr Hawkweed. Conservation of Britain's biodiversity:, 403-407, (illus.) 404, (map) 406; *repandulare* 287; *rubiginosum* 287; *sabaudum* 406; *sciaphilum* f. *paucifolia* 403; *scullyi* 297; *sparsifrons* 297; *stenstroemii* 406; *submutabile* 406

- Hierochloe odorata* (L.) Beauv. (Poaceae) - a grass new to England 423-424, (v.c. **67**) 438
- Hill, M.O. - Rev. of *The vice-county census catalogue of the vascular plants of Great Britain* (ed. by C.A. Stace, R.G. Ellis, D.H. Kent & D.J. McCosh) 217-219
- Hill, M.O., Preston, C.D. & Roy, D.B. - *PLANTATT. Attributes of British and Irish plants: status, size, life history, geography and habitats for use in connection with the New atlas of the British and Irish flora* (Bk Rev.) 325
- Himantoglossum hircinum* 218
- Hippocrepis emerus* (v.c. **29**) 309
- Hippuris vulgaris* 238-240, 243, 249
- Hirschfeldia incana* (v.c. **H6**) 430
- Hodkinson, T.R., with C.T. Kelleher & D.L. Kelly - Species status, hybridisation and geographic distribution of Irish populations of *Quercus petraea* (Matt.) Liebl. and *Q. robur* L. 83-97
- Holcus lanatus* 2, 7, 211, 406
- Hollingsworth, P.M., with G.C. French *et al.* - Clonal diversity in two recently discovered English populations of *Carex vaginata* Tausch (Cyperaceae) 389-395
- Holmes, D.S. - Sexual reproduction in British populations of *Adoxa moschatellina* L. 265-273
- Holodiscus discolor* (v.c. **109**) 307
- Hopkins, F., with Rich, T.C.G. *et al.* - Distribution of the western European endemic *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
- Hordelymus europaeus* 351
- Hordeum* 140, 147; *marinum* (v.c. **29**) 320; *vulgare* 140, 144, 149, (v.c. **81**) 320, cv Sultan 138-140, 145, 148
- Hottonia palustris* (v.c. **9**) 306
- Houston, L., with T.C.G. Rich - The distribution and population sizes of the rare English endemic *Sorbus wilmottiana* E.F. Warburg, Wilmott's Whitebeam (Rosaceae) 185-191
- Humulus lupulus* (v.c. **93**) 301
- Hutchinson, G. & Rich, T.C.G. - Conservation of Britain's biodiversity: *Hieracium radyrense* (Asteraceae), Radyr Hawkweed 403-407
- Hyacinthoides hispanica* 245, (v.c. **109**) 320; *italica* (v.c. **11**) 320; *non-scripta* 423
- Hyacinthus* 149; *orientalis* (v.c. **29**) 320
- Hydrangea sargentiana* 297
- Hydrilla verticillata* (v.c. **73**) 437
- Hydrocharis morsus-ranae* (v.c. **9**) 317, 324, (v.c. **73**) 436
- Hydrocotyle ranunculoides* (v.c. **2**) 311; *vulgaris* 111
- Hylocomium splendens* 127
- Hymenophyllum tunbrigense* 48, 59
- Hypericum androsaemum* × *hircinum* (v.c. **H32**) 304; *canadense* 297; × *desetangsii* 423, (v.c. **95**, **106**) 429; *forrestii* (v.c. **70**) 304; × *inodorum* (v.c. **H32**) 304; *montanum* (v.c. **1a**) 429; *perforatum* 55, 58; *perforatum* × *maculatum* (v.c. **95**, **106**) 429; *pseudohenryi* 297; *tetrapterum* (v.c. **104**) 304
- Hypochaeris radicata* 406
- Iberis amara* 351; *sempervirens* (v.c. **29**) 306
- Ilex aquifolium* 373, 406
- Illecebrum verticillatum* 34, (v.c. **9**) 302
- Impatiens capensis* 238
- Inula glandulosa* 56; *helenium* 54, 56; *salicina* 297
- Ipomoea* 149
- Iris foetidissima* 135; *pseudacorus* 235, 240
- Isolepis cernua* (v.c. **104**) 318
- Iva xanthiifolia* (v.c. **6**) 317
- Jasione montana* (v.c. **94**) 314
- Jasminum nudiflorum* (v.c. **39**, **85**) 313
- Jeffree, C.E. - Obit. of Philip Morgans Smith (1941-2004) 225-227
- Juncus* 7; *acutiflorus* 2, 245, 247; *ambiguus* (v.c. **29**, **81**) 317, (v.c. **21**) 437; *articulatus* 211, 247; *articulatus* × *acutiflorus* (v.c. **2**) 317; *biglumis* 21, 234; *bulbosus* 58; *bulbosus*? 55; *capitatus* 19, 21, 25-30, 34, 35, 39, 48-52, 55, (v.c. **2**) 437; *communis* (= *effusus*) 196; *compressus* 134; *conglomeratus* 2, 245, 423; × *diffusus* (v.c. **81**) 317; *effusus* 2, 128; *effusus* × *conglomeratus* (v.c. **51**) 318, (v.c. **80**) 437; *gerardii* (v.c. **57**) 317, (v.c. **64**) 437; *inflexus* × *effusus* (v.c. **81**) 317; × *kernreichgeltii* (v.c. **51**) 318, (v.c. **80**) 437; *planifolius* 297; *pygmaeus* 34; *squarrosus* 128; × *surrejanus* (v.c. **2**) 317; *tenuis* 234, (v.c. **94**, **104**) 317; *triglumis* 21, 127
- Juniperus* 283
- Kay, Q.O.N., with T.C.G. Rich & G.S. Motley - Population sizes of three rare Welsh endemic *Sorbus* species 381-388

- Kelleher, C.T., Kelly, D.L., & Hodkinson, T.R.
- Species status, hybridisation and geographic distribution of Irish populations of *Quercus petraea* (Matt.) Liebl. and *Q. robur* L. 83-97
- Kelly, D.L., with C.T. Kelleher & T.R. Hodkinson - Species status, hybridisation and geographic distribution of Irish populations of *Quercus petraea* (Matt.) Liebl. and *Q. robur* L. 83-97
- Kent, D.H., with C.A. Stace *et al.* (eds) - *The vice-county census catalogue of the vascular plants of Great Britain* (Bk Rev.) 217-219
- King, M., with Wilson, P. - *Arable plants - a field guide* (Bk Rev.) 131-132
- Knautia arvensis* (v.c. **91**) 436
- Kniphofia* 'Atlanta' (v.c. **29**) 320; *praecox* (v.c. **69**) 320; *uvaria* (v.c. **70**) 320
- Kobresia* 21, 39; *simpliciuscula* 39, (v.c. **89**) 437
- Lactuca virosa* (v.c. 42) 315
- Lagarosiphon major* (v.c. **49**) 317
- Lamiastrum* 443; *galeobdolon* subsp. *argentatum* 443, subsp. *montatum* 443
- Lamium amplexicaule* 57; *confertum* 59; *hybridum* (v.c. **94**, **104**) 313; *maculatum* (v.c. **81**) 313; *purpureum* 57
- Lancaster Canal (v.c. 60) (map) 232, (illus.) 236, 237
- Lappula squarrosa* (v.c. **58**) 313
- Lapsana communis* 57
- Larix decidua* 245, (v.c. **100**) 426; *decidua* × *kaempferi* (v.c. **100**) 426; *kaempferi* 218, 219, (v.c. **100**) 426; × *marschlinsii* (v.c. **100**) 426
- Lastrea spinulosa* 53
- Lathyrus* 139; *grandiflorus* (v.c. **46**) 433; *japonicus* (v.c. **9**) 309
- Laurus* 276; *nobilis* (v.c. **29**) 300
- Lavatera* × *clementii* (v.c. **50**) 304; *thuringiaca* × *olbia* (v.c. **50**) 304
- Leach, S.J. - Rev. of Dorset rare plant register. *An account of the rare, scarce and declining plants of Dorset* (by B. Edwards & D.A. Pearman) 323-324
- Lejeune, M.C., with M. de Cleene - *Compendium of symbolic and ritual plants in Europe* (Bk Rev.) 214
- Lemna* 317; *gibba* 238, 243, 245, 247, 249; *minor* 55, 58, 245, 249; *minuta* 240, (v.c. **48**, **H32**) 317, (v.c. **60**) 437; *trisulca* 243, 247, 249, (v.c. **109**) 317
- Leontodon hispidus* 55, 58; *saxatilis* 58, 245; *saxatilis*? 55
- Lepidium draba* subsp. *draba* (v.c. **100**) 430; *heterophyllum* (v.c. **104**) 306; *latifolium* 135; *sativum* (v.c. **100**) 430
- Leslie, A.C., with A.L. Bull - A hitherto undescribed bramble *Rubus* sect. *Corylifolii* (Rosaceae) of chalky boulder clay in East Anglia 419-422
- Leucaena* 149
- Leucanthemella serotina* (v.c. **46**) 316
- Leucanthemum* 150; *vulgare* 214, 423
- Leucjum aestivum* (v.c. **42**) 321; *vernium* (v.c. **73**) 439
- Lewis, L. & Spencer, E.J. - *Epipactis phyllanthes* var. *cambrensis* (C.A. Thomas) P.D. Sell and other unusual *Epipactis* at Kenfig National Nature Reserve 290-295
- Libertia caerulea* 297
- Ligularia przewalskii* (v.c. **67**) 436
- Lilium pyrenaicum* (v.c. **106**, **H6**) 438
- Limnanthes douglasii* (v.c. **47**) 311
- Limonium* 326; *recurvum* subsp. *pseudotranswallianum* 296
- Linaria arenaria* (v.c. **6**) 436
- Linnaea borealis* (v.c. **89**) 436
- Linum perenne* 54, 57; *usitatissimum* (v.c. **52**) 311
- Liparis* 197
- Littorella uniflora* 238, 239, 243
- Lledó, M.D., with Rich, T.C.G. *et al.* - Distribution of the western European endemic *Centaureum scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
- Lobelia erinus* (v.c. **85**) 314; *urens* 199
- Lockton, A.J., with T.C.G. Rich & J. Parnell - Distribution of the Irish Whitebeam, *Sorbus hibernica* E.F. Warb. (Rosaceae) 369-380
- Lolium* 139, 315; × *boucheanum* (v.c. **H6**) 438; *perenne* 234, 438; *perenne* × *multiflorum* (v.c. **H6**) 438; *rigidum* (v.c. **11**) 318
- Lonicera caprifolium* × *etrusca* (v.c. **29**, **46**) 315; *henryi* (v.c. **49**) 315; × *italica* (v.c. **29**, **46**) 315; *japonica* (v.c. **49**) 315; *pileata* (v.c. **39**) 315, (v.c. **H6**) 436; *xylosteum* (v.c. **H6**) 436
- Lotus corniculatus* 3; *pedunculatus* 2, 247, 249, (v.c. **104**) 309
- Lunaria annua* (v.c. **100**) 430
- Lunularia cruciata* 260

- Lupinus albus* (v.c. **81**) 309
Luronium natans 135
Luzula campestris 128; *multiflora* 128, 245, subsp. *hibernica* 297; *spicata* 21, 59, 60; *sylvatica* 423
Lychnis alpina 19, 24, 30, 39, 48, 49, 51, 52, 55; *chalconica* (v.c. **46**, **81**) 303; *flos-cuculi* 2, 128, 211
Lycopersicon esculentum (v.c. **91**) 312
Lycopodiella inundata 323
Lycopsis arvensis 57
Lycopus europaeus 111, 235, 238-240, 247, 249
Lysichiton americanus (v.c. **81**, **94**) 317
Lysimachia ciliata (v.c. **43**) 306; *nemorum* 245; *punctata* 245; *terrestris* (v.c. **9**) 306; *vulgaris* 423
Lythrum portula 220; *salicaria* 111, 196, 235
Macleaya cordata × *microcarpa* (v.c. **39**) 427; × *kewensis* (v.c. **39**) 427
Macpherson, P. & Rutherford, A. - Obit. of Allan McGregor Stirling (1924-2004) 442-444
Magnanon, S., with Rich, T.C.G. *et al.* - Distribution of the western European endemic *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
Malcolmia maritima (v.c. **11**) 305, (v.c. **H6**) 430
Malus domestica 214; *sylvestris* 214
Malva alcea (v.c. **9**) 304; *neglecta* 57; *parviflora* 328
Margyricarpus pinnatus 297
Maskew, R. & Primavesi, A.L. - A re-examination of *Rosa* × *perthensis* Rouy 203-205
Maskew, R. & Primavesi, A.L. - What is *Rosa alba* L.? 412-413
Matricaria discoidea 234
Matteuccia struthiopteris (v.c. **42**, **46**, **81**) 300
Matthiola longipetala (v.c. **95**) 305, (v.c. **64**) 430; *sinuata* (v.c. **9**) 305
McCosh, D.J., with C.A. Stace *et al.* (eds) - *The vice-county census catalogue of the vascular plants of Great Britain* (Bk Rev.) 217-219
McVeigh, A., Carey, J.E., & Rich, T.C.G. - Chiltern Gentian, *Gentianella germanica* (Willd.) Börner (Gentianaceae) in Britain: distribution and current status 339-367
Medicago arabica 135, (v.c. **39**) 309; *lupulina* 54, 57, 111; *sativa* subsp. *varia* (v.c. **50**) 309
Melampyrum cristatum 220
Melilotus altissimus (v.c. **79**) 433
Mentha aquatica 111, 235, 238, 239, 241, 247, 436; *arvensis* 54, 57; *arvensis* × *aquatica* × *spicata* (v.c. **2**) 436; *arvensis* × *spicata* 56; *gentilis* 56; × *smithiana* (v.c. **2**) 436; *spicata* 436; *spicata* × *longifolia* (v.c. **39**) 313; *spicata* × *suaveolens* (v.c. **91**) 436; × *verticillata* 235, 241, 251, 436; × *villosa* (v.c. **91**) 436; × *villosa* (v.c. **39**) 313
Menyanthes trifoliata 211, 238, 239, 243, 245, 247, 249
Mertensia maritima (v.c. **101**) 312
Microcala pusilla 39
Mimulus 221, 222; *guttatus* (v.c. **81**) 314; × *robertsii* 221
Minuartia recurva 296; *sedoides* 47
Mirabilis jalapa (v.c. **13**) 428
Mnium hornum 127, 406
Moehringia trinervia 54, 56
Molinia caerulea 2, 3, 12, 46, 115
Montia fontana subsp. *variabilis* (v.c. **9**) 302
Motley, G.S., with T.C.G. Rich & Q.O.N. Kay - Population sizes of three rare Welsh endemic *Sorbus* species 381-388
Muehlenbeckia complexa (v.c. **29**) 303
Mundell, T. & Young, E. - Obit. of Peter John Selby (1946-2003) 224-225
Murphy, R.J. & Rumsey, F.J. - *Cystopteris diaphana* (Bory) Bladell (Woodsiaceae) - an overlooked native new to the British Isles? 255-263
Muscari armeniacum (v.c. **94**) 321, (v.c. **106**) 439; *neglectum* (v.c. **81**) 321
Mycelis muralis 245
Myosotis palustris 53; *scorpioides* 53, 247, 249; *sylvatica* 59
Myosoton aquaticum (v.c. **78**) 302
Myosurus minimus (v.c. **39**) 427
Myrica gale 47, 199
Myriophyllum aquaticum (v.c. **23**, **113(S)**) 310; *spicatum* 238, 239, 243, 249, (v.c. **79**) 434; *verticillatum* (v.c. **9**) 310
Myrrhis odorata 245
Najas flexilis (v.c. **73**) 437
Narcissus 149; *poeticus* (v.c. **81**) 321, subsp. *poeticus* (v.c. **94**) 321; *pseudonarcissus* subsp. *pseudonarcissus* (v.c. **81**) 321

- Nardus stricta* 128
Narthecium ossifragum 3, 115, 194
 Nelson, E.C. - *Erica mackaiana* Bab. and *Erica* × *stuartii* (Macfarl.) Mast. (Ericaceae): two heathers new to South Kerry (v.c. **H1**), Ireland 414-417
 Nelson, E.C. - Rev. of Hewett Cottrell Watson: *Victorian plant ecologist and evolutionist* (by F.N. Egerton) 132-134
Neotinea maculata 297
Neottia nidus-avis (v.c. **104**) 322
Nepeta × *faassenii* (v.c. **13**) 435; *racemosa* × *nepetella* (v.c. **13**) 435
Nicandra physalodes (v.c. **46**) 312
 Nicholson, R.A., Showler, A.J., & Rich, T.C.G. - Further observations on the ecology and distribution of *Cardamine bulbifera* (L.) Crantz (Brassicaceae) in the British Isles 99-106
Nicotiana alata × *forgetiana* (v.c. **11**, **113(S)**) 312; *rustica* (v.c. **9**) 312; × *sanderae* (v.c. **11**, **113(S)**) 312
 Notes 127-130, 207-212, 289-298, 409-424
Nothofagus alpina (v.c. **100**) 428; *obliqua* (v.c. **100**) 428
Nuphar lutea 235, 238-240, 242, 243, 247; *pumila* (v.c. **108**) 300
Nymphaea alba 238-240, 243, subsp. *occidentalis* 53
Nymphoides peltata 238, 239, 243, 250
 Obituaries 221-230, 329-330, 441-444
Oenanthe aquatica (v.c. **9**) 311; *crocata* 247, 260; *lachenalii* 55, 58, (v.c. **39**) 311; *silifolia* (v.c. **9**) 311
Oenothera biennis (v.c. **79**) 434; *biennis* × *cambrica* (v.c. **39**) 434; *cambrica* (v.c. **52**) 310; *glazioviana* (v.c. **81**) 310; *glazioviana* × *biennis* × *cambrica* (v.c. **46**) 434
Onchophorus virens 127
Onobrychis viciifolia (v.c. **113(A)**) 309
Onosma taurica 297, 298
Ophioglossum azoricum 221, (v.c. **104**) 300; *vulgatum* 3
Ophrys insectifera × *apifera* (v.c. **6**) 439; *sphegodes* (v.c. **9**) 322
Orchis ericetorum subsp. *rhumensis* 53; *latifolia* × *purpurella* 53; *majalis* 53; *mascula* 245; *militaris*, and Monkey (*Orchis simia*) Orchids in the Chilterns. The current status of Military, 175-183, (map) 177, subsp. *tephrosanthos* 175; *simia*, Orchids in the Chilterns. The current status of Military (*Orchis militaris*) and Monkey, 175-183
Ornithopus perpusillus 238
Orobanche alba 55, 58; *hederae* (v.c. **27**) 436, *rapum-genistae* (v.c. **39**) 314
Oryza sativa 144, 149
Osmunda regalis (v.c. **113(S)**) 425
 Oswald, P.H. - Rev. of *From earth to art. The many aspects of the plant-world in Anglo-Saxon England* (ed. by C.P. Biggam) 324-325
Otanthus maritimus 297
Oxalis debilis (v.c. **39**) 311; *decaphylla* (v.c. **70**) 311; *incarnata* (v.c. **85**) 311; *tetraphylla* (v.c. **44**) 311
Oxyria digyna 21, 47
Paeonia officinalis (v.c. **39**, **94**) 304
 Page, C.N. - Re-appearance of the rare intergeneric hybrid fern × *Asplenophyllitis jacksonii* Alston (Aspleniaceae) in the flora of Cornwall 331-338
Palustriella commutata 127
Panicum miliaceum (v.c. **67**) 438
Papaver atlanticum (v.c. **41**, **44**) 301, (v.c. **67**) 427; *dubium* subsp. *dubium* 59; *rhoeas* (v.c. **94**) 301, (v.c. **91**) 427; *rhoeas* × *dubium* 218; *somniferum* subsp. *setigerum* (v.c. **44**) 301, subsp. *somniferum* (v.c. **44**) 301
Parapholis incurva (v.c. **29**) 319
Parentucellia viscosa (v.c. **94**) 314, (v.c. **73**) 436
 Parfitt, A.J., with J.P. Sumpter *et al.* - The current status of Military (*Orchis militaris*) and Monkey (*Orchis simia*) Orchids in the Chilterns 175-183
Parietaria officinalis (v.c. **29**) 301
Parnassia palustris 150, 208
 Parnell, J., with T.C.G. Rich & A.J. Lockton - Distribution of the Irish Whitebeam, *Sorbus hibernica* E.F. Warb. (Rosaceae) 369-380
Parthenocissus inserta (v.c. **9**) 310; *tricuspidata* (v.c. **29**) 310
 Pearman, D.A. - Rev. of *A catalogue of alien plants in Ireland* (by S.C.P. Reynolds) 134-135
 Pearman, D.A. & Rumsey, F.J. - *Drosera* × *belezeana* Camus confirmed for the British Isles 115-119
 Pearman, D.A. & Walker, K.J. - An examination of J.W. Heslop Harrison's unconfirmed plant records from Rum 45-63
 Pearman, D.A., with B. Edwards - *Dorset rare plant register. An account of the rare, scarce and declining plants of Dorset* (Bk Rev.) 323-324

- Pellia endiviifolia* 40; *epiphylla* 31; *fabbbroniana* 31, 40
Pennisetum 215
Perry, A.R. - Obit. of Stanley Reginald John Woodell (1928-2004) 329-330
Persicaria amphibia 235, 242, 243; *amplexicaulis* (v.c. **49**) 303; *bistorta* 423; *campanulata* (v.c. **81**) 303, (v.c. **77**) 429; *capitata* (v.c. **46**) 303; *minor* (v.c. **5**) 303; *pensylvanica* (v.c. **81**) 303; *sagittata* 297; *vivipara* 40, 128; *wallichii* (v.c. **89**, **100**) 429
Petunia axillaris × *integrifolia* (v.c. **58**) 312, (v.c. **13**) 435; × *hybrida* (v.c. **58**) 312, (v.c. **13**) 435
Peucedanum ostruthium 238, 239
Phacelia tanacetifolia (v.c. **52**, **81**) 312, (v.c. **H6**) 435
Phalaris arundinacea 235, 423; *canariensis* 54, 57; *minor* (v.c. **58**) 319; *paradoxa* (v.c. **39**) 319
Philadelphus coronarius (v.c. **91**) 306
Philonotis fontana 211
Phleum 215, 315
Phlox 150
Phormium tenax (v.c. **57**) 322
Phragmites australis 123, 234, 235, 247
Phygelius capensis (v.c. **H6**) 436
Phyllitis 334, 335; *scolopendrium* 331-336
Physalis peruviana (v.c. **85**) 312, (v.c. **58**) 435
Phyteuma orbiculare (v.c. **9**) 314
Phytolacca acinosa (v.c. **81**) 301
Picea abies 54, 56, (v.c. **100**) 426; *glauca* (v.c. **100**) 426; *omorica* (v.c. **100**, **106**) 426; *sitchensis* 218, (v.c. **100**) 426
Picris echioides 135, (v.c. **109**) 315; *hieracioides* (v.c. **95**) 436
Pilosella officinarum × *aurantiaca* (v.c. **39**) 436; × *stolonifera* (v.c. **39**) 436
Pilularia globulifera 54, 55, 58, (v.c. **106**) 426
Pimpinella major (v.c. **9**) 311; *saxifraga* 245
Pinguicula grandiflora 296, 314; *grandiflora* × *vulgaris* 296; × *scullyi* 296; *vulgaris* (v.c. **9**) 314
Pinus 199, 283; *contorta* (v.c. **100**) 426; *nigra* 406, subsp. *laricio* (v.c. **100**) 426, subsp. *nigra* (v.c. **100**) 426; *pinaster* 276, (v.c. **100**) 427; *radiata* (v.c. **100**) 427; *strobis* (v.c. **100**) 427; *sylvestris* 245, (v.c. **100**) 426
Pistia stratiotes (v.c. **6**) 437
Plagiobothrys scouleri (v.c. **H6**) 435
Plant Records 299-322, 425-439
Plantago coronopus 111, 122; *lanceolata* 214, 406; *major* subsp. *intermedia* (v.c. **6**, **44**) 313; *maritima* 123, 124
Platanthera bifolia 3; *chlorantha* 3, 55, 58, (v.c. **52**) 322, (v.c. **78**) 439
Pleurozium schreberi 127
Poa alpina 60; *annua* 26, 27, 35, 36, 50, 234; *bulbosa* (v.c. **29**) 318; *compressa* 59, (v.c. **49**) 318; *glauca* 24, 47; *infirmia* (v.c. **9**) 318, (v.c. **6**) 438; *palustris* (v.c. **104**) 318
Polycarpon tetraphyllum 17, 19, 25, 26, 28-31, 33, 34, 36, 40, 48, 49, 52, 55
Polygala vulgaris 238
Polygonatum × *hybridum* (v.c. **94**, **107**, **109**) 320; *multiflorum* × *odoratum* (v.c. **94**, **107**, **109**) 320
Polygonum arenastrum (v.c. **104**) 303; *aviculare* 132; *maritimum* (v.c. **1b**) 303; *oxyspermum* (v.c. **91**) 303, subsp. *raii* 48; *rurivagum* (v.c. **1a**, **2**, **39**, **50**) 303; *viviparum* 21, 40
Polypodium 221, 222, 443; *cambricum* 443; *diaphanum* 256; × *font-queri* 443; *interjectum* 48, (v.c. **104**) 300, 333; *interjectum* × *cambricum* (v.c. **2**, **46**) 300; × *mantoniae* 48, (v.c. **1b**) 300; × *shivasiae* (v.c. **2**, **46**) 300; *vulgare* 443; *vulgare* × *interjectum* (v.c. **1b**) 300
Polypogon monspeliensis 112, (v.c. **45**, **81**) 319; *viridis* (v.c. **95**) 319
Polystichum aculeatum × *lochnitis* 443; × *illyricum* 443; × *lonchitiforme* 296; *setiferum* 333, 334; *setiferum* × *lonchitis* 296
Polytrichum commune 3; *formosum* 127
Pontederia cordata (v.c. **2**) 320
Pope, C., Snow, L & Allen, D. - *The Isle of Wight Flora* (Bk Rev.) 216-217
Populus alba 59, (v.c. **100**) 430; × *canadensis* (v.c. **100**) 430; × *generosa* (v.c. **81**) 304; *nigra* × *deltoides* (v.c. **100**) 430; *tremula* 47; *trichocarpa* × *deltoides* (v.c. **81**) 304
Potamogeton 219, 235; *alpinus* 58, 238, 239, 241, 243, 245, 247, 249, 251; × *angustifolius* (v.c. **H6**) 437; *berchtoldii* 53, 54, 238, 239, 241, 243, 246, 247; *coloratus* 55, 58; *coloratus* × *berchtoldii* 297; *crispus* 238, 239, 243, 249; *filiformis* 58; × *lanceolatus* 297; × *lintonii* 238, 239, 243, 244; *lucens* × *alpinus* 297; *lucens* × *gramineus* (v.c. **H6**) 437; *natans* 238, 239, 243, 245, 247, 249; *natans* × *berchtoldii* 297; × *nerviger* 297; × *nitens* 437; *obtusifolius* 238, 239, 243, 247; *pectinatus* 55, 58, 238, 239, 243; *perfoliatus* 235,

- 238, 239, 243, 247, 249; *polygonifolius* 58; *polygonifolius*? 55; *praelongus* 47, 241; *praelongus* × *crispus* 297; *pusillus* 53, 54, 238, 239, 241, 243, 246, 247; *trichoides* 238, 239, 243, 245, 247; × *undulatus* 297; × *variifolius* 297
- Potentilla anglica* × *reptans* (v.c. **65**) 432; *anserina* 111; *argentea* (v.c. **91**) 307; *crantzii* 47, 59; *erecta* 3, 128; *erecta* × *anglica* (v.c. **39**) 307; × *mixa* (v.c. **65**) 432; *norvegica* (v.c. **95**) 432; *palustris* 128; × *suberecta* (v.c. **39**) 307; *tridentata* 41
- Pratia* 150
- Pratt, P., with J.P. Sumpter *et al.* - The current status of Military (*Orchis militaris*) and Monkey (*Orchis simia*) Orchids in the Chilterns 175-183
- Presidential Address, 2003 - The rhos pastures of South-west Wales and their conservation 1-16
- Preston, C.D. (ed.) - John Raven's report on his visit to the Hebrides, 1948 17-44
- Preston, C.D., with M.O. Hill & D.B. Roy - *PLANTATT. Attributes of British and Irish plants: status, size, life history, geography and habitats for use in connection with the New atlas of the British and Irish flora* (Bk Rev.) 325
- Primavesi, A.L., with R. Maskew - A re-examination of *Rosa* × *perthensis* Rouy 203-205
- Primavesi, A.L., with R. Maskew - What is *Rosa alba* L.? 412-413
- Primula* 329; *elatior* 220, 329; *japonica* (v.c. **13**) 431; *veris* 329; *vulgaris* 245, 329, 406
- Prior, K.V., with Rich, T.C.G. *et al.* - Distribution of the western European endemic *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
- Prunella vulgaris* 406
- Prunus* 54, 149; *domestica* subsp. *domestica* 56, subsp. *institia* 56; × *fruticans* (v.c. **H6**) 433; *lusitanica* (v.c. **91**) 433; *padus* 234; *persica* (v.c. **29**) 308; *spinosa* × *domestica* (v.c. **H6**) 433
- Pryce, R.D. - The rhos pastures of South-west Wales and their conservation. Presidential Address, 2003 1-16
- Pseudofumaria alba* 303; *lutea* 219
- Pseudoscleropodium purum* 127
- Pseudotsuga menziesii* (v.c. **100**) 426
- Pteridium* 276, 277; *aquilinum* 133
- Pteris aquilina* 133
- Puccinellia distans* 144, 149, subsp. *distans* (v.c. **89**) 438
- Puccinia* 268; *adoxa* 269, 271; *albescens* 269, 271
- Pulicaria dysenterica* 111, 238, 239
- Pulsatilla vulgaris* 219
- Pyrola maritima* subsp. *rotundifolia* 221; *media* (v.c. **104**) 306; *minor* 55, 58, (v.c. **104**) 306, (v.c. **73**) 431; *rotundifolia* (v.c. **104**) 306, (v.c. **83**) 431
- Pyrus minima* 386; *scandica* 385
- Quercus* 83, 219, 283; *cerris* (v.c. **100**) 428; *ilex* (v.c. **81**) 301, (v.c. **100**) 428; *petraea* (Matt.) Liebl. and *Q. robur* L. Species status, hybridisation and geographic distribution of Irish populations of, 83-97; *petraea* × *robur*. Species status, hybridisation and geographic distribution of Irish populations of *Quercus petraea* (Matt.) Liebl. and *Q. robur* L. 83-97; *robur* L. Species status, hybridisation and geographic distribution of Irish populations of *Quercus petraea* (Matt.) Liebl. and, 83-97; × *rosacea* 406; *rubra* (v.c. **100**) 428
- Radiola linoides* 437
- Ranunculus aconitifolius* (v.c. **94**) 301; *acris* 128, 423; *alpestris* 41; *aquatilis* 249, (v.c. **100**) 427; *circinatus* 238, 239, 243; *ficaria* 423; *flammula* 2, 128, 211; *fluitans* 213; *lingua* (v.c. **100**) 427; × *novae-forestae* (v.c. **52**) 301; *omiophyllus* (v.c. **80**) 427; *omiophyllus* × *tripartitus* (v.c. **52**) 301; *peltatus* 238, 243, (v.c. **91**) 301, (v.c. **100**) 427; *repens* 11; *sardous* 59, (v.c. **H6**) 427; *sceleratus* (v.c. **80**) 427; *trichophyllus* (v.c. **101**) 301; *tripartitus* 301
- Raper, C., with J.P. Sumpter *et al.* - The current status of Military (*Orchis militaris*) and Monkey (*Orchis simia*) Orchids in the Chilterns 175-183
- Raphanus raphanistrum* subsp. *maritimus* (v.c. **48**) 306, subsp. *raphanistrum* (v.c. **52**) 306; *sativus* (v.c. **81**) 306
- Raven, J. - John Raven's report on his visit to the Hebrides, 1948 17-44
- Reseda luteola* (v.c. **91**, **100**) 430; *odorata* (v.c. **64**) 430
- Reynolds, S.C.P. - *A catalogue of alien plants in Ireland* (Bk Rev.) 134-135
- Rheum* × *hybridum* (v.c. **100**) 429; *rhaponticum* × *palmatum* (v.c. **100**) 429

- Rhinanthus drummond-hayi* 53; *minor* 3, 54, 423, subsp. *lintonii* 53, subsp. *monticola* 53
- Rhizoclonium* 122
- Rhizomnium pseudopunctatum* 127
- Rhynchospora alba* 115; *fusca* 21, 48, (v.c. **104**) 318
- Rhytiadelphus squarrosus* 127
- Ribes alpinum* 245; *odoratum* (v.c. **67**) 431; *sanguineum* (v.c. **100**) 431
- Rich, T.C.G. - Conservation of Britain's biodiversity: *Hieracium neocoracinum* (Asteraceae), Craig Cerrig-gleisiad Hawkweed 283-287
- Rich, T.C.G. - Could *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury, have colonised Britain by sea? 397-401
- Rich, T.C.G. - Rev. of PLANTATT. *Attributes of British and Irish plants: status, size, life history, geography and habitats for use in connection with the New atlas of the British and Irish flora* (by M.O. Hill, C.D. Preston & D.B. Roy) 325
- Rich, T.C.G. & Allen, D.E. - *Cardamine × fringsii* F. Wirtgen (Brassicaceae) in the British Isles 409-412
- Rich, T.C.G. & Houston, L. - The distribution and population sizes of the rare English endemic *Sorbus wilmottiana* E.F. Warburg, Wilmott's Whitebeam (Rosaceae) 185-191
- Rich, T.C.G., Evans, S.B., Evans, A.E., Magnanon, S., Hopkins, F., Caldas, F.B., Pryor, K.V., & Lledó, M.D. - Distribution of the western European endemic *Centaurium scilloides* (L.f.) Samp. (Gentianaceae), Perennial Centaury 275-281
- Rich, T.C.G., Lockton, A.J., & Parnell, J. - Distribution of the Irish Whitebeam, *Sorbus hibernica* E.F. Warb. (Rosaceae) 369-380
- Rich, T.C.G., Motley, G.S., & Kay, Q.O.N. - Population sizes of three rare Welsh endemic *Sorbus* species (Rosaceae) 381-388
- Rich, T.C.G., with G. Hutchinson - Conservation of Britain's biodiversity: *Hieracium radyrense* (Asteraceae), Radyr Hawkweed 403-407
- Rich, T.C.G., with A. McVeigh & J.E. Carey - Chiltern Gentian, *Gentianella germanica* (Willd.) Börner (Gentianaceae) in Britain: distribution and current status 339-367
- Rich, T.C.G., with R.A. Nicholson & A.J. Showler - Further observations on the ecology and distribution of *Cardamine bulbifera* (L.) Crantz (Brassicaceae) in the British Isles 99-106
- Roberts, F.J., with G.C. French *et al.* - Clonal diversity in two recently discovered English populations of *Carex vaginata* Tausch (Cyperaceae) 389-395
- Roberts, R.H. (1910-2003) (Obit.) 221-223, Bibliography 222-223
- Robinia pseudoacacia* (v.c. **81**) 309
- Romulea columnae* (v.c. **2**) 439
- Rorippa amphibia* (v.c. **9**) 305; *islandica* (v.c. **2**, **6**, **42**, **81**) 305; *nasturtium-aquaticum* 247, 249, (v.c. **100**) 430; *nasturtium-aquaticum × microphylla* (v.c. **100**) 430; *palustris* 247, (v.c. **95**) 305, (v.c. **100**) 430; *× sterilis* (v.c. **100**) 430; *sylvestris* (v.c. **1a**) 305, (v.c. **100**) 430
- Rosa* 47, 60, 139; group *Spinosissimae × Villosae* 204; *agrestis* (v.c. **51**) 308, (v.c. **H6**) 43; *alba* L.?, What is, 412-413; *× alba* 412; *× andegavensis* (v.c. **H6**) 433; *arvensis* 412, 413; *arvensis × caesia* (v.c. **39**) 308; *arvensis × canina* (v.c. **5**, **81**) 308; *arvensis × gallica* 412; *arvensis × sherardii* (v.c. **44**) 308; *arvensis × stylosa* (v.c. **46**) 308; *barclayi ×* 204; *caesia* 308, subsp. *caesia* 56, subsp. *vosagiaca* (v.c. **9**) 308; *caesia* subsp. *caesia × sherardii* (v.c. **50**) 308; *caesia* subsp. *vosagiaca × rubiginosa* (v.c. **64**) 433; *caesia* subsp. *vosagiaca × sherardii* (v.c. **50**) 308; *canina* 412, (v.c. **113(S)**) 433; *canina × caesia* subsp. *caesia* (v.c. **50**) 308; *canina × caesia* subsp. *vosagiaca* (v.c. **50**) 308; *canina × mollis* (v.c. **47**) 308; *canina × obtusifolia* (v.c. **50**) 308, (v.c. **13**) 433; *canina × rubiginosa* (v.c. **9**) 308; *canina × tomentosa* (v.c. **9**, **49**) 308; *× caviniacensis* 296; *× dumalis* (v.c. **50**) 308; *× dumetorum* (v.c. **50**) 308, (v.c. **13**) 433; *gallica* (v.c. **6**) 308, 412, 413; *glaucophylla* 53, 54; *× hibernica* (v.c. **9**) 308; *involuta* 203, var. *nicholsonii* 204; *× involuta* 204, (v.c. **81**) 308, var. *sabinii* 204; *× irregularis* (v.c. **5**, **81**) 308; *× molletorum* (v.c. **47**) 308; *mollis* 205; *mollis × pimpinellifolia* 204; *mollis × sherardii* 205; *multiflora* (v.c. **H6**) 432; *× nitidula* (v.c. **9**) 308; *obtusifolia* (v.c. **9**, **46**, **50**) 308; *omissa* 204; *× perthensis* Rouy. A re-examination of, 203-205; *pimpinellifolia* 204, 205; *pimpinellifolia × omissa* 204; *pimpinellifolia × rubiginosa × sherardii* 204; *pimpinellifolia × sherardii* 53, 204;

- pimpinellifolia* × *tomentosa* 203; × *pseudorusticana* (v.c. **46**) 308; *rubiginosa* 205, (v.c. **H6**) 433; × *sabinii* 204; × *scabriuscula* (v.c. **9**, **49**) 308; *sherardii* 205, var. *omissa* 204; *sherardii* × *agrestis* 296; *sherardii* × *pimpinellifolia* 204; × *shoolbredii* 205; *spinosissima* × *agrestis* 296; *spinosissima* × *canina* (v.c. **9**) 308; *spinosissima* × *omissa* 204; *spinosissima* × *rugosa* 296; *spinosissima* × *sherardii* (v.c. **81**) 308; *stylosa* × *canina* (v.c. **H6**) 433; *tomentosa* 204, 205; *tomentosa* × *agrestis* 296
- Rosmarinus officinalis* (v.c. **39**) 313, (v.c. **46**) 436
- Roy, D.B., with M.O. Hill & C.D. Preston - *PLANTATT. Attributes of British and Irish plants: status, size, life history, geography and habitats for use in connection with the New atlas of the British and Irish flora* (Bk Rev.) 325
- Rubus* 47, 139, L. (Rosaceae) mostly from central south England. Five new species of, 157-174, 208, 212, 220, 255, L. (Rosaceae) in the Isle of Wight. North Wales species of, 289-290, 419, 444; sect. *Corylifolii* 157, (Rosaceae) of chalky boulder clay in East Anglia. A hitherto undescribed bramble, 419-422; sect. *Rubus* 157, 167; sect. *Triviales* 419; ser. *Discolores* 160; ser. *Hystrix* 166, 169, 173; ser. *Radula* 418; ser. *Sylvatici* 208; *adenoleucus* (v.c. **12**) 307; *adscitus* 160; *amplificatis* (v.c. **29**) 307; *armeniacus* 298; *arrheniiformis* (v.c. **46**) 431; *asperidens* 170; *atrocaulis* 210; *averyanus* 209, 210; *balfourianus* 421; *boraeanus* 160, 432; *botryeros* (v.c. **11**) 432; *caesarius* 160; *caesius* (v.c. **85**) 307; *calvatus* (v.c. **10**) 431; *cantabrigiensis* A.L. Bull & A.C. Leslie, sp. nov. 421, (map) 420, 422; *cardiophyllus* 160; *cerdicii* D.E. Allen sp. nov. 161, (illus.) 162, (map) 163; *cissburiensis* (v.c. **45**) 432; *clausentinus* D.E. Allen sp. nov. 164, 160, (illus.) 165, (map) 166, 174; *cockburnianus* (v.c. **39**, **46**) 307; *corbieri* 167; *cromerensis* A.L. Bull (Rosaceae) must give way to *R. neumannianus* Weber & Vannerom which has priority 212; *crudelis* (v.c. **11**) 431; *eboracensis* (v.c. **45**) 432; *effrenatus* 289, 290; *elegantispinosus* (v.c. **15**) 432; *euanthinus* 163, (v.c. **45**) 432; *fruticosus* 373; *fruticosus* agg. 260; *gelertii* 169; *glareosus* (v.c. **10**) 432; *gracilis* subsp. *gracilis* 210; *griffithianus* 289, (v.c. **10**) 307; *grypocanthus* 163; *halsteadensis* (v.c. **47**) 307; *hastiformis* 160; *hesperius* 296; *hindii* (v.c. **11**) 432; *intensior* (v.c. **11**) 307; *laciniatus* (v.c. **91**) 431; *lanaticaulis* (v.c. **10**) 307; *lapeyrousianus* 169; *largificus* (v.c. **45**) 432; *lettii* 296, (v.c. **45**) 432; *linkianus* 297, 298; *lintonii* 174; *londinensis* 212; *melanodermis* (v.c. **10**) 432; *micans* (v.c. **29**, **46**) 307; *milesianus* D.E. Allen sp. nov. 167, (illus.) 168, (map) 170, 174; *milesii* 170; *morganwgensis* (v.c. **44**) 307; *mucronatifomis* (v.c. **48**) 432; *nemorosus* 421; *neomalacus* 169, 410; *neumannianus* Weber & Vannerom which has priority. *Rubus cromerensis* A.L. Bull (Rosaceae) must give way to, 212; *obesifolius* 209; *orbifolius* sensu W.C.R. Watson (Rosaceae). The taxonomic status of, 208-210; *orbus* (v.c. **46**) 307; *pallidus* 169; *plymensis* (v.c. **45**) 431; *purbeckensis* (v.c. **45**) 431; *pydarensiformis* D.E. Allen sp. nov. 157, (illus.) 158, (map) 159, 160, 174; *pydarensis* 160, 157; *pyramidalis* 160; *questieri* 160; *radulicaulis* 163, Sudre (Rosaceae) in the Solent region 417-419; *raduloides* (v.c. **45**) 432; *riparius* 289; *robiae* (v.c. **11**) 307; *rosaceus* 210; *rubritinctus* (v.c. **69**) 432; *rufescens* 418, (v.c. **83**) 432; *saxicolus* 174; *scaber* (v.c. **10**) 307; *scabripes* (v.c. **11**) 307; *sectiramus* (v.c. **10**) 307; *septentrionalis* 209; *sertiflorus* 417; *silvaticus* (v.c. **10**) 307; *subinermoides* (v.c. **45**) 432; *thyrigeriformis* 167, (v.c. **12**) 307, (v.c. **12**) 432; *tricolor* (v.c. **46**, **47**) 307; *tuberculatus* (v.c. **47**) 307, 421; *ulmifolius* 167, 420; *vindomensis* D.E. Allen sp. nov. 171, (illus.) 172, (map) 173, (v.c. **10**) 432
- Rumex* × *abortivus* (v.c. **64**, **H6**) 429; *acetosa* 128, 211, subsp. *ambiguus* (v.c. **29**) 303; *conglomeratus* 247; *conglomeratus* × *maritimus* (v.c. **29**) 303; *conglomeratus* × *obtusifolius* (v.c. **64**, **H6**) 429; *crispus* subsp. *littoreus* (v.c. **100**) 429; *crispus* × *conglomeratus* (v.c. **100**) 429; *cristatus* (v.c. **39**) 303; × *duftii* (v.c. **81**) 304, (v.c. **H6**) 429; × *hybridus* (v.c. **81**) 303; × *knaffii* (v.c. **29**) 303; *longifolius* × *crispus* (v.c. **64**) 429; *longifolius* × *obtusifolius* (v.c. **81**) 303; *maritimus* 59, (v.c. **65**, **89**) 429; *obtusifolius* 423; × *ogulinensis* (v.c. **29**) 304; *palustris* (v.c. **65**) 429; × *propinquus* (v.c. **64**) 429; *pseudocalpinus* (v.c. **39**) 303; *pulcher* × *obtusifolius* (v.c. **29**) 304; *rupestris* 280; *sanguineus* × *obtusifolius* (v.c. **81**) 304, (v.c. **H6**) 429; × *schulzei* (v.c. **100**) 429

- Rumsey, F.J., with R.J. Murphy - *Cystopteris diaphana* (Bory) Blasdel (Woodsiaceae) - an overlooked native new to the British Isles? 255-263
- Rumsey, F.J., with D.A. Pearman - *Drosera × belezeana* Camus confirmed for the British Isles 115-119
- Ruppia maritima* 58, (v.c. **104**) 317
- Rutherford, A., with P. Macpherson - Obit. of Allan McGregor Stirling (1924-2004) 442-444
- Rydén, M. - *Botaniska strövtåg. Svenska och engelska* (Bk Rev.) 217
- Saccharum* 139
- Sagina* 36; *apetala* 26, 27, 31, 37, 40, 50, subsp. *apetala* 122, subsp. *erecta* 34, 40, 125, (v.c. **100**) 428; *boydii* 76; *maritima* Don (Caryophyllaceae) and other halophytes in London 121-126, (map) 125, (v.c. **104**) 302; × *micrantha* (v.c. **1a**) 428; *nodosa* 111, 112, 207, 211, (v.c. **104**) 302; × *normaniana* 53, 54; *procumbens* 27, 122, 245, 423; *scotica* 53; *subulata* (v.c. **81**) 302; *subulata* × *procumbens* (v.c. **1a**) 428;
- Sagittaria latifolia* (v.c. **39**) 317; *sagittifolia* 238, 239, 240, (map) 240, 241, 243, 249
- Salicornia* 122, 124, 213; *pusilla* × *ramosissima* (v.c. **13**) 428
- Salix* 47, L. (Salicaceae) hybrids in Scotland. A re-assessment of montane willow, 65-82, 135, 149, 377; × *ambigua* 68, 78, (v.c. **81**) 305; *alba* × *babylonica* (v.c. **2**) 304; *arbuscula* 24, 40, 53, 67, 74, 78, 80; *arbuscula* × *herbacea* 70, 75, 80; *arbuscula* × *reticulata* 70, 71, 74; *aurita* 67, 70, 72, 76, 79; *aurita* × *herbacea* 69, 78; *aurita* × *lapponum* 68, 69, 78; *aurita* × *lapponum* × *herbacea* 69-71; *aurita* × *myrsinifolia* 68; *aurita* × *myrsinifolia* × *myrsinities* 68, 80; *aurita* × *myrsinifolia* × *phylicifolia* 68; *aurita* × *phylicifolia* 68, 79; *aurita* × *repens* 68, 78, (v.c. **81**) 305; *aurita* × *repens* × *herbacea* 69, 77, 78; *aurita* × *repens* × *lapponum* 68; × *blyttiana* 69, 78; × *boydii* 70, 76-78, 80; × *breaddalbensis* 69; × *calodendron* (v.c. **91**) 304; × *canescens* 68, 78; *caprea* 67, 78, 79, (v.c. **104**) 304, subsp. *caprea* 67, subsp. *sphacelata* 67, (v.c. **65**, **67**) 430; *caprea* × *aurita* 68; *caprea* × *cinerea* 68; *caprea* × *cinerea* subsp. *oleifolia* (v.c. **2**) 305; *caprea* × *lapponum* 68, 78; *caprea* × *myrsinifolia* 68; *caprea* × *myrsinifolia* × *myrsinities* 68; *caprea* × *myrsinifolia* × *phylicifolia* 68, 71; *caprea* × *myrsinities* 80; *caprea* × *phylicifolia* 68; *caprea* × *repens* 68, 78; × *capreola* 68; × *cernua* 69, 78; *cinerea* 67, 79, (v.c. **104**) 305, 373, subsp. *oleifolia* 67; *cinerea* × *aurita* 68, (v.c. **104**) 305, (v.c. **100**) 430; *cinerea* × *repens* 53; × *coriacea* 68; × *dalecarlica* 69; × *felina* 69; *fragilis* 54, 56, 247; × *ganderi* 70, 74; × *grahamii* 69, 75, 77-80, var. *moorei* 77, 78; *helvetica* 76; *herbacea* 21, 47, 67, 69, 70, 72, 75-80; *herbacea* × *reticulata* 77; × *laestadiana* 68; *lanata* 66, 70, 74, 76-79; *lanata* hybrid 70; *lanata* × *herbacea* 70, 76, 77; *lanata* × *myrsinities* × *herbacea* 70; *lapponum* 66, 70, 73, 74, 76-78, 80; *lapponum* × *arbuscula* 70, 80, 78, (v.c. **90**) 305; *lapponum* × *herbacea* 70, 72, 77; *lapponum* × *lanata* 70, 71, 74, 76; *lapponum* × *myrsinities* (v.c. **92**) 305; *lapponum* × *myrsinities* × *herbacea* 70, 80; *laschiana* 68; × *laschiana* × *lapponum* 78; × *latifolia* 68; × *ludificans* 68; × *margarita* 69, 78-80; × *mollissima* (v.c. **2**) 304; × *multinervis* 68, (v.c. **104**) 305, 423, (v.c. **100**) 430; *myrsinifolia* 47, 53, 67, 68, 70, 73, 77, 79, 80; *myrsinifolia* × *arbuscula* 69, 71, 73; *myrsinifolia* × *herbacea* 69, 80; *myrsinifolia* × *lapponum* 69, 71, 73; *myrsinifolia* × *myrsinities* 69, 78; *myrsinifolia* × *myrsinities* × *herbacea* 69, 80; *myrsinifolia* × *phylicifolia* 69, 78; *myrsinifolia* × *phylicifolia* × *arbuscula* 69, 80; *myrsinifolia* × *phylicifolia* × *lapponum* 69, 80; *myrsinifolia* × *phylicifolia* × *myrsinities* 69, 78; *myrsinifolia* × *phylicifolia* × *repens* 69, 71, 72; *myrsinifolia* × *repens* 69; *myrsinities* 67, 70, 78, 80; *myrsinities* × *herbacea* 70, 71, 75; × *obtusifolia* 69, 72, 76, 78; × *obtusifolia* × *herbacea* 78; × *onychophylla* 77; *pentandra* 56, (v.c. **91**) 304, (v.c. **100**) 430; *phylicifolia* 40, 53, 67, 68, 73, 78, 79, 80; *phylicifolia* × *repens* 69; × *pithoensis* 69; × *pseudoglaucia* 70, 78, (v.c. **90**) 305; × *pseudospuria* 70; × *punctata* 69, 78; *purpurea* 423; *purpurea* × *viminalis* (v.c. **9**) 304; × *reichardtii* 68, (v.c. **2**) 305; *repens* 67, 70, 73, 74, 77-79, 291, 293; *repens* × *arbuscula* 69, 71, 73; *repens* × *herbacea* 69, 78, 80; *repens* × *lapponum* 68, 69; *repens* × *lapponum* × *arbuscula* 69; *reticulata* 67, 75-78; × *rubra* (v.c. **9**) 304; × *sadleri* 70, 76; × *saxetana* 68; × *schraderiana* 69; × *semireticulata* 69; × *sepulcralis* (v.c. **2**) 304; × *simulatrix* 70, 75; × *smithiana* (v.c. **2**, **49**, **104**) 304; × *sobrina* 70, 72; × *stuartii* 70; × *tetrapla* 69, 73, 78, 80; *triandra* × *viminalis* (v.c. **2**) 304; *viminalis* 247; *viminalis* × *caprea* (v.c. **2**, **49**, **104**) 304; *viminalis* × *caprea* × *cinerea* (v.c. **91**) 304
- Salvia sclarea* (v.c. **11**) 313

- Sanford, M.N. - Obit. of Francis William Simpson (1912-2003) 228-230
- Sanford, M.N. - Rev. of *Interactive Flora of the British Isles*. (DVD-ROM) (ed. by C.A. Stace, R. van der Meijden & I. de Kort) 326-328
- Sanguisorba officinalis* 3, 245, (v.c. **81**) 308, 423
- Sanicula europaea* 55, 58
- Saponaria ocymoides* (v.c. **9**) 303, (v.c. **95**, **H6**) 429; *officinalis* (v.c. **100**) 429
- Sarcocornia perennis* (v.c. **9**) 302
- Saussurea alpina* 60, (v.c. **104**) 315
- Saxifraga cymbalaria* (v.c. **89**) 431; *hirculus*. A new site in Caithness for, 210-211; *hirsuta* 296; *hypnoides* 128; *hypnoides* × *rosacea* 296; *nivalis* 24, 47; *oppositifolia* 47, 283; × *polita* 296; *rosacea* subsp. *hartii* 296, subsp. *rosacea* 296; *spathularis* 296; *spathularis* × *hirsuta* 296; *stellaris* 21, 128; *tridactylites* 245, (v.c. **77**) 431
- Scandix pecten-veneris* 324
- Schoenoplectus lacustris* (v.c. **104**) 318; *tabernaemontani* 123
- Schoenus* 197, 208; *nigricans* 207, 208, 276
- Scilla autumnalis* 150; *bifolia* (v.c. **29**) 320; *siberica* (v.c. **106**) 439; *verna* 47, 59, 208
- Scrophularia auriculata* (v.c. **81**) 313; *nodosa* 58; *umbrosa* 229
- Scutellaria altissima* (v.c. **81**) 313; *galericulata* 238, 240, 249; *minor* 2, 3, (map) 4
- Sedum forsterianum* (v.c. **100**) 431; *rosea* 47; *rupestre* (v.c. **85**) 306; *sexangulare* (v.c. **29**) 306; *telephium* (v.c. **106**) 431; *villosum* 128
- Selaginella kraussiana* 260, (v.c. **113(S)**) 425; *selaginoides* 128, 207
- Selby, Peter John (1946-2003) (Obit.) 224-225
- Senecio* × *albescens* (v.c. **85**) 316; *cineraria* (v.c. **85**) 316; *cineraria* × *jacobaea* (v.c. **85**) 316; *erucifolius* (v.c. **42**) 316; *inaequidens* (v.c. **33**, **58**) 316, (v.c. **6**) 436; *jacobaea* 406; *sylvaticus* (v.c. **104**) 316; *vulgaris* 138;
- Sequoia sempervirens* (v.c. **100**) 426
- Sequoiadendron giganteum* 406, (v.c. **100**) 426
- Serratula tinctoria* 2, 3
- Setaria pumila* (v.c. **70**, **94**) 320; *verticillata* (v.c. **70**) 320; *viridis* (v.c. **94**) 320
- Sherardia arvensis* 57
- Showler, A.J., with R.A. Nicholson & T.C.G. Rich - Further observations on the ecology and distribution of *Cardamine bulbifera* (L.) Crantz (Brassicaceae) in the British Isles 99-106
- Sidalcea neomexicana* 297, 298
- Sieber, V.K., with J.E. Wentworth & C. Ferris - An assessment of the origin of *Alopecurus geniculatus* L. based on 2C DNA amounts, NOR sites, RAPDs and cpDNA analysis 137-155
- Silene acaulis* 47; *gallica* (v.c. **80**) 429; × *hampeana* (v.c. **100**) 429; *latifolia* 59; *latifolia* × *dioica* (v.c. **100**) 429
- Simethis planifolia* 297
- Simpson, Francis William (1912-2003) (Obit.) 228-230, (illus.) 228
- Sinadoxa* 265
- Sinapis alba* (v.c. **2**) 430; *arvensis* 245
- Sison amomum* (v.c. **42**) 311
- Sisyrinchium bermudiana* 34, 297, (v.c. **35**) 321; *striatum* (v.c. **58**) 439
- Skimmia japonica* (v.c. **77**) 434
- Smith, Philip Morgans (1941-2004) (Obit.) 225-227, (illus.) 226
- Snow, L., with C. Pope & D. Allen - *The Isle of Wight Flora* (Bk Rev.) 216-217
- Solanum laciniatum* (v.c. **11**, **58**) 312; *rostratum* (v.c. **58**, **85**, **95**) 312
- Soleirolia soleirolii* (v.c. **81**) 301, (v.c. **73**, **100**) 427
- Solidago canadensis* (v.c. **91**) 436; *virgaurea* 406
- Sonchus oleraceus* 245
- Sorbus* 185, 187, 188, 213, 326, 369, 373, 374, species (Rosaceae). Population sizes of three rare Welsh endemic, 381-388; *anglica* 188, 373, 383, 386; *aria* 54, 56, 185, 188, 369-371, 373, 375, 377, 380, 383, 385, var. *incisa* 191; *aria* s.l. 186; *aucuparia* 283, 385, 386; *bristoliensis* 188; *devoniensis* 373; *eminens* 186; *hibernica* 296, E.F. Warb. (Rosaceae). Distribution of the Irish Whitebeam, 369-380, (map) 371, (map) 372; *hungarica* 185; *intermedia* 385; *leptophylla* 381-383, (illus.) 384, 387; *leyana* 381, 385-387; *minima* 381, 383, 386, 387; *porrigens* 369; *porrigentififormis* 186, 369, 373, 382, 383, 385, 386; *rupicola* 369, 373, 375, 377, 383, 385, 386; *wilmottiana* E.F. Warburg, Wilmott's Whitebeam (Rosaceae). The distribution and population sizes of the rare English endemic, 185-191, (illus.) 186, (map) 189
- Sparganium emersum* 235, 247, 249; *erectum* 245, 247, 249, subsp. *microcarpum* (v.c. **H6**) 438, subsp. *oocarpum* (v.c. **6**, **39**, **50**) 320
- Spartina* 139, 147; *alterniflora* 144, 149; *maritima* 144, 149

- Spartium junceum* (v.c. **46**) 309
- Spencer, E.J., with L. Lewis - *Epipactis phyllanthos* var. *cambrensis* (C.A. Thomas) P.D. Sell and other unusual *Epipactis* at Kenfig National Nature Reserve 290-295
- Spergula arvensis* 324
- Spergularia marina* 123, (v.c. **42**) 303; *media* 58, (v.c. **104**) 302; *rubra* (v.c. **104**) 303; *rupicola* (v.c. **100**) 429
- Sphagnum* 3, 115, 194-197, 199, 276; *pulchrum* 115
- Spiraea* × *pseudosalicifolia* (v.c. **81**) 306; × *rosalba* (v.c. **85**) 306; *salicifolia* × *alba* (v.c. **85**) 306; *salicifolia* × *douglasii* (v.c. **81**) 306
- Spiranthes aestivalis* (Poir.) Rich. (Orchidaceae) (Summer Lady's-tresses) in north-west Europe. A summary of the past and present status of, 193-201, (map) 200; *romanzoffiana* (v.c. **103**) 322, (v.c. **103**) 439, 441; *spiralis* 193, 194
- Spirodela polyrhiza* 238, 239, 243, 245, 247
- Stace, C.A. - Plants found in Ireland but not in Britain 296-298
- Stace, C.A. - Obit. of Joan Florence Hall (1919-2004) 441-442
- Stace, C.A., Ellis, R.G., Kent, D.H. & McCosh, D.J. (eds) - *The vice-county census catalogue of the vascular plants of Great Britain* (Bk Rev.) 217-219
- Stace, C.A., van der Meijden, R. & de Kort, I. (eds) - *Interactive Flora of the British Isles*. (DVD-ROM) (Software Rev.) 326-328
- Stachys* × *ambigua* 58, 235, 241, 251, (v.c. **43**) 313; *byzantina* (v.c. **85**) 313; *officinalis* 245, (v.c. **81**) 313; *palustris* 235, 241; *sylvatica* 241, 406; *sylvatica* × *palustris* (v.c. **43**) 313
- Staphylea pinnata* 56
- Stellaria media* 36, 132; *neglecta* (v.c. **100**) 428; *nemorum* subsp. *nemorum* (v.c. **79**) 428
- Stirling, Allan McGregor (1924-2004) (Obit.) 442-444, (illus.) 443
- Stratiotes aloides* 135, 238, 239, 241, 243, 244, 249, 250, 251, 324
- Streptomyces griseus* 141
- Styloanthus* 139
- Suaeda maritima* 122, (v.c. **104**) 302
- Succisa pratensis* 3, 128, 314
- Sumpter, J.P., D'Ayala, R., Parfitt, A.J., Pratt, P., & Raper, C. - The current status of Military (*Orchis militaris*) and Monkey (*Orchis simia*) Orchids in the Chilterns 175-183
- Symphoricarpos* × *chenaultii* (v.c. **42**) 315; *microphyllus* × *orbiculatus* (v.c. **42**) 315
- Symphytum bulbosum* (v.c. **1a**) 435; *caucasicum* (v.c. **13**, **46**) 435; 'Hidcote Blue' (v.c. **57**) 312; *officinale* × *asperum* × *grandiflorum* (v.c. **57**) 312; *officinale* × *asperum* × *tuberosum* (v.c. **33**) 312
- Tagetes erecta* (v.c. **11**) 317
- Tanacetum macrophyllum* (v.c. **94**) 316; *vulgare* 218
- Taraxacum* 220, 406, 444; *acroglossum* (v.c. **23**) 316; *amarellum* 296; *argutum* (v.c. **46**) 315; *atactum* (v.c. **23**) 315; *officinale* 128; *porrigens* (v.c. **35**) 316; *scanium* (v.c. **46**) 315; *undulatum* (v.c. **23**) 316; *webbii* 296
- Taxus baccata* (v.c. **100**) 427
- Taylor, I., with G.C. French *et al.* - Clonal diversity in two recently discovered English populations of *Carex vaginata* Tausch (Cyperaceae) 389-395
- Teesdalia coronopifolia* 40; *lepidium* 22, 40; *nudicaulis* 22, 40
- Tennant, D.J. - A re-assessment of montane willow (*Salix* L., Salicaceae) hybrids in Scotland 65-82
- Tephrosia* 150
- Tetradoxa* 265
- Teucrium scorodonia* 406
- Thalictrum alpinum* 47; *minus* 54, subsp. *arenarium* 53, subsp. *majus* 53
- Thlaspi alpestre* 24, 40; *caerulescens* 34, 40, 47, 60; *calaminare* 24, 30, 32, 40; *macrophyllum* (v.c. **85**) 306; *perfoliatum* 352
- Thuja plicata* (v.c. **100**) 427
- Thymus* 214; *ovatus* 53; *polytrichus* 128; *pulegioides* 53, 54, (v.c. **64**) 435
- Tilia cordata* 266, 268
- Tofieldia palustris* 207; *pusilla* 47, (Michx.) Pers. at the Scottish border 207-208, (v.c. **68**) 438
- Tolmeia menziesii* 260, (v.c. **H6**) 431
- Tradescantia fluminensis* (v.c. **29**, **46**) 317
- Tragopogon pratensis* 245, subsp. *pratensis* (v.c. **11**) 315
- Trichomanes speciosum* 256, 260, 261
- Trichophorum cespitosum* nothosubsp. *foersteri* (v.c. **49**) 318, (v.c. **73**, **79**) 437, subsp. *germanicum* 318; *cespitosum* subsp. *cespitosum* × *cespitosum* subsp. *germanicum* (v.c. **49**) 318, (v.c. **73**, **79**) 437

- Trifolium arvense* 59; *bocconeii* 34; *campestre* 238; *dubium* 245; *hybridum* (v.c. **104**) 309; *medium* 406; *micranthum* (v.c. **81**) 309; *pannonicum* (v.c. **1a**) 433; *pratense* 3; *repens* 128, 423
- Triglochin maritimum* 123; *palustre* 211
- Tripleurospermum inodorum* 59, 111
- Trisetum flavescens* (v.c. **109**) 319
- Tristagma uniflorum* (v.c. **52**) 321
- Triticum aestivum* 144, 149
- Trollius europaeus* 127, 128, 423
- Tsuga heterophylla* (v.c. **100**) 426
- Tulipa* 149; *gesneriana* (v.c. **94**) 320
- Typha angustifolia* 238, 320; × *glauca* (v.c. **5**) 320; *latifolia* (v.c. **104**) 320; *latifolia* × *angustifolia* (v.c. **5**) 320
- Ulex* 276, 277, 416; *europaeus* 245; *gallii* 375, (v.c. **89**) 434; *minor* (v.c. **43, 47**) 309
- Ulmus* 283
- Ulva lactuca* 123
- Urtica dioica* subsp. *galeopsifolia* (v.c. **39**) 301; *urens* 54, 57
- Utricularia minor* (v.c. **78**) 314; *vulgaris* 238, 239, 243
- Vaccinium* 149; *microcarpum* (v.c. **89, 106**) 431; *myrtillus* 128, 286; *oxycoccos* (v.c. **106**) 431
- Valeriana dioica* 128
- Valerianella dentata* 315; *eriocarpa* 323, (v.c. **9**) 315; *locusta* (v.c. **104**) 315; *rimosa* (v.c. **41**) 315
- van der Meijden, R., with C.A. Stace & I. de Kort (eds) - *Interactive Flora of the British Isles*. (DVD-ROM) (Software Rev.) 326-328
- Verbascum blattaria* (v.c. **39, 42**) 313; *phlomoides* (v.c. **81**) 313
- Verbena bonariensis* (v.c. **29**) 313
- Veronica agrestis* 54, 57; *arvensis* 245; *beccabunga* 247, 249; *filiformis* 245, (v.c. **104**) 314; *hederifolia* 245; *longifolia* (v.c. **44**) 314, (v.c. **95**) 436; *peregrina* (v.c. **93**) 314; *persica* (v.c. **104**) 314; *scutellata* 128; *serpyllifolia* 245
- Viburnum tinus* 406
- Vicia* 150; *bithynica* (v.c. **39**) 309; *cracca* 423; *orobus* 3, (map) 4, 47; *tetrasperma* (v.c. **H6**) 433
- Vickery, A.R. - Rev. of *Compendium of symbolic and ritual plants in Europe* (by M. de Cleene & M.C. Lejeune) 214
- Viola* 329; *arvensis* 132, 328; × *contempta* (v.c. **91**) 304; *cornuta* 54, 56; *hirta* (v.c. **27**) 429; *lutea* × *tricolor* × *altaica* (v.c. **106**) 430; *palustris* 128; *persicifolia* 220, 329; *reichenbachiana* 53, (v.c. **46**) 304; *rinviniana* 53, 128, 406; *sylvestris* 53; *tricolor* × *arvensis* (v.c. **91**) 304; × *wittrockiana* (v.c. **106**) 430
- Viscum album* 135
- Vulpia fasciculata* (v.c. **95**) 438
- Wahlenbergia* 36; *gracilis* 54, 56; *hederacea* 2, 3, (map) 4, (v.c. **52**) 314; *lobelioides* 35, 40, 52, 57, subsp. *nutabunda* 40; *lobelioides* s.l. 34; *nutabunda* 28, 29, 31, 33, 35, 36, 40; *riparia* 40
- Walker, K.J., with D.A. Pearman - An examination of J.W. Heslop Harrison's unconfirmed plant records from Rum 45-63
- Watson, H.C. Hewett Cottrell Watson: *Victorian plant ecologist and evolutionist* (by F.N. Egerton) (Bk Rev) 132-134
- Wells, T.C.E. - *The Flora of Huntingdonshire and the Soke of Peterborough* (Bk Rev.) 219-220
- Wentworth, J.E., Sieber, V.K., & Ferris, C. - An assessment of the origin of *Alopecurus geniculatus* L. based on 2C DNA amounts, NOR sites, RAPDs and cpDNA analysis 137-155
- Wilson, P. & King, M. - *Arable plants - a field guide* (Bk Rev.) 131-132
- Woodell, Stanley Reginald John (1928-2004) (Obit.) 329-330, (illus.) 330
- Woodsia alpina* (v.c. **104**) 300
- Young, E., with T. Mundell - Obit. of Peter John Selby (1946-2003) 224-225
- Yucca recurvifolia* (v.c. **9, 29**) 321
- Zannichellia palustris* 238, 239, 243
- Zea mays* 144, 149
- Zostera marina* 55, 58

CONTENTS

PRYCE, R. D. Presidential Address, 2003: The Rhos Pastures of South-west Wales and their Conservation	1-16
PRESTON, C. D. (ed.) John Raven's Report on his visit to the Hebrides, 1948	17-44
PEARMAN, D. A. & WALKER, K. J. An examination of J. W. Heslop Harrison's unconfirmed plant records from Rum	45-63
TENNANT, D. J. A re-assessment of montane willow (<i>Salix</i> L., Salicaceae) hybrids in Scotland	65-82
KELLEHER, C. T., HODKINSON, T. R. & KELLY, D. L. Species status, hybridisation and geographic distribution of Irish populations of <i>Quercus petraea</i> (Matt.) Liebl. and <i>Q. robur</i> L.	83-97
NICHOLSON, R. A., SHOWLER, A. J. & RICH, T. C. G. Further observations on the ecology and distribution of <i>Cardamine bulbifera</i> (L.) Crantz (Brassicaceae) in the British Isles	99-106
GURNEY, M. Jersey Cudweed <i>Gnaphalium luteoalbum</i> L. at Dungeness R.S.P.B. Reserve, East Kent	107-113
PEARMAN, D. A. & RUMSEY, F. J. <i>Drosera</i> × <i>belezeana</i> Camus confirmed for the British Isles	115-119
EDGINGTON, J. A. <i>Sagina maritima</i> Don (Caryophyllaceae) and other halophytes in London	121-126
NOTES	
Corner, R. W. M. <i>Carex vaginata</i> Tausch (Cyperaceae): A sedge new to England ...	127-130
BOOK REVIEWS	131-135
WENTWORTH, J. E. SIEBER, V. K. & FERRIS, C. An assessment of the origin of <i>Alopecurus geniculatus</i> L. based on 2C DNA amounts, NOR sites, RAPDs and cpDNA analysis	137-155
ALLEN, D. E. Five new species of <i>Rubus</i> L. (Rosaceae) mostly from central south England	157-174
SUMPTER, J. P., D'AYALA, R., PARFITT, A. J., PRATT, P. & RAPER, C. The current status of Military (<i>Orchis militaris</i>) and Monkey (<i>Orchis simia</i>) Orchids in the Chilterns	175-183
RICH, T. C. G. & HOUSTON, L. The distribution and population sizes of the rare English endemic <i>Sorbus wilmottiana</i> E. F. Warburg, Wilmott's Whitebeam (Rosaceae)	185-191
FOLEY, M. J. Y. A summary of the past and present status of <i>Spiranthes aestivalis</i> (Poir.) Rich. (Orchidaceae) (Summer Lady's-tresses) in north-west Europe ...	193-201
MASKEW, R. & PRIMAVESI, A. L. A re-examination of <i>Rosa</i> × <i>perthensis</i> Rouy ...	203-205
NOTES	
Braithwaite, M. E. <i>Tofieldia pusilla</i> (Michx.) Pers. At the Scottish Border	207-208
Allen, D. E. The taxonomic status of <i>Rubus orbifolius</i> sensu W. C. R. Watson (Rosaceae)	208-210
Butler, J. K. A new site in Caithness for <i>Saxifraga hirculus</i>	210-211
Bull, A. L. <i>Rubus cromerensis</i> A. L. Bull (Rosaceae) must give way to <i>R. neumannianus</i> Weber & Vannerom which has priority	212
BOOK REVIEWS	213-220
OBITUARIES	221-230

GREENWOOD, E. F. The changing flora of the Lancaster Canal in West Lancaster (v.c. 60)	231–253
MURPHY, R. J. & RUMSEY, F. J. <i>Cystopteris diaphana</i> (Bory) Blasdell (Woodsiaceae) – an overlooked native new to the British Isles?	255–263
HOLMES, D. S. Sexual reproduction in British populations of <i>Adoxa moschatellina</i> L.	265–273
RICH, T. C. G., EVANS, S. B., EVANS, A. E., MAGNANON, S., HOPKINS, F., CALDAS, F. B., PRYOR, K. V. & LLEDÓ, M. D. Distribution of the western European endemic <i>Centaureum scilloides</i> (L. f.) Samp. (Gentianaceae), Perennial Centaury	275–281
RICH, T. C. G. Conservation of Britain's Biodiversity: <i>Hieracium neocoracinum</i> (Asteraceae), Craig Cerrig-gleisiad Hawkweed	283–287
NOTES	
Allen, D. E. North Wales species of <i>Rubus</i> L. (Rosaceae) in the Isle of Wight	289–290
Lewis, L. & Spencer, E. J. <i>Epipactis phyllanthes</i> var. <i>cambrensis</i> (C. A. Thomas) P. D. Sell and other unusual <i>Epipactis</i> at Kenfig National Nature Reserve	290–295
Stace, C. A. Plants found in Ireland but not in Britain	296–298
PLANT RECORDS	299–322
BOOK REVIEWS	323–328
OBITUARY	329–330
PAGE, C. N. Re-appearance of the rare intergeneric hybrid fern <i>Asplenophyllitis jacksonii</i> Alston (Aspleniaceae) in the flora of Cornwall	331–338
MCVEIGH, A., CAREY J. & RICH, T. C. G. Chiltern Gentian, <i>Gentianella germanica</i> (Willd.) Börner (Gentianaceae) in Britain: distribution and current status	339–367
RICH, T. C. G., LOCKTON, A. J. & PARNELL, J. Distribution of the Irish Whitebeam, <i>Sorbus hibernica</i> E. F. Warb. (Rosaceae)	369–380
RICH, T. C. G., MOTLEY, G. S. & KAY, Q. O. N. Population sizes of three rare Welsh endemic <i>Sorbus</i> species (Rosaceae)	381–388
FRENCH, G. C., HOLLINGSWORTH, P. M., CORNER, R. W. M., ROBERTS, F. J. & TAYLOR, I. Clonal diversity in two recently discovered English populations of <i>Carex vaginata</i> Tausch (Cyperaceae)	389–395
RICH, T. C. G. Could <i>Centaureum scilloides</i> (L. f.) Samp. (Gentianaceae), Perennial Centaury, have colonised Britain by sea?	397–401
HUTCHINSON, G. & RICH, T. C. G. Conservation of Britain's biodiversity: <i>Hieracium radyrense</i> (Asteraceae), Radyr Hawkweed	403–407
NOTES	
Rich, T. C. G. & Allen, D. E. <i>Cardamine</i> <i>×fringsii</i> F. Wirtgen (Brassicaceae) in the British Isles	409–412
Maskew, R. & Primavesi, A. L. What is <i>Rosa alba</i> ?	412–413
Nelson, E. C. <i>Erica mackaiana</i> Bab. and <i>Erica ×stuartii</i> (MacFarl.) Mast. (Ericaceae): two heathers new to South Kerry (v.c. H1), Ireland	414–417
Allen, D. E. <i>Rubus radulicaulis</i> Sudre (Rosaceae) in the Solent region	417–419
Bull, A. L. & Leslie, A. C. A hitherto undescribed bramble <i>Rubus</i> Sect. <i>Corylifolii</i> (Rosaceae) of chalky boulder clay in East Anglia	419–422
Braithwaite, M. E. <i>Hierochloa odorata</i> (L.) Beauv. (Poaceae) - a grass new to England	423–424
PLANT RECORDS	425–439
OBITUARIES	441–444



3 9088 01759 1066