



OPEN ACCESS

EDITED AND REVIEWED BY
Varun Sasidharan Nair,
Italian Institute of Technology (IIT), Italy

*CORRESPONDENCE

Yvonne Samstag

✉ yvonne.samstag@urz.uni-heidelberg.de

RECEIVED 05 December 2025

REVISED 05 December 2025

ACCEPTED 15 December 2025

PUBLISHED 02 January 2026

CITATION

Berschneider KM, Wetterauer B, Sticht C, Orlik C, Jahraus B, Kirchgessner H, Zuieva A, Wölfl S, Lairikyengbam D, Beier V, Wabnitz G, Wetterauer P, Schmiech M and Samstag Y (2026) Correction: Distinct *Arnica montana* L. extracts modulate human T cell activation in different ways via differential inhibition of NFκB and NFAT pathways.
Front. Immunol. 16:1761559.
doi: 10.3389/fimmu.2025.1761559

COPYRIGHT

© 2026 Berschneider, Wetterauer, Sticht, Orlik, Jahraus, Kirchgessner, Zuieva, Wölfl, Lairikyengbam, Beier, Wabnitz, Wetterauer, Schmiech and Samstag. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Correction: Distinct *Arnica montana* L. extracts modulate human T cell activation in different ways via differential inhibition of NFκB and NFAT pathways

Karina M. Berschneider¹, Bernhard Wetterauer², Carsten Sticht³, Christian Orlik¹, Beate Jahraus¹, Henning Kirchgessner¹, Anastasiia Zuieva², Stefan Wölfl², Divya Lairikyengbam¹, Verena Beier¹, Guido Wabnitz¹, Pille Wetterauer², Michael Schmiech⁴ and Yvonne Samstag^{1*}

¹Section Molecular Immunology, Institute of Immunology, Heidelberg University Hospital, Heidelberg, Germany, ²Institute of Pharmacy and Molecular Biotechnology, Heidelberg University, Heidelberg, Germany, ³Next Generation Sequencing Core Facility, Medical Faculty Mannheim, Heidelberg University, Mannheim, Germany, ⁴Institute of Experimental and Clinical Pharmacology, Toxicology and Pharmacology of Natural Products, University of Ulm, Ulm, Germany

KEYWORDS

Arnica montana L. extracts, primary human T cells (PBTs), immunomodulation, NFκB, NFAT, thymol, helenalin, LC-MS/MS

A Correction on

Distinct *Arnica montana* L. extracts modulate human T cell activation in different ways via differential inhibition of NFκB and NFAT pathways

By Berschneider KM, Wetterauer B, Sticht C, Orlik C, Jahraus B, Kirchgessner H, Zuieva A, Wölfl S, Lairikyengbam D, Beier V, Wabnitz G, Wetterauer P, Schmiech M and Samstag Y (2025) *Front. Immunol.* 16:1655212. doi: 10.3389/fimmu.2025.1655212

There was a mistake in **Table 3** as published. The arrow in the first row “Ferm”, last column “NFAT-dependent gene expression” must be dark grey and without brackets, showing a significant effect. The corrected **Table 3** appears below.

The original version of this article has been updated.

Publisher’s note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

TABLE 3 Differential effects of *Arnica montana* L. extracts, thymol and helenalin on NFκB versus NFAT signaling.

	Proliferation	IL-2 production	NFκB nuclear translocation	NFκB DNA binding	NFAT-dependent gene expression
Ferm	↓	↓	-	(↓)	↓
Tota	↓	↓	-	(↓)	(↓)
Radix	↓	↓	-	↓	-
Thymol	↓	↓	↓	↓	↓
Helenalin	↓	↓	(↓)	(↓)	-

Dilutions and concentrations used were: Ferm (1:1000), Tota (1:1000), Radix (1:1000), helenalin (0.25 mM) and thymol (500 mM). Dark arrows mean a significant effect, light arrows show effects by trend.