
Research Article

New combinations in Amaryllidaceae

Rajeev Kumar Singh

Botanical Survey of India, Arid Zone Regional Centre, AIIMS Road, Jodhpur - 342014, Rajasthan, India

E-mail: rksbsiadsingh@gmail.com; ORCID: <https://orcid.org/0000-0002-0136-9243>

Article Details: Received: 2025-11-15 | Accepted: 2026-06-08 | Available online: 2026-06-16



Licensed under a Creative Commons Attribution 4.0 International License

Abstract: Molecular evidence supports the inclusion of *Habranthus* Herb. within *Zephyranthes* Herb. Consequently, four species formerly placed in *Habranthus* are here transferred to *Zephyranthes*. In addition, morphological characters described in the protologue of *Amaryllis nervosa* Poir. ($\equiv$ *Amaryllis striata* Jacq.) support its placement in *Brunsvigia* Heist., for which a new combination is provided. A lectotype is also designated for *Habranthus flavus* Phil.

Keywords: *Amaryllis*, *Brunsvigia*, Chile, *Habranthus*, Lectotype, South Africa, *Zephyranthes*

Introduction

Recent molecular phylogenetic studies have shown that *Habranthus* Herb. is congeneric with *Zephyranthes* Herb. (García et al., 2019). Accordingly, four species previously assigned to *Habranthus* are here transferred to *Zephyranthes*. A lectotype is designated here for the name *Habranthus flavus* Phil. in accordance with Art. 9 of the International Code of Nomenclature for algae, fungi, and plants (Turland et al., 2025). Furthermore, the vegetative and floral characters described in the protologue of *Amaryllis nervosa* Poir. ($\equiv$ *Amaryllis striata* Jacq.) are consistent with those of *Brunsvigia* Heist., supporting its transfer to that genus.

New combinations

Brunsvigia nervosa (Poir.) R.Kr.Singh, *comb. nov.*

$\equiv$ *Amaryllis nervosa* Poir., Encycl., Suppl. 1: 321. 1810. *Amaryllis striata* Jacq., Pl. Rar. Hort. Schoenbr. 1: 36. 1797, *nom. illeg., non* Lam., Encycl. [J. Lamarck & al.] 1: 125. 1783. *Brunsvigia striata* (Jacq.) W.T.Aiton, Hort. Kew., ed. 2 [W.T. Aiton] 2: 231. 1811, *nom. illeg. et superfl.*

Holotype: South Africa, Cape of Good Hope, *s.d.*, *F. Masson s.n.* (BM000911875!, Figure 1).

Distribution: South Africa (Cape Provinces).

Zephyranthes bakeri (Phil.) R.Kr.Singh, *comb. nov.*

≡ *Habranthus bakeri* Phil., *Anales Univ. Chile* 93: 150. 1896. *Amaryllis bakeri* (Phil.) Traub & Uphof, *Herbertia* 5: 130. 1938. *Rhodophiala bakeri* (Phil.) Traub, *Pl. Life (Stanford)* 9: 60. 1953.

Type: Chile, Talca Province, Maule, *Fridericus filius s.n.* (SGO).

Distribution: Chile (Talca Province, Maule Region).

Notes: Herbarium specimen of this species collected in 1969 is traced at L (L1454657!, Figure 2).

Zephyranthes consobrina (Phil.) R.Kr.Singh, *comb. nov.*

≡ *Hippeastrum consobrinum* Phil., *Anales Univ. Chile* 93: 152. 1896. *Amaryllis consobrina* (Phil.) Traub & Uphof, *Herbertia* 5: 131. 1938, *nom. illeg., non* Sweet ex Gorrie, *Miller's Dict. Gard.* 186. 1834. *Rhodophiala consobrina* (Phil.) Traub, *Pl. Life (Stanford)* 9: 59. 1953.

Type: Chile, Santiago, *Anon. s.n.* (SGO).

Distribution: Chile (Santiago Province).

Zephyranthes lineata (Phil.) R.Kr.Singh, *comb. nov.*

≡ *Habranthus lineatus* Phil., *Anales Univ. Chile* 43: 542. 1873. *Hippeastrum lineatum* (Phil.) Baker, *J. Bot.* 16: 82. 1878. *Amaryllis lineata* (Phil.) Traub & Uphof, *Herbertia* 5: 122. 1938, *nom. illeg., non* Lam., *Encycl. [J. Lamarck & al.]* 1(1): 123. 1783. *Rhodophiala lineata* (Phil.) Traub, *Pl. Life (Stanford)* 9: 60. 1953.

Holotype: Chile, Andibus, Santiago, 20 December 1871, *R.A. Philippi s.n.* (SGO000001046!).

Distribution: Chile (Santiago Province).

Zephyranthes solisii (Phil.) R.Kr.Singh, *comb. nov.*

≡ *Hippeastrum solisii* Phil., *Anales Univ. Chile* 93: 155. 1896. *Amaryllis solisii* (Phil.) Traub & Uphof, *Herbertia* 5: 131. 1938. *Habranthus flavus* Phil., *Anales Univ. Chile* 27: 333. 1865. *Amaryllis flava* (Phil.) Traub & Uphof, *Herbertia* 6: 150. 1940. *Rhodophiala flava* (Phil.) Traub, *Pl. Life (Stanford)* 9: 60. 1953. *Hippeastrum flavum* (Phil.) Christenh. & Byng, *Global Fl.* 4: 60. 2018.

Lectotype (designated here): Chile, Chillán, Hacienda de Colicheo, 1864, *M.A. de Solis s.n.* (SGO000001045!); isolectotypes F0BN009973!, SGO000001044!.

Distribution: Chile (Ñuble Region).



Figure 1: Holotype of *Amaryllis striata* Jacq. (BM000911875, © The Natural History Museum, London)




Figure 2: *Habranthus bakeri* Phil. (L1454657, © Naturalis Biodiversity Center, Leiden)

Notes: Three specimens were traced for the name *Habranthus flavus* Phil. (F0BN009973, SGO000001044 and SGO000001045). Among these, the better-preserved specimen SGO000001045, is designated here as the lectotype as it agrees well with the protologue.

Acknowledgements

The first author thanks the Director, Botanical Survey of India, Kolkata and the Head of Office, Botanical Survey of India, Arid Zone Regional Centre, Jodhpur for providing facilities.

References

- Garcia, N., Meerow, A.W., Arroyo-Leuenberger, S., Oliveira, R.S., Dutilh, J.H., Soltis, P.S. and Judd W.S. (2019). Generic classification of Amaryllidaceae tribe Hippeastreae. *Taxon* 68(3): 481–498. <https://doi.org/10.1002/tax.12062>
- Turland, N.J., Wiersema, J.H., Barrie, F.R., Gandhi, K.N., Gravendyck, J., Greuter, W., Hawksworth, D.L., Herendeen, P.S., Klopfer, R.R., Knapp, S., Kusber, W.-H., Li, D.-Z., May, T.W., Monro, A.M., Prado, J., Price, M.J., Smith, G.F. and Zamora Señoret, J.C. (2025). International Code of Nomenclature for algae, fungi, and plants (Madrid Code). *Regnum Vegetabile* 162. University of Chicago Press, Chicago. <https://doi.org/10.7208/chicago/9780226839479.001.0001>