

CORRECTION

Correction: Effects of sorghum residue in presence of pre-emergence herbicides on emergence and biomass of *Echinochloa colona* and *Chloris virgata*


Ahmadreza Mobli, Abhimanyu Rinwa, Sahil, Bhagirath Singh Chauhan

The PRE herbicide names metolachlor and prosulfocarb + s-metolachlor appear incorrectly throughout the article. The correct names are s-metolachlor and prosulfocarb + s-metolachlor.

Additionally, the PRE herbicide doses appear incorrectly throughout the article. The correct doses are imazethapyr (70 and 105 g a. i. ha⁻¹), isoxaflutole (75 and 150 g a. i. ha⁻¹), s-metolachlor (1.44 and 2.16 kg a. i. ha⁻¹), pendimethalin (0.99 and 1.49 kg a. i. ha⁻¹) and prosulfocarb + s-metolachlor (2.3 and 3.45 kg a. i. ha⁻¹).

Reference

1. Mobli A, Rinwa A, Sahil Chauhan BS (2020) Effects of sorghum residue in presence of pre-emergence herbicides on emergence and biomass of *Echinochloa colona* and *Chloris virgata*. PLoS ONE 15(3): e0229817. <https://doi.org/10.1371/journal.pone.0229817> PMID: 32119693



OPEN ACCESS

Citation: Mobli A, Rinwa A, Sahil , Chauhan BS (2022) Correction: Effects of sorghum residue in presence of pre-emergence herbicides on emergence and biomass of *Echinochloa colona* and *Chloris virgata*. PLoS ONE 17(3): e0265522. <https://doi.org/10.1371/journal.pone.0265522>

Published: March 10, 2022

Copyright: © 2022 Mobli et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.