

Role of Kudachi Bhint (Karvi Wall) Case of Nashik.

Jayant Patil

Fourth Year Student

Sinhgad College Of Architecture, Pune.

jayantpatil2103@gmail.com

Abstract.

This research paper examines the Kudachi Bhint, a traditional wall construction method utilized by the Warli community in Nashik, Maharashtra. It aims to highlight the advantages and disadvantages of this building technique, offering insights into its role in sustainable architecture. The Kudachi Bhint is constructed using locally sourced materials such as mud, cow dung, and Karvi sticks, providing notable benefits including excellent thermal insulation, fire resistance, and low construction costs. These features contribute to a comfortable and eco-friendly living environment, aligning with the community's sustainable practices.

However, the research also addresses the limitations of Kudachi Bhint construction, including susceptibility to moisture, structural degradation over time, and challenges posed by modern urbanization. To mitigate these issues, the paper proposes solutions and alternatives, such as improved material treatments, reinforcement techniques, and the integration of modern technology while preserving traditional practices.

By exploring the Kudachi Bhint's strengths and weaknesses, this research aims to foster a deeper understanding of traditional building techniques and their relevance in contemporary architecture. The findings advocate for the preservation of cultural heritage while promoting sustainable construction practices that can adapt to modern needs, ultimately contributing to a more sustainable future.

Introduction.

The study of traditional building materials and techniques is essential for understanding the cultural and historical context of architecture. In India, a country known for its rich diversity in languages, customs, and architectural styles, traditional construction practices offer valuable insights into sustainable living and the harmonious relationship between communities and their environment. Among these practices, the use of local materials in building methods, such as **Kudachi Bhint** and **Karvi walls**, is particularly noteworthy. This research paper aims to explore the significance of these traditional structures within the Warli community in Nashik, Maharashtra, highlighting the materials used, their properties, and their role in sustainable construction.

Nashik, located in the western region of India, is home to the Warli tribe, one of the oldest indigenous communities in the country. The Warli people have a unique cultural heritage that is expressed through their art, rituals, and building practices. Traditional structures, like the Kudachi Bhint and Karvi walls, are not merely functional; they embody the tribe's way of life and their deep connection to nature. These buildings are constructed using locally available materials, such as mud, cow dung, and Karvi sticks, which reflect a sustainable approach to

construction. By studying these materials and techniques, we gain insight into how the Warli community has adapted to their environment over generations.

The Kudachi Bhint, characterized by its use of mud and cow dung, represents a time-honored method of construction that is both environmentally friendly and cost-effective. Mud, with its excellent thermal insulation properties, helps regulate indoor temperatures, keeping homes comfortable throughout the year. Furthermore, cow dung serves as a natural binding agent, enhancing the strength and durability of the walls. This combination of materials not only provides structural integrity but also contributes to the overall well-being of the inhabitants by creating a healthy living environment.

In addition to mud and cow dung, **Karvi sticks** are another significant component of traditional construction in Nashik. Sourced from the Western Ghats, these sticks provide tensile strength and act as a sustainable building material. Their use in constructing Karvi walls showcases the Warli community's commitment to using local resources, which supports their sustainable lifestyle. The availability of these materials ensures that the community can maintain their building practices while preserving their cultural identity.

The significance of studying these traditional structures extends beyond understanding their architectural qualities. They offer a glimpse into the social, cultural, and economic aspects of the Warli community. Traditional construction methods, such as those used in Kudachi Bhint and Karvi walls, promote self-sufficiency and sustainability, allowing communities to thrive without relying heavily on external resources. In an era where environmental concerns are at the forefront, these practices serve as valuable lessons for contemporary sustainable architecture.

Moreover, the Warli community's approach to construction is deeply rooted in their cultural beliefs and practices. The use of natural materials symbolizes a profound respect for nature and emphasizes the interconnectedness between people and their environment. By incorporating locally sourced materials, the Warli people maintain a strong sense of identity and belonging, reinforcing the importance of cultural heritage in the face of modernization.

This research paper will delve into the properties of the materials used in traditional Warli construction, including the compressive strength of mud, the binding qualities of cow dung, and the tensile strength provided by Karvi sticks. Through a detailed literature review and case studies, we will analyze how these materials contribute to the overall sustainability of traditional building practices. By examining the benefits of these materials, we aim to highlight their relevance in contemporary architectural practices and promote the revival of traditional methods in modern construction.

The research will also explore the challenges faced by the Warli community in preserving their traditional building techniques amidst rapid urbanization and changing lifestyles. As urban areas expand, traditional practices are often overshadowed by modern construction methods that prioritize efficiency and cost over sustainability and cultural significance. This paper will address the importance of preserving these traditional practices, advocating for a balanced approach that integrates modern needs with the wisdom of traditional knowledge.

In conclusion, this research paper aims to shed light on the significance of traditional building practices within the Warli community in Nashik. By focusing on the Kudachi Bhint and Karvi walls, we will explore the properties of locally sourced materials, their cultural relevance, and

the sustainable practices embedded in their construction methods. Through this exploration, we hope to contribute to the broader discourse on sustainable architecture and the importance of preserving cultural heritage in the face of modernization. By learning from traditional practices, we can forge a path toward more sustainable and culturally sensitive architectural solutions that honor both the environment and the communities that inhabit it.

Aim- To analyze the role of kudachi bhint in the city of Nashik.

Objectives-

- To analyze and evaluate the advantages and disadvantages of Kudachi Bhint.
- To find the solutions and alternatives for the disadvantages of Kudachi Bhint.
- To study if Kudachi Bhint is a viable option of construction in future.

Need Of Study- Studying Kudachi Bhint, a type of traditional wall in Maharashtra, helps us understand how communities built their homes in the past. These walls aren't just for keeping things in or out; they're also symbols of community identity and tradition. By looking at how they were made and what materials were used, we can learn about the skills and techniques our ancestors used to build strong and sustainable structures. This knowledge can inspire us to create modern buildings that are better for the environment and more resilient to challenges like weather and time. Plus, studying Kudachi Bhint helps us preserve our cultural heritage by ensuring we don't forget how things were built in the past. So, by studying these walls, we're not just learning about architecture; we're also honoring our history and finding ways to build smarter for the future.

Limitations-The study of Karvi walls in Nashik has a few key limitations. Firstly, Karvi (*Strobilanthes callosa*) grows only in certain regions and seasons, so finding enough of it for construction can be a challenge. This limits how widely Karvi walls can be used and maintained.

Another issue is the lack of consistent building methods for Karvi walls in Nashik. Without standard techniques, there are differences in how well these walls perform, how long they last, and how effective they are at keeping spaces cool or warm. Most construction practices are traditional, with limited modern updates, which slows down innovation.

Additionally, Nashik's climate—with its hot summers, heavy monsoon rains, and mild winters—creates challenges for Karvi walls. The heavy rains can weaken the walls over time, and the dry conditions in summer can also affect their durability. Lastly, there are not enough studies on how Karvi walls handle heat and moisture in Nashik's specific weather. This lack of research makes it hard to determine how long these walls will last, emphasizing the need for more investigation to ensure broader use.

Research Methodology-

Stage	Objective	Activities
Literature Review	To gather existing knowledge on Karvi walls.	• Review research papers. • Analyze previous studies. • Identify knowledge gaps.
Case Study	To analyze existing Karvi wall structures in Nashik.	• Select specific buildings. • Document techniques and quality. • Observe structural performance. • Conduct interviews.
Analysis	To compare literature and case study findings.	• Evaluate performance and limitations. • Good Alternatives.
Conclusion	To provide insights and recommendations.	• Summarize key points. • Highlight benefits and challenges. • Suggest further research.

INDEX

- I. What is Kudachi Bhint?
- II. Why Nashik?
- III. What is the material composition of kudachi bhint.
 - III.a. Mud
 - III.b. Karav sticks
 - III.c Cow Dung
- IV. Case Study.
- V. Advantages and Disadvantages of Kudachi Bhint.
- VI. Solutions and Alternatives.
- VII. Future aspects for Kudachi Bhint.
 - VII.a Viable option for construction in future?
- VIII. Conclusion.

I. What is Kudachi Bhint?

The Kudachi Bhint is a traditional wall system prevalent in rural India, particularly in Maharashtra. Constructed primarily from locally sourced materials such as mud, clay, and cow dung, these walls exemplify sustainable building practices that have been utilized for generations. The use of organic materials not only makes the Kudachi Bhint eco-friendly but also contributes to the thermal regulation of homes, keeping them cool in hot weather and warm during colder months.

These walls are typically built using a specific technique where a mixture of mud, clay, and cow dung is layered to form a sturdy structure. The cow dung serves as a natural binder and adds to the wall's resilience against moisture. Additionally, the aesthetic appeal of Kudachi Bhint can be enhanced with traditional plastering techniques and colorful natural paints, allowing for cultural expression in rural architecture.

Kudachi Bhint structures are often used for residential buildings, storage facilities, and livestock shelters, reflecting the agricultural lifestyle of the communities that build them. With the growing emphasis on sustainable living, the Kudachi Bhint remains an important part of India's architectural heritage, symbolizing the harmonious relationship between rural communities and their environment.

II. Why Nashik?

Nashik is an important area to explore in this research, especially because of its vibrant Warli community, which has a rich cultural heritage. The Warli tribe has been using Karvi walls for many generations, and these walls represent both their architectural style and their deep connection to the land around them.

The Karvi sticks, which are crucial for building these walls, come from the Western Ghats in Maharashtra, including the Nashik region. This mountainous area is home to a variety of plants, including the strong Karvi plant, making it easy for the Warli community to gather the materials they need for construction.

Using Karvi sticks is a smart choice for the Warli people because it aligns with their commitment to sustainability. These materials are not only renewable but also eco-friendly, allowing them to build homes while respecting the environment. By focusing on Nashik and the Warli community, this research aims to shed light on traditional construction methods that help preserve their cultural identity and promote a sustainable lifestyle in harmony with nature.

III. Material Composition.

a. Mud.

Mud plays a vital role in traditional construction, particularly in structures like the Kudachi Bhint and Karvi wall. One of its most significant benefits is its excellent thermal insulation properties. The natural composition of mud allows it to maintain a stable indoor temperature, keeping homes cooler in hot weather and warmer during cold seasons. This thermal efficiency makes mud an ideal material for building in regions with fluctuating temperatures.

In addition to insulation, mud also offers impressive fire resistance. Unlike many modern building materials, mud does not easily ignite, providing an extra layer of safety for inhabitants. This quality is especially important in rural areas where cooking practices may pose a fire risk.

Moreover, constructing with mud is cost-effective. Locally sourced and abundant, mud significantly reduces material costs, making it an accessible choice for many communities. For the Warli community, using mud in Kudachi Bhint and Karvi walls not only preserves their architectural heritage but also supports their sustainable living practices. The combination of thermal insulation, fire resistance, and cost-effectiveness makes mud an invaluable material, ensuring the longevity and resilience of traditional structures while adapting to modern needs.

b. Karav Sticks.

Karvi sticks are essential in traditional construction, especially for structures like the Kudachi Bhint and Karvi wall. One of their standout features is their ability to provide tensile strength, meaning they can handle tension forces effectively. This strength helps ensure that the walls remain stable and durable, able to withstand various environmental pressures.

Beyond their strength, Karvi sticks are also notably **fire resistant**. Unlike many modern materials that can catch fire easily, Karvi sticks resist ignition, offering an added layer of safety for families. This is particularly important in rural areas where cooking practices might pose a fire risk.

Using Karvi sticks is also **cost-effective**. Since they are locally sourced and plentiful, they help keep construction costs down, making them an accessible choice for many communities. For the Warli people, incorporating Karvi sticks into their Kudachi Bhint and Karvi walls not only helps maintain their cultural heritage but also promotes sustainable living. The combination of tensile strength, fire resistance, and affordability makes Karvi sticks a valuable building material, ensuring that these traditional structures remain strong and resilient while adapting to modern needs.

c. Cow Dung.

Cow dung plays a vital role in traditional construction, especially in structures like the **Kudachi Bhint** and **Karvi wall**. One of its impressive qualities is its excellent **compressive strength**, which means it can support heavy loads and help keep the walls stable. This strength is essential for ensuring that these structures can endure various environmental pressures over time.

Beyond just strength, cow dung acts as a natural **binding agent**. When mixed with other materials like mud, it enhances their cohesion, resulting in a sturdy and durable wall. This quality is key to maintaining the integrity of the structure and ensuring it lasts for years.

Additionally, cow dung has remarkable **antimicrobial properties**. This means it can help prevent the growth of harmful bacteria and fungi, contributing to a healthier

living environment. This is especially important in rural areas, where sanitation can sometimes be a challenge.

Using cow dung is also **cost-effective**. Since it's locally sourced and abundant, it helps keep construction costs low, making it an accessible choice for many communities. For the Warli people, incorporating cow dung into their Kudachi Bhint and Karvi walls not only preserves their cultural heritage but also promotes sustainable living. With its combination of compressive strength, binding properties, and health benefits, cow dung is a valuable building material that ensures these traditional structures remain strong and resilient while adapting to modern needs

IV. Case Study.

Site Analysis.

Aspect	Details
Location	Jamunde Village, Igatpuri, Maharashtra, India
Topography	Hilly terrain, with gentle slopes; surrounded by Western Ghats
Climate	Tropical wet and dry; hot summers (30-35°C), mild winters (15-20°C), heavy monsoon rains (June to September)
Vegetation	Dense forest cover, including Karvi bushes and other native flora
Nearby Infrastructure	Close to main roads, local markets, schools, and health facilities



Plastered Wall



Unplastered Wall

Construction Method

Karvi Sticks:

Length: Typically, the Karvi sticks used range between 1.5 to 2 meters in length.

These stems are woven horizontally through wooden posts and bamboo supports, creating the core structure of the wall.

Plastering and Moisture Protection: To protect the Karvi sticks from moisture, a mixture of mud and cow dung is applied as plaster. The traditional 2:1 mixture (mud

ding) provides protection against rain and humidity. A thinner 1:4 mixture is used for the final plastering layer, enhancing the wall's appearance and further moisture resistance.

Wooden Frame and Roof: The structure consists of wooden posts that are firmly set into the ground, with beams and horizontal bamboo sticks tied with ropes at intervals of 600-800 mm. These sticks provide the framework for the Karvi panels. The wooden frame also supports the roof, which is critical in ensuring the longevity of the structure by preventing water damage to the Karvi walls.

Seasoning Process: Mature wood, typically teak, babul, or khair, is selected during the month of Bhadrapada (September). It is submerged in water for seasoning, sometimes with rock salt added. The wood is then dried and used as framing material. This process helps increase durability and reduces the risk of pest attacks.

Temperature Regulation

The Karvi wall acts as an effective natural insulator. Due to the natural properties of the Karvi stems and the mud-cow dung plaster, the temperature inside structures with Karvi walls tends to be cooler than the outside environment. The wall's porous nature and the thickness of the mud plaster allow for slow heat transfer, which helps in maintaining a cool interior temperature.

- **Inside Temperature:** Recorded to be around 4-6°C cooler compared to the outside.
- **Outside Temperature:** During peak summer, it can reach up to 35-40°C in this region.

This cooling effect is particularly effective when the orientation of the building allows for optimal airflow and minimal direct sunlight exposure during the hottest part of the day. Proper placement of windows and doors ensures adequate ventilation, further aiding in temperature regulation.



Mangalore Tiles Roofing



Portion of wall kept open for ventilation

V. Advantages and Disadvantages

Advantages	Disadvantages
Easily available materials	Limited lifespan (3-4 years)
Low carbon emission	Requires regular maintenance
Allows curved shapes	Needs a robust roof and foundation
Recyclable and non-toxic	Cannot bear heavy loads
Good thermal insulation	Limited height and structure possibilities
Low cost	Fire hazard
Easy to repair	Forest Department restrictions

VI. Solutions and Alternatives.

For generations, tribal communities in regions like Igatpuri and Nashik have relied on Karvi sticks to build their homes. However, the landscape of traditional construction has changed dramatically due to government regulations. Under the **Forest Conservation Act, 1980**, harvesting Karvi plants has been restricted to protect forest resources. This has led the locals to explore alternatives, aided by government support of up to **1 lakh INR** for constructing pucca (permanent) houses. As a result, they have adapted by using materials such as Jowar stalks, bamboo, and mild steel (MS) sections, each bringing unique benefits.

1. Jowar Stalks: A Practical and Affordable Choice

Jowar, or sorghum, has become a popular alternative for those looking to replace Karvi. The stalks are flexible, sturdy, and, most importantly, readily available during harvest time. This makes it a practical choice for communities:

- **Longer Lifespan:** Walls made from Jowar stalks tend to last 1-2 years longer than traditional Karvi walls, which can be a huge relief for families who used to worry about frequent repairs.
- **Cost-Effective:** Jowar is a crop grown locally, so the stalks are easy to source and less expensive than other options like bamboo. For many, this means building a home without breaking the bank.
- **Easily Available:** Unlike Karvi, which grows wild and is protected, Jowar is cultivated and harvested regularly, making it accessible to the locals whenever needed.



Jowar Twigs Wall

2. Bamboo: Durable and Versatile

Bamboo has long been known for its strength and flexibility, and now it's becoming a staple in local construction. People have not only started using bamboo to build their walls but also to create **readymade wall panels** that can be easily bought and installed:

- **Increased Durability:** Bamboo walls last much longer than those made from Karvi. With proper treatment, bamboo can withstand harsh weather conditions, reducing the need for frequent maintenance.
- **Adaptable and Easy to Use:** Just like Karvi, bamboo can be used to create various shapes and designs, offering a lot of flexibility. But it has the added advantage of being sturdier and more resilient.
- **Commercial Availability:** Bamboo's growing popularity has led to small businesses offering readymade bamboo wall panels. For those who need a quick and reliable solution, these panels save both time and effort, though they come at a slightly higher cost.



Bamboo Wall

3. MS Sections: Strength and Safety

While natural materials like Jowar and bamboo are great, some locals have taken a more modern approach by using **mild steel (MS) sections**. These steel frames replace the traditional wooden supports, bringing a new level of strength and safety:

- **Better Structural Strength:** Unlike wood, MS sections can handle heavier loads, providing greater support for the walls and roof. This makes buildings sturdier and less prone to collapse, especially during extreme weather.
- **Durable and Low Maintenance:** Steel doesn't rot, warp, or attract termites, which makes it a longer-lasting option than wood. This durability means families can spend less time and money on repairs.

- **Fire Resistance:** One of the biggest concerns with traditional materials is their flammability. MS sections are less susceptible to fire, offering peace of mind and added safety to homeowners.



Wall with MS sections

This research paper focused on the Kudachi Bhint, a traditional construction technique used by the Warli community in Nashik. From the study, several key insights emerged, reflecting the potential of these traditional methods for future construction.

Inferences:

1. **From the Literature Review:** The literature emphasized that Kudachi Bhint construction uses local materials like mud, cow dung, and Karvi sticks, which are eco-friendly, affordable, and provide great thermal insulation. This makes them suitable for regions with fluctuating temperatures. However, these materials can be vulnerable to moisture, which may lead to degradation over time. The research also pointed out that traditional building techniques foster sustainability, a core aspect of contemporary architecture, but face challenges due to the increasing popularity of modern materials and construction methods.
2. **From the Case Study:** The case study of Jamunde Village in Igatpuri demonstrated that the Kudachi Bhint and Karvi walls are still effective in providing comfortable living conditions. The use of Karvi sticks contributes to the structural strength and flexibility of the walls, while the mud and cow dung mixture offers insulation and natural fire resistance. However, the study highlighted issues such as the limited lifespan of these structures (around 3-4 years), high maintenance requirements, and restrictions on harvesting Karvi sticks due to forest conservation laws. It also explored potential alternatives like bamboo, Jowar stalks, and steel frames, which could help extend the life and improve the durability of these traditional walls.

VIII. Conclusion:

Based on the information gathered from the literature and case study, it is clear that the Kudachi Bhint construction technique has several benefits that make it a valuable part of Nashik's architectural heritage. The literature shows that these traditional materials are sustainable, cost-effective, and suitable for maintaining a comfortable indoor environment, which aligns well with modern ideas of eco-friendly construction. However,

it also pointed out weaknesses, such as vulnerability to moisture and the challenges of maintaining these structures over time.

The case study confirmed these findings, showing that while Kudachi Bhint constructions are still in use, they require frequent repairs and face limitations due to regulations on natural resource harvesting. But it also introduced viable alternatives like bamboo and steel, which could offer a way to preserve these traditional methods while overcoming some of their drawbacks.

Conclusion Statement: In conclusion, while the Kudachi Bhint has some challenges, the insights from this research suggest that this traditional wall can still play a role in future construction in Nashik. By integrating modern materials and techniques, such as bamboo and mild steel, and considering improved treatments to make the structure more durable and moisture-resistant, it is possible to keep these traditional methods alive. This way, Nashik can maintain a connection to its cultural heritage while also moving towards more sustainable building practices.

References.

1. Shruthi et al.,(2013) 'Mud Architecture'; *International journal of innovative research in science, engineering and technology*, volume 2, p. 47-52. Arunima et al., (2019)
2. 'Study of strength of earthbrick reinforced with coirfibre and cowdung' *International Journal of engineering research and technology (IJERT)*, volume 8, issue 06, p. 834-839.
3. Yalley P., Manu D.(2013) 'Strength and durability properties of cow dungChavan stabilized earth brick'; *ITSTE*, volume 3, p. 117-125.
4. Fahim et al., (2022) 'Bamboo as a construction material: Prospects and Challenges'; *Advances in science and technology research journal*, p.165-175.
5. Chavan , C., Chandar, S. (2022) 'Understanding the sustainable design principles of traditional houses: The Case of Sawantwadi, Maharashtra, India.'; *Journal of international society for the study of vernacular settlements*, volume 9, p.161-178.
6. Thakur, A., Kaur, H. (2020) ' Kath-Kuni- A dying craft of Himachal Pradesh'; *International journal of research and analytical reviews (IJRAR)*, volume 7, issue 4 , p.731-735.
7. Raju, H. (2017) 'Design as Culture: Understanding vernacular architecture of indigenous tribal community of India.; *Conference paper in smart Innovation*, p.879-891.
8. Julita et al., (2022) 'An alternative study of adaptive partition design from cowdung.'; *Journal of architecture and built environment*, volume49, p. 1-8.
9. Raj, D. Agarwal, B. (2014) 'Bamboo as a building material'; *Journal of civil engineering and environmental technology*, volume 1, p. 56-61
10. Mithra, S. (2022) 'Architectural analysis of mud housing and adobe housing: Case of Bengal'; *IJRPR*, volume 3, p.560-575.