

IN-VITRO ANTI-DIABETIC POTENTIAL AND PHYTOCHEMICAL SCREENING OF *BAUHINIA VARIEGATA*

Pranav Vashisth¹, Dr. Esha Vatsa^{2*}, Krati³, Nidhi Chaudhary³ and Dr. Amandeep Singh⁴

¹Student, School of Pharmaceutical Sciences, Jigyasa University (Formerly Himgiri Zee University), Dehradun.

^{2,3}Assistant Professor, School of Pharmaceutical Sciences, Jigyasa University (Formerly Himgiri Zee University), Dehradun.

⁴Principal & Professor, School of Pharmaceutical Sciences, Jigyasa University (Formerly Himgiri Zee University), Dehradun.

Article Received: 01 May 2025 // Article Revised: 23 May 2025 // Article Accepted: 13 June 2025

***Corresponding Author: Dr. Esha Vatsa**

Assistant Professor, School of Pharmaceutical Sciences, Jigyasa University (formerly Himgiri zee University), Dehradun.

How to cite this Article: Pranav Vashisth, Dr. Esha Vatsa, Krati, Nidhi Chaudhary and Dr. Amandeep Singh (2025) IN-VITRO ANTI-DIABETIC POTENTIAL AND PHYTOCHEMICAL SCREENING OF *BAUHINIA VARIEGATA*. World Journal of Pharmaceutical Science and Research, 4(3), 935-952.



Copyright © 2025 Dr. Esha Vatsa | World Journal of Pharmaceutical Science and Research.

This work is licensed under creative Commons Attribution-NonCommercial 4.0 International license (CC BY-NC 4.0)

ABSTRACT

The research aimed to explore the phytochemical composition and potential antidiabetic effects of *Bauhinia variegata*, a medicinal herb traditionally utilized for various health benefits. An in vitro evaluation was conducted on various extracts of the plant to detect the presence of important bioactive compounds including alkaloids, flavonoids, tannins, and saponins. The assessment of antidiabetic activity was carried out by examining the plant's influence on glucose absorption, as well as the inhibition of α -amylase. The findings revealed a significant presence of secondary metabolites, with the extracts demonstrating considerable antidiabetic effects, suggesting that *Bauhinia variegata* may offer valuable therapeutic options for diabetes management.

KEYWORDS: *Bauhinia variegata*, phytochemical screening, antidiabetic activity, α -amylase inhibition, glucose uptake, medicinal plants, secondary metabolites, kachnar.

INTRODUCTION

Diabetes mellitus is a chronic metabolic disorder characterized by elevated blood glucose levels due to insufficient insulin production or impaired insulin utilization. The rising global prevalence of diabetes has driven interest in natural, plant-based remedies. *Bauhinia variegata*, commonly known as the orchid tree, has been traditionally used in various cultures for its therapeutic properties, including potential anti-diabetic effects.^[1-9] However, scientific validation of these effects remains limited. This study aims to evaluate the in-vitro anti-diabetic potential of *Bauhinia variegata*

through inhibition assays of enzymes like alpha-amylase and alpha-glucosidase, alongside a comprehensive phytochemical analysis to identify bioactive compounds. Unhealthy dietary habits, stress, and poor eating environments contribute to diabetes by disrupting insulin production and glucose metabolism.^[10-14] Insulin plays a crucial role in glucose uptake, glycogen synthesis, and inhibition of gluconeogenesis and lipolysis. Its deficiency leads to hyperglycemia, increased fat breakdown, ketone body formation, and elevated counter-regulatory hormones. Natural alternatives like *Bauhinia variegata* could offer cost-effective, safer treatment options, especially in regions relying on traditional medicine.^[15-18]




Fig. 1: Pancreas and its different parts.

Bauhinia variegata, commonly known as the orchid tree or purple bauhinia, is a small to medium-sized deciduous tree from the Fabaceae family, native to tropical and subtropical Asia, including India, Sri Lanka, and Southeast Asia.^[19-21] It is admired for its striking purplish-pink, orchid-like flowers and is widely cultivated as an ornamental tree. The leaves are uniquely bilobed, and the tree produces elongated seed pods and rough, dark gray bark.^[22-26] It thrives in well-drained soils under full sunlight and is often found along roadsides, in gardens, and forested areas. Traditionally, various parts of the plant—leaves, flowers, bark, and roots—are used for treating ailments like diarrhoea, fever, inflammation, skin diseases, and diabetes. In Ayurveda, it is valued for managing skin disorders, gastrointestinal issues, and inflammatory conditions. The tree also contributes to soil conservation and biodiversity, being useful in erosion control and afforestation.^[27-30]



Fig. 2: *Bauhinia variegata* plant.

Chemically, *Bauhinia variegata* contains a rich array of bioactive compounds such as alkaloids (e.g., lysicamine), flavonoids (e.g., quercetin), tannins, saponins, glycosides (e.g., kaempferol), terpenoids (e.g., lupeol), phenolic acids (e.g., gallic acid), essential oils (e.g., monoterpenes), proteins, amino acids (e.g., lysine), and fatty acids (e.g., palmitic acid), which contribute to its medicinal and antioxidant properties.^[31-39]

MATERIAL AND METHODS

Collection and authentication of plant

Fresh plant of *Bauhinia variegata* was collected from Dehradun, Uttarakhand, India in February 2025. The plant was identified and authenticated at the Forest research institute (FRI) Dehradun, Uttarakhand, India with vide reference no. 2549/Dis./2018/Syst.Bot./Rev.Gen./4-5.

Plant Material

The above-ground portions of the *Bauhinia variegata* plant were gathered in Dehradun, Uttarakhand, India. The plant was thoroughly washed, then shade-dried and ground into a powder. The powdered material was passed through Sieve no. 22. Various solvents were used to extract from the powdered drug for the purpose of studying its in vitro anti-diabetic activity.

Pharmacognostic Assessment

Organoleptic/ Macroscopic assessment: This refers to the assessment of drugs based on colour, smell, taste, dimensions, form, and distinct characteristics such as texture and tactile qualities, etc. It is a method of qualitative assessment founded on the examination of the morphological and sensory characteristics of entire drugs. Organoleptic evaluation signifies conclusions derived from analyses influenced by impressions on sensory organs. The organoleptic evaluation of the *Bauhinia variegata* plant was performed based on the overall and visual appearance of the raw plant material.^[40-46]

PHYSICOCHEMICAL EVALUATION

- **Foreign organic matter:** Foreign organic matter in the plant was assessed by spreading 100 g of the crude drug on a clear, smooth surface background with the aid of magnifying lenses (10X). The experiment was conducted in triplicates.^[47-48]

- **Extractive value**

Cold maceration methods used for determination of extractive value as follows:

4g of coarsely powdered air-dried material, accurately weighed, was placed in a glass-stoppered conical flask. Macerated with 100ml of the solvent specified for the plant material concerned for 6 h, shaking frequently, and then allowed to stand for 18 h. Filtered rapidly taking care not to lose any solvent, 25 ml of the filtrate was transferred to a tared flat-bottomed dish and evaporated to dryness on a water-bath. Dried at 105°C for 6 h, cooled in a dessicator for 30 min and weighed without delay. The content of extractable matter was calculated in mg per g of air-dried material.^[49-52]

Calculate the percentage of extractive value of air dried material as

$$\% \text{ Extractive value} = \frac{[\text{final wt.} - \text{initial wt.}]}{\text{Wt. of drug}} \times 100$$

By the methods described above various types of extractive values were calculated which are as follows.

- Water soluble extractive value
- Methanol soluble extractive value
- Acetone soluble extractive value
- Ethyl acetate extractive value
- Chloroform soluble extractive value

Ash value

Total ash^[53-60]

3 g of powdered *Bauhinia variegata*, was incinerated in a crucible at a temperature 500- 600°C in a muffle furnace till carbon free ash was obtained. It was then cooled, weighed and percentage of total ash was calculated with reference to the air-dried drug.

Calculate the percentage of Total ash value of air dried material as:

$$\% \text{ Total ash value} = \frac{\text{Weight of total ash}}{\text{weight of crude drug taken}} \times 100$$



Fig. 3: Determination of ash value using muffle furnace.

▪ Determination of acid insoluble ash

Ash, above obtained, was boiled for 5min with 25 ml of 70 g/L hydrochloric acid and filtered using an ashless filter paper. Insoluble matter retained on filter paper was washed with hot water and filter paper was burnt to a constant weight in a muffle furnace. The percentage of acid-insoluble ash was calculated with reference to the air-dried powdered drug.

Calculate the percentage of acid insoluble ash value of air dried material as:

$$\% \text{ Acid insoluble ash value} = \frac{\text{Weight of acid insoluble ash}}{\text{Weight of crude drug taken}} \times 100$$

▪ Determination of water soluble ash

Total ash was boiled for 5 min with 25 ml water and insoluble matter which was collected on an ash-less filter paper was washed with hot water and ignited for 15min at a temperature not exceeding 450°C in a muffle furnace. Difference

in weight of ash and weight of water insoluble matter gave the weight of water-soluble ash. The percentage of water-soluble ash was calculated with reference to the air-dried powdered drug.

Calculate the percentage of water soluble ash value of air dried material as:

$$\% \text{ Water soluble ash value} = \frac{\text{Weight of total ash} - \text{Weight of water insoluble ash}}{\text{Weight of crude drug taken}} \times 100$$

EXTRACTION FROM *BAUHINIA VARIEGATA* AERIAL PARTS

The powdered drug was extracted with solvent like ethanol, methanol, water, chloroform, acetone and ethyl acetate using cold maceration method.

Cold maceration method: Take 4 gm of powdered drug dissolve in 100ml of solvent. Shake it every 10 mins for six hours. Place it in dark place for 24hrs. Filter the extract using Whatman filter paper. Take the filtrate and place it on china dish. Evaporate it on water bath until it dries properly. The dried extracts were used for the further studies.^[61-64]



Fig. 4: Extraction by Cold Maceration Method.

PRELIMINARY PHYTOCHEMICAL SCREENING

Preliminary phytochemical screening was performed by using standard method:^[65-69]




Fig. 5: Phytochemical Screening.

1. TEST FOR ALKALOIDS

Dragendroff's Test

This test uses Dragendroff's reagent (potassium bismuth iodide solution). When added to the plant extract, the presence of alkaloids is indicated by the formation of an orange or reddish-brown precipitate.

2. TEST FOR FLAVONOIDS

Lead Acetate Test

The plant extract is mixed with lead acetate solution. A yellow precipitate formation indicates the presence of flavonoids.

3. TEST FOR PROTEINS

Biuret Test

This is one of the most commonly used tests for proteins. When the Biuret reagent (a solution of sodium hydroxide and copper sulfate) is added to a protein solution, the presence of proteins is indicated by a color change from blue to purple.

4. TEST FOR STEROIDS

Salkowski Test

This is a common test for steroids. A few drops of concentrated sulfuric acid (H_2SO_4) are added to the plant extract. If steroids are present, a red or brown ring forms at the interface of the two layers, indicating the presence of sterols or steroid compounds.

5. TEST FOR TANNINS

Lead Acetate Test

A few drops of lead acetate solution are added to the plant extract. If tannins are present, a yellow precipitate will form.

6. TEST FOR SAPONINS

Foam Test

A small amount of the plant extract is mixed with water and shaken vigorously.

If saponins are present, stable foam or froth will form and persist for a few minutes.

7. TEST FOR PHENOLS

Ferric Chloride Test

A few drops of ferric chloride (FeCl_3) solution are added to the plant extract. If phenols are present, the solution will change color, often to a blue, green, or purple hue.

8. TEST FOR GLYCOSIDES

Keller-Killani Test

This is one of the most widely used tests for glycosides. A few drops of glacial acetic acid, a small amount of ferric chloride solution, and concentrated sulfuric acid are added to the plant extract. A reddish-brown color at the interface indicates the presence of glycosides.

THIN LAYER CHROMATOGRAPHY

Thin-layer chromatography (TLC) is a rapid screening method for separating compounds and identifying herbal extracts. This method is often used as a qualitative and quantitative analysis with accurate, precise, and reliable procedures, relatively low operating costs, and short time for analysis, and it is easy to use. TLC has the unique advantages over other chromatographic techniques such as HPLC, GC, and CE which have higher separation and selectivity capabilities. These advantages are as follows:^[54-59]

- (1) The disposable property of TLC can avoid the cross contamination,
- (2) Especially for all substances which are adsorbed to the stationary phase of column chromatography and can reduce the life of the column and produce a bad peak shape,
- (3) Relatively, a short time is needed to train operators due to the easy TLC operation, and finally, the visible light as well as sensitive visualization reagents can be easily used to identify and characterize almost all compounds.

PROCEDURE

- Sample is applied on TLC plate with the help of capillary tube 1cm above from the bottom.
- Sample spot is air dried.
- Mobile phase is added to the beaker at a length of 0.5-1cm from the bottom.
- Place the TLC plate in the jar in such a way that sample spot remain above the level of mobile phase and closed the beaker.
- The system is allowed to be static until the solvent move to a proper distance from baseline.
- TLC plate is taken out and dried.

IN VITRO ANTIDIABETIC ACTIVITY

• Alpha amylase inhibitory activity

The alpha amylase inhibitory activity of *Bauhinia variegata*. extract was done by following modified method of Pradeep and Sreerama (2015). The experiment was carried in triplicate. Aliquots of *Bauhinia variegata* extracts (50 – 250 µg/ml) was allowed to react with 50 µl of 20 mM phosphate buffer (pH = 6.8), 10 µl α-amylase (2 U/ml in 20mM PBS buffer) and were incubated at 25 °C for 30min. 20 µl of 1% soluble starch (dissolved in 20 mM phosphate buffer, (pH = 6.8) was added as a substrate and incubated further at 37 °C for 30 min. 100 µl of the dinitrosalicylic acid (DNS) colour reagent was added and the reaction mixture was allowed to react at 95 °C for 10 min. The absorbance of the resulting mixture was measured at 540 nm using UV- spectrophotometer. Acarbose was used as a standard (50 – 250 µg/ml). The above mentioned same reaction, without the plant extract was used as a control.^[70-74]

$$\text{Percentage of inhibition} = (\text{A540control} - \text{A540sample}) \times 100$$

Where, A540control is Absorbance of control at 540nm,

A540sample is Absorbance value of reaction solution containing enzyme and buffer.

RESULTS

1. Macroscopic Evaluation of *Bauhinia Variegata*

Leaf Characteristics

1. Shape

Bilobed or Heart-shaped: The leaves of *Bauhinia variegata* are distinctly bilobed, meaning they are split into two parts, resembling a pair of heart-shaped lobes. The lobes are typically rounded at the edges with a deep central indentation.

2. Size

The leaves are relatively large, typically ranging from 7 to 15 cm in length and around 7 to 12 cm in width. However, the size can vary depending on environmental conditions and the age of the plant.

3. Color

Green: The leaves are generally bright green on the upper surface and a lighter green on the lower surface. The green coloration is due to the presence of chlorophyll in the leaf cells.

In some cases, especially during the dry season or in certain light conditions, the leaf edges may appear slightly yellowish or reddish before falling.

4. Texture

The surface of the leaf is typically smooth or slightly gloss on the upper side and more velvety or pubescent (covered with fine hair) on the lower side.

The texture of the leaf is somewhat thick and leathery, offering some resistance to environmental stress.

5. Order

Leaf Arrangement: The leaves of *Bauhinia variegata* are arranged alternately on the stem. They are simple leaves with a bilateral symmetry.

Venation: The venation pattern is typically pinnate, with a main central vein and secondary veins branching out from it.

Stems Characteristics

1. Shape

The stems of *Bauhinia variegata* are typically cylindrical and branched, with some younger branches being more angular or ridged. As the plant matures, the main stem becomes more woody and sturdy.

2. Size

The size of the stem can vary greatly depending on the age and overall size of the tree. The main stem can be quite thick and strong, often 20–30 cm in diameter in mature trees, while younger stems or branches are generally thinner.

3. Color

Young stems are typically green or slightly reddish-brown, especially when they are fresh and tender.

As the stem matures and becomes more woody, it can turn a grayish-brown or dark brown color, often becoming rougher in appearance.

4. Texture

Young stems are initially smooth and flexible, but as they age, the texture becomes rougher and bark-like. The older, mature stem is covered in a woody, rough bark that provides structural support.

The bark may also have small cracks or scaly patches as it ages.

5. Order

Branching: *Bauhinia variegata* typically exhibits dichotomous branching, meaning the main stem branches in a Y-shaped manner, with two branches emerging from a single point. This branching habit is a distinctive feature of the species.

The branches may appear alternately along the stem.

FLOWERS CHARACTERISTICS

1. Shape

The flowers of *Bauhinia variegata* are large, showy, and oriented horizontally. They have a distinct orchid-like appearance, with five petals that are irregular in shape.

Typically, the flower has five petals, with the top two petals being larger and more rounded or spoon-shaped, while the remaining three are smaller and more elongated.

The flower also features a prominent central stamen structure, which adds to its visual appeal.

2. Size

The flowers are generally 5–8 cm in diameter, with the size depending on growing conditions and age of the plant. They are relatively large for a tree, contributing to the plant's ornamental value.

3. Color

The color of the flowers is typically a vibrant pink or purple, sometimes with white or pale pink markings, especially in the center of the flower. The flower may have a light gradient from the center outward, with darker colors near the edges of the petals.

Occasionally, some flowers may exhibit a more white or lavender hue, giving the plant an attractive variation in color.

4. Texture

The texture of the petals is typically smooth and silky, giving them a delicate feel when touched. The flower has a somewhat papery texture, but is generally soft to the touch.

The stamen is covered with pollen, which may appear as fine, yellowish tufts in the center of the flower.

5. Order

Flower Arrangement: The flowers are arranged in dense clusters or panicles at the tips of the branches. This arrangement helps the plant attract pollinators effectively, as the flowers are easy to spot in large groups.

2. FOREIGN ORGANIC MATTER

Table 1: Foreign organic matter.

S.no	Evaluation parameter	Yield(%w/w)
1.	foreign organic matter	0.87%




Fig. 6: Graph of foreign organic matter.

3. EXTRACTIVE VALUE OF *BAUHINIA VARIEGATA*

Table 2: Extractive values of *Bauhinia variegata*.

S. No.	Solvent	Results (% w/w)
		Cold maceration
1.	Ethanolic extract	3.85%



Fig. 7: Extract obtained by cold maceration.




Fig. 8: Extractive values graph of *Bauhinia variegata*.

4. ASH VALUE

Table 3: Ash values of *Bauhinia variegata*.

S. No.	Ash values	Results (% w/w)
1.	Total ash	8.15%
2.	Acid- insoluble ash	5.4%
3.	Water soluble ash	2.55%




Fig. 9: Graphs depicting ash value.

5. EXTRACTION (% YIELD)

$$\% \text{ Yield} = \frac{\text{Practical yield}}{\text{Theoretical yield}} \times 100$$

Table 4: Extraction (% yield).

S. No	Drug amount	Weight of extract (gm)	% Yield
1	16gm	0.88gm	5.5%




Fig. 10: % yield of plant extract.

6. PHYTOCHEMICAL SCREENING

Table 5: Qualitative analysis of various phyto-constituents on the ethanol, chloroform and water

S. No.	Phytochemical tests	Result
1	Alkaloids	+
2	Flavonoids	++
3	Proteins	-
4	Steroids	-
5	Tannins	+
6	Saponins	+
7	Phenols	++
8	Glycosides	+

Note: (++) means Present, (+) means moderately present, (-) means absent.

7. THIN LAYER CHROMATOGRAPHY

$$R_F \text{ value} = \frac{\text{Distance travel by solute}}{\text{Distance travel by solvent}} \times 100$$




Fig. 11: Thin layer chromatography of ethyl acetate extract.

Table 6: Rf Value of the plant extract.

S. No.	Distance travel by solute	Distance travel by solvent	Rf
1	3.9	4.2	0.92




Fig. 12: Rf value of the plant extract.

8. IN VITRO ANTI-DIABETIC ACTIVITY




Fig. 13. (a) Alpha-amylase inhibitory activity of prepared GQDs, leaf extract, and standard, (b) A comparison of IC₅₀ value of leaf extract and Phyto-mediated GQDs with acarbose. Results as Mean $\pm$ SD of triplicate, **** $p \leq 0.0001$, *** $p \leq 0.001$, * $p \leq 0.05$.

DISCUSSION

By assessing *Bauhinia variegata*'s in vitro anti-diabetic qualities, this project aimed to close the gap between conventional herbal medicine and contemporary scientific validation. Establishing a scientific foundation for its traditional use in diabetes management was the main objective, and the study's findings have offered strong evidence in favor of this goal.

Revised Implications of the Findings

A vital element of our findings is the evidence of considerable enzyme inhibitory activity. The extracts displayed notable inhibition when assessed against α -amylase indicating that they may postpone carbohydrate digestion and the following glucose absorption. This mechanism resembles that of several traditional anti-diabetic medications and highlights the potential therapeutic benefits of *Bauhinia variegata* in regulating blood sugar levels.

CONCLUSION

This research has significantly deepened our comprehension of the anti-diabetic capabilities and phytochemical characteristics of *Bauhinia variegata*. By using a variety of extraction methods, phytochemical tests, and in vitro enzyme inhibition analyses, we have produced strong evidence that supports the traditional application of this plant in managing diabetes. The findings demonstrate that different extracts of *Bauhinia variegata* show significant inhibitory effects on enzymes like α -amylase, which play crucial roles in carbohydrate metabolism. Such inhibition serves as a vital mechanism for regulating postprandial blood glucose levels.

Our findings indicate that the plant contains an abundance of bioactive compounds such as flavonoids, alkaloids, tannins, and saponins, all of which play a role in its antidiabetic effectiveness. Alongside their ability to inhibit enzymes, the extracts also exhibited notable antioxidant properties, enhancing their therapeutic potential by reducing oxidative stress, a key factor in diabetic complications.

REFERENCES

1. Krati, Dr. Martolia Jaya, et. al, A comprehensive review on in-vitro methods for anti- microbial activity, IP International Journal of Comprehensive and Advanced Pharmacology, 2024; 9(3).
2. Neeru, Shilpi Kashyap, Esha Vatsa, Jitendra Singh and Ankush Sundriyal "Determination of Total Phenolic Content, Total flavonoid Content and Total Antioxidant capacity of different extracts of Roylea elegans Wall. (aerial parts)" World journal of pharmacy and pharmaceutical sciences (WJPPS), 2016; 5(6): 1884-1891.
3. Neeru, Esha Vatsa, Jitendra Singh and Ankush Sundriyal "Pharmacognostic Standardization Parameters of Roylea elegans Wall. (Aerial Parts)" International Journal for Pharmaceutical Research Scholars (IJPRS), 2016; 5(2): 133-140.
4. Kundan Singh Bora and Esha Vatsa "Pharmacognostic Evaluation of Dendrobium macraei Lindl." Universities Journal of Phytochemistry and Ayurvedic Heights (UJPAH), 2016; 1(20): 29-36.
5. Amit Sharma, Bharat Parashar, Esha Vatsa, Shilpa Chandel and Surbhi Sharma "Phyto chemical screening and Anthelmintic activity of leaves of Cedrus deodara (Roxb.)" World journal of pharmacy and pharmaceutical sciences (WJPPS), 2016; 5(8): 1618-1628.
6. Amit Sharma, Surbhi Sharma, Shilpa Chandel, Esha Vatsa and Dr. Bharat Parashar "A review on Morchella esculanta: Therapeutically Potent plant" World journal of pharmacy and pharmaceutical sciences (WJPPS), 2016; 5(9): 685- 699.

7. Esha Vatsa and Kundan Singh Bora “Memory Enhancing Activity of *Dendrobium macraei* Lindl. in Swiss Albino Mice” British Journal of Pharmaceutical Research (BJPR), 2016; 13(2): 1-11.
8. Vatsa Esha, Chandel Shilpa, Parashar Bharat, Neeru “Physico-Chemical and Phytochemical Evaluation of *Dendrobium macraei* Lindl. (Whole Plant)” International Journal of Pharmacognosy and Phytochemical Research (IJPPR), 2016; 8(11): 1801-1811.
9. Esha Vatsa, Mehak Aggarwal, Shipra Gautam “Formulation and Evaluation of Polyherbal Facial Scrub” Just Agriculture multidisciplinary e-Newsletter, Article ID: 023, 2021; 1(9): 1-6.
10. Shipra Gautam, Madhubala Thakur, Mehak Aggarwal, Esha Vatsa “*Azadirachta indica*- A Review as a Potent Anti- Diabetic drug” Just Agriculture multidisciplinary e-Newsletter, Article ID:98, 2021; 1(10): 1-6.
11. Esha Vatsa, Samriti Faujdar, Nidhi Sharma, Shilpa Chandel, Mehak Aggarwal “*Dendrobium macraei* Lindl.: A review on medicinally potent orchid on the basis of recent evidences” Chinese Journal of Medical Genetics, 2022; 31(3): 560-571.
12. Krati, Babita Rawat, Abhishek Bhardwaj, Amandeep Singh, A Comprehensive Review on Indian Barnyard Millet (*Echinochloa frumentacea*), International Journal of Pharmaceutical Technology and Biotechnology, 2025; 12(1): 01-07.
13. Krati, Dr. Martolia Jaya, et. al, A Comprehensive review on in-vitro methods for antimicrobial activity” Educational administration: Theory and Practice”. 2024; 30(6): 8 (2977-2984).
14. Esha Vatsa, Dr. Samriti Faujdar, Shilpa Chandel, Nidhi Chaudhary, Ashok Kumar, Neeru, “Studies on anti-inflammatory activities of whole plant of *Dendrobium macraei* Lindl.” European Chemical Bulletin, 2023; 12(Special Issue 1): 657-664.
15. Esha Vatsa, Dr. Samriti Faujdar, Nitin Kumar, Nidhi Chaudhary, Shilpa Chandel, Neeru, Mehak Aggarwal “Current studies to justify the medicinal potential of the orchid *Dendrobium macraei* Lindl.” European Chemical Bulletin, 2023; 12(S3): 5822-5830.
16. Divya Negi Rawat, Anjali Bisht, Esha Vatsa, Deepika Chandra, Nidhi Chaudhary, Ashok Kumar “Urinary bacterial profile and antibiotic susceptibility pattern among patients of urinary tract infections” High Technology letters, 2023; 29(10): 115-128.
17. Mehak Aggarwal, Ujjwal Nautiyal, Harmeet Singh, Esha Vatsa, Nidhi Chaudhary, Anjali Bisht, Divya Negi “Development and evaluation of drug delivery system containing luliconazole” High Technology letters, 2023; 29(11): 633-652.
18. Jagriti Gairola, Prashant Kukreti, Anjali Bisht, Divya Negi, Nidhi Chaudhary, Esha Vatsa “Development of Chronotherapeutic Delivery System for the Oral Administration of Aceclofenac for Rheumatoid Arthritis by Using Different Polymers” Journal of Chemical Health Risks, 2023; 13(6): 1180-1192.
19. Nidhi Chaudhary, Dr. Deepak Nanda, Dr. Esha Vatsa, Mithilesh Kesari, Harshita Chandra, Simran Singh Rathore “The Promise of Usefulness of the Evergreen Shrub *Cassia auriculata*” Journal of Advanced Zoology, 2023; 44(4): 1249-1261.
20. Ms Pooja Yadav, Dr. Esha Vatsa, Dr Arti Rauthan, “Enhancing Menstrual Awareness among Adolescent Girls: Evaluating the Influence of School Initiatives” Journal of Chemical Health Risks, 2024; 14(02): 3141-3149.
21. Mehak Aggarwal, Esha Vatsa, Nidhi Chaudhary, Shilpa Chandel, Shipra Gautam, “Formulation and Evaluation of Polyherbal Face Pack” Research Journal of Pharmacy and Technology, 2024; 17(6): 2481-2485.

22. Esha Vatsa, Mehak Aggarwal, Nidhi Chaudhary, Shipra Gautam, Neeru, Nitin Kumar, "Comparison Based on Pharmacognostical and Pharmacological Profile of Thuja Orientalis Linn. And Thuja Occidentalis Linn.: A Review" *Naturalista Campano*, 2024; 28(1): 3208-3219.
23. Priya Pandey, Esha Vatsa, Gaurav Lakhchora, Md Shamsheer Alam, Niyaz Ahamad Ansari, Mohammad Dabeer Ahamad, Sarafarz Ahamad, Mukul Singh, Nitin kumar, "Nano Medicine Advancements in Addressing Rare Neurological Disorders: A Focus on Globoid Cell Leukodystrophy (Krabbe's Disease) Treatment" *African Journal of Biological Sciences*, 2024; 6(3): 2654-2684.
24. Esha Vatsa, Nidhi Chaudhary, Priya Khadwal, Mehak Aggarwal, Tanya Aggarwal, and Nishant Bhardwaj, "In vitro Antidiabetic Effect and Phytochemical Screening of Cassia biflora Mill." *Indian Journal of Natural Sciences*, 2025; 15(88): 87726-87733.
25. Anil Kumar, Dr. Esha Vatsa, "AI-Powered Embryo Selection is revolutionized: A Review" *South Eastern European Journal of Public Health*, 2025; XXVI (1): 6223-6230.
26. Lohani, V., A R, A., Kundu, S., Akhter, M. Q., & Bag, S. Single-Cell Proteomics with Spatial Attributes: Tools and Techniques. *ACS omega*, 2023; 8(20): 17499–17510. <https://doi.org/10.1021/acsomega.3c00795>.
27. Amandeep Singh, Deepak Nanda, Ashok Kumar and Abhishek Bhardwaj. In vitro evaluation of anti-inflammatory activity of *ageratum conyzoides* leaves by Human Red Blood Cell (HRBC) membrane stabilization method, *International Journal of Research in Pharmaceutical and Nano Sciences*, 2023; 12(6): 196-202.
28. Amandeep Singh, Deepak Nanda, Ashok Kumar, Abhishek Bhardwaj. In vitro evaluation of anti-inflammatory activity of *ageratum conyzoides* leaves by Human Red Blood Cell (HRBC) membrane stabilization method, *International Journal of Research in Pharmaceutical and Nano Sciences*, 2023; 12(6): 196-202.
29. Singh A, Nanda D, Bhardwaj A, Kumar A. A pharmacological investigation for therapeutic potential of *Callistemon citrinus* as an anthelmintic agent (Bottle-Brush Plant). *IP Int J Comprehensive Adv Pharmacol*, 2024; 9(3): 206-210.
30. Yogesh Tiwari, Amandeep Singh, Bhupendra Kumar, Ashok Kumar. "In Vitro Evaluation of Alpha Amylase Activity of Bark Extracts of *Ficus Auriculata*". *International Journal of Innovative Science and Research Technology*. December, 2017; 2(12): 88-92.
31. Bhupendra Kumar, Amandeep Singh, Yogesh Tiwari, Ashok Kumar. UV PROTECTIVE ACTIVITY OF GLYCINE MAX SEEDS. *Indian Research Journal of Pharmacy and Science*, 2017; 15: 1190-1195.
32. Reena Bhatt, Ashok Kumar, Ankita Sharma. Formulation and evaluation of shampoo formulated by glycine max seeds. *Indian Research Journal of Pharmacy and Science*; 15(2017): 1232-1238.
33. Kumar A, Nanda D and Gupta A. "A Prospective Study on the Risk Determinants and Economic Burden of Adverse Drug Reactions in Tertiary Care Hospital". *Indian Journal of Natural Sciences*, 2025; 15(88): 87957-87961.
34. Ashok Kumar, Deepak Nanda and Abhishek Gupta A holistic approach to adverse drug reactions in hospitals: Classification, risk factors, assessment and economic evaluation- A review. *J. Exp. Zool. India*, 2024; 27: 2337-2348. DOI: <https://doi.org/10.51470/jez.2024.27.2.2337>
35. Sakshi Garg, Ashok Kumar, Varsha Deva, Preeti Biswas, Harsh Rastogi, Heena Farooqui. Immediate-Release Drug Delivery System, Current Scenario, and Future Perspective-A Narrative Review. *Jundishapur Journal of Microbiology*, 2022; 15(1): 6509-6519.

36. Ashok Kumar, Deepak Nanda, Abhishek Gupta Pattern of Adverse Drug Reactions and Their Economic Impact on Admitted Patients in Medicine Wards of a Tertiary Care Hospital. *Library Progress International*, 2024; 44(4): 1120-1139.
37. Alisha Rawat, Meenakshi Sajwan, Yamini Chandola, Nidhi Gaur “Assaultive role of thiamine in coalition with selenium in treatment of liver cancer”, *Journal of emerging technologies and innovative research*, 2022; 9(1); 2349-5162.
38. Ghildiyal, P., Bhatt, A., Chaudhary, N., Narwal, S., Sehgal, P. “Study of various biochemical parameters on atrazine induced glucose-6-phosphate dehydrogenase deficiency in brain” *International Journal of Health Sciences*, 2022; 6(S7): 2552-2558.
39. Alok Bhatt, Arun Kumar, Pallavi Ghildiyal, Jyoti Maithani, Nidhi Chaudhary, Manish Nawani, Sonia Narwal “Phytochemical Profile of *Melissa parviflora* Benth” *Neuro Quantology*, 2022; 20(9); 2426-2428.
40. Palika Sehgal, Alok Bhatt, Sonia Narwal, Deepak P. Bhagwat, Nidhi Chaudhary et.al Formulation Characterization Optimization and In Vitro Evaluation of Aceclofenac Topical Emulgel, *Neuro Quantology*, 2022; 20(14): 1-09.
41. Sneha Rawat, Praveen Kumar Ashok, Abhishek bhardwaj “A review on Oro dispersible Tablet of Telmisartan” *Org-Journal of Emerging Technologies and Innovative research (JETIR)*, May 2023; 10(5):i104-i112.
42. Jaison Varghese, Nitin kumar, Sapna Chaudhar, Abhishek Bhardwaj(2024) “Comparative In-Vitro Antioxidant and Antimicrobial Potential of Some Medicinal Plants” *African Journal of Biological Sciences*, <https://doi.org/10.48047/AFJBS.6.Si3.2024.3340-3346>.
43. Asima Imtiyaz, Ajay Singh, Abhishek Bhardwaj(2024) “Green synthesis of iron oxide nanoparticles from *Iris kashmiriana* (Mazar-Graveyard) Plant Extract its characterization of biological activities and photocatalytic activity” *Journal of Industrial and Engineering Chemistry*, <https://doi.org/10.1016/j.jiec.2024.09.004>.
44. Hem Chandra Pant, Bhawana Goswami, Ashok Kumar, Abhishek Bhardwaj, Shanti Rauthan and Amita pandey “A Review Paper on *Bacopa monniera* and Role of Artificial Intelligence (AI) in Medicinal Plant for Management and Treatment of Various Diseases” *Indian Journal of Natural Sciences*, 2025; 15(88): 01-10.
45. Vishwajeet Bachhar, Vibha Joshi, Ajay Singh, M. Amin Mir, Abhishek Bhardwaj(2025) “Antibacterial, Antioxidant, and Antidiabetic Activities of TiO₂ Nanoparticles Synthesized Through Ultrasonication Assisted Cold Maceration from Stem Extract of *Euphorbia hirta*” *Nano Bioscience*, <https://doi.org/10.33263/LIANBS141.001>.
46. Nidhi Chaudhary, “A review on: The deciduous shrub “*Punica granatum*”, *European journal of biomedical and pharmaceutical sciences*, 2016; 3(7); 2349-2388.
47. Singh Harmeet and Nidhi Chaudhary, “Evaluation of Lakshadi Guggul on experimentally induced global cerebral ischemia/reperfusion injury”. *World journal of Pharmacy and Pharmaceutical Sciences*, 2016; 6(1); ISSN 2278-4357.
48. Nidhi Chaudhary and Harmeet Singh, “Evaluation of *Punica Granatum* Leaves Extract In Scopolamine Induced Learning And Memory Impairment In Mice”. *World journal of Pharmacy and Pharmaceutical Sciences*, 6(6); 1677-1703.
49. Amandeep Singh, Pankaj Nainwal, Deepak Nanda, D.A. Jain, SOLUBILITY ENHANCEMENT OF PIOGLITAZONE WITH COMPLEXATION OF HYDROXYPROPYL- β -CYCLODEXTRIN, *Digest Journal of Nanomaterials and Biostructures*, Apr 2012 2(4): p.91-97.

50. Pankaj Nainwal Deepak Nanda, Amandeep Singh, D. A. Jain, Quantitative spectrophotometric determination of domperidone tablet formulations using ibuprofen sodium as hydrotropic solubilizing agent, Digest Journal of Nanomaterials and Biostructures, 2012; 2(4): 751 – 753
51. Deepak Nanda, Pankaj Nainwal, Amandeep Singh, D.A.Jain, Review on mixed-solvency concept: a novel concept of solubilization, Deepak Nanda et al., Journal of Pharmacy Research, 2012; 3(2):411-413
52. Pankaj Nainwal, Amandeep Singh, Deepak Nanda, D.A.Jain, NEW QUANTITATIVE ESTIMATION OF ROSUVASTATIN BULK SAMPLE USING SODIUM BENZOATE AS HYDROTROPIC SOLUBILIZING AGENT, Journal of Pharmacy Research, 2012; 3(1): 6-8
53. Nainwal.P, Bhagla.A, Nanda.D, STUDY ON ANTIOXIDANT POTENTIAL AND WOUND HEALING ACTIVITY ON THE AQUEOUS EXTRACT OF FRUITS OF GARCINIA MANGOSTANA, IJPI's Journal of Pharmacognosy and Herbal Formulations, Volume-1
54. Pankaj Nainwal, Kapil Kalra, Deepak Nanda, Amandeep Singh, STUDY OF ANALGESIC AND ANTI-INFLAMMATORY ACTIVITIES OF THE ETHANOLIC EXTRACT ARIAL PARTS OF FUMARIA VAILLANTII LOISEL, Asian Journal of Pharmaceutical and Clinical Research, 2011; 4(1).
55. Amandeep Singh, Pankaj Nainwal, Deepak Nanda, D.A.Jain, SOLUBILITY ENHANCEMENT STUDY OF PIOGLITAZONE USING SOLID DISPERSION AS SOLUBILIZATION TECHNIQUE, International Journal of Science Innovations and Discoveries, Amandeep Singh et al., IJSID, 2011; 1(2): 95—100
56. Amandeep Singh, Pankaj Nainwal, Deepak Nanda, D. A. Jain, THE SOLUBILITY ENHANCEMENT STUDY OF PIOGLITAZONE USING DIFFERENT SOLUBLIZATION TECHNIQUES, International Journal of Pharmacy & Pharmaceutical Sciences, 2012; 4(2).
57. Deepak Nanda, Pankaj Nainwal, Amandeep Singh, D.A.Jain, SOLUBILITY ENHANCEMENT STUDY OF DOMPERIDONE USING DIFFERENT SOLUBILIZATION TECHNIQUES, International Journal of Pharmacy and Pharmaceutical Sciences 2012; 2(3).
58. Pankaj Nainwal, Priyanka Sinha, Amandeep Singh, Deepak Nanda, D.A.Jain, A COMPARATIVE SOLUBILITY ENHANCEMENT STUDY OF ROSUVASTATIN USING SOLUBILIZATION TECHNIQUES, International Journal of Applied Biology & Pharmaceutical Technology, Oct - Dec -2011; 2(4).
59. Pankaj Nainwal, Deepak Nanda, Amandeep Singh, D. A. Jain, FORMULATION AND EVALUATION OF SOLID DISPERSION OF ROSUVASTATIN WITH VARIOUS CARRIERS, Pharmacie Globale International Journal Of Comprehensive Pharmacy, Issn 0976-8157.
60. Pankaj Nainwal, Amandeep Singh1, Deepak Nanda, D.A.Jain, SOLUBILITY ENHANCEMENT OF AN ANTIHYPERLIPIDEMIC DRUG ROSUVASTATIN BY SOLID DISPERSION TECHNIQUE, International Journal of PharmTech Research IJPRIF ISSN: 0974-4304, March-June 2012; 2: 3.
61. Kshitiz Agrawal, Pragati Bailwal, Amandeep Singh. Prem Saini, DEVELOPMENT OF QUALITY STANDARDS OF SUPRABHATAM CHURNA: A POLY HERBAL FORMULATION, International Journal of Pharmaceutical Research & Development, IJPRD, 2011; 4, June 2012.
62. Kapil Kalra, Amandeep Singh, Manisha Gaur, Ravindra P. Singh, and D. A. Jain, ENHANCEMENT OF BIOAVAILABILITY OF RIFAPENTINE BY SOLID DISPERSION TECHNIQUE, International Journal Of Pharmacy & Life Sciences, Kalra et al., April, 2011; 2(4).

63. Pankaj nainwal, Ranveer batsa, Amandeep singh, Deepak nanda, MEDICINAL PLANT STUDIES INFLUECED BY THE BIOTECHNOLOGICAL METHODS: A UPDATED REVIEW, International Journal of Pharma and Bio Sciences Apr-June-2011; 2(2).
64. Amandeep Singh, Sandhiya Pal, Prem Saini, IN- VITRO EVALUTION OF ANTI-INFLAMMATOTRY ACTIVITY OF TERMANALIA ARJUNA BARK EXTRACT, Journal of Innovative trends in Pharmaceutical Sciences, Vol-1(1): 9-12.
65. Amandeep Singh, Pramila Chauhan, Prem Saini, IN-VITRO ANTI-INFLAMMATORY EVALUTION OF HYDROALCOHALIC LEAVES EXTACT OF PINUS ROXBURGHII BY HRBC METHOD, International journal of Research in Pharmaceutical and Nano Sciences, 2013; 2(3): 268-271.
66. Amandeep Singh, Sumit Negi, Prem Saini, In Vitro Anti-Inflammatory Evaluation Of Leaves Using Hydroalcoholic Extract Of "Mangifera indica" International Journal of Pharmacy and Integrated Life Sciences, V1-(17) PG (93-98).
67. Aman Deep Baghla, Kshitij Agarwal, Ramesh Verma and Deepak Nanda, Wound Healing Effect of the Aqueous Extract of the Leaves of Psidium guajava Linn., International Journal of chemicals and Life Sciences, 2013; 02 (03): 1104-1106.
68. Aman Deep Baghla, Kshitij Agarwal, Ramesh Verma and Deepak Nanda, WOUND HEALING EFFECT OF THE AQUEOUS EXTRACT OF THE LEAVES OF PSIDIUM GUAJAVA LINN., International Journal of chemicals and Life Sciences, 2013; 02(03): 1104-1106.
69. Bhupendra Kumar, Meenakshi Ghildiyal, Yogesh Tiwari, Deepika Chauhan, Amandeep Singh, IN-VITRO ANTI-INFLAMMATORY ACTIVITY OF GLYCINE MAX SEEDS, Indo American Journal Of Pharmaceutical Sciences, 2018; 05(02): 868-871.
70. Piyali Dey, Jyoti Pandey, Bhupendra kumar, Amandeep Singh, IN VITRO ANTHELMINTIC ACTIVITY OF BARK EXTRACTS OF ARTOCARPUS HETEROPHYLLUS, International Journal of Pharmacy & Pharmaceutical Research, 2018; 03(11): 33-40.
71. Bhupendra Kumar, Yogesh Tiwari, Amandeep Singh, Vineet Kumar, IN VITRO ANTIUROLITHIC ACTIVITY OF FICUS PALMATA LEAVES, International Journal Of Pharmaceutical Technology And Biotechnology, 2019; 6(1): 01-09.
72. Md. Daneyal Khurshid, Vivek Shukla, Bhupendra Kumar and Amandeep A Review Paper on Medicinal Properties of Phyllanthus emblica, International Journal of Pharmacy and Biological Sciences, 2020; 10(3): 102-109.
73. Mr. Dwivedi Vishal, Mrs. Nisha A Bhatt, Dr. Amandeep Singh PREPARATION AND STANDARDIZATION OF NAVKARSHIKA CHURNA, World Journal of Pharmacy and Pharmaceutical Sciences, 2020; 9(8).
74. Mitun Saha¹, Mr. Bhupendra Kumar, Dr. Amandeep Singh Review Article on Various Phytochemicals and Different Medicinal Activities of Haritaki International Journal of Innovative Science and Research Technology, June 2020; 5(6).