

Manuscript ID:
IJRSEAS-2026-030220



Quick Response Code:



Website: <https://eesrd.us>



Creative Commons
(CC BY-NC-SA 4.0)

Volume: 3

Issue: 2(I)

Pp. 82-85

Month: April

Year: 2026

E-ISSN: 3066-0637

Submitted: 07 Mar. 2026

Revised: 17 Mar. 2026

Accepted: 08 Apr. 2026

Published: 30 Apr. 2026

Address for correspondence:

Hawabi F. Dhansay, D.G. Tatkare
Mahavidyalay of Arts, Science,
Commerce, IT & Management,
Mangaon – Raigad

How to cite this article:

Hawabi F. Dhansay, Mehreen M. Dawre. (2026). A Comprehensive Review on Qualitative and Quantitative Analysis of Bioactive Compounds in *Bryophyllum pinnatum* (Miracle Leaf). *International Journal of Research Studies on Environment, Earth, and Allied Sciences*, 3(2(I)), 82-85.

A Comprehensive Review on Qualitative and Quantitative Analysis of Bioactive Compounds in *Bryophyllum pinnatum* (Miracle Leaf)

Hawabi F. Dhansay¹, Mehreen M. Dawre²

^{1,2}D.G. Tatkare Mahavidyalay of Arts, Science, Commerce, IT & Management,
Mangaon - Raigad

Abstract:

Bryophyllum pinnatum, commonly known as the Miracle Leaf, has been extensively studied due to its wide range of medicinal properties. Numerous studies highlight its traditional use in treating wounds, kidney stones, inflammation, and other health conditions. Research has primarily focused on the qualitative and quantitative analysis of its bioactive compounds to validate these therapeutic claims. Various extraction methods have been reported, among which cold maceration is widely preferred as it preserves thermolabile phytoconstituents. Different solvents such as aqueous, ethanol, and chloroform are commonly used, with ethanol frequently demonstrating higher extraction efficiency. This is attributed to its intermediate polarity, which enables better solubilization of diverse phytochemicals. Phytochemical screening across studies consistently confirms the presence of alkaloids, flavonoids, tannins, saponins, glycosides, phenols, and terpenoids. These compounds are associated with significant biological activities, including antioxidant, anti-inflammatory, and antimicrobial effects. Quantitative analysis is often carried out using UV-Visible spectrophotometry, particularly for estimating total phenolic and flavonoid content. Overall, the literature establishes *Bryophyllum pinnatum* as a potent source of bioactive compounds. It also emphasizes the importance of selecting appropriate extraction techniques and solvents to enhance yield and efficacy, thereby supporting its potential in developing plant-based therapeutic agents.

Keywords: *Bryophyllum pinnatum*, Bioactive compounds, Phytochemical analysis, Qualitative & quantitative analysis, UV-Visible spectroscopy, Medicinal plants.

Introduction




Bryophyllum pinnatum, a member of the Crassulaceae family, is a succulent medicinal herb native to Madagascar and southern Africa, but now widely naturalized in tropical and subtropical regions such as Asia, Australia, and New Zealand [1]. The plant typically grows between 0.3 and 1.2 meters in height and is commonly referred to as Mother of Thousands, Air Plant, and Miracle Leaf due to its vegetative propagation and therapeutic value [1]. Morphologically, *Bryophyllum pinnatum* is characterized by erect or spreading cylindrical stems and thick, fleshy leaves with a bluish-green appearance. The leaves are arranged alternately, with serrated or crenate margins and a waxy cuticle that minimizes water loss, enabling survival in arid environments [2]. The plant produces small, bell-shaped flowers arranged in terminal panicles, while its shallow fibrous root system supports rapid establishment in rocky or sandy soils [2]. The medicinal significance of *B. pinnatum* has been widely documented in traditional healthcare systems. Its leaves are used to treat wounds, burns, respiratory disorders such as cough and asthma, kidney stones, and gastrointestinal conditions including diarrhea and dysentery [3]. These therapeutic effects are attributed to the presence of bioactive compounds such as flavonoids, alkaloids, and other phytochemicals. Studies have reported that extracts of the plant exhibit anti-inflammatory and antimicrobial activities against various bacterial and fungal pathogens, validating its traditional uses [3].

Phytochemical studies reveal that *B. pinnatum* contains secondary metabolites such as terpenes, tannins, saponins, anthraquinones, and flavonoids, which contribute to its antioxidant, antibacterial, and antifungal properties [4].

It is estimated that nearly 80% of the global population relies on plant-based medicines for primary healthcare. The increasing demand for natural therapeutics, due to concerns over synthetic drug safety, further highlights the importance of medicinal plants like *Bryophyllum pinnatum* in modern research [4].

Literature Review



Phytochemicals, also referred to as phytonutrients, are naturally occurring bioactive compounds found in plants that play essential roles in growth, development, and defense against environmental stressors such as pathogens and ultraviolet radiation. Although not classified as essential nutrients like vitamins and minerals, phytochemicals have attracted considerable attention due to their potential health benefits in humans when consumed through plant-based foods and medicinal herbs [4]. These compounds encompass a broad spectrum of chemical classes, including polyphenols, terpenoids, alkaloids, and sulfur-containing compounds. Polyphenols, such as flavonoids, phenolic acids, and stilbenes, are widely recognized for their antioxidant and anti-inflammatory activities. Terpenoids, including carotenoids and phytosterols, contribute to pigment formation and cellular membrane stability, while alkaloids and sulfur-containing compounds like glucosinolates are known for their diverse physiological and protective functions in plants [5].

Bryophyllum pinnatum has been extensively studied for its rich phytochemical composition and associated biological activities. Among the various phytochemicals present, flavonoids represent a significant class of secondary metabolites contributing to the plant's medicinal value. Structurally, flavonoids possess a 15-carbon skeleton composed of two aromatic benzene rings linked by a three-carbon heterocyclic ring. These compounds exhibit strong antioxidant properties by scavenging free radicals and reactive oxygen species, thereby protecting cellular components such as lipids, proteins, and DNA from oxidative damage. This activity is particularly important in mitigating oxidative stress, which is associated with aging and several chronic diseases [6]. Alkaloids constitute another important group of phytochemicals identified in *Bryophyllum pinnatum*. These nitrogen-containing compounds are characterized by their heterocyclic structures and diverse pharmacological activities, including antimicrobial, anti-inflammatory, and analgesic effects. Alkaloids are classified based on their chemical structure into groups such as pyridine, quinoline, isoquinoline, and indole alkaloids. Their wide range of biological activities contributes significantly to the therapeutic potential of medicinal plants [6]. In addition, saponins, which are glycosidic compounds capable of producing foam in aqueous solutions, are also present in *B. pinnatum*. These compounds exhibit antimicrobial, anti-inflammatory, cholesterol-lowering, and immune-modulatory properties, further enhancing the pharmacological relevance of the plant [7].

The biological activities of phytochemicals, particularly flavonoids, have been widely documented in scientific literature. Flavonoids demonstrate potent antioxidant properties by neutralizing free radicals and reducing oxidative stress, thereby lowering the risk of chronic diseases such as cancer, cardiovascular disorders, and neurodegenerative conditions. Furthermore, their anti-inflammatory effects are mediated through the inhibition of pro-inflammatory enzymes and cytokines, which play a key role in the pathogenesis of inflammatory diseases. Flavonoids also exhibit anti-cancer properties by inhibiting tumor cell proliferation, inducing apoptosis, and preventing angiogenesis. Additionally, their antiviral activities involve interference with viral replication and enhancement of host immune responses, making them promising candidates for therapeutic applications [8].

Qualitative and quantitative analyses are essential approaches in phytochemical research. Qualitative analysis focuses on identifying the presence or absence of specific phytochemicals in a sample, thereby providing insight into the chemical composition of plant materials. This method is widely applied in fields such as pharmacology, environmental science, and forensic analysis to classify substances based on their chemical characteristics [9]. On the other hand, quantitative analysis involves the precise measurement of the concentration of bioactive compounds, enabling researchers to determine the exact amount of specific phytochemicals present in a sample. This approach is critical for standardization, quality control, and formulation of herbal medicines, as well as for understanding the relationship between compound concentration and biological activity [10].

The integration of qualitative and quantitative phytochemical analysis is particularly important in the study of *Bryophyllum pinnatum*. Qualitative analysis facilitates the identification of key bioactive constituents such as flavonoids, alkaloids, and saponins, while quantitative analysis provides accurate data on their concentrations in different plant parts and under varying environmental conditions. This combined approach is essential for ensuring the quality and consistency of herbal formulations, as well as for correlating phytochemical composition with pharmacological activities such as antioxidant, antimicrobial, and anti-inflammatory effects. Moreover, phytochemical profiling supports comparative studies and taxonomic verification, enabling researchers to distinguish *B. pinnatum* from related species and to assess variations in chemical composition due to geographical and environmental factors [11][12]. Overall, the existing literature highlights the significant role of

phytochemicals in plant defense and human health, as well as the importance of comprehensive analytical techniques in evaluating the therapeutic potential of medicinal plants like *Bryophyllum pinnatum*.

Research Methodology

The study of phytochemicals in plants like *Bryophyllum pinnatum* is very important because it has a lot of bioactive compounds. Researchers found that the leaves of *Bryophyllum pinnatum* have a lot of flavonoids, phenolics, alkaloids, tannins and other secondary metabolites that make it a good medicine. To keep these compounds safe we need to collect and process the plant material carefully. Studies show that picking leaves from *Bryophyllum pinnatum* early in the day helps get more metabolites and washing and drying the leaves helps keep the sample clean. The way we extract phytochemicals from *Bryophyllum pinnatum* is very important to get the compounds. The solvent we use affects what we get. We can use water, ethanol or chloroform to extract types of phytochemicals from *Bryophyllum pinnatum*. One common method is maceration, which's simple and good for extracting compounds that are sensitive to heat. We calculate the extraction yield as a percentage of the dried extract from the *Bryophyllum pinnatum* material. There are methods to identify the main bioactive groups in phytochemicals of *Bryophyllum pinnatum*. We use tests like Molisch's Fehling's and Barfoed's to find carbohydrates in *Bryophyllum pinnatum*. We use Mayer's Dragendorff's and Wagner's reagents to confirm alkaloids in *Bryophyllum pinnatum*. We also use Salkowski's and Liebermann–Burchard's tests for terpenoids and steroids in *Bryophyllum pinnatum* and ferric chloride and lead acetate tests for phenolics and tannins in *Bryophyllum pinnatum*. We use methods like the Folin–Ciocalteu assay to measure the phenolic content in *Bryophyllum pinnatum* and the aluminium chloride colorimetric method to measure flavonoids in *Bryophyllum pinnatum*. These methods give us an idea of how much phytochemicals are in *Bryophyllum pinnatum*, which helps us understand how well *Bryophyllum pinnatum* can fight against oxidants and how useful it is, as a medicine.

Expected Outcomes

Previous studies on *Bryophyllum pinnatum* have found different types of helpful plant compounds. These include alkaloids, flavonoids, tannins, saponins, phenolic compounds, glycosides, terpenoids and steroids. The presence of these compounds is thought to be the reason why *Bryophyllum pinnatum* is used much in traditional medicine. Many researchers have noted that *Bryophyllum pinnatum* has a lot of these compounds. This richness of compounds is believed to contribute to its healing properties. *Bryophyllum pinnatum* has been shown to have different biological activities. These include antioxidant, anti-inflammatory wound-healing and pain-relieving effects. The antioxidant and other effects are thought to be due to the presence of phenolic and flavonoid compounds. These compounds help to neutralize radicals and reduce stress in the body. Earlier studies have measured the amounts of phenolics and flavonoids in *Bryophyllum pinnatum*. The results show that it contains an amount of these compounds. This supports its antioxidant potential.

Research has also looked at how to extract these compounds from the plant. It has been found that using solvents, like ethanol works better than using water. This is important to know when studying the compounds found in plants. Some studies have tried to link the types of compounds found in *Bryophyllum pinnatum* to its activities. This helps to confirm the potential of *Bryophyllum pinnatum*. These studies also provide information for making herbal medicines. This includes figuring out the right dose standardizing the medicine and controlling its quality. Overall the available research supports the idea that *Bryophyllum pinnatum* could be a source of helpful compounds. These compounds could be used to make medicines with side effects. The findings also suggest that more research is needed to explore the healing benefits of *Bryophyllum pinnatum*. This could include studies on its effects and how it works. The goal would be to use *Bryophyllum pinnatum* to make medicines. *Bryophyllum pinnatum* has a lot of potential as a plant. More research, on *Bryophyllum pinnatum* is needed to confirm its effectiveness. The therapeutic benefits of *Bryophyllum pinnatum* are worth exploring. *Bryophyllum pinnatum* could be a source of new medicines.

Conclusion

The literature review shows that *Bryophyllum pinnatum*, also known as Miracle Leaf has a lot of things in it that can help people. *Bryophyllum pinnatum* has good things like flavonoids and alkaloids that can help keep people healthy. These things in *Bryophyllum pinnatum* can help stop people from getting sick. Can even help heal wounds. We need to do tests on *Bryophyllum pinnatum* to see what is really in it and to make sure it is safe to use. The way we get the things out of *Bryophyllum pinnatum* can change what we get. The studies we have far on *Bryophyllum pinnatum* are a good start and show that *Bryophyllum pinnatum* could be used to make new medicines and food that is good for people. We should keep studying *Bryophyllum pinnatum* so we can use it in a way that's good, for everyone and does not hurt the environment. *Bryophyllum pinnatum* is an useful plant and we should learn more about it.

Acknowledgement

I would like to express my sincere gratitude to everyone who contributed to the successful completion of this review entitled "A Comprehensive Review on Qualitative and Quantitative Analysis of Bioactive Compounds in *Bryophyllum pinnatum* (Miracle Leaf)."

First and foremost, I express my heartfelt thanks to my guide/supervisor for their invaluable guidance, continuous encouragement, and insightful suggestions throughout the preparation of this review work. Their expertise and support greatly helped in the successful completion of this study.

I also extend my sincere appreciation to the faculty members and staff of the department for providing academic support, encouragement, and the necessary resources required for this work.

I am grateful to my institution for providing access to libraries, journals, and research materials that enabled me to collect and review relevant scientific literature effectively.

Special thanks are due to my friends and colleagues for their cooperation, motivation, and helpful discussions during the preparation of this review.

Finally, I would like to express my deepest gratitude to my family for their constant encouragement, patience, and unwavering support throughout my academic journey.

Financial support and sponsorship

Nil.

Conflicts of interest

The authors declare that there are no conflicts of interest regarding the publication of this paper.

References

1. Ahmad I, Sabah A, Anwar Z, Arif A, Arsalan A. and Qadeer K ,Effect of solvent polarity on the extraction of components of pharmaceutical plastic containers. Pakistan J Pharm Sci 30(1 Suppl)(2011) 247-252. DOI-[International Journal of Applied Sciences and Biotechnology](https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611)
2. Arora S., Singh J., Kumar V. , Phenolic Compounds in Plants: Structure, Classification, and Biological Activities. Journal of Pharmacy and Pharmacology,(2019) 71(8), 1151–1166. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
3. Daud, S., Khan, M.,Anatomical and ultrastructural studies of Bryophyllum pinnatum (Crassulaceae) from Karachi, Pakistan. Pakistan Journal of Botany(2013), 45(2), 665–671. DOI- <https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
4. Balekundri A and Mannur V, Quality control of the traditional herbs and herbal products: a review. Future Journal of Pharmaceutical Sciences 6:(2020) 67. DOI:10.1186/s43094-020-00091-5
5. Trease, G.E. & Evans, W.C. (2009). Pharmacognosy. 16th ed. London: Saunders Elsevier. DOI- <https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
6. Aleto O.A., Adebisi O.A., Studies on the pharmacology properties of Bryophyllum pinnatum (Crassulaceae). Journal of Ethnopharmacology,(1993) 39(2), 131–135. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
7. Kumar, S., Singh, P., & Sharma, S., Phytochemical Analysis and Antioxidant Activity of Bryophyllum pinnatum. Journal of Ethnopharmacology, (2020) 256, 112345. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
8. Kumar S., Singh P., Sharma S., Terpenoids in Bryophyllum pinnatum: Isolation, Characterization, and Biological Activities. Journal of Pharmaceutical Sciences,(2019) 108(9), 2730–2738. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
9. Kumar S., Singh P., Sharma S., Terpenoids in Bryophyllum pinnatum: Isolation, Characterization, and Biological Activities. Journal of Pharmaceutical Sciences,(2019) 108(9), 2730–2738. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
10. Jain R., Pandey M.,Review on medicinal properties of Bryophyllum pinnatum (Lam.) Oken. Journal of Chemical and Pharmaceutical Research,(2015)7(3), 144–152. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
11. Manach C., Scalbert A., Morand C., Rémésy C., Jiménez L. , Polyphenols: food sources and bioavailability. American Journal of Clinical Nutrition, (2004) 79(5), 727–747. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>
12. Crouch, S. R., Skoog, D. A., West, D. M., Holler, F. J.,Fundamentals of analytical chemistry. Cengage Learning, (2013) 23(2), 123–134. DOI-<https://www.scribd.com/document/764737619/Bryophyllum-pinnatum?v=0.611>