INTERNATIONAL JOURNAL OF PHARMACEUTICAL SCIENCES
[ISSN: 0975-4725; CODEN(USA): IJPS00]
Journal Homepage: https://www.ijpsjournal.com

OPEN ACCESS

Review Paper

Traditional And Pharmacological Perspectives of Chenopodium Album: An Updated Review

Tushar Kumar Agrahari*, Dhruva Kumar Yadav, Dr. Anurag Kumar

Department of Pharmacology, Shree Krishna College of Pharmacy, Sitapur, Uttar Pradesh (261125).

ARTICLE INFO

Published: 20 June 2026
Keywords:
Chenopodium album, Bathua, ethnomedicine, phytochemistry, pharmacology, antioxidant activity, medicinal plant
DOI:
10.5281/zenodo.20769691

ABSTRACT

Chenopodium album L. (family: Amaranthaceae), commonly known as Bathua, is a widely distributed annual herb traditionally used as a leafy vegetable and medicinal plant in many parts of Asia, Europe, and Africa. The plant is rich in essential nutrients, vitamins, minerals, and diverse phytochemicals including flavonoids, phenolic compounds, saponins, alkaloids, and terpenoids. Traditional systems of medicine have utilized C. album for the treatment of digestive disorders, helminthic infections, inflammation, skin diseases, and urinary ailments. Recent pharmacological investigations have demonstrated antioxidant, antimicrobial, anti-inflammatory, hepatoprotective, antidiabetic, anticancer, and anthelmintic activities. This review summarizes the ethnomedicinal significance, phytochemical composition, nutritional value, pharmacological properties, and safety aspects of C. album. The available evidence highlights its potential as a functional food and a promising source of bioactive compounds for future drug development. Further clinical studies are required to validate its therapeutic efficacy and establish standardized dosage protocols.

INTRODUCTION

Medicinal plants continue to play a vital role in healthcare systems worldwide. Among these plants, *Chenopodium album* has gained increasing scientific interest due to its nutritional and medicinal value. The plant belongs to the family Amaranthaceae (formerly Chenopodiaceae) and is commonly consumed as a leafy vegetable in India and neighboring countries. It is popularly known as "Bathua" in India and has been used traditionally for centuries in Ayurveda and folk medicine.The plant is considered both a medicinal herb and a functional food because of its rich nutritional composition, including proteins, amino acids, vitamins, minerals, dietary fibers, and secondary metabolites. Recent scientific investigations have validated many traditional claims associated with the plant.

***Corresponding Author:** Tushar Kumar Agrahari
Address: *Department of Pharmacology, Shree Krishna College of Pharmacy, Sitapur, Uttar Pradesh (261125)..*
Email ✉: Agraharitushar100@gmail.com
Relevant conflicts of interest/financial disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Diuretics are drugs that promote excretion of water and electrolytes through urine. They are commonly prescribed in conditions such as hypertension, congestive heart failure, nephritis, liver cirrhosis, and edema. However, prolonged use of synthetic diuretics may lead to several complications including hypokalemia, hyperuricemia, and metabolic disturbances. Hence, researchers are exploring plant-based diuretics with improved safety profiles.

Chenopodium album, commonly known as Bathua, is widely distributed in Asia, Europe, and Africa. In traditional medicine, different parts of the plant are used for treating urinary disorders, constipation, intestinal worms, inflammation, and kidney-related problems. The hydroalcoholic extract is particularly important because it efficiently extracts both polar and moderately non-polar phytoconstituents responsible for pharmacological activity.

TABLE 1. PLANT PROFILE:

Parameter	Details
Botanical Name	*Chenopodium album*
Family	Amaranthaceae
Common Name	Bathua, Lamb's Quarters
Kingdom	Plantae
Genus	Chenopodium
Part Used	Leaves, seeds, aerial parts
Distribution	India, Europe, Asia, Africa

2. BOTANICAL CHARACTERISTICS

- Annual herb reaching 30–150 cm in height.
- Leaves are triangular to rhomboid with irregular margins.
- Flowers are small, greenish, and arranged in dense clusters.
- Seeds are black, shiny, and lens-shaped.
- Commonly found in cultivated fields, roadsides, and wastelands.

Various traditional medicinal systems recognize *C. album* as a valuable therapeutic herb.



FIGURE 1. BOTONICAL REPERSENTATION OF *CHENOPODIUM ALBUM*

3. TRADITIONAL AND ETHNOMEDICINAL USES

GASTROINTESTINAL DISORDERS

Used to relieve constipation and indigestion.
Traditionally administered for abdominal pain and flatulence.

ANTHELMINTIC USES

Seeds and leaf extracts are employed against intestinal worms.

HEPATIC DISORDERS

Folk medicine recommends Bathua juice for liver dysfunction and jaundice.

URINARY DISORDERS

Used as a mild diuretic to improve urinary flow.

SKIN DISEASES

Paste prepared from leaves is applied externally for eczema, burns, and wounds.

ANTI-INFLAMMATORY APPLICATIONS

Traditionally utilized to reduce swelling and joint pain.

4. NUTRITIONAL COMPOSITION

Chenopodium album is recognized as a nutrient-rich leafy vegetable.

NUTRIENT	SIGNIFICANCE
Protein	Growth and tissue repair
Dietary fiber	Digestive health
Vitamin A	Vision and immunity
Vitamin C	Antioxidant protection
Calcium	Bone health
Iron	Hemoglobin synthesis

The plant is often categorized as a functional food because of its nutritional richness and health-promoting properties

5. PHYTOCHEMICAL CONSTITUENTS

Phytochemical investigations have identified several biologically active compounds.

Phenolic Compounds

Gallic acid
Ferulic acid
Caffeic acid

Flavonoids

Quercetin
Kaempferol
Rutin

6. OTHER CONSTITUENTS

Saponins
Alkaloids
Terpenoids
Glycosides
Tannins

These compounds contribute significantly to the pharmacological activities observed in experimental studies.

7. PHARMACOLOGICAL ACTIVITIES

ANTIOXIDANT ACTIVITY

Numerous studies have demonstrated strong free radical scavenging activity of *C. album* extracts. The antioxidant effect is primarily attributed to phenolic compounds and flavonoids that neutralize reactive oxygen species.

MECHANISM

Scavenging free radicals.
Inhibition of lipid peroxidation.
Enhancement of endogenous antioxidant defenses.

ANTIMICROBIAL ACTIVITY

Extracts from leaves and seeds exhibit inhibitory effects against several bacterial and fungal pathogens.

REPORTED ACTIVITY AGAINST

Escherichia coli
Staphylococcus aureus
Pseudomonas aeruginosa
Candida albicans

The antimicrobial potential is associated with flavonoids, tannins, and saponins.

ANTI-INFLAMMATORY ACTIVITY:

Experimental studies have reported significant reduction in inflammatory mediators following administration of *C. album* extracts.

PROPOSED MECHANISMS

Suppression of pro-inflammatory cytokines.
Inhibition of cyclooxygenase pathways.
Reduction of oxidative stress-induced inflammation.

ANTIDIABETIC ACTIVITY

Animal studies suggest that *C. album* may reduce blood glucose levels and improve insulin sensitivity.

POTENTIAL MECHANISMS
Delayed carbohydrate absorption.
Enhanced glucose utilization.
Antioxidant-mediated pancreatic protection.

HEPATOPROTECTIVE ACTIVITY
The plant has demonstrated protective effects against chemically induced liver damage.

OBSERVED EFFECTS
Reduction in liver enzyme levels.
Prevention of oxidative injury.
Improvement in liver histology.

ANTHELMINTIC ACTIVITY
Traditional use against intestinal worms has been supported by experimental investigations showing paralysis and death of helminths exposed to plant extracts.

ANTICANCER POTENTIAL
Preliminary studies indicate cytotoxic effects against certain cancer cell lines.

POSSIBLE MECHANISMS
Induction of apoptosis.
Cell cycle arrest.
Oxidative stress modulation.
However, clinical evidence remains limited.

8. SAFETY AND TOXICOLOGICAL CONSIDERATIONS

Although Bathua is generally regarded as safe when consumed as a vegetable, excessive intake may present certain concerns.

POTENTIAL RISKS
Presence of oxalates.
Accumulation of nitrates under specific environmental conditions.
Gastrointestinal discomfort upon excessive consumption.

Most toxicological studies suggest a favorable safety profile when consumed in moderate quantities.

9. ADVANTAGES OF HERBAL DIURETICS

- Lower incidence of adverse effects
- Better patient tolerance
- Cost effective
  - Easily available
- Possess additional antioxidant and anti-inflammatory activities

10. LIMITATIONS

- Lack of standardized dosage
- Limited clinical trials
- Variability in phytochemical composition
- Insufficient toxicological data

12. FUTURE PROSPECTIVE:

The growing scientific interest in medicinal plants has highlighted *C. album* as a promising source of nutraceuticals and phytopharmaceuticals. Future research should focus on:

- Isolation of active constituents
- Mechanism-based pharmacological studies
- Clinical trials
- Toxicological profiling
- Development of standardized herbal formulations
- Bioavailability studies

Modern analytical and formulation technologies may facilitate the development of novel therapeutic agents from this plant.

CONCLUSION

The hydroalcoholic extract of *Chenopodium album* exhibits promising diuretic activity due to the presence of flavonoids, saponins, tannins, and phenolic compounds. Experimental studies indicate increased urine output and electrolyte excretion comparable to standard diuretics. The plant may serve as a potential natural alternative

for managing edema and hypertension with fewer side effects. However, further pharmacological and clinical investigations are required to establish its safety, efficacy, and therapeutic applications.

Chenopodium album is an important medicinal and nutritional herb with extensive traditional applications and scientifically validated pharmacological activities. The plant possesses antioxidant, antimicrobial, anti-inflammatory, antidiabetic, hepatoprotective, anthelmintic, and other therapeutic properties due to its rich phytochemical composition. Although substantial preclinical evidence supports its medicinal value, further clinical studies are necessary to establish its efficacy, safety, and therapeutic applications in modern medicine. The integration of traditional knowledge with contemporary pharmacological research may contribute significantly to future drug discovery and functional food development.

REFERENCES

1. Chenopodium album. Yadav N, Vasudeva N, Sharma SK. **Medicinal properties of Chenopodium album Linn.: A review.** International Journal of Pharmaceutical Sciences Review and Research. 2014;26(1):272–277.
2. Kokanova-Nedialkova Z, Nedialkov PT, Nikolov SD. **The genus Chenopodium: Phytochemistry, ethnopharmacology and pharmacology.** Pharmacognosy Reviews. 2009;3(6):280–306.
3. Verma S, Singh SP. **Current and future status of herbal medicines.** Veterinary World. 2008;1(11):347–350.
4. Singh RK, Dwivedi P. **Ethnobotanical and pharmacological properties of Chenopodium album Linn.** Journal of Medicinal Plants Studies. 2017;5(3):123–126.
5. Rastogi RP, Mehrotra BN. **Compendium of Indian Medicinal Plants.** Vol. 2. New Delhi: CDRI & NISCOM; 2001.
6. Kirtikar KR, Basu BD. **Indian Medicinal Plants.** 2nd ed. Allahabad: Lalit Mohan Basu Publications; 1999.
7. Nadkarni KM. **Indian Materia Medica.** Mumbai: Popular Prakashan; 2007.
8. Harborne JB. **Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis.** 3rd ed. Springer; 1998.
9. Evans WC. **Trease and Evans Pharmacognosy.** 16th ed. Saunders Elsevier; 2009.
10. Sofowora A. **Medicinal Plants and Traditional Medicine in Africa.** 2nd ed. Spectrum Books Ltd.; 1993.
11. Kokate CK, Purohit AP, Gokhale SB. **Pharmacognosy.** 49th ed. Pune: Nirali Prakashan; 2014.
12. Gupta RK, Sharma M. **Antioxidant and nutritional activity of Chenopodium album leaves.** Journal of Food Science and Technology. 2015;52(1):312–318.
13. Pandey S, Gupta RK. **Evaluation of antimicrobial activity of Chenopodium album extracts.** Asian Journal of Pharmaceutical and Clinical Research. 2016;9(2):45–48.
14. Sikarwar MS, Patil MB. **Diuretic activity of hydroalcoholic extract of Chenopodium album leaves in experimental animals.** International Journal of Research in Pharmaceutical Sciences. 2012;3(4):560–564.
15. Khandelwal KR. **Practical Pharmacognosy: Techniques and Experiments.** 23rd ed. Pune: Nirali Prakashan; 2015.
16. OECD. **Guidelines for the Testing of Chemicals – Acute Oral Toxicity.** Organisation for Economic Co-operation and Development; 2008.
17. Sharma OP. **Plant taxonomy and medicinal importance of Chenopodium species.** Journal of Economic and Taxonomic Botany. 2010;34(2):215–220.

18. Jain SK. **Dictionary of Indian Folk Medicine and Ethnobotany.** Deep Publications; 1991.
19. Anonymous. **The Ayurvedic Pharmacopoeia of India.** Government of India, Ministry of AYUSH; Part I, Vol. II.
20. World Health Organization. **WHO Guidelines on Good Agricultural and Collection Practices (GACP) for Medicinal Plants.** Geneva: WHO; 2003.
21. Bhargava A, Shukla S, Ohri D. **Chenopodium quinoa—An Indian perspective.** Industrial Crops and Products. 2006;23(1):73–87.
22. Kumar S, Sharma S. **Phytochemical and pharmacological overview of Chenopodium album Linn.** International Journal of Green Pharmacy. 2018;12(3):145–152.
23. Gupta M, Bisht D, Bansal P. **Evaluation of anti-inflammatory activity of Chenopodium album extract.** Journal of Ethnopharmacology. 2013;145(1):208–213.
24. Chandra S, Saklani S. **Nutritional profile and therapeutic potential of Chenopodium album.** International Journal of Food Sciences and Nutrition. 2015;66(4):421–428.
25. Aliyu AB, Musa AM, Ibrahim MA. **Free radical scavenging and antioxidant activity of Chenopodium album extracts.** Pharmaceutical Biology. 2011;49(10):1047–1053.
26. Kumar R, Singh V. **Hepatoprotective activity of Chenopodium album against paracetamol induced liver toxicity.** Asian Pacific Journal of Tropical Biomedicine. 2012;2(3):210–215.
27. Patel DK, Kumar R, Laloo D. **Natural medicines from plant source used for therapy of liver diseases.** Journal of Medicinal Plants Research. 2012;6(9):1449–1460.
28. Sood A, Kaur P, Gupta R. **Antimicrobial potential of Chenopodium album leaves and seeds.** Journal of Applied Pharmaceutical Science. 2014;4(5):98–102.
29. Gohil KJ, Patel JA. **A review on pharmacological activities of Chenopodium species.** Research Journal of Pharmaceutical, Biological and Chemical Sciences. 2010;1(4):983–992.
30. Sharma A, Patni V. **Preliminary phytochemical investigation and antimicrobial activity of Chenopodium album Linn.** International Journal of Pharmacy and Pharmaceutical Sciences. 2012;4(Suppl 5):383–385.
31. OECD. **OECD Guideline 423 for Testing of Chemicals: Acute Oral Toxicity – Acute Toxic Class Method.** Paris: Organisation for Economic Co-operation and Development; 2001.
32. Trease GE, Evans WC. **Textbook of Pharmacognosy.** 15th ed. London: Saunders Publishers; 2002.
33. Anonymous. **Quality Control Methods for Medicinal Plant Materials.** World Health Organization; Geneva; 1998.
34. Chopra RN, Nayar SL, Chopra IC. **Glossary of Indian Medicinal Plants.** CSIR, New Delhi; 2006.
35. Warrier PK, Nambiar VPK, Ramankutty C. **Indian Medicinal Plants: A Compendium of 500 Species.** Orient Longman Pvt. Ltd.; 1995.
36. Gupta AK. **Quality Standards of Indian Medicinal Plants.** Indian Council of Medical Research; Vol. 3; 2005.
37. Pullaiah T. **Medicinal Plants in India.** Regency Publications, New Delhi; 2002.
38. Saxena HO, Brahmam M. **The Flora of Orissa.** Regional Research Laboratory &

Forest Development Corporation of Orissa; 1995.

39. Jain A, Katewa SS, Galav P. **Folk herbal medicines used in birth control and sexual diseases by tribals of southern Rajasthan, India.** Journal of Ethnopharmacology. 2004;90(1):171–177.
40. Singh KP, Singh DK. **Medicinal ethnobotany of Chenopodium album among rural communities.** Indian Journal of Traditional Knowledge. 2011;10(1):98–102.
41. Cowan MM. **Plant products as antimicrobial agents.** Clinical Microbiology Reviews. 1999;12(4):564–582.
42. Harborne JB, Baxter H. **Phytochemical Dictionary: A Handbook of Bioactive Compounds from Plants.** Taylor & Francis; 1993.
43. Wagner H, Bladt S. **Plant Drug Analysis: A Thin Layer Chromatography Atlas.** 2nd ed. Springer; 2001.
44. Kokate CK. **Practical Pharmacognosy.** Vallabh Prakashan; 2008.
45. Mukherjee PK. **Quality Control of Herbal Drugs: An Approach to Evaluation of Botanicals.** Business Horizons Pharmaceutical Publishers; 2019.
46. Sethi P. **High Performance Thin Layer Chromatography: Quantitative Analysis of Pharmaceutical Formulations.** CBS Publishers; 1996.
47. Evans J. **Pharmacological screening methods for medicinal plants.** Journal of Herbal Medicine. 2010;5(2):55–63.
48. Bisset NG. **Herbal Drugs and Phytopharmaceuticals.** CRC Press; 2001.
49. Kaur C, Kapoor HC. **Antioxidant activity and total phenolic content of some Asian vegetables.** International Journal of Food Science and Technology. 2002;37(2):153–161.
50. Anonymous. **The Wealth of India: Raw Materials.** Vol. III. CSIR, New Delhi; 2003.

HOW TO CITE: Tushar Kumar Agrahari, Dhruva Kumar Yadav, Dr. Anurag Kumar, Traditional And Pharmacological Perspectives of Chenopodium Album: An Updated Review, Int. J. of Pharm. Sci., 2026, Vol 4, Issue 6, 5165-5171, https://doi.org/10.5281/zenodo.20769691