

Versioned Archive and Review of Biotic
Interactions and Taxon Names Found within
millerse/Clements-R.-E.-and-F.-L.-Long
hash://md5/ebce322835c0ca9e497cfeb45c04905a

by Nomer, Elton and Preston, three naive review bots
review@globalbioticinteractions.org
<https://globalbioticinteractions.org/contribute>
<https://github.com/millerse/Clements-R.-E.-and-F.-L.-Long/issues>

2026-01-29

Abstract

Life on Earth is sustained by complex interactions between organisms and their environment. These biotic interactions can be captured in datasets and published digitally. We present a review and archiving process for such an openly accessible digital interactions dataset of known origin and discuss its outcome. The dataset under review, named millerse/Clements-R.-E.-and-F.-L.-Long, has fingerprint hash://md5/ebce322835c0ca9e497cfeb45c04905a, is 327KiB in size and contains 923 interactions with 1 unique type of association (e.g., visitsFlowersOf) between 275 primary taxa (e.g., *bombus edwardsi*) and 96 associated taxa (e.g., *Rubus deliciosus*). This report includes detailed summaries of interaction data, a taxonomic review from multiple catalogs, and an archived version of the dataset from which the reviews are derived.

Contents

Introduction	2
Data Review and Archive	2
Methods	2
Results	4
Files	4
Archived Dataset	14

Biotic Interactions	14
Interaction Networks	18
Geospatial Distribution	20
Taxonomic Alignment	20
Additional Reviews	23
GloBI Review Badge	24
GloBI Index Badge	25
Discussion	25
Acknowledgements	26
Author contributions	26
References	26

Introduction

Data Review and Archive

Data review and archiving can be a time-consuming process, especially when done manually. This review report aims to help facilitate both activities. It automates the archiving of datasets, including Darwin Core archives, and is a citable backup of a version of the dataset. Additionally, an automatic review of species interaction claims made in the dataset is generated and registered with Global Biotic Interactions (J. H. Poelen, Simons, and Mungall 2014).

This review includes summary statistics about, and observations about, the dataset under review :

Sarah E Miller. 6/22/2015. Species associations manually extracted from datasets <https://www.nceas.ucsb.edu/interactionweb/resources.html>. <https://zenodo.org/records/258223/files/millerse/Clements-R.-E.-and-F.-L.-Long-v1.0.zip> 2026-01-24T10:45:03.206Z hash://md5/ebce322835c0ca9e497cfeb45c04905a

For additional metadata related to this dataset, please visit <https://github.com/millerse/Clements-R.-E.-and-F.-L.-Long> and inspect associated metadata files including, but not limited to, *README.md*, *eml.xml*, and/or *globi.json*.

Methods

The review is performed through programmatic scripts that leverage tools like Preston (Elliott et al. 2025), Elton (Kuhn, Poelen, and Leinweber 2025), Nomer (Salim and Poelen 2025), globinizer (J. Poelen, Seltmann, and Mietchen 2024) combined with third-party tools like `grep`, `mlr`, `tail` and `head`.

Table 1: Tools used in this review process

tool name	version
preston	0.11.1
elton	0.16.4
nomer	0.5.17
globinizer	0.4.0
mlr	6.0.0
jq	1.6
yq	4.25.3
pandoc	3.1.6.1
duckdb	1.3.1
mapserver	7.6.4

The review process can be described in the form of the script below ¹.

```
# get versioned copy of the dataset (size approx. 327KiB) under review
elton pull miller/Clements-R.-E.-and-F.-L.-Long

# generate review notes
elton review miller/Clements-R.-E.-and-F.-L.-Long\
> review.tsv

# export indexed interaction records
elton interactions miller/Clements-R.-E.-and-F.-L.-Long\
> interactions.tsv

# export names and align them with the Catalogue of Life using Nomer
elton names miller/Clements-R.-E.-and-F.-L.-Long\
| nomer append col\
> name-alignment.tsv
```

or visually, in a process diagram.

You can find a copy of the full review script at [check-data.sh](#). See also [GitHub](#) and [Codeberg](#).

¹Note that you have to first get the data (e.g., via `elton pull miller/Clements-R.-E.-and-F.-L.-Long`) before being able to generate reviews (e.g., `elton review miller/Clements-R.-E.-and-F.-L.-Long`), extract interaction claims (e.g., `elton interactions miller/Clements-R.-E.-and-F.-L.-Long`), or list taxonomic names (e.g., `elton names miller/Clements-R.-E.-and-F.-L.-Long`)




Figure 1: Review Process Overview

Results

In the following sections, the results of the review are summarized ². Then, links to the detailed review reports are provided.

Files

The following files are produced in this review:

filename	description
biblio.bib	list of bibliographic reference of this review
check-dataset.sh	data review workflow/process as expressed in a bash script
data.zip	a versioned archive of the data under review
HEAD	the digital signature of the data under review
index.docx	review in MS Word format
index.html	review in HTML format
index.md	review in Pandoc markdown format
index.pdf	review in PDF format
indexed-citations.csv.gz	list of distinct reference citations for reviewed species interaction claims in gzipped comma-separated values file format
indexed-citations.html.gz	list of distinct reference citations for reviewed species interactions claims in gzipped html file format
indexed-citations.tsv.gz	list of distinct reference citations for reviewed species interaction claims in gzipped tab-separated values format

²Disclaimer: The results in this review should be considered friendly, yet naive, notes from an unsophisticated robot. Please keep that in mind when considering the review results.

filename	description
indexed-interactions-col-family-col-family.svg	network diagram showing the taxon family to taxon family interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024)
indexed-interactions-col-kingdom-col-kingdom.svg	network diagram showing the taxon kingdom to taxon kingdom interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024)
indexed-interactions.csv.gz	species interaction claims indexed from the dataset under review in gzipped comma-separated values format
indexed-interactions.html.gz	species interaction claims indexed from the dataset under review in gzipped html format
indexed-interactions.tsv.gz	species interaction claims indexed from the dataset under review in gzipped tab-separated values format
indexed-interactions.parquet	species interaction claims indexed from the dataset under review in Apache Parquet format
indexed-interactions.png	species interaction claims indexed from the dataset under review plotted on a map
indexed-interactions.gpkg	species interaction claims indexed from the dataset under review in GeoPackage format
indexed-interactions-h3.gpkg	geospatially clustered h3 species interaction claims indexed from the dataset under review in GeoPackage format
indexed-interactions-sample.csv	list of species interaction claims indexed from the dataset under review in gzipped comma-separated values format
indexed-interactions-sample.html	first 500 species interaction claims indexed from the dataset under review in html format

filename	description
indexed-interactions-sample.tsv	first 500 species interaction claims indexed from the dataset under review in tab-separated values format
indexed-names.csv.gz	taxonomic names indexed from the dataset under review in gzipped comma-separated values format
indexed-names.html.gz	taxonomic names found in the dataset under review in gzipped html format
indexed-names.tsv.gz	taxonomic names found in the dataset under review in gzipped tab-separated values format
indexed-names.parquet	taxonomic names found in the dataset under review in Apache Parquet format
indexed-names-resolved-col.csv.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-col.html.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-col.tsv.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-col.parquet	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format

filename	description
indexed-names-resolved-discoverlife.csv.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-discoverlife.html.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-discoverlife.tsv.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-discoverlife.parquet	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-gbif.csv.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-gbif.html.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format

filename	description
indexed-names-resolved-gbif.tsv.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-gbif.parquet	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-itis.csv.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-itis.html.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-itis.tsv.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-itis.parquet	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format

filename	description
indexed-names-resolved-mdd.csv.gz	taxonomic names found in the dataset under review aligned with the Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-mdd.html.gz	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-mdd.tsv.gz	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-mdd.parquet	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-ncbi.csv.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-ncbi.html.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format

filename	description
indexed-names-resolved-ncbi.tsv.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-ncbi.parquet	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-pbdb.csv.gz	taxonomic names found in the dataset under review aligned with the Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-pbdb.html.gz	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-pbdb.tsv.gz	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-pbdb.parquet	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format

filename	description
indexed-names-resolved-tpt.csv.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-tpt.html.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-tpt.tsv.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-tpt.parquet	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-wfo.csv.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-wfo.html.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format

filename	description
indexed-names-resolved-wfo.tsv.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-wfo.parquet	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-worms.csv.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-worms.html.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-worms.tsv.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-worms.parquet	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-sample.csv	first 500 taxonomic names found in the dataset under review in comma-separated values format

filename	description
indexed-names-sample.html	first 500 taxonomic names found in the dataset under review in html format
indexed-names-sample.tsv	first 500 taxonomic names found in the dataset under review in tab-separated values format
interaction.svg	diagram summarizing the data model used to index species interaction claims
nanopub-sample.trig	first 500 species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014)
nanopub.trig.gz	species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014)
process.svg	diagram summarizing the data review processing workflow
prov.nq	origin of the dataset under review as expressed in rdf/nquads
review.csv.gz	review notes associated with the dataset under review in gzipped comma-separated values format
review.html.gz	review notes associated with the dataset under review in gzipped html format
review.tsv.gz	review notes associated with the dataset under review in gzipped tab-separated values format
review-sample.csv	first 500 review notes associated with the dataset under review in comma-separated values format
review-sample.html	first 500 review notes associated with the dataset under review in html format
review-sample.tsv	first 500 review notes associated with the dataset under review in tab-separated values format
review.svg	a review badge generated as part of the dataset review process
zenodo.json	metadata of this review expressed in Zenodo record metadata

Archived Dataset

Note that *data.zip* file in this archive contains the complete, unmodified archived dataset under review.

Biotic Interactions




Figure 2: Biotic Interaction Data Model

In this review, biotic interactions (or biotic associations) are modeled as a primary (aka subject, source) organism interacting with an associate (aka object, target) organism. The dataset under review classified the primary/associate organisms with specific taxa. The primary and associate organisms The kind of interaction is documented as an interaction type.

The dataset under review, named millerse/Clements-R.-E.-and-F.-L.-Long, has fingerprint hash://md5/ebce322835c0ca9e497cfeb45c04905a, is 327KiB in size and contains 923 interactions with 1 unique type of association (e.g., visitsFlowersOf) between 275 primary taxa (e.g., *bombus edwardsi*) and 96 associated taxa (e.g., *Rubus deliciosus*).

An exhaustive list of indexed interaction claims can be found in gzipped csv, tsv, geopackage and parquet archives. To facilitate discovery, a preview of claims available in the gzipped html page at [indexed-interactions.html.gz](#) are shown below.

The exhaustive list was used to create the following data summaries below.

Table 3: Sample of Indexed Interaction Claims

sourceTaxonName	interactionType	targetTaxonName	referenceCitation
Synanthedon albicornis	visitsFlowersOf	Achillea millefolium	Clements, R. E., and F. L. Long. 1923, Experimental pollination. An outline of the ecology of flowers and insects. Washington, D.C., USA, Carnegie Institute of Washington.
Chrysophanus heloides	visitsFlowersOf	Achillea millefolium	Clements, R. E., and F. L. Long. 1923, Experimental pollination. An outline of the ecology of flowers and insects. Washington, D.C., USA, Carnegie Institute of Washington.
Halicyoides mamus	visitsFlowersOf	Achillea millefolium	Clements, R. E., and F. L. Long. 1923, Experimental pollination. An outline of the ecology of flowers and insects. Washington, D.C., USA, Carnegie Institute of Washington.

sourceTaxonName	interactionTypeName	targetTaxonName	referenceCitation
Trypeta occidentalis	visitsFlowersOf	Achillea millefolium	Clements, R. E., and F. L. Long. 1923, Experimental pollination. An outline of the ecology of flowers and insects. Washington, D.C., USA, Carnegie Institute of Washington.

Table 4: Most Frequently Mentioned Interaction Types (up to 20 most frequent)

interactionTypeName	count
visitsFlowersOf	923

Table 5: Most Frequently Mentioned Primary Taxa (up to 20 most frequent)

sourceTaxonName	count
bombus edwardsi	37
bombus occidentalis	32
bombus hunti	30
bombus juxtus	27
Apis mellifica	22
bombus bifarius	21
Halictus pulzenus	17
bombus flavifrons	16
bombus appositus	15
Clisodon terminalis	15
Andrena madronitens	14
Monumetha albifrons	13
Prosopis elliptica	13
bombus rufocinctus	12
bombus morrisoni	12
Megachile wootoni	12

sourceTaxonName	count
Prosopis varifrons	11
Anthophora simillima	11
Pseudomasaris vespoides	11

Table 6: Most Frequently Mentioned Associate Taxa (up to 20 most frequent)

targetTaxonName	count
Rubus deliciosus	62
Geranium caespitosum	59
Rosa acicularis	51
Pentstemon glaber	49
Chamaenerium angustifolium	47
Pentstemon gracilis	39
Prunus demissa	39
Monarda fistulosa	31
Mertensia sibirica	29
Carduus hookerianus	28
Rubus strigosus	28
Erigeron macranthus	22
Opulaster opulifolius	18
Holodiscus dumosus	17
Penstemon secundiflorus	16
Solidago missouriensis	15
Frasera speciosa	14
Stanleya pinnatifida	14
Geranium richardsoni	13

Table 7: Most Frequent Interactions between Primary and Associate Taxa (up to 20 most frequent)

sourceTaxonName	interactionType	targetTaxonName	count
Synanthedon albicornis	visitsFlowersOf	Achillea millefolium	1
Chrysophanus helioides	visitsFlowersOf	Achillea millefolium	1
Halicystoides mamus	visitsFlowersOf	Achillea millefolium	1
Trypeta occidentalis	visitsFlowersOf	Achillea millefolium	1

sourceTaxonName	interactionType	targetTaxonName	count
Panzeria radicum	visitsFlowersOf	Achillea millefolium	1
Gnophaela vermiculata	visitsFlowersOf	Achillea millefolium	1
Agathis vulgaris	visitsFlowersOf	Achillea millefolium	1
bombus edwardsi	visitsFlowersOf	Aconitum columbianum	1
bombus occidentalis	visitsFlowersOf	Aconitum columbianum	1
bombus appositus	visitsFlowersOf	Aconitum columbianum	1
bombus bifarius	visitsFlowersOf	Aconitum columbianum	1
bombus flavifrons	visitsFlowersOf	Aconitum columbianum	1
bombus juxtus	visitsFlowersOf	Aconitum columbianum	1
bombus rufocinctus	visitsFlowersOf	Aconitum columbianum	1
Parnassius smintheus	visitsFlowersOf	Allium recurvatum	1
bombus edwardsi	visitsFlowersOf	Allium recurvatum	1
bombus occidentalis	visitsFlowersOf	Allium recurvatum	1
Monumetha albifrons	visitsFlowersOf	Apocynum androsaemifolium	1
Prosopis elliptica	visitsFlowersOf	Apocynum androsaemifolium	1

Interaction Networks

The figures below provide a graph view on the dataset under review. The first shows a summary network on the kingdom level, and the second shows how interactions on the family level. It is important to note that both network graphs were first aligned taxonomically using the Catalogue of Life. Please refer to the original (or verbatim) taxonomic names for a more original view on the interaction data.

You can download the indexed dataset under review at indexed-interactions.csv.gz. A tab-separated file can be found at indexed-interactions.tsv.gz



Figure 3: Interactions on taxonomic kingdom rank as interpreted by the Catalogue of Life download svg




Figure 4: Interactions on the taxonomic family rank as interpreted by the Catalogue of Life. download svg

Geospatial Distribution

If geospatial information was extracted from the dataset under review, the map below will show their distribution.

Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Figure 5: Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Associated data can be found in the geopackage files at indexed-interactions.gpkg for point data and indexed-interactions-h3.gpkg for data clustered in geospatial h3 hexagonals.

Learn more about the structure of this download at GloBI website, by opening a GitHub issue, or by sending an email.

Another way to discover the dataset under review is by searching for it on the GloBI website.

Taxonomic Alignment

As part of the review, all names are aligned against various name catalogs (e.g., col, ncbi, discoverlife, gbif, itis, wfo, mdd, tpt, pbdb, and worms). These alignments can help review name usage or aid in selecting of a suitable taxonomic name resource.

Table 8: Sample of Name Alignments

providedName	relationName	resolvedCatalogName	resolvedName
Acmaeops longicornis	SYNONYM_OF	col	Cortodera longicornis
Agathis vulgaris	NONE	col	Agathis vulgaris
Andrena edwiniae	SYNONYM_OF	col	Andrena vicinoides
Andrena lewisi	SYNONYM_OF	col	Andrena thaspia

Table 9: Distribution of Taxonomic Ranks of Aligned Names by Catalog. Names that were not aligned with a catalog are counted as NAs. So, the total number of unaligned names for a catalog will be listed in their NA row.

resolvedCatalogName	resolvedRank	count
col	NA	110
col	genus	24

resolvedCatalogName	resolvedRank	count
col	species	221
col	subspecies	10
col	variety	4
discoverlife	NA	285
discoverlife	species	84
gbif	NA	98
gbif	genus	28
gbif	species	229
gbif	subspecies	15
gbif	variety	4
itis	NA	145
itis	genus	20
itis	species	190
itis	subspecies	5
itis	variety	10
mdd	NA	369
ncbi	NA	201
ncbi	genus	23
ncbi	species	141
ncbi	subgenus	4
ncbi	subspecies	4
pbdb	NA	349
pbdb	genus	17
pbdb	species	3
tpt	NA	368
tpt	species	1
wfo	NA	282
wfo	genus	2
wfo	species	82
wfo	subspecies	3
wfo	variety	3
worms	NA	345
worms	genus	10
worms	species	14

Table 10: Name relationship types per catalog. Name relationship type “NONE” means that a name was not recognized by the associated catalog. “SAME_AS” indicates either a “HAS_ACCEPTED_NAME” or “SYNONYM_OF” name relationship type. We recognize that “SYNONYM_OF” encompasses many types of nomenclatural synonymies (ICZN 1999) (e.g., junior synonym, senior synonyms).

resolvedCatalogName	relationName	count
col	SYNONYM_OF	151
col	NONE	110
col	HAS_ACCEPTED_NAME	149
discoverlife	NONE	287
discoverlife	SYNONYM_OF	68
discoverlife	HAS_ACCEPTED_NAME	37
discoverlife	HOMONYM_OF	3
gbif	SYNONYM_OF	330
gbif	NONE	98
gbif	HAS_ACCEPTED_NAME	203
itis	NONE	145
itis	SYNONYM_OF	99
itis	HAS_ACCEPTED_NAME	135
mdd	NONE	371
ncbi	NONE	201
ncbi	SAME_AS	145
ncbi	SYNONYM_OF	31
pbdb	NONE	349
pbdb	HAS_ACCEPTED_NAME	22
pbdb	SYNONYM_OF	1
tpt	NONE	370
tpt	HAS_ACCEPTED_NAME	1
wfo	NONE	284
wfo	SYNONYM_OF	41
wfo	HAS_ACCEPTED_NAME	53
wfo	HAS_UNCHECKED_NAME	27
worms	NONE	345
worms	HAS_ACCEPTED_NAME	19
worms	SYNONYM_OF	11

Table 11: List of Available Name Alignment Reports

catalog name	alignment results
col	associated names alignments report in gzipped html, csv, and tsv)
ncbi	associated names alignments report in gzipped html, csv, and tsv)
discoverlife	associated names alignments report in gzipped html, csv, and tsv)
gbif	associated names alignments report in gzipped html, csv, and tsv)
itis	associated names alignments report in gzipped html, csv, and tsv)
wfo	associated names alignments report in gzipped html, csv, and tsv)
mdd	associated names alignments report in gzipped html, csv, and tsv)
tpt	associated names alignments report in gzipped html, csv, and tsv)
pbdb	associated names alignments report in gzipped html, csv, and tsv)
worms	associated names alignments report in gzipped html, csv, and tsv)

Additional Reviews

Elton, Nomer, and other tools may have difficulties interpreting existing species interaction datasets. Or, they may misbehave, or otherwise show unexpected behavior. As part of the review process, detailed review notes are kept that document possibly misbehaving, or confused, review bots. An sample of review notes associated with this review can be found below.

Table 12: First few lines in the review notes.

reviewDate	reviewCommentType	reviewComment
2026-01-29T04:57:51Z	note	failed to lookup [GEONAMES:5434527] because of: [resource [http://api.geonames.org/getJSON?formatted=true&ge not found]

reviewDate	reviewCommentType	reviewComment
2026-01-29T04:57:51Z	note	failed to lookup [GEONAMES:5434527] because of: [resource [http://api.geonames.org/getJSON?formatted=true&geonameId=5434527&username=globi&style=full] not found]
2026-01-29T04:57:51Z	note	failed to lookup [GEONAMES:5434527] because of: [resource [http://api.geonames.org/getJSON?formatted=true&geonameId=5434527&username=globi&style=full] not found]
2026-01-29T04:57:51Z	note	failed to lookup [GEONAMES:5434527] because of: [resource [http://api.geonames.org/getJSON?formatted=true&geonameId=5434527&username=globi&style=full] not found]

In addition, you can find the most frequently occurring notes in the table below.

Table 13: Most frequently occurring review notes, if any.

reviewComment	count
failed to lookup [GEONAMES:5434527] because of: [resource [http://api.geonames.org/getJSON?formatted=true&geonameId=5434527&username=globi&style=full] not found]	923

For additional information on review notes, please have a look at the first 500 Review Notes in html format or the download full gzipped csv or tsv archives.

GloBI Review Badge

As part of the review, a review badge is generated. This review badge can be included in webpages to indicate the review status of the dataset under review.



Figure 6: Picture of a GloBI Review Badge ³

³Up-to-date status of the GloBI Review Badge can be retrieved from the GloBI Review Depot

Note that if the badge is green, no review notes were generated. If the badge is yellow, the review bots may need some help with interpreting the species interaction data.

GloBI Index Badge

If the dataset under review has been registered with GloBI, and has been successfully indexed by GloBI, the GloBI Index Status Badge will turn green. This means that the dataset under review was indexed by GloBI and is available through GloBI services and derived data products.



Figure 7: Picture of a GloBI Index Badge ⁴

If you’d like to keep track of reviews or index status of the dataset under review, please visit GloBI’s dataset index ⁵ for badge examples.

Discussion

This review and archive provides a means of creating citable versions of datasets that change frequently. This may be useful for dataset managers, including natural history collection data managers, as a backup archive of a shared Darwin Core archive. It also serves as a means of creating a trackable citation for the dataset in an automated way, while also including some information about the contents of the dataset.

This review aims to provide a perspective on the dataset to aid in understanding of species interaction claims discovered. However, it is important to note that this review does *not* assess the quality of the dataset. Instead, it serves as an indication of the open-ness⁶ and FAIRness (Wilkinson et al. 2016; Trekels et al. 2023) of the dataset: to perform this review, the data was likely openly available, **F**indable, **A**ccessible, **I**nteroperable and **R**eusable. The current Open-FAIR assessment is qualitative, and a more quantitative approach can be implemented with specified measurement units.

This report also showcases the reuse of machine-actionable (meta)data, something highly recommended by the FAIR Data Principles (Wilkinson et al. 2016). Making (meta)data machine-actionable enables more precise processing by computers, enabling even naive review bots like Nomer and Elton to interpret the

⁴Up-to-date status of the GloBI Index Badge can be retrieved from GloBI’s API

⁵At time of writing (2026-01-29) the version of the GloBI dataset index was available at <https://globalbioticinteractions.org/datasets>

⁶According to <http://opendefinition.org/>: “Open data is data that can be freely used, reused and redistributed by anyone - subject only, at most, to the requirement to attribute and sharealike.”

data effectively. This capability is crucial for not just automating the generation of reports, but also for facilitating seamless data exchanges, promoting interoperability.

Acknowledgements

We thank the many humans that created us and those who created and maintained the data, software and other intellectual resources that were used for producing this review. In addition, we are grateful for the natural resources providing the basis for these human and bot activities. Also, thanks to <https://github.com/zygoballus> for helping improve the layout of the review tables.

Author contributions

Nomer was responsible for name alignments. Elton carried out dataset extraction, and generated the review notes. Preston tracked, versioned, and packaged, the dataset under review.

References

- Elliott, Michael, Jorrit Poelen, Icaro Alzuru, Emilio Berti, and partha04patel. 2025. “Bio-Guoda/Preston: 0.10.5.” Zenodo. <https://doi.org/10.5281/zenodo.14662206>.
- ICZN. 1999. “International Code of Zoological Nomenclature.” The International Trust for Zoological Nomenclature, London, UK. <https://www.iczn.org/the-code/the-code-online/>.
- Kuhn, Tobias, and Michel Dumontier. 2014. “Trusty URIs: Verifiable, Immutable, and Permanent Digital Artifacts for Linked Data.” In *The Semantic Web: Trends and Challenges*, edited by Valentina Presutti, Claudia d’Amato, Fabien Gandon, Mathieu d’Aquin, Steffen Staab, and Anna Tordai, 395–410. Cham: Springer International Publishing.
- Kuhn, Tobias, Jorrit Poelen, and Katrin Leinweber. 2025. “Globalbioticinteractions/Elton: 0.15.1.” Zenodo. <https://doi.org/10.5281/zenodo.14927734>.
- Poelen, Jorrit H. (ed.). 2024. “Nomer Corpus of Taxonomic Resources Hash://Sha256/ B60c0d25a16ae77b24305782017b1a270b79b5d1746f832650 F2027ba536e276 Hash://Md5/17f1363a277ee0e4ecaf1b91c665e47e.” Zenodo. <https://doi.org/10.5281/zenodo.12695629>.
- Poelen, Jorrit H., James D. Simons, and Chris J. Mungall. 2014. “Global Biotic Interactions: An Open Infrastructure to Share and Analyze Species-Interaction Datasets.” *Ecological Informatics* 24 (November): 148–59. <https://doi.org/10.1016/j.ecoinf.2014.08.005>.
- Poelen, Jorrit, Katja Seltmann, and Daniel Mietchen. 2024. “Globalbioticinteractions/Globinizer: 0.4.0.” Zenodo. <https://doi.org/10.5281/zenodo.10647>

565.

- Salim, José Augusto, and Jorrit Poelen. 2025. "Globalbioticinteractions/Nomer: 0.5.15." Zenodo. <https://doi.org/10.5281/zenodo.14893840>.
- Trekels, Maarten, Debora Pignatari Drucker, José Augusto Salim, Jeff Ollerton, Jorrit Poelen, Filipi Miranda Soares, Max Rünzel, Muo Kasina, Quentin Groom, and Mariano Devoto. 2023. "WorldFAIR Project (D10.1) Agriculture-related pollinator data standards use cases report." Zenodo. <https://doi.org/10.5281/zenodo.8176978>.
- Wilkinson, Mark D., Michel Dumontier, IJsbrand Jan Aalbersberg, Gabrielle Appleton, Myles Axton, Arie Baak, Niklas Blomberg, et al. 2016. "The FAIR Guiding Principles for Scientific Data Management and Stewardship." *Scientific Data* 3 (1). <https://doi.org/10.1038/sdata.2016.18>.