

## Original Article

### Pharmacological Properties of Selected Medicinal Plants

Amruta Halijole<sup>1</sup>, S.B. Patil<sup>2</sup>

<sup>1,2</sup> K. L. E. Society's G.I. Bagewadi Arts, Science and Commerce College, Nipani, Karnataka

Email: [amubh1309@gmail.com](mailto:amubh1309@gmail.com)

Manuscript ID:

**Abstract**

JRD -2026-180215

ISSN: 2230-9578

Volume 18

Issue 2(VI)

Pp. 55-57

February 2026

Submitted: 13 Jan. 2026

Revised: 19 Jan. 2026

Accepted: 16 Feb. 2026

Published: 28 Feb. 2026

*Medicinal plants have played a vital role in healthcare systems worldwide for centuries. Traditional systems such as Ayurveda and Traditional Chinese Medicine rely extensively on plant-based remedies. These plants contain bioactive phytochemicals responsible for various pharmacological activities. The present paper discusses the pharmacological properties of selected medicinal plants including Azadirachta indica (Neem), Ocimum sanctum (Tulsi), Curcuma longa (Turmeric), Aloe vera, and Withania somnifera (Ashwagandha). These plants exhibit antimicrobial, anti-inflammatory, antioxidant, antidiabetic, hepatoprotective, and anticancer activities. Scientific studies increasingly support their traditional uses.*

#### Introduction

Medicinal plants are natural sources of therapeutic agents and are widely used in both traditional and modern medicine. They contain various phytochemicals such as alkaloids, flavonoids, tannins, glycosides, terpenoids, and phenolic compounds. These bioactive constituents are responsible for their pharmacological effects. In recent years, there has been growing interest in herbal medicine due to increasing drug resistance, adverse effects of synthetic drugs, and the need for affordable healthcare. Pharmacological studies help validate traditional claims and explore new therapeutic applications of medicinal plants.

#### 1. Azadirachta indica (Neem)

Family: Meliaceae

Neem is one of the most important medicinal plants in India and is widely used in traditional medicine.

##### Pharmacological Properties

**Antibacterial Activity**

Neem extracts show activity against various Gram-positive and Gram-negative bacteria.

**Antifungal Activity**

Neem oil and leaf extracts inhibit fungal growth.

**Antimalarial Activity**

Traditionally used in the management of malaria; certain compounds interfere with parasite development.

**Anti-inflammatory Activity**

Reduces inflammation by inhibiting inflammatory mediators.

**Antidiabetic Activity**

Helps reduce blood glucose levels and improves insulin sensitivity.

##### Active Constituents

Azadirachtin, nimbin, nimbolide, quercetin.

#### 2. Ocimum sanctum (Tulsi)

Family: Lamiaceae

##### Creative Commons (CC BY-NC-SA 4.0)

This is an open access journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International](https://creativecommons.org/licenses/by-nc-sa/4.0/) Public License, which allows others to remix, tweak, and build upon the work noncommercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

##### Address for correspondence:

Amruta Halijole, B. Sc. II semester, K. L. E. Society's G.I. Bagewadi Arts, Science and Commerce College, Nipani, Karnataka

##### How to cite this article:

Amruta Halijole, S.B. Patil (2026). Pharmacological Properties of Selected Medicinal Plants. *Journal of Research & Development*, 18(2(VI)), 55-57.



Quick Response Code:



Website:

<https://jrdrv.org/>



Tulsi is considered a sacred plant in India and is widely used for respiratory and immune-related disorders.

### **Pharmacological Properties**

**Antioxidant Activity**

Protects cells from oxidative stress by neutralizing free radicals.

**Antimicrobial Activity**

Effective against bacteria, viruses, and fungi.

**Adaptogenic Property**

Helps the body adapt to stress and reduces anxiety.

**Anti-inflammatory Activity**

Inhibits inflammatory enzymes and cytokines.

**Immunomodulatory Effect**

Enhances immune function and resistance to infections.

### **Active Constituents**

Eugenol, ursolic acid, rosmarinic acid, flavonoids.

### **3. Curcuma longa (Turmeric)**

Family: Zingiberaceae

Turmeric is widely used as a spice and medicinal herb.

### **Pharmacological Properties**

**Anti-inflammatory Activity**

Curcumin suppresses inflammatory pathways.

**Antioxidant Activity**

Scavenges free radicals and enhances antioxidant enzymes.

**Anticancer Potential**

Research indicates inhibition of tumor cell growth.

**Hepatoprotective Effect**

Protects liver cells from toxins.

**Antimicrobial Activity**

Effective against various microorganisms.

### **Active Constituent**

Curcumin (major bioactive compound).

### **4. Aloe vera**

Family: Asphodelaceae

Aloe vera is commonly used in dermatology and gastrointestinal disorders.

### **Pharmacological Properties**

**Wound Healing Activity**

Promotes collagen synthesis and skin regeneration.

**Anti-inflammatory Activity**

Reduces redness and swelling.

**Antioxidant Activity**

Contains vitamins and phenolic compounds.

**Laxative Effect**

Aloin present in latex acts as a stimulant laxative.

**Antidiabetic Activity**

Improves glycemic control in some studies.

### **Active Constituents**

Aloin, aloe-emodin, polysaccharides.

### **5. Withania somnifera (Ashwagandha)**

Family: Solanaceae

Ashwagandha is an important medicinal herb known for its rejuvenating properties.

### **Pharmacological Properties**

**Adaptogenic Activity**

Reduces stress and cortisol levels.

**Neuroprotective Activity**

Improves memory and cognitive function.

**Anti-inflammatory Activity**

Inhibits pro-inflammatory mediators.

**Anticancer Potential**

Withanolides show anti-proliferative effects.

Immunomodulatory Activity

Enhances immune response.

### Active Constituents

Withanolides, sitoindosides, alkaloids.

### Discussion

The selected medicinal plants demonstrate diverse pharmacological activities supported by experimental and clinical studies. Their effects are mainly due to bioactive phytochemicals that act through multiple biochemical pathways. Despite promising results, challenges such as standardization of extracts, dosage determination, safety evaluation, and large-scale clinical trials remain important. Integration of traditional knowledge with modern pharmacology can lead to the development of novel drugs and safer therapeutic alternatives.

### Conclusion

Medicinal plants such as Neem, Tulsi, Turmeric, Aloe vera, and Ashwagandha possess significant pharmacological properties including antimicrobial, anti-inflammatory, antioxidant, antidiabetic, hepatoprotective, and anticancer activities. Scientific validation of these plants supports their traditional use and highlights their importance in future drug development. Further research and clinical studies are necessary to ensure their safety and efficacy.

### References

1. Biswas, K., Chattopadhyay, I., Banerjee, R. K., & Bandyopadhyay, U. (2002). Biological activities and medicinal properties of neem (*Azadirachta indica*). *Current Science*, 82(11), 1336–1345.
2. Cohen, M. M. (2014). Tulsi – *Ocimum sanctum*: A herb for all reasons. *Journal of Ayurveda and Integrative Medicine*, 5(4), 251–259.
3. Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A review of its effects on human health. *Foods*, 6(10), 92.
4. Surjushe, A., Vasani, R., & Saple, D. G. (2008). Aloe vera: A short review. *Indian Journal of Dermatology*, 53(4), 163–166.
5. Mirjalili, M. H., et al. (2009). Steroidal lactones from *Withania somnifera*. *Molecules*, 14(7), 2373–2393.
6. World Health Organization. (2013). WHO Traditional Medicine Strategy 2014–2023. Geneva: WHO Press.