

Versioned Archive and Review of Biotic
Interactions and Taxon Names Found within
diatomsRcool/yellowstone_grizzly
hash://md5/3134c67da2b240246a187f8d65752bad

by Nomer, Elton and Preston, three naive review bots
review@globalbioticinteractions.org
<https://globalbioticinteractions.org/contribute>

2026-06-04

Abstract

Life on Earth is sustained by complex interactions between organisms and their environment. These biotic interactions can be captured in datasets and published digitally. We present a review and archiving process for such an openly accessible digital interactions dataset of known origin and discuss its outcome. The dataset under review, named diatomsRcool/yellowstone_grizzly, has fingerprint hash://md5/3134c67da2b240246a187f8d65752bad, is 96.2KiB in size and contains 254 interactions with 1 unique type of association (e.g., eats) between 1 primary taxon (e.g., *Ursus arctos*) and 254 associated taxa (e.g., *Abies lasiocarpa* var. *lasiocarpa*). This report includes detailed summaries of interaction data, a taxonomic review from multiple catalogs, and an archived version of the dataset from which the reviews are derived.

Contents

Introduction	2
Data Review and Archive	2
Methods	2
Results	4
Files	4
Archived Dataset	4
Biotic Interactions	4
Interaction Networks	7

Geospatial Distribution	9
Taxonomic Alignment	10
Additional Reviews	13
GloBI Review Badge	14
GloBI Index Badge	14
Discussion	14
Acknowledgements	15
Author contributions	15
Appendix A. Review Files	15
References	25

Introduction

Data Review and Archive

Data review and archiving can be a time-consuming process, especially when done manually. This review report aims to help facilitate both activities. It automates the archiving of datasets, including Darwin Core archives, and is a citable backup of a version of the dataset. Additionally, an automatic review of species interaction claims made in the dataset is generated and registered with Global Biotic Interactions (J. H. Poelen, Simons, and Mungall 2014).

This review includes summary statistics about, and observations about, the dataset under review :

Gunther KA et al. 2014 Dietary breadth of grizzly bears in the Greater Yellowstone Ecosystem. *Ursus* 25(1):60-72
https://zenodo.org/records/266827/files/diatomsRcool/yellowstone_grizzly-1.0.0.zip 2026-06-02T13:50:19.221Z hash://md5/3134c67da2b240246a187f8d65752bad

Methods

The review is performed through programmatic scripts that leverage tools like Preston (Elliott et al. 2025), Elton (Kuhn, Poelen, and Leinweber 2025), Nomer (Salim and Poelen 2025), globinizer (J. Poelen, Seltmann, and Mietchen 2024) combined with third-party tools like grep, mlr, tail and head.

Table 1: Tools used in this review process

tool name	version
preston	0.11.1

tool name	version
elton	0.16.11
nomer	0.6.5
globinizer	0.4.0
mlr	6.0.0
jq	1.6
yq	4.25.3
pandoc	3.1.6.1
duckdb	1.3.1
mapserver	7.6.4

The review process can be described in the form of the script below ¹.

```
# get versioned copy of the dataset (size approx. 96.2KiB) under review
elton pull diatomsRcool/yellowstone_grizzly

# generate review notes
elton review diatomsRcool/yellowstone_grizzly \
  > review.tsv

# export indexed interaction records
elton interactions diatomsRcool/yellowstone_grizzly \
  > interactions.tsv

# export names and align them with the Catalogue of Life using Nomer
elton names diatomsRcool/yellowstone_grizzly \
  | nomer append col \
  > name-alignment.tsv
```

or visually, in a process diagram.




Figure 1: Review Process Overview

You can find a copy of the full review script at [check-data.sh](#). See also [GitHub](#) and [Codeberg](#).

¹Note that you have to first get the data (e.g., via `elton pull diatomsRcool/yellowstone_grizzly`) before being able to generate reviews (e.g., `elton review diatomsRcool/yellowstone_grizzly`), extract interaction claims (e.g., `elton interactions diatomsRcool/yellowstone_grizzly`), or list taxonomic names (e.g., `elton names diatomsRcool/yellowstone_grizzly`)

Results

In the following sections, the results of the review are summarized ². Then, links to the detailed review reports are provided.

Files

An extensive list of files produced as part of the review process can be found in Appendix A. Review Files.

Archived Dataset

Note that *data.zip* file in this archive contains the complete, unmodified archived dataset under review.

Biotic Interactions




Figure 2: Biotic Interaction Data Model

In this review, biotic interactions (or biotic associations) are modeled as a primary (aka subject, source) organism interacting with an associate (aka object, target) organism. The dataset under review classified the primary/associate organisms with specific taxa. The primary and associate organisms The kind of interaction is documented as an interaction type.

The dataset under review, named *diatomsRcool/yellowstone_grizzly*, has fingerprint hash://md5/3134c67da2b240246a187f8d65752bad, is 96.2KiB in size and contains 254 interactions with 1 unique type of association (e.g., eats) between 1 primary taxon (e.g., *Ursus arctos*) and 254 associated taxa (e.g., *Abies lasiocarpa* var. *lasiocarpa*).

An exhaustive list of indexed interaction claims can be found in gzipped csv, tsv, geopackage and parquet archives. To facilitate discovery, a preview of claims available in the gzipped html page at [indexed-interactions.html.gz](#) are shown below.

The exhaustive list was used to create the following data summaries below.

²Disclaimer: The results in this review should be considered friendly, yet naive, notes from an unsophisticated robot. Please keep that in mind when considering the review results.

Table 2: Sample of Indexed Interaction Claims

sourceTaxonName	interactionType	targetTaxonName	referenceCitation
Ursus arctos	eats	Abies lasiocarpa var. lasiocarpa	BLANCHARD, B.M. 1983. Grizzly bear-habitat relationships in the Yellowstone area. International Conference on Bear Research and Management 5:118-123.
Ursus arctos	eats	Picea engelmannii	BLANCHARD, B.M. 1983. Grizzly bear-habitat relationships in the Yellowstone area. International Conference on Bear Research and Management 5:118-123.
Ursus arctos	eats	Pinus contorta	BLANCHARD, B.M. 1983. Grizzly bear-habitat relationships in the Yellowstone area. International Conference on Bear Research and Management 5:118-123.

sourceTaxonName	interactionTypeName	targetTaxonName	referenceCitation
Ursus arctos	eats	Pseudotsuga menziesii	BLANCHARD, B.M. 1983. Grizzly bear-habitat relationships in the Yellowstone area. International Conference on Bear Research and Management 5:118-123.

Table 3: Most Frequently Mentioned Interaction Types (up to 20 most frequent)

interactionTypeName	count
eats	254

Table 4: Most Frequently Mentioned Primary Taxa (up to 20 most frequent)

sourceTaxonName	count
Ursus arctos	254

Table 5: Most Frequently Mentioned Associate Taxa (up to 20 most frequent)

targetTaxonName	count
Abies lasiocarpa var. lasiocarpa	1
Picea engelmannii	1
Pinus contorta	1
Pseudotsuga menziesii	1
Actaea rubra	1
Amelanchier alnifolia	1
Arctostaphylos uva-ursi	1
Berberis repens	1
Bison bison	1

targetTaxonName	count
Bistorta vivipara	1
Calamagrostis rubescens	1
Clethrionomys gapperi	1
Cornus sericea	1
Crataegus douglasii	1
Hedysarum occidentale	1
Heracleum sphondylium	1
Juniperus communis	1
Juniperus horizontalis	1
Lonicera involucrata	1

Table 6: Most Frequent Interactions between Primary and Associate Taxa (up to 20 most frequent)

sourceTaxonName	interactionTypeName	targetTaxonName	count
Ursus arctos	eats	Abies lasiocarpa var. lasiocarpa	1
Ursus arctos	eats	Picea engelmannii	1
Ursus arctos	eats	Pinus contorta	1
Ursus arctos	eats	Pseudotsuga menziesii	1
Ursus arctos	eats	Actaea rubra	1
Ursus arctos	eats	Amelanchier alnifolia	1
Ursus arctos	eats	Arctostaphylos uva-ursi	1
Ursus arctos	eats	Berberis repens	1
Ursus arctos	eats	Bison bison	1
Ursus arctos	eats	Bistorta vivipara	1
Ursus arctos	eats	Calamagrostis rubescens	1
Ursus arctos	eats	Clethrionomys gapperi	1
Ursus arctos	eats	Cornus sericea	1
Ursus arctos	eats	Crataegus douglasii	1
Ursus arctos	eats	Hedysarum occidentale	1
Ursus arctos	eats	Heracleum sphondylium	1
Ursus arctos	eats	Juniperus communis	1
Ursus arctos	eats	Juniperus horizontalis	1
Ursus arctos	eats	Lonicera involucrata	1

Interaction Networks

The figures below provide a graph view on the dataset under review. The first shows a summary network on the kingdom level, and the second shows how interactions on the family level. It is important to note that both network graphs were first aligned taxonomically using the Catalogue of Life. Please refer

to the original (or verbatim) taxonomic names for a more original view on the interaction data.

You can download the indexed dataset under review at [indexed-interactions.csv.gz](#). A tab-separated file can be found at [indexed-interactions.tsv.gz](#)

Geospatial Distribution

If geospatial information was extracted from the dataset under review, the map below will show their distribution. These maps were generated using MapServer (McKenna et al. 2025) tools configured via map configuration `indexed-interactions.map` :

```
MAP
  SIZE 1600 800
  EXTENT -180 -90 180 90
  PROJECTION
    "init=epsg:4326"
  END
  LAYER # MODIS WMS map from NASA
    NAME "modis_nasa"
    TYPE RASTER
    OFFSITE 0 0 0
    STATUS ON
    CONNECTIONTYPE WMS
    CONNECTION "https://gibs.earthdata.nasa.gov/wms/epsg4326/best/wms.cgi?"

  METADATA
    "wms_srs" "EPSG:4326"
    "wms_name" "OSM_Land_Water_Map"
    "wms_server_version" "1.1.1"
    "wms_format" "image/jpeg"
  END
  CLASS
    STYLE
      COLOR 232 232 232
      OUTLINECOLOR 32 32 32
    END
  END
END
LAYER
  NAME "indexed-interactions"
  TYPE POLYGON
  STATUS ON
  CONNECTIONTYPE OGR
  CONNECTION "indexed-interactions-h3.gpkg"
  DATA "indexed-interactions-h3"
```

```

CLASS
  STYLE
    COLORRANGE 253.0 231.0 37.0 32.0 164.0 134.0
    DATARANGE NULL NULL
    RANGEITEM "log_number_of_records"
    OUTLINECOLOR 0 0 0
  END
END
END
END

```

Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Figure 5: Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Associated data can be found in the geopackage files at indexed-interactions.gpkg for point data and indexed-interactions-h3.gpkg for data clustered in geospatial h3 hexagonals.

Learn more about the structure of this download at GloBI website, by opening a GitHub issue, or by sending an email.

Another way to discover the dataset under review is by searching for it on the GloBI website.

Taxonomic Alignment

As part of the review, all names are aligned against various name catalogs (e.g., col, ncbi, discoverlife, gbif, itis, wfo, mdd, tpt, pbdb, and worms). These alignments can help review name usage or aid in selecting of a suitable taxonomic name resource.

Table 7: Sample of Name Alignments

providedName	relationName	resolvedCatalogName	resolvedName
Maianthemum stellatum	HAS_ACCEPTED_NAME	Maianthemum stellatum	Maianthemum stellatum
Prosartes trachycarpa	HAS_ACCEPTED_NAME	Prosartes trachycarpa	Prosartes trachycarpa
Juniperus horizontalis	HAS_ACCEPTED_NAME	Juniperus horizontalis	Juniperus horizontalis
Juniperus scopulorum	HAS_ACCEPTED_NAME	Juniperus scopulorum	Juniperus scopulorum

Table 8: Distribution of Taxonomic Ranks of Aligned Names by Catalog. Names that were not aligned with a catalog are counted as NAs. So, the total number of unaligned names for a catalog will be listed in their NA row.

resolvedCatalogName	resolvedRank	count
col	NA	8
col	family	1
col	form	1
col	genus	45
col	species	198
col	subspecies	7
discoverlife	NA	253
discoverlife	species	1
gbif	NA	9
gbif	family	1
gbif	form	1
gbif	genus	45
gbif	species	194
gbif	subspecies	13
gbif	variety	3
itis	NA	19
itis	family	1
itis	genus	39
itis	species	194
itis	subspecies	1
mdd	NA	254
ncbi	NA	14
ncbi	family	1
ncbi	genus	43
ncbi	species	193
ncbi	subgenus	2
ncbi	subspecies	1
pbdb	NA	189
pbdb	genus	21
pbdb	species	44
tpt	NA	222
tpt	species	32
wfo	NA	84
wfo	genus	35
wfo	species	135
worms	NA	171
worms	family	1
worms	genus	22
worms	species	60

Table 9: Name relationship types per catalog. Name relationship type “NONE” means that a name was not recognized by the associated catalog. “SAME_AS” indicates either a “HAS_ACCEPTED_NAME” or “SYNONYM_OF” name relationship type. We recognize that “SYNONYM_OF” encompasses many types of nomenclatural synonymies (ICZN 1999) (e.g., junior synonym, senior synonyms).

resolvedCatalogName	relationName	count
col	HAS_ACCEPTED_NAME	235
col	SYNONYM_OF	58
col	NONE	8
discoverlife	NONE	254
discoverlife	HAS_ACCEPTED_NAME	1
gbif	HAS_ACCEPTED_NAME	303
gbif	SYNONYM_OF	91
gbif	NONE	9
itis	HAS_ACCEPTED_NAME	230
itis	SYNONYM_OF	11
itis	NONE	19
mdd	NONE	222
mdd	HAS_ACCEPTED_NAME	32
mdd	SYNONYM_OF	1
ncbi	SAME_AS	229
ncbi	SYNONYM_OF	14
ncbi	NONE	14
pbdb	NONE	189
pbdb	HAS_ACCEPTED_NAME	65
pbdb	SYNONYM_OF	2
tpt	NONE	222
tpt	HAS_ACCEPTED_NAME	32
tpt	SYNONYM_OF	1
wfo	HAS_ACCEPTED_NAME	167
wfo	NONE	85
wfo	SYNONYM_OF	16
wfo	HAS_UNCHECKED_NAME	31
worms	NONE	171
worms	HAS_ACCEPTED_NAME	89
worms	SYNONYM_OF	6

Table 10: List of Available Name Alignment Reports

catalog name	alignment results
col	associated names alignments report in gzipped html, csv, and tsv)
ncbi	associated names alignments report in gzipped html, csv, and tsv)
discoverlife	associated names alignments report in gzipped html, csv, and tsv)
gbif	associated names alignments report in gzipped html, csv, and tsv)
itis	associated names alignments report in gzipped html, csv, and tsv)
wfo	associated names alignments report in gzipped html, csv, and tsv)
mdd	associated names alignments report in gzipped html, csv, and tsv)
tpt	associated names alignments report in gzipped html, csv, and tsv)
pbdb	associated names alignments report in gzipped html, csv, and tsv)
worms	associated names alignments report in gzipped html, csv, and tsv)

Additional Reviews

Elton, Nomer, and other tools may have difficulties interpreting existing species interaction datasets. Or, they may misbehave, or otherwise show unexpected behavior. As part of the review process, detailed review notes are kept that document possibly misbehaving, or confused, review bots. An sample of review notes associated with this review can be found below.

Table 11: First few lines in the review notes.

reviewDate	reviewCommentType	reviewComment
2026-06-04T05:49:15Z	summary	https://zenodo.org/records/266827/files/diatomsRcool/1.0.0.zip
2026-06-04T05:49:15Z	summary	254 interaction(s)
2026-06-04T05:49:15Z	summary	0 note(s)
2026-06-04T05:49:15Z	summary	254 info(s)

In addition, you can find the most frequently occurring notes in the table below.

: Most frequently occurring review notes, if any.

For additional information on review notes, please have a look at the first 500 Review Notes in html format or the download full gzipped csv or tsv archives.

GloBI Review Badge

As part of the review, a review badge is generated. This review badge can be included in webpages to indicate the review status of the dataset under review.



Figure 6: Picture of a GloBI Review Badge ³

Note that if the badge is green, no review notes were generated. If the badge is yellow, the review bots may need some help with interpreting the species interaction data.

GloBI Index Badge

If the dataset under review has been registered with GloBI, and has been successfully indexed by GloBI, the GloBI Index Status Badge will turn green. This means that the dataset under review was indexed by GloBI and is available through GloBI services and derived data products.



Figure 7: Picture of a GloBI Index Badge ⁴

If you'd like to keep track of reviews or index status of the dataset under review, please visit GloBI's dataset index ⁵ for badge examples.

Discussion

This review and archive provides a means of creating citable versions of datasets that change frequently. This may be useful for dataset managers, including natural history collection data managers, as a backup archive of a shared Darwin Core archive. It also serves as a means of creating a trackable citation for the dataset in an automated way, while also including some information about the contents of the dataset.

This review aims to provide a perspective on the dataset to aid in understanding of species interaction claims discovered. However, it is important to note that

³Up-to-date status of the GloBI Review Badge can be retrieved from the GloBI Review Depot

⁴Up-to-date status of the GloBI Index Badge can be retrieved from GloBI's API

⁵At time of writing (2026-06-04) the version of the GloBI dataset index was available at <https://globalbioticinteractions.org/datasets>

this review does *not* assess the quality of the dataset. Instead, it serves as an indication of the open-ness⁶ and FAIRness (Wilkinson et al. 2016; Trekels et al. 2023) of the dataset: to perform this review, the data was likely openly available, **F**indable, **A**ccessible, **I**nteroperable and **R**eusable. The current Open-FAIR assessment is qualitative, and a more quantitative approach can be implemented with specified measurement units.

This report also showcases the reuse of machine-actionable (meta)data, something highly recommended by the FAIR Data Principles (Wilkinson et al. 2016). Making (meta)data machine-actionable enables more precise processing by computers, enabling even naive review bots like Nomer and Elton to interpret the data effectively. This capability is crucial for not just automating the generation of reports, but also for facilitating seamless data exchanges, promoting interoperability.

Acknowledgements

We thank the many humans that created us and those who created and maintained the data, software and other intellectual resources that were used for producing this review. In addition, we are grateful for the natural resources providing the basis for these human and bot activities. Also, thanks to <https://github.com/zygoballus> for helping improve the layout of the review tables.

Author contributions

Nomer was responsible for name alignments. Elton carried out dataset extraction, and generated the review notes. Preston tracked, versioned, and packaged, the dataset under review.

Appendix A. Review Files

The following files are produced in this review:

filename	description
biblio.bib	list of bibliographic reference of this review
check-dataset.sh	data review workflow/process as expressed in a bash script
data.zip	a versioned archive of the data under review

⁶According to <http://opendefinition.org/>: “Open data is data that can be freely used, re-used and redistributed by anyone - subject only, at most, to the requirement to attribute and sharealike.”

filename	description
HEAD	the digital signature of the data under review
index.docx	review in MS Word format
index.html	review in HTML format
index.md	review in Pandoc markdown format
index.pdf	review in PDF format
indexed-citations.csv.gz	list of distinct reference citations for reviewed species interaction claims in gzipped comma-separated values file format
indexed-citations.html.gz	list of distinct reference citations for reviewed species interactions claims in gzipped html file format
indexed-citations.tsv.gz	list of distinct reference citations for reviewed species interaction claims in gzipped tab-separated values format
indexed-interactions-col-family-col-family.svg	network diagram showing the taxon family to taxon family interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024)
indexed-interactions-col-kingdom-col-kingdom.svg	network diagram showing the taxon kingdom to taxon kingdom interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024)
indexed-interactions.csv.gz	species interaction claims indexed from the dataset under review in gzipped comma-separated values format
indexed-interactions.html.gz	species interaction claims indexed from the dataset under review in gzipped html format
indexed-interactions.tsv.gz	species interaction claims indexed from the dataset under review in gzipped tab-separated values format
indexed-interactions.parquet	species interaction claims indexed from the dataset under review in Apache Parquet format
indexed-interactions.png	species interaction claims indexed from the dataset under review plotted on a map

filename	description
indexed-interactions.map	mapserver configuration to plot species interaction claims indexed from the dataset under review on a map
indexed-interactions.gpkg	species interaction claims indexed from the dataset under review in GeoPackage format
indexed-interactions-h3.gpkg	geospatially clustered h3 species interaction claims indexed from the dataset under review in GeoPackage format
indexed-interactions-sample.csv	list of species interaction claims indexed from the dataset under review in gzipped comma-separated values format
indexed-interactions-sample.html	first 500 species interaction claims indexed from the dataset under review in html format
indexed-interactions-sample.tsv	first 500 species interaction claims indexed from the dataset under review in tab-separated values format
indexed-names.csv.gz	taxonomic names indexed from the dataset under review in gzipped comma-separated values format
indexed-names.html.gz	taxonomic names found in the dataset under review in gzipped html format
indexed-names.tsv.gz	taxonomic names found in the dataset under review in gzipped tab-separated values format
indexed-names.parquet	taxonomic names found in the dataset under review in Apache Parquet format
indexed-names-resolved-col.csv.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-col.html.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-col.tsv.gz	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-col.parquet	taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-discoverlife.csv.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-discoverlife.html.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-discoverlife.tsv.gz	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format

filename	description
indexed-names-resolved-discoverlife.parquet	taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-gbif.csv.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-gbif.html.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-gbif.tsv.gz	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-gbif.parquet	taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-itis.csv.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-itis.html.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-itis.tsv.gz	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-itis.parquet	taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-mdd.csv.gz	taxonomic names found in the dataset under review aligned with the Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-mdd.html.gz	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-mdd.tsv.gz	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format

filename	description
indexed-names-resolved-mdd.parquet	taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-ncbi.csv.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-ncbi.html.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-ncbi.tsv.gz	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-ncbi.parquet	taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-pbdb.csv.gz	taxonomic names found in the dataset under review aligned with the Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-pbdb.html.gz	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-pbdb.tsv.gz	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-pbdb.parquet	taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-tpt.csv.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-tpt.html.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-tpt.tsv.gz	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format

filename	description
indexed-names-resolved-tpt.parquet	taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-wfo.csv.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format
indexed-names-resolved-wfo.html.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-wfo.tsv.gz	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-wfo.parquet	taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-resolved-worms.csv.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped comma-separated values format

filename	description
indexed-names-resolved-worms.html.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped html format
indexed-names-resolved-worms.tsv.gz	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in gzipped tab-separated values format
indexed-names-resolved-worms.parquet	taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed.). Poelen 2024) in Apache Parquet format
indexed-names-sample.csv	first 500 taxonomic names found in the dataset under review in comma-separated values format
indexed-names-sample.html	first 500 taxonomic names found in the dataset under review in html format
indexed-names-sample.tsv	first 500 taxonomic names found in the dataset under review in tab-separated values format
interaction.svg	diagram summarizing the data model used to index species interaction claims
nanopub-sample.trig	first 500 species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014)
nanopub.trig.gz	species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014)
process.svg	diagram summarizing the data review processing workflow
prov.nq	origin of the dataset under review as expressed in rdf/nquads

filename	description
review.csv.gz	review notes associated with the dataset under review in gzipped comma-separated values format
review.html.gz	review notes associated with the dataset under review in gzipped html format
review.tsv.gz	review notes associated with the dataset under review in gzipped tab-separated values format
review-sample.csv	first 500 review notes associated with the dataset under review in comma-separated values format
review-sample.html	first 500 review notes associated with the dataset under review in html format
review-sample.tsv	first 500 review notes associated with the dataset under review in tab-separated values format
review.svg	a review badge generated as part of the dataset review process
zenodo.json	metadata of this review expressed in Zenodo record metadata

References

- Elliott, Michael, Jorrit Poelen, Icaro Alzuru, Emilio Berti, and partha04patel. 2025. “Bio-Guoda/Preston: 0.10.5.” Zenodo. <https://doi.org/10.5281/zenodo.14662206>.
- ICZN. 1999. “International Code of Zoological Nomenclature.” The International Trust for Zoological Nomenclature, London, UK. <https://www.iczn.org/the-code/the-code-online/>.
- Kuhn, Tobias, and Michel Dumontier. 2014. “Trusty URIs: Verifiable, Immutable, and Permanent Digital Artifacts for Linked Data.” In *The Semantic Web: Trends and Challenges*, edited by Valentina Presutti, Claudia d’Amato, Fabien Gandon, Mathieu d’Aquin, Steffen Staab, and Anna Tordai, 395–410. Cham: Springer International Publishing.
- Kuhn, Tobias, Jorrit Poelen, and Katrin Leinweber. 2025. “Globalbioticinteractions/Elton: 0.15.1.” Zenodo. <https://doi.org/10.5281/zenodo.14927734>.
- McKenna, Jeff, Steve Lime, Thomas Bonfort, Jérôme Boué, Howard Butler, Seth Girvin, Tom Kralidis, et al. 2025. “MapServer.” Zenodo. <https://doi.org/10.5281/zenodo.17807263>.
- Poelen, Jorrit H. (ed.). 2024. “Nomer Corpus of Taxonomic Resources Hash://Sha256/ B60c0d25a16ae77b24305782017b1a270b79b5d1746f832650

- F2027ba536e276 Hash://Md5/17f1363a277ee0e4ecaf1b91c665e47e.” Zenodo. <https://doi.org/10.5281/zenodo.12695629>.
- Poelen, Jorrit H., James D. Simons, and Chris J. Mungall. 2014. “Global Biotic Interactions: An Open Infrastructure to Share and Analyze Species-Interaction Datasets.” *Ecological Informatics* 24 (November): 148–59. <https://doi.org/10.1016/j.ecoinf.2014.08.005>.
- Poelen, Jorrit, Katja Seltmann, and Daniel Mietchen. 2024. “Globalbioticinteractions/Globinizer: 0.4.0.” Zenodo. <https://doi.org/10.5281/zenodo.10647565>.
- Salim, José Augusto, and Jorrit Poelen. 2025. “Globalbioticinteractions/Nomer: 0.5.15.” Zenodo. <https://doi.org/10.5281/zenodo.14893840>.
- Trekels, Maarten, Debora Pignatari Drucker, José Augusto Salim, Jeff Ollerton, Jorrit Poelen, Filipi Miranda Soares, Max Rünzel, Muo Kasina, Quentin Groom, and Mariano Devoto. 2023. “WorldFAIR Project (D10.1) Agriculture-related pollinator data standards use cases report.” Zenodo. <https://doi.org/10.5281/zenodo.8176978>.
- Wilkinson, Mark D., Michel Dumontier, IJsbrand Jan Aalbersberg, Gabrielle Appleton, Myles Axton, Arie Baak, Niklas Blomberg, et al. 2016. “The FAIR Guiding Principles for Scientific Data Management and Stewardship.” *Scientific Data* 3 (1). <https://doi.org/10.1038/sdata.2016.18>.