# Versioned Archive and Review of Biotic Interactions and Taxon Names Found within urn:lsid:checklistbank.org:dataset:2207 hash://md5/0aed9b1d05d1740c13605f707f954173

by Nomer, Elton and Preston, three naive review bots
review@globalbioticinteractions.org
https://globalbioticinteractions.org/contribute

2026-06-09

**Abstract**

Life on Earth is sustained by complex interactions between organisms and their environment. These biotic interactions can be captured in datasets and published digitally. We present a review and archiving process for such an openly accessible digital interactions dataset of known origin and discuss its outcome. The dataset under review, named urn:lsid:checklistbank.org:dataset:2207, has fingerprint hash://md5/0aed9b1d05d1740c13605f707f954173, is 479KiB in size and contains 3 interactions with 1 unique type of association (e.g., eats) between 2 primary taxa (e.g., Alucita danunciae) and 3 associated taxa (e.g., Tecoma fulva subsp. fulva). This report includes detailed summaries of interaction data, a taxonomic review from multiple catalogs, and an archived version of the dataset from which the reviews are derived.

## Contents

**Introduction** **2**
Data Review and Archive . . . . . 2

**Methods** **2**

**Results** **4**
Files . . . . . 4
Archived Dataset . . . . . 4
Biotic Interactions . . . . . 4
Interaction Networks . . . . . 7
Geospatial Distribution . . . . . 7

Taxonomic Alignment . . . . . 9
Additional Reviews . . . . . 11
GloBI Review Badge . . . . . 12
GloBI Index Badge . . . . . 12

**Discussion** **13**

**Acknowledgements** **13**

**Author contributions** **14**

**Appendix A. Review Files** **14**

**References** **23**

# Introduction

## Data Review and Archive

Data review and archiving can be a time-consuming process, especially when done manually. This review report aims to help facilitate both activities. It automates the archiving of datasets, including Darwin Core archives, and is a citable backup of a version of the dataset. Additionally, an automatic review of species interaction claims made in the dataset is generated and registered with Global Biotic Interactions (J. H. Poelen, Simons, and Mungall 2014).

This review includes summary statistics about, and observations about, the dataset under review :

> (**misc?**){ChecklistBankDatasetAlucitoidea, version = {1.1.26.140}, url = {https://alucitoidea.hobern.net}, title = {Catalogue of the Alucitoidea of the World}, author = {{Hobern}, {Donald} and {Gielis}, {Cees}}, year = 2026, month = 5} https://api.checklistbank.org/dataset/2207/archive.zip 2026-06-06T18:18:27.764Z hash://md5/0aed9b1d05d1740c13605f707f954173

# Methods

The review is performed through programmatic scripts that leverage tools like Preston (Elliott et al. 2025), Elton (Kuhn, Poelen, and Leinweber 2025), Nomer (Salim and Poelen 2025), globinizer (J. Poelen, Seltmann, and Mietchen 2024) combined with third-party tools like grep, mlr, tail and head.

Table 1: Tools used in this review process

| tool name | version |
|---|---|
| preston | 0.11.1 |
| elton | 0.16.11 |
| nomer | 0.6.5 |
| globinizer | 0.4.0 |
| mlr | 6.0.0 |
| jq | 1.6 |
| yq | 4.25.3 |
| pandoc | 3.1.6.1 |
| duckdb | 1.3.1 |
| mapserver | 7.6.4 |

The review process can be described in the form of the script below [1].

```
# get versioned copy of the dataset (size approx.  479KiB) under review
elton pull urn:lsid:checklistbank.org:dataset:2207

# generate review notes
elton review urn:lsid:checklistbank.org:dataset:2207 \
 > review.tsv

# export indexed interaction records
elton interactions urn:lsid:checklistbank.org:dataset:2207 \
 > interactions.tsv

# export names and align them with the Catalogue of Life using Nomer
elton names urn:lsid:checklistbank.org:dataset:2207 \
 | nomer append col \
 > name-alignment.tsv
```

or visually, in a process diagram.

You can find a copy of the full review script at check-data.sh. See also GitHub and Codeberg.

[1] Note that you have to first get the data (e.g., via elton pull urn:lsid:checklistbank.org:dataset:2207) before being able to generate reviews (e.g., elton review urn:lsid:checklistbank.org:dataset:2207), extract interaction claims (e.g., elton interactions urn:lsid:checklistbank.org:dataset:2207), or list taxonomic names (e.g., elton names urn:lsid:checklistbank.org:dataset:2207)





Figure 1: Review Process Overview

# Results

In the following sections, the results of the review are summarized [2]. Then, links to the detailed review reports are provided.

## Files

An extensive list of files produced as part of the review process can be found in Appendix A. Review Files.

## Archived Dataset

Note that *data.zip* file in this archive contains the complete, unmodified archived dataset under review.

## Biotic Interactions





Figure 2: Biotic Interaction Data Model

In this review, biotic interactions (or biotic associations) are modeled as a primary (aka subject, source) organism interacting with an associate (aka object, target) organism. The dataset under review classified the primary/associate organisms with specific taxa. The primary and associate organisms The kind of interaction is documented as an interaction type.

The dataset under review, named urn:lsid:checklistbank.org:dataset:2207, has fingerprint hash://md5/0aed9b1d05d1740c13605f707f954173, is 479KiB in size

[2]Disclaimer: The results in this review should be considered friendly, yet naive, notes from an unsophisticated robot. Please keep that in mind when considering the review results.

and contains 3 interactions with 1 unique type of association (e.g., eats) between 2 primary taxa (e.g., Alucita danunciae) and 3 associated taxa (e.g., Tecoma fulva subsp. fulva).

An exhaustive list of indexed interaction claims can be found in gzipped csv, tsv, geopackage and parquet archives. To facilitate discovery, a preview of claims available in the gzipped html page at indexed-interactions.html.gz are shown below.

The exhaustive list was used to create the following data summaries below.

Table 2: Sample of Indexed Interaction Claims

| sourceTaxonName | interactionTypeName | targetTaxonName | referenceCitation |
|---|---|---|---|
| Alucita danunciae | eats | Tecoma fulva subsp. fulva | Vargas, H.A., 2011. A new species of Alucita L. (Lepidoptera: Alucitidae) from Northern Chile. Neotropical Entomology, 40. http://dx.doi.org/10.1590/S1519-566X2011000100012 |
| Alucita danunciae | eats | Tecoma fulva subsp. arequipensis | Farfán, J., Cerdeña, J., Condori-Mamani, M., Huanca-Mamani, W. & Vargas, H.A., 2020. First record of Alucita danunciae (Lepidoptera: Alucitidae) in Peru. Studies on Neotropical Fauna and Environment, 55(2). https://doi.org/10.1080/01650521.2019.1702617 |

| sourceTaxonName | interactionTypeName | targetTaxonName | referenceCitation |
|---|---|---|---|
| Alucita malawica | eats | Barleria prionitis | Bippus, M., 2020. Records of Lepidoptera from the Malagasy region with description of new species (Lepidoptera: Tortricidae, Noctuidae, Alucitidae, Choreutidae, Euteliidae, Gelechiidae, Blastobasidae, Pterophoridae, Tonzidae, Tineidae, Praydidae, Cosmopterigidae, Batrachedridae). Phelsuma, 28. https://islandbiodiversity.com/Phelsuma28h.pdf |

Table 3: Most Frequently Mentioned Interaction Types (up to 20 most frequent)

| interactionTypeName | count |
|---|---|
| eats | 3 |

Table 4: Most Frequently Mentioned Primary Taxa (up to 20 most frequent)

| sourceTaxonName | count |
|---|---|
| Alucita danunciae | 2 |
| Alucita malawica | 1 |

Table 5: Most Frequently Mentioned Associate Taxa (up to 20 most frequent)

| targetTaxonName | count |
|---|---|
| Tecoma fulva subsp. fulva | 1 |
| Tecoma fulva subsp. arequipensis | 1 |
| Barleria prionitis | 1 |

Table 6: Most Frequent Interactions between Primary and Associate Taxa (up to 20 most frequent)

| sourceTaxonName | interactionTypeName | targetTaxonName | count |
|---|---|---|---|
| Alucita danunciae | eats | Tecoma fulva subsp. fulva | 1 |
| Alucita danunciae | eats | Tecoma fulva subsp. arequipensis | 1 |
| Alucita malawica | eats | Barleria prionitis | 1 |

### Interaction Networks

The figures below provide a graph view on the dataset under review. The first shows a summary network on the kingdom level, and the second shows how interactions on the family level. It is important to note that both network graphs were first aligned taxonomically using the Catalogue of Life. Please refer to the original (or verbatim) taxonomic names for a more original view on the interaction data.




Figure 3: Interactions on taxonomic kingdom rank as interpreted by the Catalogue of Life download svg

You can download the indexed dataset under review at indexed-interactions.csv.gz. A tab-separated file can be found at indexed-interactions.tsv.gz

## Geospatial Distribution

If geospatial information was extracted from the dataset under review, the map below will show their distribution. These maps were generated using MapServer

Figure 4: Interactions on the taxonomic family rank as interpreted by the Catalogue of Life. download svg

(McKenna et al. 2025) tools configured via map configuration indexed-interact ions.map :

```
MAP
  SIZE 1600 800
  EXTENT -180 -90 180 90
  PROJECTION
    "init=epsg:4326"
  END
  LAYER # MODIS WMS map from NASA
    NAME         "modis_nasa"
    TYPE         RASTER
    OFFSITE      0 0 0
    STATUS       ON
    CONNECTIONTYPE WMS
    CONNECTION "https://gibs.earthdata.nasa.gov/wms/epsg4326/best/wms.cgi?"

    METADATA
      "wms_srs" "EPSG:4326"
      "wms_name" "OSM_Land_Water_Map"
      "wms_server_version" "1.1.1"
      "wms_format" "image/jpeg"
    END
    CLASS
      STYLE
        COLOR        232 232 232
        OUTLINECOLOR 32 32 32
      END
    END
  END
  LAYER
    NAME "indexed-interactions"
    TYPE POLYGON
    STATUS ON
    CONNECTIONTYPE OGR
    CONNECTION "indexed-interactions-h3.gpkg"
    DATA "indexed-interactions-h3"
```

```
    CLASS
      STYLE
        COLORRANGE 253.0 231.0 37.0 32.0 164.0 134.0
        DATARANGE NULL NULL
        RANGEITEM "log_number_of_records"
        OUTLINECOLOR 0 0 0
      END
    END
  END
END
```

Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Figure 5: Hexagonal grid cells indicate that interactions claims are available for selected geospatial area: light yellow means relatively fewer claims, dark green relatively more claims.

Associated data can be found in the geopackage files at indexed-interactions .gpkg for point data and indexed-interactions-h3.gpkg for data clustered in geospatial h3 hexagonals.

Learn more about the structure of this download at GloBI website, by opening a GitHub issue, or by sending an email.

Another way to discover the dataset under review is by searching for it on the GloBI website.

## Taxonomic Alignment

As part of the review, all names are aligned against various name catalogs (e.g., col, ncbi, discoverlife, gbif, itis, wfo, mdd, tpt, pbdb, and worms). These alignments can help review name usage or aid in selecting of a suitable taxonomic name resource.

Table 7: Sample of Name Alignments

| providedName | relationName | resolvedCatalogName | resolvedName |
|---|---|---|---|
| Alucita malawica | HAS_ACCEPTED_NAME | col | Alucita malawica |
| Alucita danunciae | HAS_ACCEPTED_NAME | col | Alucita danunciae |
| Barleria prionitis | HAS_ACCEPTED_NAME | col | Barleria prionitis |
| Tecoma fulva ssp. arequipensis | NONE | col | Tecoma fulva ssp. arequipensis |

Table 8: Distribution of Taxonomic Ranks of Aligned Names by Catalog. Names that were not aligned with a catalog are counted as NAs. So, the total number of unaligned names for a catalog will be listed in their NA row.

| resolvedCatalogName | resolvedRank | count |
|---|---|---|
| col | NA | 2 |
| col | species | 3 |
| discoverlife | NA | 5 |
| gbif | NA | 2 |
| gbif | species | 3 |
| itis | NA | 4 |
| itis | species | 1 |
| mdd | NA | 5 |
| ncbi | NA | 3 |
| ncbi | species | 2 |
| pbdb | NA | 5 |
| tpt | NA | 5 |
| wfo | NA | 4 |
| wfo | species | 1 |
| worms | NA | 5 |

Table 9: Name relationship types per catalog. Name relationship type "NONE" means that a name was not recognized by the associated catalog. "SAME_AS" indicates either a "HAS_ACCEPTED_NAME" or "SYNONYM_OF" name relationship type. We recognize that "SYNONYM_OF" encompasses many types of nomenclatural synonymies (ICZN 1999) (e.g., junior synonym, senior synonyms).

| resolvedCatalogName | relationName | count |
|---|---|---|
| col | HAS_ACCEPTED_NAME | 3 |
| col | NONE | 2 |
| discoverlife | NONE | 5 |
| gbif | HAS_ACCEPTED_NAME | 3 |
| gbif | NONE | 2 |
| itis | NONE | 4 |
| itis | HAS_ACCEPTED_NAME | 1 |
| mdd | NONE | 5 |
| ncbi | NONE | 3 |
| ncbi | SAME_AS | 2 |
| pbdb | NONE | 5 |
| tpt | NONE | 5 |

| resolvedCatalogName | relationName | count |
|---|---|---|
| wfo | NONE | 4 |
| wfo | HAS_ACCEPTED_NAME | 1 |
| worms | NONE | 5 |

Table 10: List of Available Name Alignment Reports

| catalog name | alignment results |
|---|---|
| col | associated names alignments report in gzipped html, csv, and tsv) |
| ncbi | associated names alignments report in gzipped html, csv, and tsv) |
| discoverlife | associated names alignments report in gzipped html, csv, and tsv) |
| gbif | associated names alignments report in gzipped html, csv, and tsv) |
| itis | associated names alignments report in gzipped html, csv, and tsv) |
| wfo | associated names alignments report in gzipped html, csv, and tsv) |
| mdd | associated names alignments report in gzipped html, csv, and tsv) |
| tpt | associated names alignments report in gzipped html, csv, and tsv) |
| pbdb | associated names alignments report in gzipped html, csv, and tsv) |
| worms | associated names alignments report in gzipped html, csv, and tsv) |

## Additional Reviews

Elton, Nomer, and other tools may have difficulties interpreting existing species interaction datasets. Or, they may misbehave, or otherwise show unexpected behavior. As part of the review process, detailed review notes are kept that document possibly misbehaving, or confused, review bots. An sample of review notes associated with this review can be found below.

Table 11: First few lines in the review notes.

| reviewDate | reviewCommentType | reviewComment |
|---|---|---|
| 2026-06-08T23:45:28Z | note | source taxon name missing |
| 2026-06-08T23:45:28Z | note | source taxon name missing |

| reviewDate | reviewCommentType | reviewComment |
|---|---|---|
| 2026-06-08T23:45:28Z | note | source taxon name missing |
| 2026-06-08T23:45:28Z | note | source taxon name missing |

In addition, you can find the most frequently occurring notes in the table below.

Table 12: Most frequently occurring review notes, if any.

| reviewComment | count |
|---|---|
| source taxon name missing | 975 |

For additional information on review notes, please have a look at the first 500 Review Notes in html format or the download full gzipped csv or tsv archives.

## GloBI Review Badge

As part of the review, a review badge is generated. This review badge can be included in webpages to indicate the review status of the dataset under review.




Figure 6: Picture of a GloBI Review Badge [3]

Note that if the badge is green, no review notes were generated. If the badge is yellow, the review bots may need some help with interpreting the species interaction data.

## GloBI Index Badge

If the dataset under review has been registered with GloBI, and has been succesfully indexed by GloBI, the GloBI Index Status Badge will turn green. This means that the dataset under review was indexed by GloBI and is available through GloBI services and derived data products.




Figure 7: Picture of a GloBI Index Badge [4]

[3] Up-to-date status of the GloBI Review Badge can be retrieved from the GloBI Review Depot

[4] Up-to-date status of the GloBI Index Badge can be retrieved from GloBI's API

If you'd like to keep track of reviews or index status of the dataset under review, please visit GloBI's dataset index [5] for badge examples.

## Discussion

This review and archive provides a means of creating citable versions of datasets that change frequently. This may be useful for dataset managers, including natural history collection data managers, as a backup archive of a shared Darwin Core archive. It also serves as a means of creating a trackable citation for the dataset in an automated way, while also including some information about the contents of the dataset.

This review aims to provide a perspective on the dataset to aid in understanding of species interaction claims discovered. However, it is important to note that this review does *not* assess the quality of the dataset. Instead, it serves as an indication of the open-ness[6] and FAIRness (Wilkinson et al. 2016; Trekels et al. 2023) of the dataset: to perform this review, the data was likely openly available, **F**indable, **A**ccessible, **I**nteroperable and **R**eusable. The current Open-FAIR assessment is qualitative, and a more quantitative approach can be implemented with specified measurement units.

This report also showcases the reuse of machine-actionable (meta)data, something highly recommended by the FAIR Data Principles (Wilkinson et al. 2016). Making (meta)data machine-actionable enables more precise procesing by computers, enabling even naive review bots like Nomer and Elton to interpret the data effectively. This capability is crucial for not just automating the generation of reports, but also for facilitating seamless data exchanges, promoting interoperability.

## Acknowledgements

We thank the many humans that created us and those who created and maintained the data, software and other intellectual resources that were used for producing this review. In addition, we are grateful for the natural resources providing the basis for these human and bot activities. Also, thanks to https://github.com/zygoballus for helping improve the layout of the review tables.

[5] At time of writing (2026-06-09) the version of the GloBI dataset index was available at https://globalbioticinteractions.org/datasets

[6] According to http://opendefinition.org/: "Open data is data that can be freely used, reused and redistributed by anyone - subject only, at most, to the requirement to attribute and sharealike."

## Author contributions

Nomer was responsible for name alignments. Elton carried out dataset extraction, and generated the review notes. Preston tracked, versioned, and packaged, the dataset under review.

## Appendix A. Review Files

The following files are produced in this review:

| filename | description |
|---|---|
| biblio.bib | list of bibliographic reference of this review |
| check-dataset.sh | data review workflow/process as expressed in a bash script |
| data.zip | a versioned archive of the data under review |
| HEAD | the digital signature of the data under review |
| index.docx | review in MS Word format |
| index.html | review in HTML format |
| index.md | review in Pandoc markdown format |
| index.pdf | review in PDF format |
| indexed-citations.csv.gz | list of distinct reference citations for reviewed species interaction claims in gzipped comma-separated values file format |
| indexed-citations.html.gz | list of distinct reference citations for reviewed species interactions claims in gzipped html file format |
| indexed-citations.tsv.gz | list of distinct reference citations for reviewed species interaction claims in gzipped tab-separated values format |
| indexed-interactions-col-family-col-family.svg | network diagram showing the taxon family to taxon family interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) |
| indexed-interactions-col-kingdom-col-kingdom.svg | network diagram showing the taxon kingdom to taxon kingom interaction claims in the dataset under review as interpreted by the Catalogue of Life via Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) |

| filename | description |
|---|---|
| indexed-interactions.csv.gz | species interaction claims indexed from the dataset under review in gzipped comma-separated values format |
| indexed-interactions.html.gz | species interaction claims indexed from the dataset under review in gzipped html format |
| indexed-interactions.tsv.gz | species interaction claims indexed from the dataset under review in gzipped tab-separated values format |
| indexed-interactions.parquet | species interaction claims indexed from the dataset under review in Apache Parquet format |
| indexed-interactions.png | species interaction claims indexed from the dataset under review plotted on a map |
| indexed-interactions.map | mapserver configuration to plot species interaction claims indexed from the dataset under review on a map |
| indexed-interactions.gpkg | species interaction claims indexed from the dataset under review in GeoPackage format |
| indexed-interactions-h3.gpkg | geospatially clustered h3 species interaction claims indexed from the dataset under review in GeoPackage format |
| indexed-interactions-sample.csv | list of species interaction claims indexed from the dataset under review in gzipped comma-separated values format |
| indexed-interactions-sample.html | first 500 species interaction claims indexed from the dataset under review in html format |
| indexed-interactions-sample.tsv | first 500 species interaction claims indexed from the dataset under review in tab-separated values format |
| indexed-names.csv.gz | taxonomic names indexed from the dataset under review in gzipped comma-separated values format |
| indexed-names.html.gz | taxonomic names found in the dataset under review in gzipped html format |

| filename | description |
|---|---|
| indexed-names.tsv.gz | taxonomic names found in the dataset under review in gzipped tab-separated values format |
| indexed-names.parquet | taxonomic names found in the dataset under review in Apache Parquet format |
| indexed-names-resolved-col.csv.gz | taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |
| indexed-names-resolved-col.html.gz | taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-col.tsv.gz | taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |
| indexed-names-resolved-col.parquet | taxonomic names found in the dataset under review aligned with the Catalogue of Life as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-discoverlife.csv.gz | taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |

| filename | description |
|---|---|
| indexed-names-resolved-discoverlife.html.gz | taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-discoverlife.tsv.gz | taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |
| indexed-names-resolved-discoverlife.parquet | taxonomic names found in the dataset under review aligned with Discover Life bee species checklist as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-gbif.csv.gz | taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |
| indexed-names-resolved-gbif.html.gz | taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-gbif.tsv.gz | taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |

| filename | description |
|---|---|
| indexed-names-resolved-gbif.parquet | taxonomic names found in the dataset under review aligned with GBIF Backbone Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-itis.csv.gz | taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |
| indexed-names-resolved-itis.html.gz | taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-itis.tsv.gz | taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |
| indexed-names-resolved-itis.parquet | taxonomic names found in the dataset under review aligned with Integrated Taxonomic Information System (ITIS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-mdd.csv.gz | taxonomic names found in the dataset under review aligned with the Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |

| filename | description |
|---|---|
| indexed-names-resolved-mdd.html.gz | taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-mdd.tsv.gz | taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |
| indexed-names-resolved-mdd.parquet | taxonomic names found in the dataset under review aligned with Mammal Diversity Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-ncbi.csv.gz | taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |
| indexed-names-resolved-ncbi.html.gz | taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-ncbi.tsv.gz | taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |

| filename | description |
|---|---|
| indexed-names-resolved-ncbi.parquet | taxonomic names found in the dataset under review aligned with the NCBI Taxonomy as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-pbdb.csv.gz | taxonomic names found in the dataset under review aligned with the Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |
| indexed-names-resolved-pbdb.html.gz | taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-pbdb.tsv.gz | taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |
| indexed-names-resolved-pbdb.parquet | taxonomic names found in the dataset under review aligned with Paleobiology Database as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-tpt.csv.gz | taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |

| filename | description |
|---|---|
| indexed-names-resolved-tpt.html.gz | taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-tpt.tsv.gz | taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |
| indexed-names-resolved-tpt.parquet | taxonomic names found in the dataset under review aligned with the Terrestrial Parasite Tracker (TPT) Taxonomic Resource as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-wfo.csv.gz | taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |
| indexed-names-resolved-wfo.html.gz | taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-wfo.tsv.gz | taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |

| filename | description |
|---|---|
| indexed-names-resolved-wfo.parquet | taxonomic names found in the dataset under review aligned with the World of Flora Online as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-resolved-worms.csv.gz | taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped comma-separated values format |
| indexed-names-resolved-worms.html.gz | taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped html format |
| indexed-names-resolved-worms.tsv.gz | taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in gzipped tab-separated values format |
| indexed-names-resolved-worms.parquet | taxonomic names found in the dataset under review aligned with the World Register of Marine Species (WoRMS) as accessed through the Nomer Corpus of Taxonomic Resources (J. H. (ed. ). Poelen 2024) in Apache Parquet format |
| indexed-names-sample.csv | first 500 taxonomic names found in the dataset under review in comma-separated values format |
| indexed-names-sample.html | first 500 taxonomic names found in the dataset under review in html format |
| indexed-names-sample.tsv | first 500 taxonomic names found in the dataset under review in tab-separated values format |

| filename | description |
|---|---|
| interaction.svg | diagram summarizing the data model used to index species interaction claims |
| nanopub-sample.trig | first 500 species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014) |
| nanopub.trig.gz | species interaction claims as expressed in the nanopub format (Kuhn and Dumontier 2014) |
| process.svg | diagram summarizing the data review processing workflow |
| prov.nq | origin of the dataset under review as expressed in rdf/nquads |
| review.csv.gz | review notes associated with the dataset under review in gzipped comma-separated values format |
| review.html.gz | review notes associated with the dataset under review in gzipped html format |
| review.tsv.gz | review notes associated with the dataset under review in gzipped tab-separated values format |
| review-sample.csv | first 500 review notes associated with the dataset under review in comma-separated values format |
| review-sample.html | first 500 review notes associated with the dataset under review in html format |
| review-sample.tsv | first 500 review notes associated with the dataset under review in tab-separated values format |
| review.svg | a review badge generated as part of the dataset review process |
| zenodo.json | metadata of this review expressed in Zenodo record metadata |

# References

Elliott, Michael, Jorrit Poelen, Icaro Alzuru, Emilio Berti, and partha04patel. 2025. "Bio-Guoda/Preston: 0.10.5." Zenodo. https://doi.org/10.5281/zenodo.14662206.

ICZN. 1999. "International Code of Zoological Nomenclature." The International Trust for Zoological Nomenclature, London, UK. https://www.iczn.o

rg/the-code/the-code-online/.

Kuhn, Tobias, and Michel Dumontier. 2014. "Trusty URIs: Verifiable, Immutable, and Permanent Digital Artifacts for Linked Data." In *The Semantic Web: Trends and Challenges*, edited by Valentina Presutti, Claudia d'Amato, Fabien Gandon, Mathieu d'Aquin, Steffen Staab, and Anna Tordai, 395–410. Cham: Springer International Publishing.

Kuhn, Tobias, Jorrit Poelen, and Katrin Leinweber. 2025. "Globalbioticinteractions/Elton: 0.15.1." Zenodo. https://doi.org/10.5281/zenodo.14927734.

McKenna, Jeff, Steve Lime, Thomas Bonfort, Jérome Boué, Howard Butler, Seth Girvin, Tom Kralidis, et al. 2025. "MapServer." Zenodo. https://doi.org/10.5281/zenodo.17807263.

Poelen, Jorrit H. (ed.). 2024. "Nomer Corpus of Taxonomic Resources Hash://Sha256/ B60c0d25a16ae77b24305782017b1a270b79b5d1746f832650F2027ba536e276 Hash://Md5/17f1363a277ee0e4ecaf1b91c665e47e." Zenodo. https://doi.org/10.5281/zenodo.12695629.

Poelen, Jorrit H., James D. Simons, and Chris J. Mungall. 2014. "Global Biotic Interactions: An Open Infrastructure to Share and Analyze Species-Interaction Datasets." *Ecological Informatics* 24 (November): 148–59. https://doi.org/10.1016/j.ecoinf.2014.08.005.

Poelen, Jorrit, Katja Seltmann, and Daniel Mietchen. 2024. "Globalbioticinteractions/Globinizer: 0.4.0." Zenodo. https://doi.org/10.5281/zenodo.10647565.

Salim, José Augusto, and Jorrit Poelen. 2025. "Globalbioticinteractions/Nomer: 0.5.15." Zenodo. https://doi.org/10.5281/zenodo.14893840.

Trekels, Maarten, Debora Pignatari Drucker, José Augusto Salim, Jeff Ollerton, Jorrit Poelen, Filipi Miranda Soares, Max Rünzel, Muo Kasina, Quentin Groom, and Mariano Devoto. 2023. "WorldFAIR Project (D10.1) Agriculture-related pollinator data standards use cases report." Zenodo. https://doi.org/10.5281/zenodo.8176978.

Wilkinson, Mark D., Michel Dumontier, IJsbrand Jan Aalbersberg, Gabrielle Appleton, Myles Axton, Arie Baak, Niklas Blomberg, et al. 2016. "The FAIR Guiding Principles for Scientific Data Management and Stewardship." *Scientific Data* 3 (1). https://doi.org/10.1038/sdata.2016.18.