

Review Article

Ethnomedicinal uses of *Combretum* Loebl., and *Terminalia* L., species (Combretaceae)

Kuladeep Pelthadka¹, Kadambini Das², Rajkumari Supriya Devi³ and Nibedita Jena^{3*}

¹Department of Botany, Nehru Memorial College, Sullia, Dakshina Kannada, Karnataka

²University Department of Botany, Babasaheb Bhimrao Ambedkar Bihar University, Muzaffarpur, Bihar, India

³Ambika Prasad Research Foundation, Odisha, India

*Email-Id: nibeditajena838@gmail.com; ORCID: <https://orcid.org/0009-0000-0238-0412>

Article Details: Received: 2025-03-30 | Accepted: 2025-06-06 | Available online: 2025-06-07



Licensed under a Creative Commons Attribution 4.0 International License

Abstract: The Combretaceae family comprises several plant species traditionally used to treat various health issues. This study highlights the ethnomedicinal uses of plants such as *Terminalia arjuna*, *Terminalia bellirica*, *Terminalia chebula*, *Combretum albidum*, *Combretum roxburghii*, and *Terminalia anogeissiana*, which are used to address gastrointestinal, skin, respiratory, and other health problems. The documented traditional knowledge provides a foundation for further research and potential development of new treatments.

Keywords: Ethnomedicine, medicinal plants, traditional knowledge

Introduction

The prevalence of chronic diseases like diabetes, cancer, rheumatism, and asthma is increasing in urban areas, largely due to factors such as climate change, sedentary lifestyles, unhealthy diets, and excessive stress (Cacciatore et al., 2025). According to the World Health Organization (WHO), non-communicable diseases (NCDs) account for 70% of global deaths, with cardiovascular diseases, cancer, chronic respiratory diseases, and diabetes being the primary culprits (Roth et al., 2017). Day by day data says that it is increasing and there is a need of lot of therapeutic agents for screening of effective bioactive compounds in near future (Riaz et al., 2023). Screening is a time taking process and usual hit and trial method is used but the process can be reduced if researchers screen the family. Combretaceae is a suitable family of plant science to screen the therapeutic bioactive compounds (Sinha et al., 2024; Mukherjee et al., 2025). It is a large group of flowering plants predominantly tree, shrub, and lianas. It is distributed in tropical and sub-tropical region of the world. Combretaceae consists

of about 600 species (Silen et al., 2023). The largest and important genera of this family are *Combretum* and *Terminalia* (de Morais Lima et al., 2012). Ethnomedicinal and pharmacological values of plants belongs to Combretaceae family are well known ((Silen et al., 2023). The popular formulation, 'Triphala' consist of 2 important combretum species (*Terminalia bellirica* and *Terminalia chebula*; Peterson et al., 2017). Keeping the importance of this family in medicinal aspect, an attempt has been made together the ethnomedicinal uses of selected of this family and presented in this article. The present study draw attention towards the importance of this family in ethnopharmacological research.

Methodology

For present study, different types of published reports, research papers, review papers and exploration reports were used to gather the information. Platforms like Springer, ScienceDirect, ResearchGate, Academia or also used to search the information (Patil and Gaikwad, 2011; Aneja et al., 2012; Kandari et al., 2012; Upadhyay, 2013).

Results and discussion

Literature survey revealed that 6 common plant species of Combretaceae family have several ethnomedicinal uses. The study highlights the ethnomedicinal uses of six plant species from the Combretaceae family, revealing a diverse range of traditional applications. *Terminalia arjuna*, *Terminalia bellirica*, and *Terminalia chebula* are found to be used in treating various health issues, including gastrointestinal problems, skin issues, and respiratory ailments. The documented uses of these plants demonstrate their significance in traditional medicine. The results also show that different parts of the plants are used to prepare remedies, such as bark decoctions, leaf pastes, and fruit powders. *Terminalia bellirica* fruits are used in herbal medicine, while *Combretum albidum* seed oil is used to cure eczema. The varied preparation methods and uses of these plant parts underscore the complexity and richness of traditional knowledge (Table 1).

Table 1: Ethnomedicinal uses of different plants of Combretaceae family

Plant Name	Ethnomedicinal uses	Source
<i>Terminalia arjuna</i> (Roxb. ex DC.) Wight & Arn. (Figure 1)	The leaves and bark extracts used against ear infections.	Aneja et al., (2012)
	The bark powder is used for bone fracture.	Upadhyay, (2013)
	1cup of bark infusion is taken in the morning and evening to cure diarrhea and vomiting	Upadhyay, (2013)
<i>Terminalia bellirica</i> (Gaertn.) Roxb. (Figure 2)	1 cup of bark decoction is taken in the morning and evening for 3 days to cure abdominal pain.	Upadhyay, (2013)

	Fruits are used in herbal medicine like 'Triphala' to cure constipation and indigestion.	Kandari et al., (2012)
	The leaf decoction is used for the treatment of ulcer.	Akter et al., (2019)
	The dried fruit powder is taken orally to treat cold, cough and asthma.	Al-Harrasi et al., (2022)
	The fruits are used to treat parasitic infections.	Shaba et al., (2008)
<i>Terminalia chebula</i> Retz. (Figure 3)	Fruits are used to reduce stomach pain	Kandari et al., (2012)
	The fruit is used as an astringent.	Jokar et al., (2016)
	The fruits are useful in the treatment of fever and psychological issues.	Jokar et al., (2016)
<i>Combretum albidum</i> G.Don (Figure 5)	The leaves and stem bark are used for jaundice.	Sharma et al., (2021)
	The fruit decoction is used to treat diarrhoea and dysentery.	Sharma et al., (2021)
	The seed oil is used to cure eczema.	Sharma et al., (2021)
	The bark paste is used to treat various skin diseases.	Sharma et al., (2021)
<i>Combretum roxburghii</i> Spreng. (Figure 4)	The bark paste is used by Sabar community for reducing inflammation.	Rout et al., (2023)
	The matured leaf paste is useful for treating skin infections.	Rout et al., (2023)
	The young leaves are used to make a juice for diarrhoea.	Rout et al., (2023)
	The fruit paste is applied to reduce inflammation caused by accident.	Rout et al., (2023)
<i>Terminalia anogeissiana</i> Gere & Boatwr.	The bark paste is applied externally for wound healing.	Patil and Gaikwad, (2011)
	The bark decoctions are used to treat diarrhoea.	Patil and Gaikwad, (2011)
	The plant's extracts are used to manage diabetes.	Shalini et al., (2013)
	The gum is used to treat snake and scorpion bites.	Patil and Gaikwad, (2011)



Figure 1: Leaves and fruits of *Terminalia arjuna*



Figure 2: Fruits of *Terminalia bellirica*



Figure 3: Fruits of *Terminalia chebula*



Figure 4: Flowers of *Combretum roxburghii*



Figure 5: Fruits of *Combretum albidum*

Conclusion

The study concludes that the Combretaceae family, particularly species like *Terminalia arjuna*, *Terminalia bellirica*, and *Combretum albidum*, possess significant ethnomedicinal value, with diverse traditional uses in treating various health issues. The documentation of this traditional knowledge provides a foundation for further research, potential development of new treatments, and preservation of cultural heritage. Scientific validation of these plants' ethnomedicinal uses could lead to novel therapeutic discoveries, highlighting the importance of continued exploration and conservation of traditional knowledge and plant resources.

References

- Akter S, Begum T, Begum R, Tonny TS, Yasmin M, Shifa S, Afroze F and Faruquzzaman. (2019). Phytochemical analysis and investigation of anti-inflammatory and anti-ulcer activity of *Terminalia bellirica* leaves extract. *International Journal of Pharmacognosy*. 6(2): 54-65.
- Al-Harrasi A, Bhatia S, Aldawsari MF and Behl T. (2022). Plant profile, phytochemistry, and ethnopharmacological uses of *Terminalia bellirica*, *Terminalia chebula*, and *Terminalia arjuna*. *Recent Advances in Natural Products Science*. 1: 1-30.

- Aneja KR, Sharma C and Joshi R. (2012). Antimicrobial activity of *Terminalia arjuna* Wight & Arn.: an ethnomedicinal plant against pathogens causing ear infection. *Brazilian Journal of Otorhinolaryngology*. 78 (1): 68-74.
- Cacciatore S, Mao S, Nuñez MV, Massaro C, Spadafora L, Bernardi M, Perone F, Sabouret P, Biondi-Zoccai G, Banach M, Calvani R, Tosato M, Marzetti E and Landi F. (2025). Urban health inequities and healthy longevity: traditional and emerging risk factors across the cities and policy implications. *Aging Clinical and Experimental Research*. 37(1):143. DOI: 10.1007/s40520-025-03052-1
- Jokar A, Masoomi F, Sadeghpour O, Nassiri-Toosi M and Hamed S. (2016). Potential therapeutic applications for *Terminalia chebula* in Iranian traditional medicine. *Journal of Traditional Chinese Medicine*. 36(2): 250-254.
- Kandari LS, Gharai AK, Negi T and Phondani PC. (2012). Ethnobotanical knowledge of medicinal plants among tribal communities in Orissa, India. *Journal of Forest Research*. 1(1): 1-5.
- Mukherjee S, Dagawal MJ, Dhal A, Sreedevi A, Marndi S, Kumar S and Sahu JK. (2025). Ecological services and Indigenous Traditional Knowledge (ITK) of *Terminalia* L., species of India: a conservation aspect. 151(2):173-176.
- Patil UH and Gaikwad DK. (2011). Ethno-pharmacological review of a herbal drug: *Anogeissus latifolia*. *International Journal of Pharma Sciences and Research*. 2(1): 41-43.
- Riaz M, Khalid R, Afzal M, Anjum F, Fatima H, Zia S, Rasool G, Egbuna C, Mtewa AG, Uche CZ and Aslam MA. (2023). Phytobioactive compounds as therapeutic agents for human diseases: A review. *Food Science and Nutrition*. 11(6):2500-2529.
- Roth GA, Johnson C, Abajobir A, Abd-Allah F, Abera SF, Abyu G, Ahmed M, Aksut B, Alam T, Alam K, Alla F, Alvis-Guzman N, Amrock S, Ansari H, Ärnlöv J, Asayesh H, Atey TM, Avila-Burgos L, Awasthi A, Banerjee A, Barac A, Bärnighausen T, Barregard L, Bedi N, Belay Ketema E, Bennett D, Berhe G, Bhutta Z, Bitew S, Carapetis J, Carrero JJ, Malta DC, Castañeda-Orjuela CA, Castillo-Rivas J, Catalá-López F, Choi JY, Christensen H, Cirillo M, Cooper L Jr, Criqui M, Cundiff D, Damasceno A, Dandona L, Dandona R, Davletov K, Dharmaratne S, Dorairaj P, Dubey M, Ehrenkranz R, El Sayed Zaki M, Faraon EJA, Esteghamati A, Farid T, Farvid M, Feigin V, Ding EL, Fowkes G, Gebrehiwot T, Gillum R, Gold A, Gona P, Gupta R, Habtewold TD, Hafezi-Nejad N, Hailu T, Hailu GB, Hankey G, Hassen HY, Abate KH, Havmoeller R, Hay SI, Horino M, Hotez PJ, Jacobsen K, James S, Javanbakht M, Jeemon P, John D, Jonas J, Kalkonde Y, Karimkhani C, Kasaeian A, Khader Y, Khan A, Khang YH, Khera S, Khoja AT, Khubchandani J, Kim D, Kolte D, Kosen S, Krohn KJ, Kumar GA, Kwan GF, Lal DK, Larsson A, Linn S, Lopez A, Lotufo PA, El Razek HMA, Malekzadeh R, Mazidi M, Meier T, Meles KG, Mensah G, Meretoja A, Mezgebe H, Miller T, Mirakhorimov E, Mohammed S, Moran AE, Musa KI, Narula J, Neal B, Ngalesoni F, Nguyen G, Obermeyer CM, Owolabi M, Patton G, Pedro J, Qato D, Qorbani M, Rahimi K, Rai RK, Rawaf S, Ribeiro A, Safiri S, Salomon JA, Santos I, Santric Milicevic M, Sartorius B, Schutte A, Sepanlou S, Shaikh MA, Shin MJ, Shishehbor M,

- Shore H, Silva DAS, Sobngwi E, Stranges S, Swaminathan S, Tabarés-Seisdedos R, Tadele Atnafu N, Tesfay F, Thakur JS, Thrift A, Topor-Madry R, Truelsen T, Tyrovolas S, Ukwaja KN, Uthman O, Vasankari T, Vlassov V, Vollset SE, Wakayo T, Watkins D, Weintraub R, Werdecker A, Westerman R, Wiysonge CS, Wolfe C, Workicho A, Xu G, Yano Y, Yip P, Yonemoto N, Younis M, Yu C, Vos T, Naghavi M and Murray C. (2017). Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. *Journal of the American College of Cardiology*. 70(1):1-25.
- Rout S, Singh A, Dimri R and Kumar S. (2023). Atundi (*Combretum roxburghii* Spreng.): a medicinal climber with ecological & pharmacological significance. *Medicinal Climbers*. 37-41. DOI:10.5281/zenodo.7577799.
- Shaba P, Pandey N, Sharma O, Rao R and Singh R. (2008). Therapeutic evaluation of *Terminalia bellirica* (Combretaceae) dried fruits against *Trypanosoma evansi*. *The Internet Journal of Veterinary Medicine*. 7(1): 1-6.
- Shalini K, Vijusha M, Rajani A, Rajesh B and Hemamalini K. (2013). Anti-diabetic activity of methanolic extract of *Anogeissus latifolia* wall in Swiss albino rats by using streptozotocin induced diabetic model. *World Journal of Pharmaceutical Research*. 2(6): 2655-2661.
- Sharma M, Golani P, Bhurat M, Nagdev S, Jaisinghani H, Jain M, Mude G and Dhankani A. (2021). *Combretum albidum* G. Don: an unexplored medicinal plant. *Journal of Medicinal Plants Studies*. 9(4): 111-113.
- Sinha MK, Panda A, Mishra S and Kumar S. (2024). Medicinal Combretaceae of India, Volume I. Ambika Prasad Research Foundation, Odisha, India. DOI: 10.5281/zenodo.14582202
- Silén H, Salih EYA, Mgbeahuruike EE and Fyhrqvist P. (2023). Ethnopharmacology, Antimicrobial Potency, and Phytochemistry of African *Combretum* and *Pteleopsis* Species (Combretaceae): A Review. *Antibiotics*. 12(2):264. DOI: 10.3390/antibiotics12020264
- de Moraes Lima GR, de Sales IR, Caldas Filho MR, de Jesus NZ, de Sousa Falcão H, Barbosa-Filho JM, Cabral AG, Souto AL, Tavares JF and Batista LM. (2012). Bioactivities of the genus *Combretum* (Combretaceae): a review. *Molecules*. 17(8):9142-206.
- Peterson CT, Denniston K and Chopra D. (2017). Therapeutic Uses of Triphala in Ayurvedic Medicine. *Journal of Alternative and Complementary Medicine*. 23(8):607-614.