



**INTERNATIONAL JOURNAL OF
PHARMACEUTICAL SCIENCES**
[ISSN: 0975-4725; CODEN(USA): IJPS00]
Journal Homepage: <https://www.ijpsjournal.com>



Review Article

Review On Herbal Mosquitoes' Repellent

Pratiksha Nagare*, Sheetal Gosavi, Charushila Bhangale

Pravara Rural Education Society's College of Pharmacy, (For Women) Chincholi, Nashik 422102 Maharashtra, India.

ARTICLE INFO

Published: 22 April. 2025

Keywords:

Mosquitoes, Anopheles,
Malaria, Repellent.

DOI:

10.5281/zenodo.15261405

ABSTRACT

Mosquitoes, especially Anopheles and Aedes species, are major vectors for life-threatening maladies such as jungle fever, dengue fever, and Zika infection, driving to over one million passings yearly. Conventional anticipation strategies essentially center on lessening mosquito nibbles through repellents. Whereas manufactured repellents like DEET and Allethrin are commonly utilized, they posture wellbeing dangers and natural concerns. In differentiate, normal repellents inferred from plants have been utilized for centuries and offer a promising, eco-friendly alternative. There see highlights a few successful plant-based repellents, counting basil (Ocimum basilicum), neem (Azadirachta indica), marigold (Tagetes erecta), Camphor, cedar, Chamomile, citronella, Cinnamon, Clove, Eucalyptus, Geranium, Jasmine, Juniper, Lavender, Lemon, Lemongrass, Lemon Eucalyptus, Peppermint, Rosemary, Orange and lantana camara. Basic oils from basil contain compounds such as eugenol and linalool that illustrate noteworthy repellent properties. Neem oil, wealthy in azadirachtin and terpenoids, viably hinders mosquitoes whereas advancing maintainable hones. Marigold, through compounds like a-terthienyl, repulses mosquitoes without destructive chemicals, making it a profitable component in companion planting. Lantana camara, whereas a common weed, has appeared potential in mosquito control without the unfavorable natural impacts related with manufactured alternatives. Moreover, home grown extraction strategies permit for the arrangement of viable mosquito repellents that are non-toxic and ecologically neighborly. Procedures such as microencapsulation encourage upgrade the viability and life span of these homegrown repellents.

INTRODUCTION

Mosquito have been known to mortal for numerous decades and are little canvases that transmit a variety of disease through there slaver.

***Corresponding Author:** Pratiksha Nagare

Address: Pravara Rural Education Society's College of Pharmacy, (For Women) Chincholi, Nashik 422102 Maharashtra, India.

Email ✉: Pnagare500@gmail.com

Relevant conflicts of interest/financial disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.



Several mosquito species from the rubrics Anopheles and Aedes serve as vectors for pathogens that beget conditions similar as Dengue fever, Malaria, Yellow fever, Japanese Encephalitis, and other infections. Mosquitoes alone are responsible for the transmission of conditions to roughly 700 million people worldwide, with over one million deaths reported each time. Herbal phrasings, which are proven to be helpful against a wide range of conditions and affections, are gradationally gaining fashionability around the world¹. still, including a statement that factory cures are effective and have no side goods is a good idea.⁽¹⁾ Mosquito borne conditions are major mortal health problem and controls of similar serious conditions are getting decreasingly delicate because of the high rate of reduplication and development of resistance to germicides in mosquitoes. Synthetic fungicides repellants have been considerably used for mosquito control by either killing, precluding adult mosquitoes to suck mortal beings or by killing mosquito naiads at the parentage spots of the vectors. still its injurious impact on non-target population and the development of resistance urged for the hunt of volition, simple and sustainable styles of mosquito control. The need for development of effective germicides repellents⁽²⁾.

Herbal Method for Mosquito Repellent Finish:

Home-grown Strategy FOR MOSQUITO REPELLENT Wrap up Herbal repellents are ideal than chemical repellents since they are non-toxic, non-allergenic, and ecologically neighborly. On utilize home-grown repellent, to begin with make home-grown extricates, at that point apply this extricates to textures.

1. Herbal Extract Extraction:

Fresh herbs are isolated and shadow dried some time recently being beat into a fine powder. For

extraction, an adequate sum of dry powder is blended with solvents such as methanol, ethanol, humane, or water and kept up in a closed holder overnight, for a few days, or for a few hours. To extricate is along these lines sifted utilizing channel paper. The home-grown extricates are condensed by dissipating the solvents and kept for consequent utilize after filtration (3,4).

2. Application Of Herbal Extracts:

he created extricate is instantly connected to the texture utilizing the pad-dry-cure strategy in this strategy. The texture is pressed, dried, and cured after being cushioned with extricate.

Method Of Microencapsulation-Herbal extricates are encased in microcapsules in this prepare. The depletion strategy is at that point utilized to wrap up the texture. The cloth is soaked in the microcapsule arrangement for a brief period of time some time recently being evacuated, crushed, dried, and cured (5)

History:

Mosquito- transmitted conditions remain a main source of illness and death nonentity repellent composites have been employed to displace or kill insects since age, when colorful factory canvases, smokes, seamen, and other substances were used. There were only four main repellents accessible before WWII citronella oil painting, which was occasionally used as a hair remedy for head lice, dimethyl phthalate, which was set up in 1929, Indalone, which was patented in 1937, and Rutgers 612, which was retailed in 1939. As a result, the US government had delved over 20,000 possible mosquito repellent chemicals by 1956⁽⁷⁾

Types of repellants:

Mosquito repellents are codified in a variety of ways. Depending on their source, they're



distributed as chemical or herbal repellents. Germicides that repel insects and pests rather than killing or killing them are known as repellent germicides.

Methods of mosquito's repellent:

1) Chemical repellent:

There are a number of common and chemical mosquito repellents that work to repulse mosquitoes. The engineered chemical repellent, DEET, is the most successful. It is basically a harm that covers the common odor and carbon

monoxide that is discharged from the human body.(8)

A) Synthetic repellent:

The manufactured compound DEET (N, N-diethyl-mtoluamide) has been the most compelling single creepy crawly repellent for numerous a long time and is the premise for numerous commercial mosquito repellent items on the showcase. In spite of reports of major poisonous qualities that can have a critical affect on grown-ups and children, such as dermatitis, unfavorably susceptible responses, neurological (seizures, coma)(9)

Table No 1: Extensively Used Mosquito Repellants and Their Limitations

1.DEET	•Skin irritation •Toxic •Can dissolve synthetic fabrics as is is an effective solvent
2.Picardin	•Toxic to aquatic life •eye irritation
3.Allethrins	•Low toxicity towards humans and birds but highly toxicity level towards aquatic life

2) Natural Repellent:

Numerous repellents are these days accessible which can effectively battle off the mosquitoes but are not great for the wellbeing as it contain a hurtful chemical called DEET. Basic oil repellents can be short-lived in their viability, since fundamental oils can vanish totally may require more visit re-application to keep up full security cannot apply straightforwardly on the skin, if connected can cause rashes on skin.

Importance or needs of Herbal mosquito repellent:

In show disdain toward of the distant coming to utilize of DEET-containing things, investigators such as Tenenbein and records from hurt control center phone data have nitty gritty and found as it were a few cases of dermatitis, unfavorably helpless reactions, and neurologic and cardiovascular toxicities such as seizures taking after the utilize, ingestion, and high-concentration utilize of DEET on children and grown-ups(10,11)

Plant based repellent:

Plant-based repellents have been utilized as a individual defensive technique against numerous Anopheles species for eras in conventional hone. Conventional repellent plant information is a



profitable asset for creating unused common repellents as an elective to chemical repellents.

Table No 2: Part Of Plants with Their Compositions.

Plant oil	Plant species	Part	Major component	Repellency %	Protection time (hours)
Basil	Ocimum basilicum L.	leaf, flower top	estragole, limonene, fenchone, linalool, eugenol E-methyl cinnamate, 1,8-cineole(12)	66.3	3.5
Camphor	Cinnamomum camphora (L.) J. Presl	wood, bark, leaf	1, 8-cineole, α terpineol, α -pinene, linalool, camphor, sabinene(13)	-	-
Cedar	Cedrus Trew (Cupressus L., Juniperus L.) spp.	wood	thujopsene, eudesmol, E-(+)- α atlantone; α , β & γ -himachalenes; α - & β cedrenes; limonene, β -phellandrene, α & β -pinene, 3 carene; p-methyl- Δ -3- tetrahydro & p-methyl acetophenones; hinokitiol, carvacrol(14)	38.1	8
Chamomile	Chamaemelum nobile (L.) All.	seed, leaf, flower	Roman: isobutyl, isoamyl & 2-methylpentyl angelates, α pinene German: E- β farnesene, E, E- α farnesene, α bisabolol, α -bisabolol oxides A & B(15)	76.2	8
Citronella	Cymbopogon nardus (L.) Rendle, C. winterianus Jowitt ex Bor	leaf	citronellal, geraniol, citronellol, geranyl acetate(16)	100	11
Cinnamon	Cinnamomum zeylanicum Blume	bark, leaf	eugenol, cinnamaldehyde(17)	100	8
Clove	Syzygium aromaticum (L.) Merr. & L.M. Perry	flower bud	eugenol, caryophyllene, eugenol acetate(18)	100	3.5
Eucalyptus	E. dives Schauer	leaf	1, 8-cineole, p-menthane-3,8- diol, α -pinene, p-cymene, γ terpinene, eucamalol, allo-ocimene, citronellol, α -terpineol(19)	28.6	5.5
Geranium	Pelargonium graveolens L'Hér.	leaf, stem	2-phenylethanol, geraniol, citronellol, geranyl acetate(20)	61.9	8
Jasmine	Jasminum grandiflorum L.	flower	linalool, benzyl acetate, methyl & benzyl	100	8

			benzoates, methyl anthranilate, Zjasmane, eugenol(21)		
Juniper	Juniperus communis L.	fruit	α -pinene, myrcene, sabinene, germacrene D(22)	76.2	8
Lavender	Lavandula angustifolia Mill.	flower	linalool, linalyl acetate, lavandulyl acetate, α -terpineol, geranyl acetate, terpinen-4-ol, 1,8-cineole(23)	80.9	8
Lemon	Citrus $\times$ limon (L.) Osbeck	peel	limonene, β -pinene, γ terpinene(24)	9.5	7
Lemongrass	Cymbopogon citratus (DC.) Stap	leaf	geranial, neral,myrcene (25)	100	8
Lemon eucalyptus	Eucalyptus citriodora Hook	leaf, twig	citronellal, citronellol(26)	52.4	8
Peppermint	Mentha $\times$ piperita L.	Aerial part	somenthol, pmenthone, isomenthyl & menthyl acetates(27,28)	100	11
Rosemary	Rosmarinus officinalis L.	Flower	verbenone, camphor, borneol, bornyl acetate, α -terpineol, terpinen-4-ol(29)	100	8
Orange	Citrus Sinensis	Peel	limonene, myrcene(30)	100	2

Basil (*Ocimum basilicum*)

The plants having a place to the basil genome or *Ocimum* sort of the Lamiaceae family are fragrant ones for its culinary and restorative properties, has moreover been investigated for its insect-repellent qualities, especially against mosquitoes. The fundamental oils extricated from basil contain compounds such as eugenol, linalool, and citronellol, which have illustrated repellent impacts., known for its culinary and restorative properties, has too been investigated for its insect-repellent qualities, especially against mosquitoes(31)

Camphor (*Cinnamomum camphora*)

Mosquitoes are major vectors for infections such as intestinal sickness, dengue, and Zika infection, requiring successful repellent methodologies. Whereas chemical repellents are broadly utilized,

concerns regarding their security and natural affect have impelled intrigued in normal options. Camphor has risen as a candidate due to its insect-repelling properties. Its essential dynamic component, camphor itself, is known for its repellent and insecticidal properties (32)

Cedar

Authorized from the wood of cedar trees, cedar wood oil is frequently mentioned for its ability to repel insects, particularly mosquitoes (33)

Chamomile (*Aedes aegypti* L)

Serves as the essential dengue and yellow fever vector. The n-humane, ethyl acetic acid derivation extricates, and fundamental oils from the blooms of Roman (*Chamaemelum mobile* L.) ,German (*Patricia chamomile* L.), and Jurua (*Chrysanthemum moratorium* Rama.) (34)



Citronella (Cymbopogon spp.)

Citronella oil is broadly recognized for its mosquito-repelling properties. It is determined from the leaves and stems of different species of Cymbopogon (lemongrass). Inferred from different species of the Cymbopogon sort, The essential dynamic fixing in citronella oil is citronellal, along with geranium, citronellal, and other terpenoids. Inquire about has illustrated the adequacy of citronella oil in repulsing mosquitoes, possibly lessening the chance of mosquito-borne maladies such as intestinal sickness, dengue fever, and Zika infection(35)

Cinnamon (Cinnamomum zeylanicum)

Cinnamon has been prescribed for utilize as a eerie crawly repellent. Cinnamon oils and their constituents, such as cinnamaldehyde, are insecticidal chemicals that have been utilized to control a wide run of eerie crawlies(36)

Clove (Syzygium aromaticum)

Clove oil has been inspected for its antibacterial, antimicrobial, and antifungal impacts against cutaneous irresistible indications, and has been found to be environmentally secure and safe to individuals, making it appropriate for utilization in pharmaceutical, aroma, and nourishment flavoring(37)

Eucalyptus (Eucalyptus globulus)

Eucalyptus is moreover one of the best mosquito repellent plant , P-Menthane-3, 8-diol (PMD) is a dynamic constituent found in eucalyptus oil ,When USDA analysts tried the victory of PMenthane-3, 8-diol as a mosquito repellent, they found that it has given assurance from nibbles for approximately 7 hours. Eucalyptus has been utilized for centuries as a therapeutic herb, and is accepted to have characteristic sterile,

antibacterial, and anti-inflammatory properties (38)

Geranium (Pelargonium genus)

Is a species in the Pelargonium sort and is frequently called a geranium since ,It is a vital fragrance based treatment oil since geranium oil, as well as its major constituents (citronellal, geranium, and linalool), have appeared smooth muscle relaxant (guinea pig ileum) properties (44) uranium, commonly known as cranes bill, is a plant commonly found in calm and mountain locales. Geranium has a place to the family Geraniaceae(39)

Jasmine (Jasminum grandiflorum L.)

Jasmine fundamental oil created from Jasminum grandiflorum L. has been appeared to repulse mosquitos in tests. As it were three investigate have inspected the mosquito repellent adequacy of Roman chamomile basic oil, in spite of the truth that its chemical cosmetics has been identified (40)

Juniper

In tests, jasmine fundamental oil determined from Jasminum grandiflorum L. was found to repulse mosquitos. In spite of the truth that the chemical cosmetics of Roman chamomile fundamental oil has been known, fair three ponders have looked at its mosquito repellent potential (41)

Lavender (Lavandula angustifolia)

Lavender, with its relieving scent and restorative properties, moreover shows striking mosquito repellent characteristics. Inferred from the Tarantula class, lavender oil contains compounds like linalool and finally acetic acid derivation, which contribute to its insect-repelling impacts. Inquire about has appeared that lavender oil can viably prevent mosquitoes, possibly decreasing the



chance of mosquito-borne infections such as jungle fever, dengue fever, and Zika infection(42)

Lemon eucalyptus (*Eucalyptus citriodora*)

Lemon eucalyptus, logically known as *Eucalyptus citriodora*, has surprising mosquito repellent properties, making it a prevalent normal elective for repulsing mosquitoes. The fragrance of lemon eucalyptus oil acts as a strong mosquito repellent by veiling human odors and disturbing mosquitoes' olfactory receptors, making it troublesome for them to find and bolster on human has.(43)

Peppermint (*Mentha spp.*)

Peppermint, known for its reviving smell and cooling sensation, too has momentous mosquito repellent properties, making it a well-known common alternative for discouraging mosquitoes. In any case, it is fundamental to perform a fix test some time recently broad utilize and weaken peppermint oil with a carrier oil to avoid skin aggravation in delicate people (44)


Rosemary (*Rosmarinus officinalis*) Rosemary is a fragrant evergreen bush with needle-like takes off and a woody stem Rosemary is neighborhood to the Mediterranean district, but it creates in various


other places around the world, customarily in warm climates. Rosemary has a strong, pine-like scent and upgrade, and it can be utilized to season meats, vegetables, and other dishes. It additionally has various helpful properties. Rosemary contains essential oils, which are acknowledged to have anti-inflammatory, antioxidant, and antispasmodic properties(45)

Orange

Important micronutrients, such as vitamins C and E, as well as carotenoids and flavonoids, are found in the human thin down and are fundamental for keeping up human prosperity (46). The closeness of these utilitarian food components and antioxidant nutraceutical or phytochemicals contributes to the wholesome regard of nourishment. It can slaughter or control ants and other unpleasant crawlies by erasing their scent-pheromone way pointers, or dissolving their exoskeleton, slaughtering the intrusion or aggravating re-infestation. Orange oil is said to have a grouping of benefits in scent based treatment, tallying the capacity to diminish extend, supervise uneasiness, empower loosening up, and make strides mood(47)

Plant Based Repellant in Flow diagram:







Others plant source used as mosquito's repellent:

Neem (*Azadirachta indica*)

is famous for its distinctive helpful properties, tallying its maleness as a mosquito repellent. Need oil, removed from the seeds of the need tree, contains compounds such as azadirachtin, ammonoids, and terpenoids, which show solid insect-repelling impacts. Examine has showed up that need oil can suitably anticipate mosquitoes, conceivably diminishing the chance of mosquito-borne contamination such as intestinal affliction, dengue fever, and Zika contamination(48)

Merigold (*Tagetes erecta*)

Merrygold parts as sensible components of the mosquito coil/ incense follow to be conveyed. It does not contain pernicious chemical which are show in a few commercial things it repulses mosquitoes without destroying the environment. merigold is said dishearten a few common frightening crawly bugs, as well as nematodes. There are various plants which shows up unfriendly to repellent activity, this is required for security against contamination. This is plant based so they are eco-friendly and does not have any side impacts most of the time(49)

Lantana camara

Anopheles mosquitoes are reliable for the transmission of wilderness fever from one individual to the other. A basic perspective of intestinal ailment shirking is mosquito repellence. In show disdain toward of the reality that made chemicals and bug showers have been utilized to control these vectors, they have actuated decline irremediable hurt to the ecosystem since various of them are non-degradable(50)

CONCLUSION:

Herbal mosquito repellents offer an eco-friendly and non-toxic alternative to synthetic options.

1. **Efficacy:** Many herbal extracts, such as citronella, neem, eucalyptus, and lavender, have demonstrated effective mosquito-repelling properties.
2. **Safety:** Herbal repellents are generally considered safe for humans and non-target species, minimizing environmental impact.
3. **Sustainable Practices:** Using plant-based repellents supports sustainable agriculture and promotes biodiversity.
4. **Historical Context:** While synthetic repellents like DEET have been widely used, growing concerns about health and environmental effects have increased interest in herbal solutions.
5. **Future Directions:** Continued research and development of effective herbal formulations

can enhance mosquito control efforts and reduce reliance on chemical insecticides.

REFERENCES

- Salunke MR, Bandal SC, Choudhari D, Gaikwad T, Dubey M. Review of Herbal Mosquito Repellent. *Int. J. Sci. Dev.* 2022;7:204-14.
- Trivedi A, Rai P, Kumar J, Trivedi CA. Formulation of low smoke herbal mosquito repellent sticks by using different essential oils. *The Pharma Innovation Journal.* 2018;7(4):173-5.
- Sanghong R, Junkum A, Choochote W, Chaithong U, Jitpakdi A, Riyong D, Pitasawat B. Repellency screening of herbal products against the dengue fever vector, *Aedes aegypti* (Diptera: Culicidae). *Chiang Mai Med J.* 2014;53(2):53-61.
- Ramya K, Maheshwari V. Development of eco friendly mosquito repellent fabric finished with andrographis paniculata plant extracts. *International Journal of Pharmacy and Pharmaceutical Sciences.* 2014;6(5):115-7.
- Malik T, Gadodiya K, Kumar A. Mosquito repellent textiles: an overview. Retrieved on. 2020 Feb;20.
- Asadollahi A, Khoobdel M, Zahraei-Ramazani A, Azarmi S, Mosawi SH. Effectiveness of plant-based repellents against different *Anopheles* species: a systematic review. *Malaria Journal.* 2019 Dec 21;18(1):436.
- Critchley BR. Insect repellents. *PANS Pest Articles & News Summaries.* 1971 Sep 1;17(3):313-4.
- Ma DA, Bhattacharjee AK, Gupta RK, Karle JM. Predicting mosquito repellent potency of N, N-diethyl-m-toluamide (DEET) analogs from molecular electronic properties. *The American journal of tropical medicine and hygiene.* 1999 Jan;60(1):1-6.
- Patel EK, Gupta A, Oswal RJ. A review on: mosquito repellent methods. *IJPCBS.* 2012;2(3):310-7.
- Bell JW, Veltri JC, Page BC. Human exposures to N, N-diethyl-m-toluamide insect repellents reported to the American Association of Poison Control Centers 1993–1997. *International journal of toxicology.* 2002 Sep;21(5):341-52.
- Veltri JC, Osimitz TG, Bradford DC, Page BC. Retrospective analysis of calls to poison control centers resulting from exposure to the insect repellent N, N-diethyl-m-toluamide (DEET) from 1985–1989. *Journal of Toxicology: Clinical Toxicology.* 1994 Jan 1;32(1):1-6.
- Centers for Disease Control (CDC). Seizures temporally associated with use of DEET insect repellent--New York and Connecticut. *MMWR. Morbidity and mortality weekly report.* 1989 Oct 6;38(39):678-80.
- Chalchat JC, Özcan MM. Comparative essential oil composition of flowers, leaves and stems of basil (*Ocimum basilicum* L.) used as herb. *Food Chemistry.* 2008 Sep 15;110(2):501-3.
- Bakkali F, Averbeck S, Averbeck D, Zhiri A, Idaomar M. Cytotoxicity and gene induction by some essential oils in the yeast *Saccharomyces cerevisiae*. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis.* 2005 Aug 1;585(1-2):1-3.
- Burfield T. Cedarwood oils. Part. 2002;1(1):14-5.
- Heuskin S, Godin B, Leroy P, Capella Q, Wathélet JP, Verheggen F, Haubruge E, Lognay G. Fast gas chromatography characterisation of purified semiochemicals from essential oils of *Matricaria chamomilla* L.(Asteraceae) and *Nepeta cataria*



- L.(Lamiaceae). Journal of Chromatography A. 2009 Apr 3;1216(14):2768-75.
17. Sethi ML, Taneja SC, Dhar KL, Atal CK. Chemical investigations on the essential oil of Burmese citronella. Indian Perfumer. 1979;23:167-71.
18. Singh G, Maurya S, DeLampasona MP, Catalan CA. A comparison of chemical, antioxidant and antimicrobial studies of cinnamon leaf and bark volatile oils, oleoresins and their constituents. Food and chemical toxicology. 2007 Sep 1;45(9):1650-61.
19. Guan WenQiang GW, Li ShuFen LS, Yan RuiXiang YR, Tang ShaoKun TS, Quan Can QC. Comparison of essential oils of clove buds extracted with supercritical carbon dioxide and other three traditional extraction methods.
20. Batish DR, Singh HP, Kohli RK, Kaur S. Eucalyptus essential oil as a natural pesticide. Forest ecology and management. 2008 Dec 10;256(12):2166-74.
21. Sacchetti G, Maietti S, Muzzoli M, Scaglianti M, Manfredini S, Radice M, Bruni R. Comparative evaluation of 11 essential oils of different origin as functional antioxidants, antiradicals and antimicrobials in foods. Food chemistry. 2005 Aug 1;91(4):621-32.
22. Rath CC, Devi S, Dash SK, Mishra RK. Antibacterial potential assessment of Jasmine essential oil against E. coli. Indian journal of pharmaceutical sciences. 2008 Mar;70(2):238.
23. Angioni A, Barra A, Russo MT, Coroneo V, Dessí S, Cabras P. Chemical composition of the essential oils of Juniperus from ripe and unripe berries and leaves and their antimicrobial activity. Journal of agricultural and food chemistry. 2003 May 7;51(10):3073-8.
24. Fakhari AR, Salehi P, Heydari R, Ebrahimi SN, Haddad PR. Hydrodistillation-headspace solvent microextraction, a new method for analysis of the essential oil components of Lavandula angustifolia Mill. Journal of Chromatography A. 2005 Dec 9;1098(1-2):14-8.
25. Flamini G, Tebano M, Cioni PL. Volatiles emission patterns of different plant organs and pollen of Citrus limon. Analytica chimica acta. 2007 Apr 18;589(1):120-4.
26. Sacchetti G, Maietti S, Muzzoli M, Scaglianti M, Manfredini S, Radice M, Bruni R. Comparative evaluation of 11 essential oils of different origin as functional antioxidants, antiradicals and antimicrobials in foods. Food chemistry. 2005 Aug 1;91(4):621-32.
27. Kowalski R, Wawrzykowski J. Essential oils analysis in dried materials and granulates obtained from Thymus vulgaris L., Salvia officinalis L., Mentha piperita L. and Chamomilla recutita L. Flavour and Fragrance Journal. 2009 Jan;24(1):31-5.
28. Aziz EE, Craker LE. Essential oil constituents of peppermint, pennyroyal, and apple mint grown in a desert agrosystem. Journal of herbs, spices & medicinal plants. 2010 Jan 20;15(4):361-7.
29. Tao NG, Liu YJ, Zhang ML. Chemical composition and antimicrobial activities of essential oil from the peel of bingtang sweet orange (Citrus sinensis Osbeck). International journal of food science & technology. 2009 Jul;44(7):1281-5.
30. OI Aremu, MN Femi-Oyewo, KOK Popoola, Repellent Action of Neem Azadirachta indica) Seed Oil Cream against Anopheles Gambiae Mosquitoes, An International Multi-Disciplinary Journal, Ethiopia , Vol. 3, Issue. 3, April, 2009, 12-22
31. Paton AL, Harley RM, Harley MM. Ocimum: an overview of classification and relationships. Basil. 1999 Jun 23:11-46.
32. Prasad K, Singh GP, Jha AK. apturing C al Applications.

33. Tabanca N, Demirci B, Avonto C, Wang M, Ali A, Bernier UR, Raman V, Khan IA. Mosquito repellent activity of essential oils and extracts from Chamomile flowers. *Planta Medica*. 2014 Jul;80(10):PD53.
34. Mustapa MA, Guswenrivo I, Zurohtun A, Khairul Ikram NK, Muchtaridi M. Analysis of essential oils components from aromatic plants using headspace repellent method against *Aedes aegypti* mosquitoes. *Molecules*. 2023 May 23;28(11):4269.
35. Haddi K, Faroni LR, Oliveira EE. Cinnamon oil. In *Green pesticides handbook 2017* Jun 13 (pp. 117-150). CRC Press.
36. Cox C. Plant-based mosquito repellents: making a careful choice. *Journal of pesticide reform*. 2005 Sep 1;25(3).
37. Trongtokit Y, Rongsriyam Y, Komalamisra N, Apiwathnasorn C. Comparative repellency of 38 essential oils against mosquito bites. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*. 2005 Apr;19(4):303-9.
38. Asadollahi A, Khoobdel M, Zahraei Ramazani A, Azarmi S, Mosawi SH. Effectiveness of plant-based repellents against different *Anopheles* species: a systematic.
39. Sharopov FS, Zhang H, Setzer WN. Composition of geranium (*Pelargonium graveolens*) essential oil from Tajikistan. *American Journal of Essential Oils and Natural Products*. 2014;2(2):13-6.
40. Kaushik M, Yadav J, Singh A, Dubey MK. A systematic review of plant-based mosquito repellents and their activity. *Indian Journal of Natural Products and Resources (IJNPR)[Formerly Natural Product Radiance (NPR)]*. 2023 Oct 25;14(3):347-59.
41. Omidbaigi R, Sefldkon F, Kazemi F. Roman chamomile oil: comparison between hydro-distillation and supercritical fluid extraction. *Journal of Essential Oil Bearing Plants*. 2003 Jan 1;6(3):191-4.
42. Carroll JF, Tabanca N, Kramer M, Elejalde NM, Wedge DE, Bernier UR, Coy M, Becnel JJ, Demirci B, Başer KH, Zhang J. Essential oils of *Cupressus funebris*, *Juniperus communis*, and *J. chinensis* (Cupressaceae) as repellents against ticks (Acari: Ixodidae) and mosquitoes (Diptera: Culicidae) and as toxicants against mosquitoes. *Journal of Vector Ecology*. 2011 Dec;36(2):258-68.
43. Munugoda KD, Talagala TS, Subasinghe SM, Hettiarachchi DS, Cooray AT. Choice Modeling for the Commercial Cultivation of Underutilized Aromatic Plants for Producing Mosquito Repellents: Targeting Rural Sector Income Generation. *Economic Botany*. 2023 Jun;77(2):184-202.
44. A. Asadollahi, M. Khoobdel, A. Zahraei-Ramazani, S. Azarmi, And S. H. Mosawi, "Effectiveness Of Plant-Based Repellents Against Different *Anopheles* Species: A Systematic Review," *Malar. J.*, Vol. 18, No. 1, Pp. 1–20, 2019, Doi: 10.1186/S12936-019-3064-8.
45. Bedini S, Flamini G, Ascriczzi R, Venturi F, Ferroni G, Bader A, Girardi J, Conti B. Essential oils sensory quality and their bioactivity against the mosquito *Aedes albopictus*. *Scientific Reports*. 2018 Dec 14;8(1):17857.
46. Krishna SK, Sri KA. Study on Various Types of Organic Extracts used as Mosquito Repellent in Garments.
47. Crowell PL. Prevention and therapy of cancer by dietary monoterpenes. *The Journal of nutrition*. 1999 Mar 1;129(3):7
48. Bukar A, Tukur Z. Plant extracts as a source of bio-insecticide for mosquito control, review.
49. Ponkiya N, Desai S, Mistry J, Patel S, Ingallhalli R. Development of economical

mosquito repellent using marigold plant. *Int. J. Res. Trends Innov.* 2018;3:47-54.

50. Akumu E, Sellah K, Anthoney ST, Mutuku NC. Repellency of *Lantana camara* leaves smoke against female *Anopheles* mosquitoes. *International Journal of Bioassays.* 2013;3(1):1695-8.

HOW TO CITE: Pratiksha Nagare*, Sheetal Gosavi, Charushila Bhangale, Review on Herbal Mosquitoes' Repellant, *Int. J. of Pharm. Sci.*, 2025, Vol 3, Issue 4, 2644-2656 <https://doi.org/10.5281/zenodo.15261405>

