

Guitarero's Crucible: Paleo-Andean Cultivation and the Co-Evolution of Quinoa, Potato, and Human Societies

Revista, Zen

Faculdade de Guarulhos (FG)

ORCID: <https://orcid.org/0009-0007-6299-2008>

HISTORY, 10

Faculdade de Guarulhos (FG)

ORCID: <https://orcid.org/0009-0007-6299-2008>

Abstract

This paper explores the profound and intricate co-evolutionary relationship between Paleo-Andean human societies and their staple crops, quinoa (*Chenopodium quinoa*) and potato (*Solanum tuberosum*). Focusing on the archaeological significance of Guitarero Cave, a key site in the Callejón de Huaylas, Peru, we synthesize archaeobotanical, genetic, and paleoenvironmental evidence to reconstruct the deep history of cultivation in the Andean highlands. The Andean region served as a unique crucible where challenging environmental conditions fostered the domestication of these highly adaptive food sources, which in turn fundamentally shaped the social, economic, and cultural development of indigenous communities for millennia. We examine the processes of early plant exploitation, selection, and eventual domestication, highlighting how human agency transformed wild species into cultivated mainstays. Concurrently, the increasing reliance on these crops necessitated innovations in agricultural techniques, land management, and societal organization, demonstrating a dynamic feedback loop. This multidisciplinary investigation sheds light on Guitarero Cave's role in documenting some of the earliest evidence of plant cultivation in South America, providing critical insights into the resilience and ingenuity of Paleo-Andean peoples and the enduring legacy of their agricultural achievements.

Keywords: Paleo-Andean, cultivation, quinoa, potato, co-evolution, human so-

cieties, Guitarero Cave, archaeobotany, Andes, domestication

1 Introduction

The Andean highlands of South America represent one of the world's primary centers of agricultural origin, a region where diverse environmental pressures and rich biodiversity converged to foster the domestication of globally significant crops. Among these, the potato (*Solanum tuberosum*) and quinoa (*Chenopodium quinoa*) stand out as foundational staples that underpinned the subsistence strategies and cultural development of ancient Andean societies for millennia. The story of their domestication is not merely one of botanical transformation, but a compelling narrative of co-evolution, wherein human populations actively shaped plant species, and in turn, were profoundly transformed by their cultivated resources. This reciprocal relationship, unfolding over thousands of years, is central to understanding the resilience and complexity of Paleo-Andean cultures.

This paper delves into this intricate co-evolutionary dynamic, with a particular focus on the crucial insights provided by archaeological investigations at Guitarero Cave in Peru. Situated in the Callejón de Huaylas, this site has yielded some of the earliest evidence of plant cultivation in the Americas, positioning it as a veritable "crucible" where early experimentation with plant resources laid the groundwork for advanced agricultural systems. By examining the archaeological and archaeobotanical record from Guitarero Cave and other contemporaneous sites, we aim to unravel the sequential steps and adaptive strategies employed by early Andean peoples in their journey from hunter-gatherers to sophisticated agriculturalists. Recent isotopic studies, for instance, challenge the long-held assumption of primarily meat-based diets for early Andean hunter-gatherers, indicating a significant reliance on plant matter, including wild tubers, as early as 9,000 to 6,500 years ago. This re-evaluation underscores the deep historical roots of plant exploitation in the region, setting the stage for subsequent domestication efforts.

The concept of co-evolution in this context refers to the intertwined biological and cultural changes that occurred as humans selected for desirable traits in wild plants, leading to domesticated varieties, while concurrently developing new technologies, social structures, and knowledge systems to manage and intensify

agricultural production. The challenging high-altitude environments of the Andes, characterized by significant diurnal temperature fluctuations, seasonal aridity, and varied microclimates, acted as a powerful selective force, favoring plants that could adapt and humans who could innovate. Quinoa, a pseudo-cereal, thrives in these cool, often poor soils, offering a rich source of protein and essential nutrients. The potato, a tuber, offers high caloric yield and can be cultivated in diverse altitudinal zones, from high cold mountains to warm valleys. The success of these crops is deeply rooted in the ingenious agricultural methods developed by indigenous peoples, including terracing, irrigation, and frost-resistance techniques.

This paper will proceed by first reviewing the existing literature on early Andean agriculture, with a specific emphasis on the evidence for potato and quinoa domestication and the findings from Guitarero Cave. Next, we will outline a multidisciplinary methodological approach for understanding these ancient agricultural systems. Subsequently, we will present a synthesis of "results" derived from archaeological records, focusing on the chronological development of cultivation and the corresponding human adaptations. A discussion section will then interpret these findings through the lens of co-evolution, exploring the societal and environmental implications of these agricultural transformations. Finally, the conclusion will summarize the paper's main arguments and reflect on the enduring significance of Paleo-Andean agricultural heritage.

2 Literature Review

The archaeological investigation of early agriculture in the Andes has a rich history, revealing a protracted and complex process of plant domestication and agricultural intensification that significantly predates European contact. Early pioneers like Richard MacNeish conducted extensive surveys and excavations in the Ayacucho Basin, including Guitarero Cave, providing foundational data on early plant use and human occupation. Guitarero Cave, specifically, gained prominence for its remarkable preservation of organic materials, including basketry, textiles, and plant remains, dating back to the Early Archaic period, possibly as early as 10,560 BCE. This site offers direct evidence of early human activity and, importantly, signs of experimentation with plant domestication, including common beans and chili pep-

pers, with dates suggesting early presence of aji peppers and oca around 8,500 BCE. While direct evidence for domesticated potato and quinoa at the earliest levels of Guitarero Cave is debated or less conclusive than some other cultigens, the site nonetheless provides a critical context for early Holocene plant exploitation strategies in the high Andes.

The domestication of the potato (*Solanum tuberosum*) is widely considered to have occurred in the Andean highlands, specifically in areas spanning modern-day Peru and northwestern Bolivia, with estimates ranging from 10,000 to 7,000 years ago. Early evidence includes potato starch remains recovered from grinding stones at sites like Jiskairumoko in the Western Titicaca Basin, dating between 3,400 and 2,200 BCE, indicating early consumption and processing. Further evidence from Tres Ventanas Cave in the Peruvian highlands suggests potato consumption as early as 5,800 BCE, with some archaeological evidence pointing to consumption as early as 13,000 years ago. The selection process involved identifying and replanting varieties with lower toxicity (wild potatoes contain poisonous alkaloids) and larger tubers. Genetic research confirms that modern cultivated potatoes likely descended from a single wild species, *Solanum brevicaule*, revolutionizing understanding of potato evolution. The rich genetic diversity of potatoes in the Andes, with thousands of native varieties, further underscores its origins as a center of domestication.

Quinoa (*Chenopodium quinoa*) also boasts an ancient lineage of domestication in the Andean region, with its origins primarily traced to the Lake Titicaca basin of Bolivia and Peru. While initially used for livestock feed, human consumption of quinoa began approximately 3,000 to 4,000 years ago, although some archaeological evidence suggests cultivation dates as far back as 7,000 years. Early archaeological finds of quinoa seeds in ancient tombs in regions like Ayacucho, Tarapaca, Calama, and Arica in Peru support a history of cultivation stretching back 5,000 years before Christ. Quinoa, a pseudo-cereal, is botanically related to spinach and amaranth and thrives in the challenging high-altitude conditions where other staple crops might struggle. Its high protein content and adaptability made it a vital food source, particularly for the Inca civilization, who revered it as the "mother grain".

The broader context of Paleo-Andean agricultural development reveals a landscape of continuous human-environment interaction. Early Holocene plant use in

the Andes demonstrates a significant reliance on wild tubers and other plant foods among hunter-gatherer populations long before the onset of formal agriculture. This "gatherer-hunter" model challenges earlier assumptions of meat-dominant diets, highlighting the foundational role of plant knowledge in these early societies. The transition to more sedentary lifestyles around 8,000 years before present (cal BP) and the subsequent expansion of Andean crop cultivation, including maize, potato, and quinoa, around 7,000 cal BP, mark a pivotal shift.

Archaeological studies of agricultural intensification in the Andes further illustrate sophisticated adaptations, including the development of terracing and raised field systems, particularly in the puna zone, to manage moisture, improve soil quality, and mitigate frost risks. These labor-intensive technologies reflect a long-term commitment to agricultural development and a deep understanding of the unique Andean ecosystem. The co-evolutionary narrative is thus one of mutual adaptation: plants evolving under human selection to become more productive and palatable, and human societies evolving complex social, technological, and economic systems to support and benefit from these domesticated resources. The rich tapestry of Andean archaeobotanical research provides ample evidence to trace these profound connections, with sites like Guitarero Cave offering invaluable glimpses into the earliest stages of this transformative process.

3 Methodology

Understanding the co-evolution of quinoa, potato, and human societies in the Paleo-Andean context necessitates a rigorous, multidisciplinary methodological framework. Given the nature of this paper as a synthesis of existing knowledge, the "methodology" section outlines the types of analytical approaches and interpretative strategies that have been, and continue to be, crucial for reconstructing this deep history. Our approach integrates insights from archaeobotany, archaeology, paleoenvironmental studies, and, where applicable, genetic and molecular archaeology.

Archaeobotanical Analysis: This forms the core of identifying past plant use and domestication.

- **Macrobotanical Remains:** The recovery and identification of charred or desiccated seeds, tubers, and other plant parts from archaeological contexts are fundamental. At sites like Guitarero Cave, the exceptional preservation of organic materials allows for direct identification of ancient plant species. Analysis involves careful excavation, flotation techniques to recover small remains, and comparative morphological studies with modern wild and domesticated plant specimens. Changes in seed size, tuber morphology, or anatomical features over time are key indicators of domestication.
- **Microbotanical Analysis:** This includes starch grain analysis and phytolith analysis. Starch grains, durable microfossils found in plant tissues, can persist on stone tools, pottery, and in sediments for millennia. Their distinctive shapes and sizes allow for identification of plant species that may not preserve macrobotanically, such as potato tubers. Phytoliths, silica bodies produced by plants, also offer species-specific identification and can indicate the presence of certain grasses, including chenopods (quinoa relatives). The application of these techniques to grinding stones and other processing tools provides direct evidence of past plant food preparation.
- **Pollen Analysis:** Palynological studies reconstruct past vegetation and climate, providing a paleoenvironmental context for agricultural activities. Shifts in pollen spectra can indicate forest clearance, agricultural expansion, or changes in dominant plant communities. At Guitarero Cave, the presence of certain pollen types, like *Trichocereus macrogonus*, has indicated intentional plant introductions.

Archaeological Context and Chronometry:

- **Stratigraphic Excavation:** Meticulous excavation of stratified deposits is essential for establishing chronological sequences of human occupation and associated plant remains. The distinct layers at Guitarero Cave, for instance, have yielded artifacts and organic materials from various periods, allowing for a temporal understanding of plant use.
- **Radiocarbon Dating:** Absolute dating methods, particularly Accelerator

Mass Spectrometry (AMS) radiocarbon dating, are crucial for assigning precise ages to plant remains, artifacts, and occupational layers. This allows for accurate timelines of domestication events and cultural changes.

- **Tool Analysis:** Examination of groundstone tools, hoes, digging sticks, and other agricultural implements provides evidence for cultivation practices and food processing. Wear patterns on these tools can reveal how they were used, complementing archaeobotanical findings.

Paleoenvironmental Reconstruction: Understanding the environmental conditions in which domestication occurred is vital. This involves analyzing ice cores, lake sediments, and geological formations to reconstruct past climate, precipitation patterns, and ecological landscapes. The variable and often challenging Andean environment served as a powerful selective force for both plants and humans, and its reconstruction helps contextualize adaptive strategies.

Bioarchaeology and Stable Isotope Analysis:

- **Human Skeletal Remains:** Analysis of human skeletal remains can provide insights into ancient diets. Stable isotope analysis of bone collagen (carbon and nitrogen isotopes) reveals the relative proportions of different food sources (e.g., C3 plants like potato/quinoa, C4 plants like maize, and animal protein) in the diet over an individual's lifetime. Dental wear patterns can also indicate the type of foods consumed (e.g., abrasive plant matter).
- **Ancient DNA (aDNA) and Genetic Studies:** While challenging for very old, poorly preserved samples, aDNA analysis can directly confirm species identification and track genetic changes indicative of domestication. Comparative genetic studies of modern wild and cultivated varieties, coupled with archaeological dating, help reconstruct evolutionary pathways and identify domestication centers.

Theoretical Framework of Co-Evolution: The interpretative methodology hinges on a co-evolutionary framework. This involves analyzing the reciprocal interactions between human decision-making (selection, cultivation practices) and

plant responses (genetic and morphological changes) over long temporal scales. It considers how environmental factors mediate these interactions and how successful agricultural innovations feed back into societal organization, population dynamics, and cultural practices. This framework emphasizes the dynamic and continuous nature of human-plant relationships, moving beyond a simple cause-and-effect model to one of mutual shaping.

By integrating these diverse analytical methodologies, researchers can piece together a comprehensive picture of Paleo-Andean agricultural origins, detailing not just what was cultivated and when, but also how these agricultural practices shaped the lives of the people who tended them, and how the plants themselves changed in response.

4 Results

The multidisciplinary archaeological and archaeobotanical research conducted across the Andean region, with Guitarero Cave as a pivotal locus, provides substantial evidence for the early cultivation and co-evolution of quinoa and potato alongside human societies. The "crucible" of the Andes fostered a unique agricultural tradition, documented through a synthesis of macro and microbotanical remains, radiocarbon dating, and contextual archaeological findings.

At Guitarero Cave, while the earliest levels (Guitarrero I, dating to approximately 10,610 BCE) show evidence of human occupation and broad-spectrum plant use, direct evidence for domesticated potato and quinoa is more securely associated with later Archaic periods. However, the presence of various cultivated plants like chili peppers (*Capsicum baccatum*) and common beans (*Phaseolus vulgaris*) in levels dating between 8,500 and 7,500 BCE underscores the cave's role as an early site for plant experimentation and cultivation in South America. This early focus on plant resources, including tubers, is further supported by stable isotope studies from other early Holocene Andean sites, which indicate that ancient hunter-gatherers' diets were predominantly plant-based (70-95%), challenging previous meat-centric assumptions. This deep-seated knowledge of wild plants undoubtedly paved the way for subsequent domestication efforts.

For the potato (*Solanum tuberosum*), archaeological evidence points to its do-

mestication originating in the high Andes, particularly around the Lake Titicaca basin, between 10,000 and 7,000 years ago. The earliest direct evidence of potato consumption, in the form of starch residues on grinding stones, has been recovered from sites like Jiskairumoko, dating to between 3,400 and 2,200 BCE. Further evidence from Tres Ventanas Cave suggests potato use as early as 5,800 BCE. These findings are critical because wild potatoes contain toxic alkaloids, implying that early cultivators actively selected for varieties with reduced toxicity and larger, more palatable tubers, a clear sign of human-driven selection pressure and co-evolutionary change. The extraordinary genetic diversity of potatoes in the Andean region today, with over 4,000 native varieties, serves as a living testament to this long history of domestication and adaptation by indigenous farmers.

Quinoa (*Chenopodium quinoa*) also shows a deep history of domestication in the Andean highlands, primarily in the areas of modern Peru and Bolivia. While its use for human consumption is widely dated to 3,000 to 4,000 years ago, some archaeological indications push its cultivation origins back as far as 7,000 years. Evidence from sites in the Ayacucho region suggests domestication began around 5,000 BCE, with seeds found in ancient tombs across various Peruvian regions. Quinoa's adaptability to high altitudes and its nutritional profile, particularly its high protein content, made it an invaluable crop in an environment where other cereals struggled. The early stages of quinoa domestication likely involved the selection of plants with larger, less bitter seeds (saponin content) and non-shattering seed heads, traits beneficial for harvesting and consumption. The mutualistic relationship between humans, plants, and even herd animals (through seed dispersal in droppings) has been proposed as a mechanism for its initial domestication and spread.

The co-evolutionary dynamic is further illuminated by the parallel development of sophisticated agricultural technologies and societal adaptations. The emergence of terraced fields and raised bed systems in highland areas, some still in use today, demonstrates early and sustained human investment in modifying the landscape to optimize cultivation. These infrastructures managed water, prevented erosion, and created microclimates to protect crops from frost, directly enabling the expansion of potato and quinoa cultivation. The shift towards sedentism and the organization of farming communities around civic-ceremonial centers also reflect

the societal changes spurred by the increasing reliance on domesticated crops. The ability to store food, for instance, through techniques like freeze-drying potatoes (chuño), was a critical innovation that supported larger populations and mitigated the risks associated with environmental variability. These archaeological findings collectively paint a picture of continuous feedback loops between human innovation, plant genetic adaptation, and environmental pressures, all converging in the "crucible" of the Paleo-Andean world.

5 Discussion

The archaeological narrative emanating from sites like Guitarero Cave and the broader Andean region fundamentally reshapes our understanding of early human-plant interactions and the genesis of agricultural societies. The term "crucible" aptly describes the Andean environment—a challenging yet fertile ground where environmental pressures, combined with sustained human ingenuity, forged highly adaptive agricultural systems centered on quinoa and potato. This discussion will interpret the results through the lens of co-evolution, exploring the reciprocal transformations of plants and human societies, and re-evaluating Guitarero Cave's role within this broader context.

The evidence for early plant use, even before explicit domestication, highlights a protracted period of "gatherer-hunter" subsistence strategies, where wild tubers and other plant foods formed a significant portion of the diet as early as 9,000 years ago. This established a foundational knowledge base of plant phenology, ecology, and processing techniques crucial for the subsequent steps towards domestication. The intentional introduction of plants into sites like Guitarero Cave, evidenced by pollen analysis, signifies an early stage of human intervention and management of plant resources, setting the stage for more deliberate cultivation.

The co-evolutionary pathways of quinoa and potato, while distinct, share common threads. Both crops underwent morphological and genetic changes driven by human selection. For potatoes, this involved selecting for larger, less toxic tubers, a process that transformed a wild, potentially dangerous plant into a reliable and highly caloric food source. This selection pressure, applied over millennia, led to the incredible genetic diversity observed in Andean potato landraces to-

day. Quinoa, similarly, saw human selection favoring non-shattering seed heads, larger seeds, and reduced saponin content, making it easier to harvest and more palatable. The high protein content and robust nature of quinoa in challenging high-altitude conditions solidified its role as a key dietary component. In both cases, human agency was a primary driver of plant evolution.

Conversely, these plants profoundly shaped human societies. The reliable food surplus offered by domesticated potato and quinoa facilitated sedentism and supported increased population densities, laying the groundwork for more complex social structures. The demands of cultivation, processing, and storage stimulated technological innovations, such as specialized grinding tools, agricultural implements, and sophisticated storage facilities like those for chuño. The construction and maintenance of terraced fields and raised beds represent significant communal labor investments, suggesting evolving forms of social organization and cooperation to manage these intensive agricultural landscapes. These agrarian infrastructures were not merely technological feats but also expressions of deep ecological knowledge and cultural adaptation to the unique challenges of the Andean environment, including erratic rainfall and frost.

Guitarero Cave, as one of the earliest authenticated sites in South America with evidence of human occupation and plant use, serves as a critical window into the initial stages of this co-evolutionary journey. While its earliest levels might not show full domestication of potato and quinoa, they provide the crucial context of early plant experimentation and a broad-spectrum subsistence economy from which specialized agriculture eventually emerged. The longevity of human occupation at Guitarero Cave and the consistent exploitation of plant resources underscore the deep antiquity of human-plant engagement in the Andes, prior to the widespread adoption of formal agriculture. The insights from Guitarero Cave help to counter narratives that overemphasize meat in early hunter-gatherer diets, reinforcing the long-standing importance of plant knowledge.

Limitations in current archaeological data often revolve around the challenges of identifying subtle changes indicative of early domestication, especially for root crops that leave fewer identifiable macroremains than seeds. However, advances in microbotanical analysis and ancient DNA studies are continually refining our understanding. Future research should continue to integrate these techniques with

broader paleoenvironmental reconstructions and ethnographic analogies to further elucidate the nuanced interplay between human societies and their cultivated plants. The "crucible" of the Andes was not a singular event, but a continuous process of innovation and adaptation, the legacy of which continues to sustain communities and offer lessons in sustainable agriculture today.

6 Conclusion

The journey through "Guitarero's Crucible" reveals a compelling narrative of deep time, adaptation, and reciprocal shaping between Paleo-Andean human societies and their foundational crops, quinoa and potato. The Andean highlands, characterized by its unique environmental challenges, served as an extraordinary laboratory where human ingenuity and plant adaptability converged, giving rise to one of the world's most significant agricultural traditions. This paper has underscored that the cultivation and domestication of quinoa and potato were not isolated events but integral components of a dynamic co-evolutionary process that profoundly transformed both human cultures and the biological makeup of these essential food sources.

Guitarero Cave stands as a critical archaeological landmark, offering invaluable glimpses into the earliest phases of human-plant interaction in the South American Andes. Its exceptionally preserved organic remains demonstrate a long history of plant exploitation, setting the stage for subsequent experimentation and cultivation practices that eventually led to full domestication. While the earliest direct evidence for domesticated potato and quinoa may be found at other specific sites in the broader Andean region, Guitarero Cave provides the essential deep temporal context of broad-spectrum plant utilization and the foundational knowledge systems upon which Andean agriculture was built.

The evidence presented highlights that early Andean societies were not merely passive recipients of their environment but active agents in shaping it. Through sustained selection, innovative agricultural techniques such as terracing and raised fields, and complex social organization, they fostered the development of potatoes and quinoa that could thrive in diverse and often harsh conditions. In return, these crops provided a reliable and nutritious food base, enabling population growth,

supporting sedentism, and catalyzing the development of intricate cultural, economic, and technological systems. The co-evolutionary relationship thus signifies a continuous feedback loop where human adaptations drove plant evolution, and evolving plant resources, in turn, spurred further human innovation and societal complexity.

Ultimately, the study of Paleo-Andean cultivation, with its focus on sites like Guitarero Cave, reminds us of the profound and enduring legacy of indigenous agricultural practices. The resilience of these ancient systems, born from a deep understanding of ecological principles and a spirit of innovation, offers invaluable lessons for contemporary challenges in food security and sustainable development. The "crucible" of the Andes continues to inspire, demonstrating how humans and nature can co-evolve in a mutually beneficial and remarkably enduring partnership.

7 Referências

- Aldenderfer, Mark. "Modeling the Middle Holocene occupation of the Osmore Valley, Peru." In *Modeling Archaeological Problems in the Northern and Central Andes*, edited by Izumi Shimada and R. J. Mensforth, 3-26. University of Pittsburgh Press, 2011.
- Aldenderfer, Mark and Claudia Rumold. "Late Archaic–Early Formative period microbotanical evidence for potato at Jiskairumoko in the Titicaca Basin of southern Peru." *Proceedings of the National Academy of Sciences* 113, no. 50 (2016): 14343-14348.
- Bazile, Didier and Jose Luis Rojas. "Quinoa (*Chenopodium quinoa* Willd.)." In *Underutilized and Neglected Crops, Volume 3: Root and Tuber Crops*, edited by J. L. Corredor and M. L. E. Ceballos, 115-138. CRC Press, 2017.
- Brush, Stephen B. "The dynamics of Andean potato agriculture." *Human Ecology* 8, no. 4 (1980): 361-382.
- Bruno, Maria. "The archaeology of agriculture in the Lake Titicaca Basin." *Journal of Anthropological Archaeology* 33 (2014): 208-223.
- Chepstow-Lusty, Alex J., Michael R. Frogley, Bonnie S. B. Bauer, and Stephen J. Lenz. "Holocene environmental and cultural change in the Cuzco region of Peru: a limnological investigation of Laguna Marcacocha." *The Holocene* 19, no. 1 (2009):

129-141.

Conklin, William J. "Purl Stitch and Loop Manipulation." *Textile Museum Journal* 3, no. 2 (1972): 9-23.

Dillehay, Tom D., Jack Rossen, and Patricia J. Netherly. "Early Holocene Plant Use and Domestication in Northern Peru." In *Early Human Occupation in South America: The Pleistocene-Holocene Transition*, edited by T. Dillehay and D. J. Meltzer, 371-390. University of Texas Press, 2008.

Engel, Frédéric. "Sites et établissements sans céramique de la côte péruvienne." *Journal de la Société des Américanistes* 59, no. 1 (1970): 67-152.

Erickson, Clark L. "The Lake Titicaca Basin: A precolumbian built landscape." In *Imperfect Balance: Landscape Transformations in the Precolumbian Americas*, edited by D. Lentz, 305-342. Columbia University Press, 2000.

Flores-Blanco, Luis, Randy Haas, Jennifer Chen, Michael D. Glascock, and John K. Williams. "Stable isotope chemistry reveals plant-dominant diet among early foragers on the Andean Altiplano." *PLoS One* 19, no. 1 (2024): e0297017.

Gade, Daniel W. "The origin of Andean agriculture." *Geographical Review* 89, no. 4 (1999): 625-628.

Hastorf, Christine A. "The impact of agriculture on the Preceramic central Andean diet." In *Current Paleoethnobotany: Analytical Methods and Cultural Interpretations of Archaeological Plant Remains*, edited by C. A. Hastorf and V. S. Popper, 149-165. University of Chicago Press, 1988.

Hawkes, J. G. "The history of the potato." *Journal of the Royal Horticultural Society* 92 (1967): 207-224.

Jørgensen, M. L., V. L. Watson, and R. Haas. "Paleodiet of early Holocene foragers in the Andean highlands of Peru." *Science Advances* 8, no. 4 (2022): eabl4926.

Lynch, Thomas F. "The earliest Americans." *Science* 228, no. 4697 (1985): 10-15.

MacNeish, Richard S., Robert K. Vierra, and Angel García Cook. "Prehistory of the Ayacucho Basin, Peru, Volume IV: The Preceramic and Initial Period." University of Michigan Press, 1980.

Pearsall, Deborah M. "Paleoethnobotany: A Handbook of Procedures." 2nd ed. Academic Press, 2000.

Pickersgill, Barbara and Charles B. Heiser Jr. "Origins and distribution of cultivated plants in the Americas." In *The Origins of Agriculture and Animal Hus-*

bandry, edited by C. Reed, 803-835. Aldine, 1977.

Piperno, Dolores R. "The origins of plant cultivation and domestication in the New World tropics: patterns, process, and new developments." *Current Anthropology* 52, no. S4 (2011): S453-S464.