

# Guitarero's Cradle: Quinoa, Potato, and the Deep Preceramic Origins of Andean Agroecology

Revista, Zen

Faculdade de Guarulhos (FG)

ORCID: <https://orcid.org/0009-0007-6299-2008>

HISTORY, 10

Faculdade de Guarulhos (FG)

ORCID: <https://orcid.org/0009-0007-6299-2008>

## Abstract

The Andean highlands stand as a paramount cradle of agricultural innovation, giving rise to globally significant staple crops such as quinoa and potato. This paper explores the deep preceramic origins of Andean agroecology, focusing on the seminal contributions emerging from archaeological investigations, particularly those at sites like Guitarero Cave. We posit that the sophisticated agricultural practices observed in later Andean civilizations, characterized by diversification, resource management, and environmental adaptation, have roots extending far into the preceramic period, long before the widespread adoption of ceramics or metallurgy. Through an interdisciplinary review of paleobotanical evidence, archaeological contexts, and theoretical frameworks of human-environment interaction, this study reconstructs the evolving relationship between early Andean communities and their high-altitude ecosystems. We analyze the early domestication trajectories of *Chenopodium quinoa* and *Solanum tuberosum*, demonstrating how deliberate human selection and environmental manipulation laid the groundwork for complex agroecological systems. The evidence suggests that early Andean inhabitants did not merely cultivate individual crops but developed a holistic, adaptive approach to food production that integrated diverse ecological zones and fostered biodiversity, laying the foundation for the resilient agricultural landscapes that define the Andes.

**Keywords:** Andean archaeology, preceramic period, quinoa domestication, potato origins, Guitarero Cave, agroecology, paleobotany, human-environment interaction

# 1 Introduction

The Andean cordillera, with its formidable topography and diverse ecological zones, represents one of the world's independent centers for plant domestication and agricultural development. Far from being a barren impediment, the Andean landscape fostered millennia of ingenious human adaptation, giving rise to a suite of resilient crops fundamental to global food security today, most notably quinoa (*Chenopodium quinoa* Willd.) and potato (*Solanum tuberosum* L.). This paper argues for the deep preceramic origins of Andean agroecology, contending that the sophisticated, sustainable farming systems characteristic of later Andean civilizations were not sudden innovations but rather the cumulative result of thousands of years of human-environment interaction and adaptive practices. Our investigation centers on key archaeological sites, with a particular emphasis on Guitarero Cave, recognized as a crucial locus for understanding early plant cultivation in the high Andes.

The concept of "agroecology" extends beyond mere crop cultivation; it encompasses a holistic understanding of agricultural systems that integrate ecological principles with social, cultural, and economic considerations. In the Andean context, this translates to practices such as diversification of crops, strategic land use across altitudinal gradients (often referred to as vertical ecology), sophisticated water management, soil fertility maintenance, and a profound respect for the natural environment. While the zenith of these practices is often associated with the Inca Empire, archaeological and paleobotanical evidence increasingly points to their genesis in the preceramic period, an era spanning from the earliest human occupations to approximately 1800 BCE, before the advent of pottery.

Quinoa, a pseudocereal known for its exceptional nutritional profile and adaptability to harsh climates, and potato, the world's most important tuber crop, are emblematic of Andean agricultural prowess. Their domestication histories are intertwined with the cultural and ecological evolution of Andean societies. Archaeological findings indicate that quinoa was domesticated for human consumption 3,000 to 4,000 years ago in the Lake Titicaca basin, with non-domesticated forms associated with pastoral herding as far back as 5,200 to 7,000 years ago. Similarly, the potato was first domesticated in southern Peru and northwestern

Bolivia, around the Lake Titicaca basin, between 7,000 and 10,000 years ago from a wild species complex. These deep timelines underscore the antiquity of human manipulation of plant resources in the region.

This paper seeks to bridge the gap between early domestication events and the broader framework of agroecology. By examining sites such as Guitarero Cave, which provides some of the earliest evidence of cultivated plants in the Andes, we aim to reconstruct how early inhabitants began to actively manage their landscapes, leading to the development of diverse and resilient food production systems. The term "Guitarero's Cradle" metaphorically positions this site, and others like it, as foundational laboratories where the principles of Andean agroecology were first conceived and nurtured.

The subsequent sections of this paper will delve into a comprehensive literature review of preceramic Andean archaeology and plant domestication, articulate a multidisciplinary methodology for identifying agroecological practices, present key findings from Guitarero Cave and comparative sites, discuss the implications of these results for understanding ancient Andean subsistence strategies, and conclude with a summary of the deep historical trajectory of Andean agroecology.

## 2 Literature Review

The study of early agriculture in the Andes has been a dynamic field, continually re-shaping our understanding of human ingenuity in challenging environments. The preceramic period in the Peruvian Andes, generally spanning from the arrival of the first human groups (Paleo-Indians) to the widespread use of ceramics around 1800 BCE, is critical for understanding the genesis of food production. This era is characterized by a gradual transition from hunting and gathering to increasingly sedentary lifestyles and reliance on cultivated plants.

Archaeological investigations have revealed a multitude of sites across the Andean region that shed light on early plant use. While coastal sites like Ancón offer evidence of early potato remains dating to 2500 BCE, highland sites are crucial for understanding the primary domestication centers for many Andean crops. Guitarero Cave, located in the Callejon de Huaylas region of Peru, stands out as one of the most significant preceramic sites, yielding some of the earliest direct

evidence for cultivated plants in South America. Richard MacNeish's pioneering work at Guitarero Cave in the 1960s and 70s uncovered a rich assemblage of plant remains, indicating a long history of human occupation and evolving subsistence strategies. Macro-botanical remains from the cave have been associated with early cultivation, including chili peppers, beans, maize, and tubers, pushing back the timelines for plant management in the Andes.

The domestication of quinoa (*Chenopodium quinoa*) is rooted deeply in the Andean past. Genetic studies indicate a single origin for cultivated potato in southern Peru and northwestern Bolivia, around Lake Titicaca, between 7,000 and 10,000 years ago. Quinoa, an allotetraploid plant, is believed to have been domesticated in the Peruvian Andes from wild populations, possibly undergoing domestication twice: once in the high Andes and again in the Chilean and Argentinean lowlands. Archaeological evidence suggests quinoa was used to feed livestock 5,200–7,000 years ago, and for human consumption 3,000–4,000 years ago in the Lake Titicaca basin. The genetic diversity of quinoa today, with its five ecotypes adapted to different conditions, underscores the long history of selection by Andean farmers.

Similarly, the potato (*Solanum tuberosum*) has a deep history of domestication in the Andean highlands. While wild potato species are found from the southwestern United States to southern Chile, with most concentrated in Peru and Bolivia, genetic studies confirm the cultivated potato's single origin in the southern Peru and northwestern Bolivia region, 7,000–10,000 years ago. Early Andean farmers developed thousands of potato varieties, adapting them to diverse ecological niches, from cold highlands to warmer valleys. The ability to dehydrate potatoes into "chuño" for long-term storage is a testament to early Andean innovation in food processing and security.

Beyond the domestication of individual crops, scholars have increasingly focused on the broader human-environment interactions that shaped Andean agricultural systems. John Murra's concept of "vertical archipelago" highlights the adaptive strategy of controlling diverse ecological zones at different altitudes to access a variety of resources, an economic model that reached its peak during the Inca Empire but has much earlier precedents. This strategy fostered biodiversity and resilience against climatic uncertainty.

Furthermore, the development of agricultural infrastructure, even in rudimen-

tary forms, signifies an early engagement with agroecological principles. While extensive terracing (andenes) and sophisticated irrigation systems are often associated with the Inca period, their origins can be traced to much earlier times. Agricultural terraces were being built by 2000 BCE, and even small stone-lined irrigation canals in northern Peru date back to as early as 4700 BCE, with possible older instances from 6700 BCE. These early features suggest communal organization of labor and a conscious effort to manipulate landscapes for sustained food production, pointing towards an "artificially created wet agroecosystem" rather than simple foraging or gardening.

Traditional ecological knowledge (TEK) and indigenous agroecological practices are also vital for understanding the deep history of Andean agriculture. Generations of farmers in the Andes have developed sophisticated pest management strategies, soil health techniques, and even weather forecasting methods based on astronomical observations. The use of animal dung for fertilizer, particularly from domesticated camelids, was a key practice in maintaining soil fertility in high-altitude fields. Crop rotation and diversification were also crucial for preserving soil health and ensuring food security. These practices, deeply embedded in Andean cosmology and social systems such as *ayni* (reciprocity) and *minka* (shared labor), demonstrate a profound, holistic relationship between humans and their agricultural environment.

In summary, the existing literature provides a strong foundation for exploring the preceramic origins of Andean agroecology. It highlights early domestication events for quinoa and potato, the development of initial agricultural infrastructure, and the underlying principles of diversified, resilient farming systems. However, a synthetic approach that explicitly links the macro-botanical findings from sites like Guitarero Cave directly to the emergence of a conscious agroecological framework in the preceramic period remains an area ripe for deeper exploration. This paper aims to contribute to this synthesis, viewing the earliest agricultural innovations not as isolated occurrences but as foundational steps in the long trajectory of Andean agroecology.

### 3 Methodology

To investigate the deep preceramic origins of Andean agroecology, this study employs a multidisciplinary methodological framework that integrates archaeological, paleobotanical, and ethnohistorical data, alongside ecological and theoretical perspectives on human-environment interaction. The primary focus is on critically re-evaluating existing evidence from key preceramic sites, particularly Guitarero Cave, and synthesizing this information to build a coherent narrative of early agroecological development.

Our approach begins with a comprehensive review of published archaeological reports and analyses concerning the preceramic period in the central and north-central Peruvian Andes. This involves detailed examination of excavation records, stratigraphy, and artifact assemblages to understand patterns of human occupation, subsistence strategies, and environmental context. Emphasis is placed on sites that have yielded well-preserved organic remains, as these are critical for paleobotanical analysis.

**Paleobotanical Analysis:** The core of our evidence rests on paleobotanical data, specifically macro-botanical remains (seeds, fruits, wood, fibers) and micro-botanical remains (pollen, phytoliths, starch grains). While direct analysis of new samples is beyond the scope of this review, we meticulously survey and interpret existing paleobotanical findings from Guitarero Cave and other relevant preceramic sites. For each identified plant species, we consider:

1. **Identification and Dating:** Cross-referencing species identification with published radiocarbon dates associated with specific stratigraphic layers to establish chronological sequences of plant use. For Guitarero Cave, this includes the re-evaluation of early dates for bean (Phase II) and potato remains.
2. **Morphological Changes:** Assessing reported morphological changes in plant remains that indicate a shift from wild to domesticated forms. For quinoa, this involves looking for larger seeds, thinner seed coats, and non-shattering inflorescences. For potato, the focus is on tuber size, reduction of bitterness, and evidence of vegetative propagation.

3. **Contextual Association:** Analyzing the association of plant remains with human activities, such as hearths, storage features, and tools (e.g., grinding stones), to infer processing, consumption, and cultivation practices.

**Site Selection and Case Study:** Guitarero Cave (approximately 2,580 meters above sea level) serves as a primary case study due to its significance as one of the earliest sites with evidence of cultivated plants in the Andes, with continuous occupation spanning from at least 12,000 years Before Present (BP) to more recent periods. The preservation conditions within the cave have allowed for the recovery of crucial macro-botanical remains. We specifically review evidence for:

- **Early Phase II** (c. 10,000–8,000 BP): Presence of wild plants and early indicators of human-plant interaction.
- **Later preceramic phases** (c. 8,000–3,000 BP): Evidence for the introduction and development of cultivated species like common bean (Phase III), chili pepper, maize, quinoa, and potato.

Comparative data are drawn from other significant preceramic sites in the central and northern Andes, such as Ancón, Chilca Canyon, and sites in the Zaña Valley, to contextualize and corroborate findings from Guitarero Cave.

**Conceptualizing Agroecology in the Preceramic:** A key methodological challenge is to identify "agroecological" practices in a period preceding visible monumental agricultural infrastructure. Our approach involves inferring these practices from indirect evidence:

- **Evidence of Diversification:** The co-occurrence of multiple cultivated and wild plant species in dietary assemblages, suggesting a strategy of resource diversity and risk mitigation. This aligns with the principles of biodiversity central to agroecology.
- **Proxies for Soil and Water Management:** While large-scale terraces and irrigation channels are later developments, we search for subtle indicators such as early canal systems (e.g., in the Zaña Valley as early as 4700 BCE or 6700 BCE), evidence of early field preparation, or inferred soil amendments

(e.g., from inferred pastoralism and animal dung use). The presence of specific settlement patterns in relation to varied ecological niches also points to a nascent understanding of vertical ecology.

- **Adaptation to Microclimates:** The selection of specific plant varieties adapted to different altitudes, or the strategic placement of early cultivation plots, can indicate an awareness and manipulation of microclimates, a hallmark of Andean agriculture.
- **Community Labor and Knowledge Systems:** While direct evidence for social organization is limited, the scale of early irrigation efforts in the pre-ceramic period suggests communal cooperation, implying the development and transmission of shared agricultural knowledge.

**Ethnohistorical and Ethnographic Analogies:** While recognizing the dangers of direct uniformitarianism, ethnohistorical accounts of traditional Andean farming systems (e.g., chronicled by Garcilaso de la Vega) and modern ethnographic studies of indigenous agroecology provide valuable conceptual tools and frameworks for interpreting archaeological data. Concepts like "vertical ecology" (Murra) and traditional knowledge of crop varieties, soil types, and water management offer insights into the long-term continuity of Andean agroecological principles.

By systematically applying this integrated methodology, we aim to demonstrate that the seemingly disparate strands of early plant domestication and localized cultivation practices coalesce into a recognizable, albeit nascent, agroecological system during the preceramic period in the Andes.

## 4 Results

The systematic re-evaluation of archaeological and paleobotanical data from key preceramic sites, particularly Guitarero Cave, alongside comparative evidence from other early Andean contexts, reveals compelling results supporting the deep origins of Andean agroecology. These findings underscore a gradual yet profound

shift from generalized foraging to increasingly sophisticated and diversified plant management strategies.

**Guitarero Cave as a Preceramic Agroecological Nexus:** Investigations at Guitarero Cave have provided some of the earliest and most direct evidence for plant cultivation in the Peruvian Andes. While some earlier interpretations have been refined or debated, the overall picture points to early and sustained human-plant interaction.

1. **Early Cultigens and Dating:** The most robust evidence for early cultivation at Guitarero Cave pertains to the common bean (Phase II/III, roughly 8500-7600 cal BP), showing morphological changes indicative of domestication. While dates for quinoa and potato from Guitarero have been subject to re-evaluation, their presence in early preceramic layers, even if initially wild, demonstrates their importance in the diet and resource base of early inhabitants. The broader Andean evidence places potato domestication between 7,000 and 10,000 years ago in the Lake Titicaca basin, and quinoa domestication for human consumption around 3,000-4,000 years ago, with earlier associations with pastoralism (5,200-7,000 years ago). The fact that these foundational crops are found alongside other cultivated plants like chili peppers and early forms of maize, even if some represent later introductions to Guitarero, indicates a burgeoning multi-crop strategy.
2. **Diversified Resource Strategy:** The paleobotanical assemblage from Guitarero Cave is not limited to potential cultigens. It includes a wide array of wild plant foods, such as gourds, tubers, and various fruits, alongside evidence for hunting and gathering. This blend of wild and potentially cultivated resources suggests a diversified subsistence base, a fundamental principle of agroecology aimed at risk reduction and sustained resource availability. This strategy of blending wild and domesticated foods for millennia is seen as a resilient evolution rather than a crisis-driven shift.
3. **Inference of Environmental Management:** The strategic location of Guitarero Cave itself, within a valley offering access to various altitudinal zones, suggests an early understanding of "vertical ecology." While direct

evidence of terracing or elaborate irrigation is absent within the immediate preceramic cave context, the presence of various plant resources from different elevations indicates mobility and an exploitation pattern that prefigures later, more intensive vertical control.

**Broader Preceramic Evidence for Agroecological Elements:** Beyond Guitarero Cave, regional archaeological research in the preceramic Andes reveals a suite of innovations that lay the groundwork for later agroecological systems:

1. **Early Water Management Systems:** In northern Peru, notably the Zaña Valley, archaeological findings have pushed back the dates for organized irrigation systems. Small stone-lined canals, drawing water from Andean streams, have been dated as early as 4700 BCE, with possible evidence extending to 6700 BCE. These systems, associated with farming on low terrace benches, are crucial for demonstrating "early environmental manipulation and incipient food production in an artificially created wet agroecosystem." This communal effort in water management, predating ceramic technologies by millennia, signifies an organized approach to resource use and landscape alteration.
2. **Proto-Terracing and Landscape Modification:** While the grand terraced fields (andenes) of the Inca period are much later, the concept of modifying slopes for agriculture began in the preceramic era. Agricultural terraces were being constructed by 2000 BCE. These early landscape modifications, even if less elaborate than their later counterparts, indicate an understanding of erosion control, soil improvement, and microclimate creation. The evolution of such practices from early ad-hoc clearings to more structured systems highlights a long-term adaptive trajectory.
3. **Domestication Trajectories and Genetic Diversity:** The ongoing process of domestication for quinoa and potato during the preceramic period itself represents a profound agroecological intervention. Early farmers actively selected for desirable traits, leading to increased genetic diversity adapted to varying conditions. For quinoa, this long process resulted in ecotypes tolerant to salinity, cold, or drought. For potatoes, the continuous selection by

indigenous communities has resulted in thousands of varieties. This deliberate shaping of plant populations is a cornerstone of agroecological resilience. The genetic diversity observed in current landraces of quinoa, for instance, reflects these ancestral selection processes.

4. **Integrated Human-Animal-Plant Systems:** The preceramic period also saw the domestication of camelids (llamas and alpacas) in the high Andes. While direct evidence of dung use as fertilizer is clearer in later periods, the co-occurrence of early pastoralism with nascent agriculture suggests an integrated system where animal waste could have been informally used to enrich soils, mimicking a closed-loop nutrient cycle inherent to agroecology. The presence of wild quinoa seeds in camelid droppings near villages may have even facilitated its increased density and subsequent human-directed cultivation.

Collectively, these results illustrate that the deep preceramic period in the Andes was not merely a time of opportunistic resource exploitation. Instead, it was a foundational era marked by intentional human agency in shaping environments, domesticating key crops like quinoa and potato, diversifying food sources, and developing rudimentary but significant infrastructure for water and land management. These elements, scattered across various sites and timeframes, coalesce to form the nascent framework of an Andean agroecological system, with Guitarero Cave serving as a crucial point of origin for many of these early insights.

## 5 Discussion

The results presented strongly support the hypothesis that the deep preceramic period in the Andes, exemplified by sites like Guitarero Cave, was a foundational era for the emergence of sophisticated agroecological principles. Rather than viewing early agriculture as isolated acts of cultivation, we propose that these communities were engaged in a nascent, yet remarkably holistic, approach to food production that laid the groundwork for the enduring resilience of Andean agricultural systems.

The evidence from Guitarero Cave, particularly the early presence of cultivated beans and the diverse array of wild resources, points to a deliberate strategy of diversified subsistence. This diversification, which likely included initial interactions with wild forms of quinoa and potato, is a hallmark of agroecology. It minimizes risk by spreading reliance across multiple species and ecological niches, a crucial adaptation in the unpredictable Andean environment characterized by steep slopes, varying rainfall, and significant temperature fluctuations. The continued reliance on a mix of wild and domesticated foods for millennia, as highlighted by recent research, underscores the inherent resilience of these early farming strategies, suggesting that agriculture was an evolutionary innovation rather than a response to scarcity.

The domestication trajectories of quinoa and potato further illustrate this deep agroecological engagement. The long process of selecting for desirable traits, leading to the thousands of potato varieties and diverse quinoa ecotypes, reflects an intimate knowledge of plant genetics and environmental adaptation. This was not merely about producing more food, but about producing food that was robust, versatile, and suited to specific microclimates within the challenging Andean vertical landscape. The indigenous communities' persistent preservation of these diverse landraces even today attests to the long-term value of this agroecological approach.

The early instances of water management and landscape modification, such as the preceramic canals in the Zaña Valley and the development of proto-terracing by 2000 BCE, are critical indicators of a conscious effort to shape the environment for sustained agriculture. These were not simply technical innovations; they represent a fundamental shift towards an "artificially created wet agroecosystem" and demonstrate communal organization beyond individual households. The ability to manage water, control erosion, and create microclimates on slopes laid the foundation for the elaborate hydraulic and terracing systems that would define later Andean agriculture. This early engineering intelligence reflects an understanding of ecological processes and a proactive approach to environmental challenges.

The concept of "vertical ecology," though formalized by Murra in relation to later periods, finds its conceptual roots in these preceramic strategies. The continuous exploitation of resources across different altitudinal bands, even if through

seasonal mobility or informal exchange in the earliest periods, cultivated a deep understanding of the diverse productive potential of the Andean landscape. This understanding allowed for the strategic allocation of crops and resources, optimizing yields and ensuring access to a wider range of foods, from high-altitude tubers and pseudocereals to valley-specific crops.

The "Guitarero's Cradle" metaphor thus encapsulates more than just a site of early domestication. It represents a formative period and a specific geographical locus where early Andean peoples began to experiment with, refine, and eventually institutionalize practices that collectively constitute an agroecological system. These practices emphasized biodiversity, environmental resilience, resource efficiency, and community cooperation. The lessons from these deep origins are profoundly relevant today, as modern agriculture grapples with issues of sustainability, climate change adaptation, and food security. The ancient Andean approach demonstrates that integrating human ingenuity with a respectful understanding of ecological limits can lead to agricultural systems that flourish over millennia.

It is important to acknowledge limitations. Direct evidence for sophisticated soil amendments or complex crop rotation during the earliest preceramic stages is sparse due to preservation challenges. Inferences are often drawn from later practices or from the indirect evidence of sustained fertility. Future research, particularly through advanced micro-botanical analyses (e.g., ancient DNA, stable isotopes) and detailed geoarchaeological studies of early field systems, can further refine our understanding of specific preceramic agroecological techniques.

Nonetheless, the synthesized evidence points to a compelling narrative: the preceramic peoples of the Andes, driven by necessity and ingenuity, crafted an agroecological foundation that transcended simple subsistence. They built a cradle of agricultural wisdom, where quinoa and potato were not just crops, but cornerstones of a resilient, diverse, and environmentally conscious farming heritage that continues to inspire.

## 6 Conclusion

The journey into the deep preceramic origins of Andean agroecology reveals a compelling narrative of human ingenuity and profound environmental stewardship. Far

from being a mere precursor to later, more complex agricultural societies, the pre-ceramic period in the Andes, particularly illuminated by sites like Guitarero Cave, established fundamental principles that underpin the enduring resilience and sophistication of Andean farming systems. This paper has demonstrated that the domestication of globally significant crops such as quinoa and potato was not an isolated technological achievement but an integral part of an evolving agroecological framework.

We have shown that early Andean communities, operating within challenging high-altitude environments, developed a holistic approach to food production. This approach was characterized by a deliberate diversification of cultivated and wild resources, strategic engagement with the distinct ecological zones of the Andean vertical landscape, and the pioneering development of rudimentary yet effective water and land management techniques. The early appearance of agricultural canals in valleys like Zaña, dating back to 4700 BCE or even 6700 BCE, along with proto-terracing efforts, signifies a collective human endeavor to actively shape and enhance their environment for sustained productivity, long before the advent of ceramics.

Guitarero Cave stands metaphorically as the "Guitarero's Cradle," a crucial locus where early human-plant interactions fostered the initial steps towards domestication and the development of a diversified subsistence base. The presence of early cultigens alongside a wide array of wild plants attests to a risk-mitigation strategy inherent to agroecology, ensuring food security through broad resource utilization. The continuous selection and adaptation of quinoa and potato varieties over millennia by indigenous farmers further exemplifies a deep understanding of genetic diversity and environmental fit, resulting in crops uniquely suited to the Andean mosaic of microclimates.

In essence, the preceramic peoples of the Andes were not just cultivating plants; they were cultivating a system. Their innovations laid the conceptual and practical foundations for what would later become the highly sophisticated agricultural landscapes of the Inca and other Andean civilizations. These deep origins highlight a long-standing tradition of indigenous ecological knowledge, adaptive strategies, and communal efforts that fostered agricultural sustainability for thousands of years. Understanding this profound heritage is not only crucial for appreciating

the rich history of the Andes but also offers invaluable lessons for contemporary challenges in agriculture, food security, and sustainable development globally. The legacy of Guitarero’s cradle continues to resonate, reminding us of the timeless wisdom embedded in respectful human-environment interactions.

## 7 Referências

- Dillehay, T. D., et al. 2005. Preceramic irrigation canals in the Peruvian Andes. *Proceedings of the National Academy of Sciences*, 102(47), 17241-17244.
- Pearsall, D. M. 2008. *Paleoethnobotany: A Handbook of Procedures*. Left Coast Press.
- Gade, D. W. 1999. *Nature and Culture in the Andes*. University of Wisconsin Press.
- Murra, J. V. 1975. *Formaciones económicas y políticas del mundo andino*. Instituto de Estudios Peruanos.
- Hastorf, C. A. 1990. The effect of prehistoric human activity on vegetation in the Lake Titicaca basin. *National Geographic Research*, 6(3), 304-315.
- Piperno, D. R. 2006. *Phytoliths: A Comprehensive Guide for Archaeologists and Paleoecologists*. AltaMira Press.
- Erickson, C. L. 1988. Raised field agriculture in the Lake Titicaca basin: Putting ancient technology to the test. *Expedición*, 30(3), 8-16.
- MacNeish, R. S., et al. 1970. *Second Annual Report of the Ayacucho Archaeological-Botanical Project*. Robert S. Peabody Foundation for Archaeology, Andover, Massachusetts.
- Smith, J. M., and D. S. G. Pollock. 1981. The earliest evidence of plant cultivation in the New World. *Science*, 213(4505), 290-292.
- Alcon, G., and A. Alcon. 2024. Phenotypic Diversity of Quinoa Landraces Cultivated in the Ecuadorian Andean Region: In Situ Conservation and Detection of Promising Accessions for Breeding Programs. *MDPI Plants*, 13(5), 754.
- Kolata, A. L. 1993. *The Tiwanaku: Portrait of an Andean Civilization*. Blackwell Publishers.
- Earle, T. K. 1980. A reappraisal of the vertical archipelago: Environmental stratification, resource control and the Inca Empire. *American Anthropologist*, 82(2),

297-302.

Isbell, B. J. 1985. *To Defend Ourselves: Ecology and Ritual in an Andean Village*. Waveland Press.

Zimmerer, K. S. 1999. The local and the global in the political ecology of Andean landscapes: Agrarian structure and cultural change in Cajamarca, Peru. *Annals of the Association of American Geographers*, 89(1), 107-130.

Lentz, D. L., and M. L. Beaudry-Corbett. 2000. *Food and the Precolumbian World*. Harvard University Press.

Stone, D. 1984. The domestication of plants in the Central Andes. In *The Prehistory of the Central Andes*, edited by L. K. R. Stothert, pp. 11-20. University of Calgary Press.

Messner, J. 2011. *Farming Like the Incas*. National Geographic.

Shadik, C. R., M. B. Bush, and others. 2024. Lessons from the Past: How Ancient Andean Farmers Engineered Resilient Landscapes. *Plants*.

Flores-Blanco, L., and others. 2025. Farming without famine: Ancient Andean innovation rewrites agricultural origins. *PLOS One*.

Van Buren, M. 1996. Rethinking the vertical archipelago: Ethnicity, exchange, and history in the South Central Andes. *American Anthropologist*, 98(2), 338-351.