

New habitats of three rare orchid species in the Altai Republic (upper Biya River basin)

Sergei V. Vazhov¹, Alex V. Matsyura², Gennady G. Rusanov¹,
Victor M. Vazhov¹, Alina I. Shtekhman¹

1 Shukshin Altai State Humanities Pedagogical University, 53 Korolenko st., Biysk, 659333, Russia

2 Altai State University, Barnaul, 61 Lenina Ave., 656049, Russia

Corresponding author: Alex V. Matsyura (amatsyura@gmail.com)

Academic editor: R. Yakovlev | Received 10 November 2022 | Accepted 15 December 2022 | Published 22 December 2022

<http://zoobank.org/9CD8549D-6611-4162-92BE-0B1B45AEB3F9>

Citation: Vazhov SV, Matsyura AV, Rusanov GG, Vazhov VM, Shtekhman AI (2022) New habitats of three rare orchid species in the Altai Republic (upper Biya River basin). Acta Biologica Sibirica 8: 821–829. <https://doi.org/10.5281/zenodo.7686816>

Abstract

Many species of Orchidaceae Juss. are known as beautifully flowering plants, having medicinal, food, decorative, and other qualities. All this draws attention to orchids and promotes their extermination. The expansion of the tourism and recreational development of the Altai Republic and the economic activity of the population aggravate the processes of reduction of rare species of the Orchidaceae Juss. In this sense, the search for new orchid locations is relevant. The purpose of this work is to supplement the database on habitats of rare orchid species in the Altai Republic. Five new habitats of three orchid species were established in the northeast Altai in the basin of the upper Biya River. *Cypripedium guttatum* Sw. *Cypripedium macranthon* Sw., and *Dactylorhiza fuchsii* (Druce) Soo (*Orchis fuchsii* (Druce), information that is missing in the third edition of the Altai Republic Regional Red Book. Two orchid locations were found in the lower reaches of the Tuloy River valley, a third was found in the lower reaches of the Tondoshka River, the fourth was registered near the Turochak village and the fifth was observed on the left bank of the Biya River near the village Verkh-Biysk. All new habitats were registered in the Turochaksky district of the Altai Republic.

Keywords

Species, orchid, Altai Republic, river basin, new locality, habitat

Introduction

The Altai Republic belongs to the tourist and recreationally developed regions of Russia, there is mining and widely developed distant-pasture cattle breeding, all this negatively affects the flora and vegetation. We definitely cannot ignore the numerous fires that occur mainly with human involvement.

Over many decades, economic activities have contributed to the transformation of the original flora into transformed anthropogenic fractions, including synanthropic fractions. In spite of this, even under such conditions, the nature of the Altai Republic preserves a rich floristic diversity. Various forms of protection of natural ecosystems contribute to this, one of which is the inclusion of certain plant species in the regional Red Data Book, where the last edition lists 118 species of overgrown or flowering plants in need of priority protection (Red Data Book 2017).

Orchids because of their beautiful and highly visible flowers bring landscape diversity to landscapes. However, local habitats are subject to the negative impact of recreationalists collecting orchids in bouquets, amateur florists, and collectors of exotic species; orchids are put up for illegal sale, and in mass they are collected for medicinal and other purposes. Therefore, the identification of new habitats for rare species of Orchidaceae Juss. is essential and crucial. The improvement of measures of their protection is urgent (Silantieva et al. 2017).

The purpose of the present work is to supplement current data on the habitats of separate representatives of orchids in the northeast of the Altai Republic.

Material and methods

The study of rare species of Orchidaceae Juss. was carried out on the basis of generally accepted methods (Bychenko 2008; Artaev et al. 2014). To get an idea of the distribution of orchids in the Northeast Altai, we analyzed available sources, including materials from the Altai Republic Red Book (2017), as well as some results of our field expeditions in 2016–2022.

Results

There are 30 species in the Orchidaceae Juss. in the Altai Republic (out of 45 known in Siberia). Most orchids in the republic (25 species) are under the protection of specially protected natural areas. Eleven species are rare and protected (Gerasimovich 2004).

The soil, landscape, and phytocenotic features of the Altai Mountains contribute to the concentration of orchid species diversity in the northeast of the republic; 25 orchid species grow in the Altai State Nature Reserve (Gerasimovich 2004).

It should be noted that the vast administrative territories that border the Republic of Altai (Gerasimovich 2004) are large. For example, 27 species of Orchidaceae Juss. are known in Altai Krai, which exceeds the territory of the Altai Republic almost two times (Sulimenkina et al. 2015).

New information on five habitats of three orchid species, *Cypripedium guttatum* Sw., *Cypripedium macranthon* Sw., and *Dactylorhiza fuchsii* (Druce) Soo (*Orchis fuchsii* (Druce)), whose habitats are missing in the third edition of the regional Red Data Book (2017), is provided for Northeast Altai. All new habitats (Fig. 1) were established in the Turochaksky district of the Altai Republic.




Figure 1. New orchid habitats in the North-East Altai (Republic of Altai, Turochaksky region).

We found two orchid locations in the lower reaches of the Tuloy River valley on 8 June 2022, one more location was found in the lower reaches of the Tondoshka River on 10 June 2022, and the fourth was near the village of Turochak. Turochak and the fifth, on the left bank of the Biya River near Verkh-Biysk village.

Spotted lady's slipper (*Cypripedium guttatum* Sw.), included in the Altai Republic Red Data Book (2017) with status 3. Rare species (Maneev 2017a). There are 28 known locations for this orchid in the Republic (Gerasimovich 2004). Populations are small (Maneev 2017a). The species is protected on the territory of the Altai State Reserve and the Sumultinskiy Republican Complex Sanctuary (Zolotukhin 2017; Red Data Book, 2020).

Cypripedium macranthum Sw., the large-flowered cypripedium. It is included in the Altai Republic Red Data Book (2017) with status 2 - vulnerable, declining species (Zolotukhin 2017; Maneev 2017b). It is protected in the Altai State Reserve (Zolotukhin 2017).

Dactylorhiza fuchsii (Druce) Soo *Orchis fuchsii* (Druce), family Orchidaceae. Included in the Altai Republic Red Data Book (2017) with Status 3 – rare species (Maneev 2017b).

The characteristic for five habitats of these orchid species is given below.

The first habitat of *C. guttatum* Sw.: 52°00'40 N, 87°09'47 E. The absolute elevation is 395 m. The population is located on a steep shaded slope of the northeastern exposition of the left bank of the Tuloy River, 1175 m southeast of the bridge on the Turochak – Artybash highway at azimuth 151, there were 15 flowering specimens (08.06.2022) (Fig. 2).

The second habitat: a population of *C. guttatum* Sw. was found in the lower reaches of the Tondoshka River, which enters the valley of the Biya River near the northwestern outskirts of the village of Tondoshka and runs about 7 km to the mouth along the right bank of the latter river at 345 m, 5 specimens were found, flowering (10.06.2022) (Fig. 3).

Third location: 52°00'19 N, 87°09'58 E. Absolute altitude 390 m. A population of *C. macranthum* Sw. with coverage 4×70 m was found on top of a narrow mane descending to the Chinchek (left tributary of Tuloy), 1950 m southeast of the bridge over the Tuloy river on the Turochak – Artybash highway. Shaded grub, overgrown with dense forests and shrubs, more than 300 specimens, flowering (8 June 2022) (Fig. 4).

Habitat 4: 52°14'58N, 87°09'11E. A population of *D. fuchsii* (Druce) Soo (*Orchis fuchsii* (Druce), a common spotted orchid, is found in the vicinity of the village. Turochak. At 1100 m southeast of the old cemetery on the road to Tashtagol, there is a small abandoned clay pit on its right. An old overgrown, in some places swampy road runs from it in a south-west direction along the foot of the slope horizontally 325 m. On both sides of this road for 600 m, more than 200 flowering specimens scattered over the territory, concentrated one to two plants, not forming clusters in one place, were found on 14 June 2022 (Fig. 5).

Fifth locality: 52°01'55N, 87°04'25E. A population of *D. fuchsii* (Druce) Soo (*Orchis fuchsia* (Druce) was registered on the left bank of the Biya River opposite the village Verkh-Biysk. The Gorno-Altai-Artybash highway runs along the surface of the first terrace above the floodplain, and here there is a turn-off to the Kuzenskaya Zaimka camping site. From this turnoff on a 375 m along the road to Kuzenskaya Zaimka, at least 100 flowering specimens were found on 15 June 2022, also growing one or two at a time.

We recently published data on nine previously unknown nearby habitats of *C. macranthon* Sw. in the southeast part of Altai Krai, located at a distance of 96 km (on a straight line from Kivda to the southeastern edge of Turochak village): four habitats (Vazhov et al. 2017) were found from 10 to 18 June 2016 in the Tselinny District in the upper reaches of the Angurep River and five more (Vahov et al. 2020) were found from 9 June 2019 to 8 June 2020. In the Tselinnoe area at the confluence of the Chumonikha brook into the Chumysh; in the Yeltsovskoe area between the villages of Yeltsovka and Cheremshanka at the confluence of the Cheremshanka river into the Chumysh; in the same area in the log on the left bank of the river valley. Yeltsovka in the vicinity of the district center Yeltsovka; in the Solton district 5.5 km to the northeast from Kivda; also in this area on the southeast slope of Kivda on the border with the Tselinny district.



Figure 2. *Cypripedium guttatum* Sw. – spotted lady's slipper. Altai Republic, Turochaksky district. 8 June 2022 (Photo by G.G. Rusanov).



Figure 3. *Cypripedium guttatum* Sw. – spotted lady's slipper. Altai Republic, Turochaksky district. June 10, 2022 (Photo by O.M. Popova).



Figure 4. *Cypripedium macranthum* Sw. – the large-flowered cyrtipedium, Altai Republic, Turochaksky district. 8 June 2022 (Photo by G.G. Rusanov).



Figure 5. *Dactylorhiza fuchsii* (Druce) Soo (*Orchis fuchsia* (Druce) – common spotted orchid, Altai Republic, Turochak district. June 8, 2022 (Photo by G.G. Rusanov).

Conclusion

Five new habitats for three orchid species were established in the Northeast Altai in the upper Biya River basin. *C. guttatum* Sw., *C. macranthon* Sw., and *D. fuchsii* (Druce) Soo (*Orchis fuchsii* (Druce)). Two orchid locations were found in the lower reaches of the Tuloy River valley, one more was found in the lower reaches of the Tondoshka River, the fourth was registered near Turochak village, and the fifth was noted on the left bank of the Biya near Verkh-Biysk village. New data on orchid habitats in the northeastern Altai will supplement current distribution and abundance data to improve protective measures.

Acknowledgments

A.V. Matsyura was supported by the Priority-2030 program, Altai State University.

References

- Artaev ON, Bashmakov DI, Bezina OV (2014) Methods of field ecological research. Mordovian University Press, Saransk, 412 pp. [In Russian]
- Bychenko TM (2008) Methods to monitor the population of rare and endangered plant species in the Baikal region. Irkutsk State Pedagogical University Publishing house, Irkutsk, 164 pp. [In Russian]
- Gerasimovich LB (2004) Orchids of the Altai Republic (ecological and biological characteristics, structure of cenopopulations, protection issues). Thesis of Doctoral Dissertation. Gorno-Altai State University, Novosibirsk. [In Russian]
- Maneev AG (2017a) Slipperwort dropshoe – *Cypripedium guttatum* Sw. Orchidaceae of the family Orchidaceae. In: Red Data Book of the Republic of Altai (Plants). Gorno-Altai, 116–118 p. [In Russian]
- Maneev AG (2017b) The Lady's slipper orchid – *Cypripedium macranthon* Sw. Orchid family – Orchidaceae. In: Red Data Book of the Altai Republic (plants). Gorno-Altai, 118–119 p. [In Russian]
- Maneev AG (2017c) Fuchs Orchid – *Dactylorhiza fuchsii* (Druce) Soo (*Orchis fuchsia* Druce) Family Orchidaceae. Red Data Book of the Altai Republic (plants). Gorno-Altai, 125–126 p. [In Russian]
- Red Data Book of the Republic of Altai (Plants) (2017) Gorno-Altai, 267 pp. [In Russian]
- Red Data Book of the Republic of Altai (2000) Specially Protected Areas and Objects. Gorno-Altai, 272 pp. [In Russian]
- Silantjeva MM, Terekhina TA, Speranskaya NY, Ovcharova NV (2017) The role of regional protected areas in the conservation of plant and fungi species included in the Red Books of the Russian Federation and the Altai Territory. The role of Altai Krai in the ecological framework of the Russian Federation. Proceedings of the scientific and practical conference. Printing house of the Administration of the Government of the Altai Krai, Barnaul, 53–55 p. [In Russian]
- Sulimenkina OYu, Vazhov SV, Vazhov VM (2015) Rare species of the family Orchidaceae Juss. in the Altai. International Journal of Basic and Applied Research 10 (part 1): 172–173. <https://applied-research.ru/ru/article/view?id=7410> [In Russian]
- Vazhov SV, Rusanov GG, Vazhov VM, Bachtin RF (2017) New data on distribution of *Cypripedium macranthon* Sw. on the territory of Altai Krai. Acta Biologica Sibirica 3 (4): 123–126. <https://doi.org/10.14258/abs.v3i4.3638> [In Russian]
- Vazhov SV, Rusanov GG, Vazhov VM, Matsyura AV (2020) Floristic finds in the south-eastern part Altai Krai. Ukrainian Journal of Ecology 10 (6): 178–184. https://doi.org/10.15421/2020_279

Zolotukhin NI (2017) Plants from the Red Book of Russian Federation on the coast of lake Teletskoye and in the valley of the Biya river (Altai Republic) on materials of the Altai and Central Chernozem Nature Reserves. Problems of botany of South Siberia and Mongolia. Proceedings of the XVI International scientific and practical conference (June 5-8, 2017, Barnaul). Concept, Barnaul, 293–299. [In Russian]