



Antibacterial Activity of Green Synthesized Silver Nanoparticles Using *Lawsonia inermis* Against Common Pathogens from Urinary Tract Infection

Ahmed Said¹ · Mohammed Abu-Elghait¹ · Hossam M. Atta¹ · Salem S. Salem¹

Accepted: 11 April 2023 / Published online: 26 April 2023
© The Author(s) 2023

Abstract

New and creative methodologies for the fabrication of silver nanoparticles (Ag-NPs), which are exploited in a wide range of consumer items, are of significant interest. Hence, this research emphasizes the biological approach of Ag-NPs through Egyptian henna leaves (*Lawsonia inermis* Linn.) extracts and analysis of the prepared Ag-NPs. Plant extract components were identified by gas chromatography mass spectrometry (GC-mass). The analyses of prepared Ag-NPs were carried out through UV–visible (UV–Vis), X-ray diffraction (XRD), transmission electron microscope (TEM), scanning electron microscope (SEM), and Fourier transform infrared (FTIR) analysis. UV–Vis reveals that Ag-NPs have a maximum peak at 460 nm in visible light. Structural characterization recorded peaks that corresponded to Bragg's diffractions for silver nano-crystal, with average crystallite sizes varying from 28 to 60 nm. Antibacterial activities of Ag-NPs were examined, and it is observed that all microorganisms are very sensitive to biologically synthesized Ag-NPs.

Keywords Silver nanoparticles · *Lawsonia inermis* Linn. · Antibacterial activity · Urinary tract infection

Introduction

According to the World Health Organization (WHO), infections with drug-resistant bacteria have a higher rate of death [1]. Increase of consumption of antimicrobial agent and inappropriate use and also the continuous migration of people lead to increasing of multidrug-resistant strains [2]. Available antibiotics become unable to eliminate the infection of the urinary tract caused by bacteria, so we need to manage new strategies to eliminate UTIs [3]. The Egyptian medicine dates from about 2900 BC. Since 1500 BC, the Ebers Papyrus, which lists more than 700 medications, has been the most well-known Egyptian pharmacological record (most of which are plants) [4]. It contains a variety of remedies that the ancient Egyptians valued at the time since they

✉ Salem S. Salem
salemsalahsalem@azhar.edu.eg

¹ Botany and Microbiology Department, Faculty of Science, Al-Azhar University, Nasr City 11884, Cairo, Egypt

were employed as bandages, injections, and ointments to cure common illnesses. The *L. inermis* plant, commonly known as Henna, is native to a number of tropical regions in Northern Africa, Asia, and Australia. It is naturalized and cultivated in the tropics of Egypt, America, India, and parts of the Middle East [5]. Henna contains a wide range of natural alternative sources with antibacterial action that may be exploited [6]. The historic use of henna in medicine includes seeds, roots, stem bark, leaves, and flowers to treat a variety of ailments such as rheumatoid arthritis, diabetes, headache, fever, cardiac disease, jaundice, hepatoprotective, and coloring agent [7]. Also, henna is used as antioxidant and anticancer properties [8]. Lawson, the primary colorant in *L. inermis* leaves, lends a light yellow to orange hue based on the dyeing processes and the kind of cloth; *L. inermis* has a wide variety of biomolecules, making it a great source of several sorts of medications [9, 10]. The major constituents of *L. inermis* are gallic acid, β -sitosteroglucosides, lawsoniasides, quinoids, flavonoids, naphthalene derivatives, coumarins, triterpenoids, xanthenes, and phenolic glycosides [11]. Nanotechnology is a sophisticated science; the nanomaterials have many applications in bioscience which include biomedicine and biosensor [12–20]. According to studies, producing nanoparticles via biological techniques is a cheap and environmentally benign process [21–27]. To date, biological agents which include bacteria, fungi, yeast, actinomycetes, and plants have been used to show the production of nanoparticles [28–33, 61]. The silver has widely many applications due to their activity as antimicrobial and low cytotoxicity [34–37]. From these applications, Ag-NPs may be used in industry's creams and ointments to avoid infections [38, 39]. NPs have captured a lot of attention among noble metal nanomaterials as an entirely new antibacterial agent [40, 41]. They also exhibit outstanding properties like strong plasmon resonance; electrical, magnetic, and thermal conductivity; antibacterial, antiviral, and antimalarial action; and bio-stability [42–44, 62, 63]. This work produced and characterized Ag-NPs by using the metabolites of *L. inermis*. In order to exploit phyto-synthesized Ag-NPs as smart nanomaterials in the medical field, their antibacterial properties were investigated.

Materials and Methods

Collection of Plant Material

The leaves of *L. inermis* were obtained and identified by Agricultural Research Center, Cairo, Egypt. The leaves were washed thoroughly with tap water and dried in oven at 40 °C. Dried plant parts were homogenized to fine powder and stored in airtight bottles.

Plant Extract

The fine powder was extracted with cold distilled water (aqueous extract). One hundred grams (100 g) of fine powder was dissolved in 1000 ml of distilled water in conical flask for each plant and stayed for 1 day in room temperature. Then, the extract was filtered with 8 layers of muslin cloth. The solution was then filtered through filter paper. After incubation in oven at 40 °C to evaporate water, the dried extract obtained was stored at 4 °C in airtight bottles.

Identification of Components

After drying the water extract to obtain yield, it was sent to a reference lab for drinking water in Cairo to identify components by GC–MS (gas chromatography mass spectrometry) (Varian CP-3800 Gas Chromatography with 320-MS TQ Mass Spectrometer, CP-8400 Autosampler) and used for the analysis. The samples are separated, identified, and measured by injecting an aliquot of the concentrated extract into a high-resolution fused silica capillary column (J&W DB-5 ms) of a GC–MS–MS system. Compounds eluting from the GC column are identified by comparing their measured mass spectra to reference spectra in database. The mobile phase helium gas flow was 1 ml/min.

Biosynthesis of Silver Nanoparticles

Green synthesis of Ag-NPs was carried out by following Prakash et al. [45] synthesis method. In a typical synthesis of Ag-NPs, 10 ml of filtrate was added to 50 ml of 1 mM AgNO_3 solution under vigorous stirring. After that, the reaction will be completed within few minutes with the visualization of brownish yellow color from reddish orange reaction mixture ensuing in Ag-NP formation.

Characterization of Silver Nanoparticles

The first observation is change of color, where the color of extract without treatment of AgNO_3 is bright yellow but after treatment with AgNO_3 converted to dark brown. The range of wave length for Ag-NPs is between 200 and 800 nm, which is detected by UV–Vis spectrophotometer (Shimadzu UV-1700, Japan). Fourier transform-infrared (FTIR) spectroscopy is responsible for the detection of functional group responsible for reducing, stabilizing, and capping Ag-NPs. The FTIR (Agilent system Cary 630 FT-IR model), analysis in the range of $400\text{--}4000\text{ cm}^{-1}$ the technique use the potassium bromide to convert to fine powder. Crystalline metallic silver was perceived by Seifert3003TT X-ray diffractometer, utilizing $\text{Cu-K}\alpha$ radiation ($\lambda = 0.1546\text{ nm}$). Transmission electronic microscopy (TEM) was used to determine the morphology and size of Ag-NPs. The sample was made by dropping the AgNPs solution onto a carbon-coated copper grid and placing it onto a specimen holder. The sizes and shapes of AgNPs were validated using TEM micrographs. Scanning electron microscopy (SEM) is used to determine the surface morphology of phyto-synthesized Ag-NPs.

Evaluation of Antibacterial Activity with MIC In Vitro

This study includes resistant bacterial strains from urinary tract infection—*Escherichia coli*, *Klebsiella pneumoniae*, *Acinetobacter baumannii*, *Pseudomonas aeruginosa*, *Proteus mirabilis*, *Enterococcus faecalis*, and *Staphylococcus arlettae* [46]. The bactericidal activity for both AgNO_3 and synthesized Ag-NPs at concentration 100 ppm was tested against resistant bacterial pathogens, including gram-negative and gram-positive by agar well diffusion method with control (aqueous extract); every well contains 100 μL at a diameter of 7 mm. Miller-Hinton agar plates are used to evaluate sensitivity or inhibition zone for both control and synthesized Ag-NPs for each microorganism, and before incubation, they are kept

in refrigerator at 4 °C for 1 h and then incubated for 24 h at 37 °C. The zone of inhibition (ZOI) was measured by a ruler around each well in mm and recorded. Use same previous method for sensitivity to determine MIC for Ag-NPs but at different concentrations (100, 50, 25, 12.5, 6.25 ppm).

Results and Discussion

Identification of the Active Ingredient in Henna

Henna extract is one of the most effective traditional remedies against multiple diseases that include skin and ulcer disorders and infection malignancies. Henna species growing in various parts of the world will undoubtedly develop in terms of its medicinal application if the active component is identified. Chromatogram of extract of *L. inermis* clearly showed 12 peaks indicating 12 phytochemical compounds (Tab. 1). The active materials of water extract identified by gas chromatography mass spectrometry revealed 12 compounds as mentioned previously, where it contained three active compounds including 1,4-naphthalenedione,2-hydroxy (7.65%), benzofuran,2,3-dihydro (14.39%), and di-n-octylphthalate (10.56%). We can suggest that the main activity is due to polyphenolic compounds (naphthoquinone derivatives). Lawsone, the major bioactive constituent in *L. inermis*, is known for its antibacterial properties [10, 47]. Fifty-one chemical components of henna were identified using gas chromatography examination; however, they included 1,4-naphthalendion,2-hydroxy (5.63%) and benzofuran-2,3-dihydro (3.10%). Another study by Singh et al. [48] determined the phytochemical analysis of methanol extracts. TLC and phytochemical analysis are performed to determine the presence of several phyto-constituents in 80% of henna leaves. A prior study revealed the existence of several chemicals that were extracted from henna plants in Egypt and Nigeria using various solutions, including methanol and chloroform. Resins, glycosides, flavonoids, sterols, and other substances were discovered in this study [49]. The presence of

Table 1 Gas chromatography analysis of *L inermis* extract

Compound	Area %	Area	R. Time	No
Cyclohexen,4-methylene-1-(1-methylethy	4.12	595,813	10.088	1
2,2-Dimethyl-propyl 2,2-dimethyl-propan	1.88	272,057	12.032	2
1,7,7-Trimethylbicyclo(2.2.2)hept-5-en-2	0.45	66,190	14.805	3
Benzofuran,2,3-dihydro-	14.39	2.081e+6	17.512	4
Dodecan,1-fluoro-	9.29	1.343 e+6	22.615	5
1,4-Naphthalenedione,2-hydroxy	7.65	1.106 e+6	26.002	6
5-Eicosene, (E)	12.54	1.813 e+6	27.388	7
1-Hexadecanol	13.94	2.016 e+6	31.859	8
Phthalic acid,hex-2-yn-4-yl hexyl ester	4.80	694,679	33.133	9
Di-n-octylphthalate	10.56	1.527 e+6	35.034	10
9-Tricosene, (Z)	8.87	305,284	35.901	11
Farnesol isomers	11.46	1.657 e+6	50.779	12

1,4-naphthalenedione,2-hydroxy (19.19%) and di-n-octyl phthalate (17.09%) in Egyptian samples was observed.

Characterization of Ag-NPs

The fundamental goal of this approach is to present a clean, ecofriendly method of producing Ag-NPs utilizing *L. inermis* (Henna) leaf extract, which can operate as a reductive and stabilizing agent in the formation of Ag-NPs. In this investigation, when AgNO_3 was combined with Henna extract, it resulted in the formation of Ag-NPs that turned from




Fig. 1 A Synthesis of Ag-NPs according to color change. B UV-Vis absorbance of Ag-NPs

pale yellow to dark brown, indicating that Ag-NPs were successfully synthesized, as shown in Fig. 1A. According to the other study which is in agreement with this study, the color changed from yellow to dark brown [50, 51]. The change of color to form deep dark brown is related with surface plasmon resonance (SPR). The UV–Vis absorbance spectrum of colloidal silver nanoparticles synthesized using Henna extract as reducing agents is shown in Fig. 1B. The wavelengths are made up of maximum absorption in the visible portion of the electromagnetic spectrum, with a peak at 460 nm. Our findings differ from those of previous research when compared to the literature. For example, when *L. inermis* leaf extract was used to synthesize Ag-NPs, the absorbance peak formed about 430 nm [50]. Another research implemented an *L. inermis* leaf extract to produce Ag-NPs, with the peak of absorption occurring about 420 nm [52].

X-ray diffraction (XRD) is used to determine the crystalline structure and nanoparticle morphology, which every crystalline material has a special diffraction. The result is shown in Fig. 2. The XRD figure of biosynthesized Ag-NPs demonstrates four major diffraction peaks at 2θ values of 38.1° , 44.2° , 64.4° , and 77.2° , which are related to reflection planes of (111), (200), (220), and (311), respectively. Structural characterization recorded peaks that corresponded to Bragg's diffractions for silver nano-crystal with average crystallite sizes varying from 28 to 60 nm. The strengthening of the peaks suggests that the Ag-particles are in the nanoparticle regime. According to previous researchers' results in the literature, the intensity of Ag-NPs corresponds to a high level of crystallinity [51, 52]. According to XRD measurements, the Ag-NPs produced by the reduction of Ag^+ ions by *L. inermis* leaf extract are crystalline in nature. The findings revealed that the phyto-synthesized Ag-NPs were composed of high-purity crystalline Ag-particles.

TEM and SEM are used to investigate the morphology and average size [53]. TEM micrograph demonstrates the presence of poly-dispersed spherical nanoparticles having the size range from 3.48 to 19.34 nm (Fig. 3A). Previous research reported that the range of Ag-NPs ranged from 20 to 70 nm [52]. SEM micrograph analysis (Fig. 4B) shows the




Fig. 2 XRD pattern of Ag-NPs




Fig. 3 **A** TEM micrograph and **B** SEM micrograph of Ag-NPs

formation of spherical Ag-NPs. The above report demonstrates the formation of polycrystalline, spherical, uniform, and stable nanoparticles with *L. inermis* leaf extract. TEM and SEM have previously been used to characterize the morphology and size of biologically produced Ag-NPs [54, 55].

FTIR spectroscopy is used to recognize the different functional groups of Ag-NPs as shown in Fig. 4A. The FTIR analysis is used to achieve the interaction between Ag and metabolites of leaf extract, which occurs in capping and reduction of intermediate for well-dispersed Ag-NPs in their colloidal solution. The FTIR analysis for Ag-NPs revealed different bands which represent broad bands from 540 to 775 cm^{-1} which denotes to metal oxide; this refers to interaction between Ag-NPs with (OH) group [56]. Band also appears at 1647 cm^{-1} which denotes to carbonyl group of C–C stretching vibration as well as amide I bands of proteins [57]. Band also appears at 2065 cm^{-1} which denotes to represent C–Hx stretching vibrations [50]. Broad bands appear from 3167 to 3640 cm^{-1} which denotes to N–H group of protein and phenolic O–H stretching vibrations of alcohols [58]. As a consequence, all of these leaf extract biomolecules have accurately engaged in the reduction of the silver salt to Ag^0 and their stability, culminating in the crystalline of the phyto-organic layer on their surface. Figure 4B depicts a schematic of a hypothetical process for the formation of Ag-NPs. Phyto-organic components are known to interact with metal salts (AgNO_3) via these functional groups, hence mediating the formation of Ag-NPs [50]. This result confirms the leaf extracts of *L. inermis* have the predominant role for the reduction of Ag.

Evaluation of Antibacterial Activity with MIC In Vitro

The effectiveness of AgNO_3 , plant extract (control), and Ag-NPs at 100 ppm concentrations against various resistant bacteria was demonstrated. The findings demonstrate Ag-NPs had better antibacterial efficacy against various resistant bacteria than water extract or AgNO_3 and are presented visually in Table 2 and Fig. 5. Results appeared that the inhibition diameters by Ag-NPs were $30 \pm 1.2\text{ mm}$, $28 \pm 1.2\text{ mm}$, $27 \pm 0.8\text{ mm}$, $26 \pm 1.5\text{ mm}$, $25 \pm 1.1\text{ mm}$, $21 \pm 0.9\text{ mm}$, and $19 \pm 0.6\text{ mm}$ for *Acinetobacter baumannii*, *Klebsiella pneumoniae*, *Enterococcus faecalis*, *Escherichia coli*, *Pseudomonas aeruginosa*, *Proteus*




Fig. 4 **A** FTIR analysis of Ag-NPs. **B** Mechanism for biosynthesis of Ag-NPs by *L. inermis* leaf extract

Table 2 Effect of AgNO_3 , plant extract, and Ag-NPs at 100 ppm as antibacterial activity on growth of 7 resistant strains of urinary tract bacteria

Ag-NPs	Plant extract	AgNO_3	Bacteria
26 ± 1.5	18 ± 0.7	0.0	<i>Escherichia coli</i>
28 ± 1.2	15 ± 0.3	0.0	<i>Klebsiella pneumoniae</i>
30 ± 1.2	17 ± 0.5	8 ± 0.3	<i>Acinetobacter baumannii</i>
21 ± 0.9	13 ± 0.2	0.0	<i>Proteus mirabilis</i>
25 ± 1.1	15 ± 0.4	0.0	<i>Pseudomonas aeruginosa</i>
27 ± 0.8	19 ± 0.7	9 ± 0.1	<i>Enterococcus faecalis</i>
19 ± 0.6	11 ± 0.5	0.0	<i>Staphylococcus arlettae</i>




Fig. 5 Antibacterial activity of Ag-NPs against different pathogenic bacteria

mirabilis, and *Staphylococcus arlettae* respectively. In another recent investigation, distinct diameter of inhibition zones of 28.2 mm, 23.2 mm, 27.2 mm, and 28.4 mm was observed as a result of Ag-NP activity against *B. subtilis*, *S. aureus*, *E. coli*, and *P. aeruginosa*, respectively [58].

It is important to assess MIC for every bacterium at different concentrations of Ag-NPs (50, 25, 12.5, 6.25 ppm). The results revealed MIC for *Escherichia coli* at 25 ppm give 12 ± 0.1 mm, *Klebsiella pneumoniae* at 12.5 ppm give 9 ± 0.3 mm, *Acinetobacter baumannii* at 12.5 ppm give 10 ± 0.1 mm, *Proteus mirabilis* at 25 ppm give 8 ± 0.2 mm, *Pseudomonas aeruginosa* at 25 ppm give 13 ± 0.3 mm, *Enterococcus faecalis* at 12.5 ppm give 11 ± 0.2 mm, and *Staphylococcus arlettae* at 25 ppm give 8 ± 0.1 mm, as shown in Table 3. The death of bacteria by different mechanisms includes Ag-NPs attachment to the bacterial membrane, which leads to damage to selective permeability and can also cause inhibition of respiratory enzymes, which then stops the production of ATP and lead to bacterial cell death

Table 3 Determination of MIC for every bacterium at different concentrations

6.25 ppm	12.5 ppm	25 ppm	50 ppm	Bacteria
-	-	12 ± 0.1	18 ± 0.9	<i>Escherichia coli</i>
-	9 ± 0.3	17 ± 0.5	20 ± 1.0	<i>Klebsiella pneumoniae</i>
-	10 ± 0.1	14 ± 0.5	21 ± 0.9	<i>Acinetobacter baumannii</i>
-	-	8 ± 0.2	16 ± 0.4	<i>Proteus mirabilis</i>
-	-	13 ± 0.3	19 ± 0.5	<i>Pseudomonas aeruginosa</i>
-	11 ± 0.2	18 ± 0.4	21 ± 0.8	<i>Enterococcus faecalis</i>
-	-	8 ± 0.1	15 ± 0.3	<i>Staphylococcus arlettae</i>

[56]. It may also cause other changes due to the electrostatic attraction between the positive charge of NPs and the negative charge of the surface cell membrane. This reaction lead to cytoplasmic shrinkage, separation of membrane, and finally cell rapture [59, 60].

Conclusions

Using *L. inermis* water extract in the formation of Ag-NPs was successfully developed. Characterization of Ag-NPs by UV–Vis spectrometry, XRD, FTIR, SEM, and TEM analysis confirms spherical shape and size which ranged from 3.48 to 19.34 nm. FTIR also confirms the constituents which were analyzed by GC-mass for plant extract which revealed 12 compounds, where it contained three active compounds including 1,4-naphthalenedione, 2-hydroxy (7.65%), benzofuran, 2,3-dihydro (14.39%), and di-n-octylphthalate (10.56%). We can suggest that the main activity is due to polyphenolic compounds (naphthoquinone derivatives). In this work, the effect of Ag-NPs on resistant bacteria was compared to that of AgNO₃ and plant extract. Finally, the phyto-synthesized Ag-NPs obtained from *L. inermis* extract have antibacterial properties, making them beneficial in the medical area.

Author Contribution Conceptualization: Ahmed Said, Mohammed Abu-Elghait, Hossam M. Atta, and Salem S. Salem; methodology and resources: Ahmed Said, Mohammed Abu-Elghait, Hossam M. Atta, and Salem S. Salem; validation and visualization: Ahmed Said, Mohammed Abu-Elghait, Hossam M. Atta, and Salem S. Salem; formal analysis: Ahmed Said, Mohammed Abu-Elghait, Hossam M. Atta, and Salem S. Salem; writing—original draft preparation: Ahmed Said, Mohammed Abu-Elghait, and Salem S. Salem; writing—review and editing: Ahmed Said, Mohammed Abu-Elghait, Hossam M. Atta, and Salem S. Salem; supervision: Mohammed Abu-Elghait, Hossam M. Atta, and Salem S. Salem. All authors have read and agreed to the published version of the manuscript.

Funding Open access funding provided by The Science, Technology & Innovation Funding Authority (STDF) in cooperation with The Egyptian Knowledge Bank (EKB).

Data Availability The data used to support the findings of this study are available from the corresponding author upon request.

Declaration

Ethics Approval Not applicable.

Consent to Participate Not applicable.

Consent for Publication Not applicable.

Conflict of Interest The authors declare no competing interests.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- Baptista, P. V., McCusker, M. P., Carvalho, A., Ferreira, D. A., Mohan, N. M., Martins, M., & Fernandes, A. R. (2018). Nano-strategies to fight multidrug resistant bacteria—"A Battle of the Titans." *Frontiers in Microbiology*, 9, 1441.
- Nadeem, S. F., Gohar, U. F., Tahir, S. F., Mukhtar, H., Pornpukdeewattana, S., Nukthamna, P., Moula Ali, A. M., Bavisetty, S. C. B., & Massa, S. (2020). Antimicrobial resistance: More than 70 years of war between humans and bacteria. *Critical Reviews in Microbiology*, 46(5), 578–599.
- Hollyer, I., & Ison, M. G. (2018). The challenge of urinary tract infections in renal transplant recipients. *Transplant Infectious Disease*, 20(2), e12828. <https://doi.org/10.1111/tid.12828>
- Metwaly, A. M., Ghoneim, M. M., Eissa, I. H., Elsehemy, I. A., Mostafa, A. E., Hegazy, M. M., Afifi, W. M., & Dou, D. (2021). Traditional ancient Egyptian medicine: A review. *Saudi Journal of biological sciences*, 28(10), 5823–5832.
- Muhammad H, Muhammad S (2005) The use of Lawsonia inermis Linn.(henna) in the management of burn wound infections. *African Journal of Biotechnology* 4 (9)
- Avci, H., Monticello, R., & Kotek, R. (2013). Preparation of antibacterial PVDF and PEO nanofibers containing Lawsonia inermis (henna) leaf extracts. *Journal of Biomaterials Science, Polymer Edition*, 24(16), 1815–1830. <https://doi.org/10.1080/09205063.2013.804758>
- Singh, D. K., Luqman, S., & Mathur, A. K. (2015). Lawsonia inermis – A commercially important primaevae dying and medicinal plant with diverse pharmacological activity: A review. *Industrial Crops and Products*, 65, 269–286. <https://doi.org/10.1016/j.indcrop.2014.11.025>
- Barani, M., Mirzaei, M., Torkzadeh-Mahani, M., & Nematollahi, M. H. (2018). Lawsone-loaded Niosome and its antitumor activity in MCF-7 breast cancer cell line: A nano-herbal treatment for cancer. *DARU Journal of Pharmaceutical Sciences*, 26(1), 11–17. <http://doi.org/10.1007/s40199-018-0207-3>
- Rehman, F.-u, Adeel, S., Qaiser, S., Bhatti, I. A., Shahid, M., & Zuber, M. (2012). Dyeing behaviour of gamma irradiated cotton fabric using Lawson dye extracted from henna leaves (Lawsonia inermis). *Radiation Physics and Chemistry*, 81(11), 1752–1756.
- Khan, B. A., Khan, A., Khan, M. K., & Bragg, V. J. (2021). Preparation and properties of high sheared poly (vinyl alcohol)/chitosan blended hydrogel's film with Lawsonia inermis extract as wound dressing. *Journal of Drug Delivery Science and Technology*, 61, 102227.
- Hsouna, A. B., Trigui, M., Culioli, C., Blache, Y., & Jaoua, S. (2011). Antioxidant constituents from Lawsonia inermis leaves: Isolation, structure elucidation and antioxidative capacity. *Food Chemistry*, 125(1), 193–200.
- Salem, S. S., Hammad, E. N., Mohamed, A. A., & El-DougDoug, W. (2023). A comprehensive review of nanomaterials: Types, synthesis, characterization, and applications. *Biointerface Research in Applied Chemistry*, 13(1), 4. <https://doi.org/10.33263/BRIAC131.041>
- Salem, S. S., & Fouda, A. (2021). Green synthesis of metallic nanoparticles and their prospective biotechnological applications: An overview. *Biological Trace Element Research*, 199(1), 344–370. <https://doi.org/10.1007/s12011-020-02138-3>
- AbdElkodous, M., El-Husseiny, H. M., El-Sayyad, G. S., Hashem, A. H., Doghish, A. S., Elfadil, D., Radwan, Y., El-Zeiny, H. M., Bedair, H., & Ikhdair, O. A. (2021). Recent advances in waste-recycled nanomaterials for biomedical applications: Waste-to-wealth. *Nanotechnology Reviews*, 10(1), 1662–1739.
- Shehabeldine, A. M., Hashem, A. H., Wassel, A. R., & Hasanin, M. (2022). Antimicrobial and antiviral activities of durable cotton fabrics treated with nanocomposite based on zinc oxide nanoparticles, acrolein, nanochitosan, and clove oil. *Applied Biochemistry and Biotechnology*, 194(2), 783–800. <https://doi.org/10.1007/s12010-021-03649-y>
- Hasanin M, Hashem AH, Lashin I, Hassan SAM (2021) In vitro improvement and rooting of banana plantlets using antifungal nanocomposite based on myco-synthesized copper oxide nanoparticles and starch. *Biomass Conversion and Biorefinery* <https://doi.org/10.1007/s13399-021-01784-4>
- Shehabeldine, A. M., Salem, S. S., Ali, O. M., Abd-Elsalam, K. A., Elkady, F. M., & Hashem, A. H. (2022). Multifunctional silver nanoparticles based on chitosan: Antibacterial, antibiofilm, antifungal, antioxidant, and wound-healing activities. *Journal of Fungi*, 8(6), 612.
- Elbasuney, S., El-Sayyad, G. S., Tantawy, H., & Hashem, A. H. (2021). Promising antimicrobial and antibiofilm activities of reduced graphene oxide-metal oxide (RGO-NiO, RGO-AgO, and RGO-ZnO) nanocomposites. *RSC advances*, 11(42), 25961–25975.
- Salem, S. S., Hashem, A. H., Sallam, A. A. M., Doghish, A. S., Al-Askar, A. A., Arishi, A. A., & Shehabeldine, A. M. (2022). Synthesis of silver nanocomposite based on carboxymethyl cellulose: Antibacterial, antifungal and anticancer activities. *Polymers*, 14(16), 3352. <https://doi.org/10.3390/polym14163352>

20. El-Naggar, M. E., Hasanin, M., & Hashem, A. H. (2022). Eco-friendly synthesis of superhydrophobic antimicrobial film based on cellulose acetate/polycaprolactone loaded with the green biosynthesized copper nanoparticles for food packaging application. *Journal of Polymers and the Environment*, 30(5), 1820–1832. <https://doi.org/10.1007/s10924-021-02318-9>
21. Ali OM, Hasanin MS, Suleiman WB, Helal EE-H, Hashem AH (2022) Green biosynthesis of titanium dioxide quantum dots using watermelon peel waste: Antimicrobial, antioxidant, and anticancer activities. *Biomass Conversion and Biorefinery*<https://doi.org/10.1007/s13399-022-02772-y>
22. Salem, S. S., Badawy, M. S. E., Al-Askar, A. A., Arishi, A. A., Elkady, F. M., & Hashem, A. H. (2022). Green biosynthesis of selenium nanoparticles using orange peel waste: Characterization, antibacterial and antibiofilm activities against multidrug-resistant bacteria. *Life*, 12(6), 893.
23. Hashem, A. H., & Salem, S. S. (2022). Green and ecofriendly biosynthesis of selenium nanoparticles using *Urtica dioica* (stinging nettle) leaf extract: Antimicrobial and anticancer activity. *Biotechnology Journal*, 17(2), 2100432. <https://doi.org/10.1002/biot.202100432>
24. Iashin I, Hasanin M, Hassan SAM, Hashem AH (2021) Green biosynthesis of zinc and selenium oxide nanoparticles using callus extract of *Ziziphus spina-christi*: Characterization, antimicrobial, and antioxidant activity. *Biomass Conversion and Biorefinery*<https://doi.org/10.1007/s13399-021-01573-4>
25. Abdelaziz, A. M., Salem, S. S., Khalil, A. M. A., El-Wakil, D. A., Fouda, H. M., & Hashem, A. H. (2022). Potential of biosynthesized zinc oxide nanoparticles to control *Fusarium wilt* disease in eggplant (*Solanum melongena*) and promote plant growth. *BioMetals*, 35(3), 601–616. <https://doi.org/10.1007/s10534-022-00391-8>
26. Shehabeldine, A. M., Amin, B. H., Hagrass, F. A., Ramadan, A. A., Kamel, M. R., Ahmed, M. A., Atia, K. H., & Salem, S. S. (2023). Potential antimicrobial and antibiofilm properties of copper oxide nanoparticles: Time-kill kinetic assay and ultrastructure of pathogenic bacterial cells. *Applied Biochemistry and Biotechnology*, 195(1), 467–485. <https://doi.org/10.1007/s12010-022-04120-2>
27. Hammad, E. N., Salem, S. S., Mohamed, A. A., & El-Doughogi, T. (2022). Environmental impacts of ecofriendly iron oxide nanoparticles on dyes removal and antibacterial activity. *Applied Biochemistry and Biotechnology*, 194(12), 6053–6067. <https://doi.org/10.1007/s12010-022-04105-1>
28. Salem, S. S., El-Belely, E. F., Niedbala, G., Alneqman, M. M., Hassan, S. E. D., Eid, A. M., Shaheen, T. I., Elkesh, A., & Fouda, A. (2020). Bactericidal and in-vitro cytotoxic efficacy of silver nanoparticles (Ag-NPs) fabricated by endophytic actinomyces and their use as coating for the textile fabrics. *Nanomaterials*, 10(10), 1–20. <https://doi.org/10.3390/nano10102082>
29. Salem, S. S. (2022). Bio-fabrication of selenium nanoparticles using baker's yeast extract and its antimicrobial efficacy on food borne pathogens. *Applied Biochemistry and Biotechnology*, 194(5), 1898–1910. <https://doi.org/10.1007/s12010-022-03809-8>
30. Abdelghany, T. M., Al-Rajhi, A. M. H., Yahya, R., Bakri, M. M., Al Abboud, M. A., Yahya, R., Qanash, H., Bazaib, A., & Salem, S. S. (2023). Phytofabrication of zinc oxide nanoparticles with advanced characterization and its antioxidant, anticancer, and antimicrobial activity against pathogenic microorganisms. *Biomass Conversion and Biorefinery*, 13(1), 417–430. <https://doi.org/10.1007/s13399-022-03412-1>
31. Al-Zahrani, F. A. M., Salem, S. S., Al-Ghamdi, H. A., Nhari, L. M., Lin, L., & El-Shishtawy, R. M. (2022). Green synthesis and antibacterial activity of Ag/Fe2O3 nanocomposite using *Buddleja lindleyana* extract. *Engineering*, 9(9), 452. <https://doi.org/10.3390/bioengineering9090452>
32. Soliman MKY, Abu-Elghait M, Salem SS, Azab MS (2022) Multifunctional properties of silver and gold nanoparticles synthesis by *Fusarium pseudonygamai*. *Biomass Conversion and Biorefinery*<https://doi.org/10.1007/s13399-022-03507-9>
33. Mohamed, A. A., Abu-Elghait, M., Ahmed, N. E., & Salem, S. S. (2021). Eco-friendly mycogenic synthesis of ZnO and CuO nanoparticles for in vitro antibacterial, antibiofilm, and antifungal applications. *Biological Trace Element Research*, 199(7), 2788–2799. <https://doi.org/10.1007/s12011-020-02369-4>
34. Hashem, A. H., Saied, E., Amin, B. H., Alotibi, F. O., Al-Askar, A. A., Arishi, A. A., Elkady, F. M., & Elbahnasawy, M. A. (2022). Antifungal activity of biosynthesized silver nanoparticles (AgNPs) against *aspergilli* causing aspergillosis: Ultrastructure Study. *Journal of Functional Biomaterials*, 13(4), 242.
35. Basta, A. H., El-Saied, H., Hasanin, M. S., & El-Deftar, M. M. (2018). Green carboxymethyl cellulose-silver complex versus cellulose origins in biological activity applications. *International journal of biological macromolecules*, 107, 1364–1372.
36. Emam, M., Soliman, M. M., Eisa, W. H., & Hasanin, M. (2022). Solid and liquid green Ag nanoparticles based on banana peel extract as an eco-friendly remedy for ringworm in pets. *Surface and Interface Analysis*, 54(6), 607–618.
37. Sharaf MH, Nagiub AM, Salem SS, Kalaba MH, El Fakharany EM, Abd El-Wahab H (2022) A new strategy to integrate silver nanowires with waterborne coating to improve their antimicrobial and antiviral properties. *Pigment and Resin Technology*<https://doi.org/10.1108/PRT-12-2021-0146>

38. Soliman, M. K. Y., Salem, S. S., Abu-Elghait, M., & Azab, M. S. (2023). Biosynthesis of silver and gold nanoparticles and their efficacy towards antibacterial, antibiofilm, cytotoxicity, and antioxidant activities. *Applied Biochemistry and Biotechnology*, 195(2), 1158–1183. <https://doi.org/10.1007/s12010-022-04199-7>
39. Lakkim, V., Reddy, M. C., Pallavali, R. R., Reddy, K. R., Reddy, C. V., Bilgrami, A. L., & Lomada, D. (2020). Green synthesis of silver nanoparticles and evaluation of their antibacterial activity against multidrug-resistant bacteria and wound healing efficacy using a murine model. *Antibiotics*, 9(12), 902.
40. Yousef A, Abu-Elghait M, Barghoth MG, Elazzazy AM, Desouky SE (2022) Fighting multidrug-resistant *Enterococcus faecalis* via interfering with virulence factors using green synthesized nanoparticles. *Microbial Pathogenesis* 173. <https://doi.org/10.1016/j.micpath.2022.105842>
41. Al-Zahrani FAM, Al-Zahrani NA, Al-Ghamdi SN, Lin L, Saleem SS, El-Shishtawy RM (2022) Synthesis of Ag/Fe2O3 nanocomposite from essential oil of ginger via green method and its bactericidal activity. *Biomass Conversion and Biorefinery* <https://doi.org/10.1007/s13399-022-03248-9>
42. Hasanin, M. S., Emam, M., Soliman, M. M., Latif, R. R. A., Salem, M. M., El Raey M. A., & Elsa, W. H. (2022). Green silver nanoparticles based on *Lavandula coronopifolia* aerial parts extract against mycotic mastitis in cattle. *Biocatalysis and Agricultural Biotechnology*, 42, 102350.
43. Elsayed, H., Hasanin, M., & Rehan, M. (2021). Enhancement of multifunctional properties of leather surface decorated with silver nanoparticles (Ag NPs). *Journal of Molecular Liquids*, 234, 130130.
44. Hasanin, M., Elbahnasawy, M. A., Shehabeldine, A. M., & Hashem, A. H. (2021). Ecofriendly preparation of silver nanoparticles-based nanocomposite stabilized by polysaccharides with antibacterial, antifungal and antiviral activities. *BioMetals*, 34, 1313–1328.
45. Prakash, P., Gnanaprakasam, P., Emmanuel, R., Arokiyaraj, S., & Savaşan, M. (2013). Green synthesis of silver nanoparticles from leaf extract of *Mimusops elengi*, Linn. for enhanced antibacterial activity against multi drug resistant clinical isolates. *Colloids and Surface B: Biointerfaces*, 108, 255–259.
46. Said, A., El-Gamal, M. S., Abu-Elghait, M., & Salem, S. S. (2021). Isolation, identification and antibiotic susceptibility pattern of urinary tract infection bacterial isolates. *Lett Appl NanoBioSci*, 10, 2820–2830.
47. Adeli-Sardou, M., Yaghoobi, M. M., Torkzadeh Mahariq, M., & Dodel, M. (2019). Controlled release of lawsone from polycaprolactone/gelatin electrospun nano fibers for skin tissue regeneration. *International journal of biological macromolecules*, 124, 478–491.
48. Singh, M., Kaur, M., Dangi, C., & Singh, H. (2014). Phytochemical & TLC profile of *Lawsonia inermis* (Heena). *International Journal for Pharmaceutical Research Scholars*, 3(1), 624–634.
49. Wagini, N. H., Soliman, A. S., Abbas, M. J., Hanafy, Y. A., & Badawy, E.-S.M. (2014). Phytochemical analysis of Nigerian and Egyptian henna (*Lawsonia inermis* L.) leaves using TLC, FTIR and GCMS. *Plant*, 2(3), 27–32.
50. Ajitha, B., Reddy, Y. A., Reddy, P. S., Suneetha, Y., Jeon, H.-J., & Ahn, C. W. (2016). Instant biosynthesis of silver nanoparticles using *Lawsonia inermis* leaf extract: Innate catalytic, antimicrobial and antioxidant activities. *Journal of molecular liquids*, 219, 474–481.
51. Marimuthu, S., Kalan, A. A., Santhoshkumar, T., Jayaseelan, C., Kirthi, A. V., Bagavan, A., Kamaraj, C., Elangovan, G., Zahir, A. A., Rajakumar, G., & Velayutham, K. (2012). Lousicidal activity of synthesized silver nanoparticles using *Lawsonia inermis* leaf aqueous extract against *Pediculus humanus capitis* and *Bovicola ovis*. *Parasitology Research*, 111(5), 2023–2033. <https://doi.org/10.1007/s00436-011-2667-y>
52. Alhomidi, E., Jasim, S. A., Amin, H. I. M., Lima Nobre, M. A., Khatami, M., Jalil, A. T., & Hussain Dilfy, S. (2022). Biosynthesis of silver nanoparticles using *Lawsonia inermis* and their biomedical application. *IET nanobiotechnology*, 16(7–8), 284–294.
53. Daghian, S. G., Farahpour, M. R., & Jafarirad, S. (2021). Biological fabrication and electrostatic attractions of new layered silver/talc nanocomposite using *Lawsonia inermis* L. and its chitosan-capped inorganic/organic hybrid: Investigation on acceleration of *Staphylococcus aureus* and *Pseudomonas aeruginosa* infected wound healing. *Materials Science and Engineering: C*, 128, 112294. <https://doi.org/10.1016/j.msec.2021.112294>
54. Labulo, A. H., David, O. A., & Terna, A. D. (2022). Green synthesis and characterization of silver nanoparticles using *Morinda lucida* leaf extract and evaluation of its antioxidant and antimicrobial activity. *Chemical Papers*, 76(12), 7313–7325. <https://doi.org/10.1007/s11696-022-02392-w>
55. Aminul Haque, M., Shamim Hossain, M., Akanda, M. R., Haque, M. A., & Naher, S. (2019). Procedure optimization of *Limonia acidissima* leaf extraction and silver nanoparticle synthesis for prominent antibacterial activity. *ChemistrySelect*, 4(48), 14276–14280. <https://doi.org/10.1002/slct.201904019>
56. Aref MS, Salem SS (2020) Bio-callus synthesis of silver nanoparticles, characterization, and antibacterial activities via *Cinnamomum camphora* callus culture. *Biocatalysis and Agricultural Biotechnology* 27. <https://doi.org/10.1016/j.cbab.2020.101689>

57. Salem, S. S., Ali, O. M., Reyad, A. M., Abd-Elsalam, K. A., & Hashem, A. H. (2022). *Pseudomonas indica*-mediated silver nanoparticles: Antifungal and antioxidant biogenic tool for suppressing *Mucormycosis* fungi. *Journal of Fungi*, 8(2), 126. <https://doi.org/10.3390/jof8020126>
58. Al-Rajhi AMH, Salem SS, Alharbi AA, Abdelghany TM (2022) Ecofriendly synthesis of silver nanoparticles using Kei-apple (*Dovyalis caffra*) fruit and their efficacy against cancer cells and clinical pathogenic microorganisms. *Arabian Journal of Chemistry* 15 (7). doi:<https://doi.org/10.1016/j.arabjc.2022.103927>
59. Salem, S. S. (2022). Baker's yeast-mediated silver nanoparticles: Characterisation and antimicrobial biogenic tool for suppressing pathogenic microbes. *BioNanoScience*, 12(4), 1220–1229. <https://doi.org/10.1007/s12668-022-01026-5>
60. Elakraa, A. A., Salem, S. S., El-Sayyad, G. S., & Attia, M. S. (2022). Cefotaxime incorporated bimetallic silver-selenium nanoparticles: Promising antimicrobial synergism, antibiofilm activity and bacterial membrane leakage reaction mechanism. *RSC Advances*, 12(41), 26603–26619. <https://doi.org/10.1039/d2ra04717a>
61. Salem, S. S. (2023). A mini review on green nanotechnology and its development in biological effects. *Arch Microbiol* 205, 128. <https://doi.org/10.1007/s00203-023-03467-2>
62. Alsharif, S. M., Salem, S. S., Abdel-Rahman, M. A., Fouda, A., Eid, A. M., Hassan, S. E. D., Awad, M. A., & Mohamed, A. A. (2020). Multifunctional properties of spherical silver nanoparticles fabricated by different microbial taxa. *Heliyon*, 6(5), p.e03943.
63. Eid, A. M., Fouda, A., Niedbala, G., Hassan, S. E. D., Salem, S. S., Abdo, A. M., F. Hetta, H., & Shaheen, T. I. (2020). Endophytic streptomyces laurentii mediated green synthesis of Ag-NPs with antibacterial and anticancer properties for developing functional textile fabric properties. *Antibiotics*, 9(10), 641.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.